
## Yury S Tveryanovich

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9261342/publications.pdf Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Er3+ to glass matrix energy transfer in Ga–Ge–S:Er3+ system. Journal of Non-Crystalline Solids, 2002,<br>298, 7-14.  | 1.5 | 54        |
| 2  | Photochemistry of copper(II) chlorocomplexes in acetonitrile: Trapping the ligand-to-metal charge transfer excited state relaxations pathways. Chemical Physics Letters, 2014, 615, 105-110. | 1.2 | 46        |
| 3  | Laser-induced copper deposition from aqueous and aqueous–organic solutions: state of the art and prospects of research. Russian Chemical Reviews, 2015, 84, 1059-1075.                       | 2.5 | 41        |
| 4  | Up-conversion fluorescence in Er-doped chalcogenide glasses based on GeS2–Ga2S3 system. Journal of<br>Non-Crystalline Solids, 2001, 286, 89-92.  | 1.5 | 38        |
| 5  | Laser-induced chemical liquid phase deposition of metals: chemical reactions in solution and activation of dielectric surfaces. Russian Chemical Reviews, 2011, 80, 869-882.                 | 2.5 | 32        |
| 6  | Glass-forming ability and cationic transport in gallium containing chalcohalide glasses. Journal of<br>Non-Crystalline Solids, 1999, 256-257, 237-241.                                       | 1.5 | 28        |
| 7  | CulnSe2 thin films deposited by UV laser ablation. Solar Energy Materials and Solar Cells, 2006, 90, 3624-3632.  | 3.0 | 28        |
| 8  | Formation of complex structural units and structure of some chalco-halide glasses. Journal of Non-Crystalline Solids, 2004, 333, 85-89.  | 1.5 | 27        |
| 9  | Sorbitol as an efficient reducing agent for laser-induced copper deposition. Applied Surface Science, 2012, 259, 55-58.  | 3.1 | 26        |
| 10 | Effect of salt precursor on laser-assisted copper deposition. Applied Physics A: Materials Science and Processing, 2007, 89, 755-759.  | 1.1 | 23        |
| 11 | CuCl2-based liquid electrolyte precursor for laser-induced metal deposition. Laser Physics Letters, 2007, 4, 242-246.  | 0.6 | 20        |
| 12 | Composition of the gas phase formed upon laser-induced copper deposition from solutions.<br>Mendeleev Communications, 2011, 21, 34-35.   | 0.6 | 20        |
| 13 | Deposition of Er 3+ doped chalcogenide glass films by excimer laser ablation. Journal of Non-Crystalline Solids, 2003, 326-327, 316-319.   | 1.5 | 19        |
| 14 | Laser-assisted metal deposition from CuSO4-based electrolyte solution. Laser Physics Letters, 2007, 4, 163-167.  | 0.6 | 19        |
| 15 | Laser-induced copper deposition on the surface of an oxide glass from an electrolyte solution. Glass<br>Physics and Chemistry, 2007, 33, 209-213.  | 0.2 | 18        |
| 16 | Up-conversion luminescence efficiency in Er-doped chalcogenide glasses. Journal of Non-Crystalline<br>Solids, 2003, 326-327, 311-315.  | 1.5 | 16        |
| 17 | Investigation of lithium niobate composition by optical spectroscopy methods. Russian Chemical Bulletin, 2009, 58, 2228-2232.  | 0.4 | 16        |
| 18 | Er3+ as glass structure modifier of Ga–Ge–S chalcogenide system. Applied Physics A: Materials Science<br>and Processing, 2009, 96, 887-891.  | 1.1 | 16        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Concentration Quenching of Luminescence of Rare-Earth lons in Chalcogenide Glasses. Glass Physics and Chemistry, 2003, 29, 166-168.   | 0.2 | 14        |
| 20 | Synthesis and characterization of nanocrystalline CuCr2Se4 particles. Materials Letters, 2006, 60, 2807-2809.   | 1.3 | 14        |
| 21 | Side reactions during laser-induced deposition of copper from aqueous solutions of Cull complexes.<br>Russian Chemical Bulletin, 2012, 61, 1041-1047.   | 0.4 | 14        |
| 22 | Mechanism of Formation of Copper(II) Chloro Complexes Revealed by Transient Absorption<br>Spectroscopy and DFT/TDDFT Calculations. Journal of Physical Chemistry B, 2015, 119, 8754-8763.   | 1.2 | 14        |
| 23 | Fabrication of stoichiometric oriented Ag2Se thin film by laser ablation. Thin Solid Films, 2018, 666, 172-176.   | 0.8 | 14        |
| 24 | Single-longitudinal-mode linear-cavity fiber laser using multiple subring-cavities. Laser Physics, 2010, 20, 1608-1611.   | 0.6 | 13        |
| 25 | Linear-cavity fiber laser using subring-cavity incorporated saturable absorber for single-frequency operation. Laser Physics, 2010, 20, 1744-1746.  | 0.6 | 13        |
| 26 | Optimization of the solution composition for laser-induced chemical liquid phase deposition of copper. Russian Chemical Bulletin, 2011, 60, 1564-1570.  | 0.4 | 13        |
| 27 | <title>Glasses of the&lt;br&gt;Ga&lt;formula&gt;&lt;inf&gt;&lt;roman&gt;2&lt;/roman&gt;&lt;/inf&gt;&lt;/formula&gt;S&lt;formula&gt;&lt;inf&gt;&lt;roman&gt;3&lt;/roman&gt;&lt;/inf&gt;&lt;/formula&gt;-G&lt;br&gt;system doped with rare-earth ions&lt;br&gt;(Nd&lt;formula&gt;&lt;sup&gt;&lt;roman&gt;3+&lt;/roman&gt;&lt;/sup&gt;&lt;/formula&gt;,Er&lt;formula&gt;&lt;sup&gt;&lt;roman&gt;3+&lt;/roman&gt;&lt;/sup&gt;&lt;/fo&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;a&gt;&lt;inf&gt;&lt;rom&lt;br&gt;12&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;28&lt;/td&gt;&lt;td&gt;as active optical materials circles ., 2001, 4429, 80.&lt;br&gt;Rare-Earth Doped Chalcogenide Glass. Semiconductors and Semimetals, 2004, , 169-207.&lt;/td&gt;&lt;td&gt;0.4&lt;/td&gt;&lt;td&gt;12&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;29&lt;/td&gt;&lt;td&gt;An assessment of water placement algorithms in quantum mechanics/molecular mechanics modeling:&lt;br&gt;the case of rhodopsins' first spectral absorption band maxima. Physical Chemistry Chemical Physics,&lt;br&gt;2020, 22, 18114-18123.&lt;/td&gt;&lt;td&gt;1.3&lt;/td&gt;&lt;td&gt;12&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;30&lt;/td&gt;&lt;td&gt;Ion-conducting multilayer films based on alternating nanolayers Ag3SI, AgI and Ag2S, AgI. Glass Physics and Chemistry, 2008, 34, 150.&lt;/td&gt;&lt;td&gt;0.2&lt;/td&gt;&lt;td&gt;11&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;31&lt;/td&gt;&lt;td&gt;Mechanical modification of Î&lt;sup&gt;2&lt;/sup&gt;-AgI nanocrystals. Crystallography Reports, 2012, 57, 948-954.&lt;/td&gt;&lt;td&gt;0.1&lt;/td&gt;&lt;td&gt;11&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;32&lt;/td&gt;&lt;td&gt;Decomposition of cobalt(III) nitrotetrazolato amminates under the action of laser light. Russian&lt;br&gt;Journal of Applied Chemistry, 2015, 88, 226-231.&lt;/td&gt;&lt;td&gt;0.1&lt;/td&gt;&lt;td&gt;10&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;33&lt;/td&gt;&lt;td&gt;AgI thin films prepared by laser ablation. Solid State Ionics, 2016, 297, 64-67.&lt;/td&gt;&lt;td&gt;1.3&lt;/td&gt;&lt;td&gt;10&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;34&lt;/td&gt;&lt;td&gt;Non-radiative energy transfer from Er 3+ ions to the electronic states of the chalcogenide glass matrix. Journal of Non-Crystalline Solids, 2003, 326-327, 320-324.&lt;/td&gt;&lt;td&gt;1.5&lt;/td&gt;&lt;td&gt;9&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;35&lt;/td&gt;&lt;td&gt;Nanolayered solid electrolyte (GeSe2)30(Sb2Se3)30(Agl)40/Agl: A new hypothesis for the conductivity mechanism in layered Agl. Solid State Ionics, 2016, 294, 82-89.&lt;/td&gt;&lt;td&gt;1.3&lt;/td&gt;&lt;td&gt;9&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;36&lt;/td&gt;&lt;td&gt;Simple Models to Study Spectral Properties of Microbial and Animal Rhodopsins: Evaluation of the&lt;br&gt;Electrostatic Effect of Charged and Polar Residues on the First Absorption Band Maxima.&lt;br&gt;International Journal of Molecular Sciences, 2021, 22, 3029.&lt;/td&gt;&lt;td&gt;1.8&lt;/td&gt;&lt;td&gt;9&lt;/td&gt;&lt;/tr&gt;&lt;/tbody&gt;&lt;/table&gt;</title> |     |           |

| #  | Article  | IF        | CITATIONS |
|----|--|-----------|-----------|
| 37 | Ion Conductivity and Sensors. Semiconductors and Semimetals, 2004, 80, 103-168.  | 0.4       | 8         |
| 38 | The environment of Nd3+, Sm3+, Yb3+ in chalcogenide glasses containing gallium and germanium.<br>Journal of Non-Crystalline Solids, 1999, 256-257, 95-99.                                  | 1.5       | 6         |
| 39 | Syntheses and magnetic properties of nanocrystalline CuCr2Se4. Journal of Non-Crystalline Solids, 2006, 352, 2885-2891.  | 1.5       | 6         |
| 40 | On the doping of chalcogenide glassy semiconductors. Journal of Non-Crystalline Solids, 1987, 90,<br>405-412.  | 1.5       | 5         |
| 41 | Magnetochemical investigation of the second coordination sphere of transition metals in glasses.<br>Journal of Non-Crystalline Solids, 1999, 256-257, 100-104.                             | 1.5       | 5         |
| 42 | Electrical properties of glasses in the Agl-As2Te3 system. Glass Physics and Chemistry, 2004, 30, 519-522.   | 0.2       | 5         |
| 43 | Polycrystalline CuIn3Se5 thin film photoabsorber deposited by the pulsed laser deposition technique.<br>Proceedings of the Estonian Academy of Sciences, 2009, 58, 24.                     | 0.9       | 5         |
| 44 | lonic conductivity of (As2Se3)1 â^' x (AgHal) x (Hal = I, Br) nanocomposites. Glass Physics and Chemistry,<br>2010, 36, 455-462.   | 0.2       | 5         |
| 45 | Temperature hysteresis of AgI phase transition in Agl–chalcogenide glass nanolayered films. Glass<br>Physics and Chemistry, 2016, 42, 172-176.   | 0.2       | 5         |
| 46 | Formation of Radiation-Induced Defects in Glasses of the Copper–Arsenic–Selenium System. Glass<br>Physics and Chemistry, 2003, 29, 160-165.  | 0.2       | 4         |
| 47 | Electrical conductivity of glasses in the Ag-As-Se-Te system. Glass Physics and Chemistry, 2005, 31, 165-167.  | 0.2       | 4         |
| 48 | Photoinduced transformations in Ga-Ge-S : Er films prepared by laser deposition. Glass Physics and Chemistry, 2005, 31, 173-176.   | 0.2       | 4         |
| 49 | Erbium-mediated photoconductivity of Ga–Ge–S–Se : Er3+chalcogenide glasses. Journal Physics D<br>Applied Physics, 2008, 41, 175110.  | ):<br>1.3 | 4         |
| 50 | Production of nanodispersed materials and thin films by laser ablation techniques in liquid and in vacuum. Russian Chemical Reviews, 2012, 81, 1091-1116.                                  | 2.5       | 4         |
| 51 | Linear-cavity fiber laser in nearly single-frequency operation using Faraday rotator mirror. Laser<br>Physics, 2012, 22, 437-440.  | 0.6       | 4         |
| 52 | Structural changes in silver iodide upon mechanochemical treatment. Glass Physics and Chemistry, 2012, 38, 155-161.  | 0.2       | 4         |
| 53 | Preparation of films of vitreous solid electrolyte (GeSe2)30(Sb2Se3)30(AgI)40 using laser ablation method. Glass Physics and Chemistry, 2015, 41, 440-442.                                 | 0.2       | 4         |
| 54 | Increasing the Plasticity of Chalcogenide Glasses in the System<br>Ag <sub>2</sub> Se–Sb <sub>2</sub> Se <sub>3</sub> –GeSe <sub>2</sub> . Chemistry of Materials, 2022,<br>34, 2743-2751. | 3.2       | 4         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Smeared first-order phase transition in chalcogenide melts. Journal of Non-Crystalline Solids, 1999, 256-257, 78-82.  | 1.5 | 3         |
| 56 | Glass Formation and Luminescence of Glasses in the Ga2S3–GeS2–Nd2S3System. Glass Physics and Chemistry, 2001, 27, 209-213.  | 0.2 | 3         |
| 57 | Preparation and investigation of 0.7Agl · 0.3ZnO nanocomposite films. Glass Physics and Chemistry, 2009, 35, 668-672.   | 0.2 | 3         |
| 58 | Magnetic Susceptibility and Local Structure of the Glasses Ga2S3(As2S3, PbS)–GeS2–MnS. Journal of<br>Solid State Chemistry, 2000, 152, 388-391.   | 1.4 | 2         |
| 59 | Resonant Optical Nonlinearity in Vitreous Semiconductors. Glass Physics and Chemistry, 2003, 29, 328-329.   | 0.2 | 2         |
| 60 | Effect of Light on the Magnetic Properties of Semiconductors. Glass Physics and Chemistry, 2005, 31, 563-582.   | 0.2 | 2         |
| 61 | Composition investigation of lithium niobate crystals and its influence on the optical damage resistance. Russian Journal of General Chemistry, 2010, 80, 1543-1549.                    | 0.3 | 2         |
| 62 | Nanocomposites based on silver iodide and aluminum oxide. Glass Physics and Chemistry, 2013, 39, 94-99.   | 0.2 | 2         |
| 63 | Vitreous films of Ga6Ge17S43 composition as a biochip substrate. Glass Physics and Chemistry, 2014, 40, 467-469.  | 0.2 | 2         |
| 64 | Laser-induced processes in chemistry and material sciences. Russian Chemical Reviews, 2015, 84, E01-E01.  | 2.5 | 2         |
| 65 | LASER-INDUCED DECOMPOSITION OF [CO(NH3 )5 (CN5 O2 )](CLO4 )2. International Journal of Energetic Materials and Chemical Propulsion, 2016, 15, 113-122.                                  | 0.2 | 2         |
| 66 | Investigation of structure of GeS1.35 glasses with the use of isotopically enriched germanium and Raman scattering spectroscopy. Journal of Non-Crystalline Solids, 2017, 457, 164-168. | 1.5 | 2         |
| 67 | Stabilization of high-temperature Ag2Se phase at room temperature during the crystallization of an amorphous film. Thin Solid Films, 2020, 709, 138187.                                 | 0.8 | 2         |
| 68 | Title is missing!. Glass Physics and Chemistry, 2001, 27, 406-408.  | 0.2 | 1         |
| 69 | Title is missing!. Glass Physics and Chemistry, 2003, 29, 428-430.  | 0.2 | 1         |
| 70 | Magnetic Properties of Chalcogenide Glasses. Semiconductors and Semimetals, 2004, 79, 229-275.  | 0.4 | 1         |
| 71 | Formation of CuCr2Se4 ferromagnetic spinel microcrystals in a chalcogenide glass matrix. Glass Physics and Chemistry, 2005, 31, 168-172.  | 0.2 | 1         |
| 72 | On the variation of the structure of nanocomposite solid electrolytes. Glass Physics and Chemistry, 2006, 32, 491-493.  | 0.2 | 1         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Specific optical and photoelectric properties of thin Culn3Se5 films synthesized by laser deposition.<br>Semiconductors, 2007, 41, 1394-1397.                          | 0.2 | 1         |
| 74 | Pump slope-improved fiber-ring laser by recycling the residual pumping power. Laser Physics, 2008, 18, 1040-1043.  | 0.6 | 1         |
| 75 | Temperature annealing of radiation defects in xCu2Se-(1 â^' x)As2Se3 glasses: Dependence on composition. Glass Physics and Chemistry, 2013, 39, 57-63.                 | 0.2 | 1         |
| 76 | As39S6 films as protein-selective two-dimensional arrays for biochips. Glass Physics and Chemistry, 2014, 40, 470-471.   | 0.2 | 1         |
| 77 | Control of phase composition of silver iodide by mechanoactivation. Glass Physics and Chemistry, 2015, 41, 637-642.  | 0.2 | 1         |
| 78 | Superionic nanolayered structure based on amorphous Ag2Se. Journal of Physics and Chemistry of Solids, 2021, 148, 109731.  | 1.9 | 1         |
| 79 | On the Possible Existence of Vitreous Solid Electrolytes with a Molten Cationic Sublattice. Glass Physics and Chemistry, 2003, 29, 137-139.                            | 0.2 | 0         |
| 80 | The influence of the preparation technique and thickness of As2Se3 · AgBr glass layers on the electrical conductivity. Glass Physics and Chemistry, 2006, 32, 214-217. | 0.2 | 0         |
| 81 | <title>Absorption and photoluminescence of Ga-La-S:O and Ga-Ge-As-S glasses doped with rare-earth ions</title> ., 2007,,.  |     | О         |
| 82 | Preparation of CuCr2Se4/ZnSe layered films on glass substrates by laser ablation. Glass Physics and Chemistry, 2008, 34, 146-149.                                      | 0.2 | 0         |
| 83 | Photoinduced magnetization of glass-ceramic alloys in the Cu-As-Cr-Se system. Class Physics and Chemistry, 2009, 35, 468-474.  | 0.2 | 0         |
| 84 | Effect of defects of the domain structure on the optical properties of ferroelectric crystals. Glass<br>Physics and Chemistry, 2010, 36, 10-16.                        | 0.2 | 0         |
| 85 | Preparation and ion conductivity of composite films Agl-ZnO. , 2015, , .   |     | О         |