

# Femke Lamers

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/9261638/femke-lamers-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

119  
papers

4,143  
citations

35  
h-index

62  
g-index

132  
ext. papers

5,444  
ext. citations

6.3  
avg, IF

5.7  
L-index

#	Paper	IF	Citations
119	Comorbidity patterns of anxiety and depressive disorders in a large cohort study: the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Clinical Psychiatry</i> , <b>2011</b> , 72, 341-8	4.6	423
118	Understanding the somatic consequences of depression: biological mechanisms and the role of depression symptom profile. <i>BMC Medicine</i> , <b>2013</b> , 11, 129	11.4	406
117	Two-year course of depressive and anxiety disorders: results from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , <b>2011</b> , 133, 76-85	6.6	223
116	Identifying depressive subtypes in a large cohort study: results from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Clinical Psychiatry</i> , <b>2010</b> , 71, 1582-9	4.6	183
115	Summed score of the Patient Health Questionnaire-9 was a reliable and valid method for depression screening in chronically ill elderly patients. <i>Journal of Clinical Epidemiology</i> , <b>2008</b> , 61, 679-87	5.7	131
114	Sociodemographic and psychiatric determinants of attrition in the Netherlands Study of Depression and Anxiety (NESDA). <i>Comprehensive Psychiatry</i> , <b>2012</b> , 53, 63-70	7.3	117
113	Genetic Association of Major Depression With Atypical Features and Obesity-Related Immunometabolic Dysregulations. <i>JAMA Psychiatry</i> , <b>2017</b> , 74, 1214-1225	14.5	109
112	Depressive and anxiety disorders and the association with obesity, physical, and social activities. <i>Depression and Anxiety</i> , <b>2010</b> , 27, 1057-65	8.4	107
111	Sleep Patterns and Mental Health Correlates in US Adolescents. <i>Journal of Pediatrics</i> , <b>2017</b> , 182, 137-143	3.6	102
110	Leptin Dysregulation Is Specifically Associated With Major Depression With Atypical Features: Evidence for a Mechanism Connecting Obesity and Depression. <i>Biological Psychiatry</i> , <b>2017</b> , 81, 807-814	7.9	100
109	Are sedentary television watching and computer use behaviors associated with anxiety and depressive disorders?. <i>Psychiatry Research</i> , <b>2011</b> , 186, 239-43	9.9	97
108	Depression Heterogeneity and Its Biological Underpinnings: Toward Immunometabolic Depression. <i>Biological Psychiatry</i> , <b>2020</b> , 88, 369-380	7.9	76
107	Health correlates of insomnia symptoms and comorbid mental disorders in a nationally representative sample of US adolescents. <i>Sleep</i> , <b>2015</b> , 38, 197-204	1.1	72
106	Longitudinal Association Between Depression and Inflammatory Markers: Results From the Netherlands Study of Depression and Anxiety. <i>Biological Psychiatry</i> , <b>2019</b> , 85, 829-837	7.9	72
105	Early and late onset depression in young and middle aged adults: differential symptomatology, characteristics and risk factors?. <i>Journal of Affective Disorders</i> , <b>2012</b> , 138, 259-67	6.6	70
104	Using Smartphones and Wearable Devices to Monitor Behavioral Changes During COVID-19. <i>Journal of Medical Internet Research</i> , <b>2020</b> , 22, e19992	7.6	70
103	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. <i>Psychological Medicine</i> , <b>2020</b> , 50, 1368-1380	6.9	65

102	A minimal psychological intervention in chronically ill elderly patients with depression: a randomized trial. <i>Psychotherapy and Psychosomatics</i> , <b>2010</b> , 79, 217-26	9.4	61
101	Patients with anxious depression: overview of prevalence, pathophysiology and impact on course and treatment outcome. <i>Current Opinion in Psychiatry</i> , <b>2018</b> , 31, 17-25	4.9	59
100	Structure of major depressive disorder in adolescents and adults in the US general population. <i>British Journal of Psychiatry</i> , <b>2012</b> , 201, 143-50	5.4	58
99	Differentiating nonrestorative sleep from nocturnal insomnia symptoms: demographic, clinical, inflammatory, and functional correlates. <i>Sleep</i> , <b>2013</b> , 36, 671-9	1.1	58
98	Associations between age and the course of major depressive disorder: a 2-year longitudinal cohort study. <i>Lancet Psychiatry</i> , <b>2018</b> , 5, 581-590	23.3	56
97	Improving quality of life in depressed COPD patients: effectiveness of a minimal psychological intervention. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , <b>2010</b> , 7, 315-22	2	54
96	Sleep, circadian rhythm, and physical activity patterns in depressive and anxiety disorders: A 2-week ambulatory assessment study. <i>Depression and Anxiety</i> , <b>2019</b> , 36, 975-986	8.4	53
95	Differential Autonomic Nervous System Reactivity in Depression and Anxiety During Stress Depending on Type of Stressor. <i>Psychosomatic Medicine</i> , <b>2016</b> , 78, 562-72	3.7	46
94	Objective physical functioning in patients with depressive and/or anxiety disorders. <i>Journal of Affective Disorders</i> , <b>2011</b> , 131, 193-9	6.6	44
93	BIDIRECTIONAL PROSPECTIVE ASSOCIATIONS OF METABOLIC SYNDROME COMPONENTS WITH DEPRESSION, ANXIETY, AND ANTIDEPRESSANT USE. <i>Depression and Anxiety</i> , <b>2016</b> , 33, 754-64	8.4	44
92	Treating depression in diabetes patients: does a nurse-administered minimal psychological intervention affect diabetes-specific quality of life and glycaemic control? A randomized controlled trial. <i>Journal of Advanced Nursing</i> , <b>2011</b> , 67, 788-99	3.1	42
91	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , <b>2020</b> , 89, 25-37	9.4	42
90	Depression profilers and immuno-metabolic dysregulation: Longitudinal results from the NESDA study. <i>Brain, Behavior, and Immunity</i> , <b>2020</b> , 88, 174-183	16.6	41
89	The identification of symptom-based subtypes of depression: A nationally representative cohort study. <i>Journal of Affective Disorders</i> , <b>2016</b> , 190, 395-406	6.6	41
88	Sex Differences in Serum Markers of Major Depressive Disorder in the Netherlands Study of Depression and Anxiety (NESDA). <i>PLoS ONE</i> , <b>2016</b> , 11, e0156624	3.7	41
87	Longitudinal Predictive Validity of the DSM-5 Anxious Distress Specifier for Clinical Outcomes in a Large Cohort of Patients With Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , <b>2017</b> , 78, 207-213	4.6	40
86	Anxious distress predicts subsequent treatment outcome and side effects in depressed patients starting antidepressant treatment. <i>Journal of Psychiatric Research</i> , <b>2017</b> , 84, 41-48	5.2	39
85	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. <i>British Journal of Psychiatry</i> , <b>2018</b> , 212, 377-385	5.4	36

84	Empirically derived subtypes of lifetime anxiety disorders: developmental and clinical correlates in U.S. adolescents. <i>Journal of Consulting and Clinical Psychology</i> , <b>2012</b> , 80, 102-15	6.5	35
83	The True Prevalence of bipolar II disorder. <i>Current Opinion in Psychiatry</i> , <b>2012</b> , 25, 19-23	4.9	33
82	Selective Cutoff Reporting in Studies of Diagnostic Test Accuracy: A Comparison of Conventional and Individual-Patient-Data Meta-Analyses of the Patient Health Questionnaire-9 Depression Screening Tool. <i>American Journal of Epidemiology</i> , <b>2017</b> , 185, 954-964	3.8	32
81	The role of anxious distress in immune dysregulation in patients with major depressive disorder. <i>Translational Psychiatry</i> , <b>2017</b> , 7, 1268	8.6	31
80	Prevalence and correlates of prolonged fatigue in a U.S. sample of adolescents. <i>American Journal of Psychiatry</i> , <b>2013</b> , 170, 502-10	11.9	31
79	Mood reactivity and affective dynamics in mood and anxiety disorders. <i>Journal of Abnormal Psychology</i> , <b>2018</b> , 127, 659-669	7	29
78	Association of inflammation with depression and anxiety: evidence for symptom-specificity and potential causality from UK Biobank and NESDA cohorts. <i>Molecular Psychiatry</i> , <b>2021</b> ,	15.1	28
77	Magnitude, impact, and stability of primary headache subtypes: 30 year prospective Swiss cohort study. <i>BMJ, The</i> , <b>2011</b> , 343, d5076	5.9	26
76	The predictive value of Approach and Avoidance tendencies on the onset and course of depression and anxiety disorders. <i>Depression and Anxiety</i> , <b>2018</b> , 35, 551-559	8.4	22
75	Economic evaluation of a minimal psychological intervention in chronically ill elderly patients with minor or mild to moderate depression: a randomized trial (the DELTA-study). <i>International Journal of Technology Assessment in Health Care</i> , <b>2009</b> , 25, 497-504	1.8	21
74	Process evaluation of a minimal psychological intervention to reduce depression in chronically ill elderly persons. <i>Patient Education and Counseling</i> , <b>2007</b> , 68, 252-7	3.1	21
73	Basal and LPS-stimulated inflammatory markers and the course of individual symptoms of depression. <i>Translational Psychiatry</i> , <b>2020</b> , 10, 235	8.6	21
72	The Association Between Insomnia and Sleep Duration in Adults With Attention-Deficit Hyperactivity Disorder: Results From a General Population Study. <i>Journal of Clinical Sleep Medicine</i> , <b>2018</b> , 14, 349-357	3.1	21
71	Approach and avoidance tendencies in depression and anxiety disorders. <i>Psychiatry Research</i> , <b>2017</b> , 256, 475-481	9.9	20
70	Six-year trajectory of objective physical function in persons with depressive and anxiety disorders. <i>Depression and Anxiety</i> , <b>2017</b> , 34, 188-197	8.4	19
69	The effectiveness of a minimal psychological intervention on self-management beliefs and behaviors in depressed chronically ill elderly persons: a randomized trial. <i>International Psychogeriatrics</i> , <b>2012</b> , 24, 288-97	3.4	18
68	Increased serum levels of leptin and insulin in both schizophrenia and major depressive disorder: A cross-disorder proteomics analysis. <i>European Neuropsychopharmacology</i> , <b>2019</b> , 29, 835-846	1.2	17
67	Familial aggregation and heritability of the melancholic and atypical subtypes of depression. <i>Journal of Affective Disorders</i> , <b>2016</b> , 204, 241-6	6.6	17

66	Influences of lifestyle factors on cardiac autonomic nervous system activity over time. <i>Preventive Medicine</i> , <b>2017</b> , 94, 12-19	4.3	17
65	Disparities by education level in outcomes of a self-management intervention: the DELTA trial in The Netherlands. <i>Psychiatric Services</i> , <b>2011</b> , 62, 793-5	3.3	17
64	Melancholic and atypical depression as predictor and moderator of outcome in cognitive behavior therapy and pharmacotherapy for adult depression. <i>Depression and Anxiety</i> , <b>2017</b> , 34, 246-256	8.4	16
63	ADHD, circadian rhythms and seasonality. <i>Journal of Psychiatric Research</i> , <b>2016</b> , 81, 87-94	5.2	16
62	The association of depression and anxiety with cardiac autonomic activity: The role of confounding effects of antidepressants. <i>Depression and Anxiety</i> , <b>2019</b> , 36, 1163-1172	8.4	15
61	Depressive and anxiety disorders: Associated with losing or gaining weight over 2 years?. <i>Psychiatry Research</i> , <b>2015</b> , 227, 230-7	9.9	14
60	Experienced Burden of and Adherence to Smartphone-Based Ecological Momentary Assessment in Persons with Affective Disorders. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	14
59	Suicidal ideation and suicide attempts: associations with sleep duration, insomnia, and inflammation. <i>Psychological Medicine</i> , <b>2020</b> , 1-10	6.9	14
58	IDENTIFYING PANIC DISORDER SUBTYPES USING FACTOR MIXTURE MODELING. <i>Depression and Anxiety</i> , <b>2015</b> , 32, 509-17	8.4	14
57	Borderline personality symptoms and work performance: a population-based survey. <i>BMC Psychiatry</i> , <b>2018</b> , 18, 202	4.2	13
56	The predictive specificity of psychological vulnerability markers for the course of affective disorders. <i>Journal of Psychiatric Research</i> , <b>2018</b> , 103, 10-17	5.2	13
55	Taking Personalized Medicine Seriously: Biomarker Approaches in Phase IIb/III Studies in Major Depression and Schizophrenia. <i>Innovations in Clinical Neuroscience</i> , <b>2015</b> , 12, 26S-40S	1	13
54	Biomarker-based subtyping of depression and anxiety disorders using Latent Class Analysis. A NESDA study. <i>Psychological Medicine</i> , <b>2019</b> , 49, 617-627	6.9	12
53	Basal autonomic activity, stress reactivity, and increases in metabolic syndrome components over time. <i>Psychoneuroendocrinology</i> , <b>2016</b> , 71, 119-26	5	11
52	The Impact of Depressive Disorder Symptoms and Subtypes on 6-Year Incidence of Somatic Diseases. <i>Psychotherapy and Psychosomatics</i> , <b>2018</b> , 87, 308-310	9.4	11
51	An integrated approach to understand biological stress system dysregulation across depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , <b>2021</b> , 283, 139-146	6.6	11
50	Differences between unipolar mania and bipolar-I disorder: Evidence from nine epidemiological studies. <i>Bipolar Disorders</i> , <b>2019</b> , 21, 437-448	3.8	11
49	Temporal stability of symptoms of affective disorders, cognitive vulnerability and personality over time. <i>Journal of Affective Disorders</i> , <b>2020</b> , 260, 77-83	6.6	10

48	The Association Between Metabolic Syndrome, Obesity-Related Outcomes, and ADHD in Adults With Comorbid Affective Disorders. <i>Journal of Attention Disorders</i> , <b>2018</b> , 22, 460-471	3.7	9
47	One-year severity of depressive symptoms: results from the NESDA study. <i>Psychiatry Research</i> , <b>2011</b> , 190, 226-31	9.9	9
46	Associations of immunometabolic risk factors with symptoms of depression and anxiety: The role of cardiac vagal activity. <i>Brain, Behavior, and Immunity</i> , <b>2018</b> , 73, 493-503	16.6	8
45	Barriers and facilitators to employment in borderline personality disorder: A qualitative study among patients, mental health practitioners and insurance physicians. <i>PLoS ONE</i> , <b>2019</b> , 14, e0220233	3.7	8
44	Level and timing of physical activity during normal daily life in depressed and non-depressed individuals. <i>Translational Psychiatry</i> , <b>2020</b> , 10, 259	8.6	8
43	Dissecting Depression Biological and Clinical Heterogeneity-The Importance of Symptom Assessment Resolution. <i>JAMA Psychiatry</i> , <b>2021</b> , 78, 341	14.5	8
42	Physiological stress markers, mental health and objective physical function. <i>Journal of Psychosomatic Research</i> , <b>2020</b> , 133, 109996	4.1	7
41	Prescribing antidepressants and benzodiazepines in the Netherlands: is chronic physical illness involved?. <i>Depression Research and Treatment</i> , <b>2010</b> , 2010, 105931	3.8	7
40	Cortical thickness and resting-state cardiac function across the lifespan: A cross-sectional pooled mega-analysis. <i>Psychophysiology</i> , <b>2021</b> , 58, e13688	4.1	7
39	Delayed sleep-onset and biological age: late sleep-onset is associated with shorter telomere length. <i>Sleep</i> , <b>2019</b> , 42,	1.1	6
38	Temporal stability and drivers of change in cardiac autonomic nervous system activity. <i>Autonomic Neuroscience: Basic and Clinical</i> , <b>2017</b> , 208, 117-125	2.4	6
37	Linking atypical depression and insulin resistance-related disorders via low-grade chronic inflammation: Integrating the phenotypic, molecular and neuroanatomical dimensions. <i>Brain, Behavior, and Immunity</i> , <b>2021</b> , 93, 335-352	16.6	6
36	Relationship Between Major Depression Symptom Severity and Sleep Collected Using a Wristband Wearable Device: Multicenter Longitudinal Observational Study. <i>JMIR MHealth and UHealth</i> , <b>2021</b> , 9, e24604	5.5	6
35	Predicting Depressive Symptom Severity Through Individuals' Nearby Bluetooth Device Count Data Collected by Mobile Phones: Preliminary Longitudinal Study. <i>JMIR MHealth and UHealth</i> , <b>2021</b> , 9, e29840	5.5	6
34	Obesity and atypical depression symptoms: findings from Mendelian randomization in two European cohorts. <i>Translational Psychiatry</i> , <b>2021</b> , 11, 96	8.6	6
33	Bidirectional Prospective Associations Between Cardiac Autonomic Activity and Inflammatory Markers. <i>Psychosomatic Medicine</i> , <b>2018</b> , 80, 475-482	3.7	5
32	Screening for Depression in Daily Life: Development and External Validation of a Prediction Model Based on Actigraphy and Experience Sampling Method. <i>Journal of Medical Internet Research</i> , <b>2020</b> , 22, e22634	7.6	5
31	Fatigue in patients with chronic disease: results from the population-based Lifelines Cohort Study. <i>Scientific Reports</i> , <b>2021</b> , 11, 20977	4.9	5

30	The day-to-day bidirectional longitudinal association between objective and self-reported sleep and affect: An ambulatory assessment study. <i>Journal of Affective Disorders</i> , <b>2021</b> , 283, 165-171	6.6	5
29	Using Smartphones and Wearable Devices to Monitor Behavioral Changes During COVID-19 (Preprint)		4
28	Response to "International Society for Nutritional Psychiatry Research Practice Guidelines for Omega-3 Fatty Acids in the Treatment of Major Depressive Disorder" by Guu et al. (2019). <i>Psychotherapy and Psychosomatics</i> , <b>2020</b> , 89, 48	9.4	4
27	The long-lasting impact of childhood trauma on adult chronic physical disorders. <i>Journal of Psychiatric Research</i> , <b>2021</b> , 136, 87-94	5.2	4
26	Association of Inflammation with Depression and Anxiety: Evidence for Symptom-Specificity and Potential Causality from UK Biobank and NESDA Cohorts		4
25	The Association Between Home Stay and Symptom Severity in Major Depressive Disorder: Preliminary Findings From a Multicenter Observational Study Using Geolocation Data From Smartphones.. <i>JMIR MHealth and UHealth</i> , <b>2022</b> , 10, e28095	5.5	3
24	Sociodemographic, Health and Lifestyle, Sampling, and Mental Health Determinants of 24-Hour Motor Activity Patterns: Observational Study. <i>Journal of Medical Internet Research</i> , <b>2021</b> , 23, e20700	7.6	3
23	Incident Major Depressive Disorder Predicted by Three Measures of Insulin Resistance: A Dutch Cohort Study. <i>American Journal of Psychiatry</i> , <b>2021</b> , 178, 914-920	11.9	3
22	The role of depressive symptoms and symptom dimensions in actigraphy-assessed sleep, circadian rhythm, and physical activity. <i>Psychological Medicine</i> , <b>2021</b> , 1-7	6.9	3
21	Association Between Depression, Anxiety, and Antidepressant Use With T-Wave Amplitude and QT-Interval. <i>Frontiers in Neuroscience</i> , <b>2018</b> , 12, 375	5.1	2
20	Person misfit on the Inventory of Depressive Symptomatology: Low quality self-report or true atypical symptom profile?. <i>International Journal of Methods in Psychiatric Research</i> , <b>2017</b> , 26,	4.3	2
19	Inflammation and depression in young people: a systematic review and proposed inflammatory pathways. <i>Molecular Psychiatry</i> , <b>2021</b> ,	15.1	2
18	The role of borderline personality disorder symptoms on absenteeism & work performance in the Netherlands Study of Depression and Anxiety (NESDA). <i>BMC Psychiatry</i> , <b>2020</b> , 20, 414	4.2	2
17	Investigating data-driven biological subtypes of psychiatric disorders using specification-curve analysis. <i>Psychological Medicine</i> , <b>2020</b> , 1-12	6.9	2
16	Characteristics and Predictors of Educational and Occupational Disengagement Among Outpatient Youth With Borderline Personality Disorder. <i>Journal of Personality Disorders</i> , <b>2021</b> , 1-13	2.6	2
15	Psychosocial factors and cancer incidence (PSY-CA): Protocol for individual participant data meta-analyses. <i>Brain and Behavior</i> , <b>2021</b> , 11, e2340	3.4	2
14	Investigating the impact of COVID-19 lockdown on adults with a recent history of recurrent major depressive disorder: a multi-Centre study using remote measurement technology. <i>BMC Psychiatry</i> , <b>2021</b> , 21, 435	4.2	2
13	A comparison of bivariate, multivariate random-effects, and Poisson correlated gamma-frailty models to meta-analyze individual patient data of ordinal scale diagnostic tests. <i>Biometrical Journal</i> , <b>2017</b> , 59, 1317-1338	1.5	2

12	Remote Assessment of Disease and Relapse in Major Depressive Disorder (RADAR-MDD): recruitment, retention, and data availability in a longitudinal remote measurement study.. <i>BMC Psychiatry</i> , <b>2022</b> , 22, 136	4.2	2
11	Stability and transition of depression subtypes in late life. <i>Journal of Affective Disorders</i> , <b>2020</b> , 265, 445-452	4.5	1
10	Effects of dietary interventions on depressive symptom profiles: results from the MoodFOOD depression prevention study. <i>Psychological Medicine</i> , <b>2021</b> , 1-10	6.9	1
9	Home stay reflects symptoms severity in major depressive disorder: A multicenter observational study using geolocation data from smartphones		1
8	Depression Subtypes and Inflammation: Atypical Rather Than Melancholic Depression Is Linked With Immunometabolic Dysregulations <b>2018</b> , 455-471		1
7	Basal and LPS-stimulated inflammatory markers and the course of anxiety symptoms. <i>Brain, Behavior, and Immunity</i> , <b>2021</b> , 98, 378-387	16.6	1
6	Dissection of depression heterogeneity using proteomic clusters.. <i>Psychological Medicine</i> , <b>2022</b> , 1-9	6.9	0
5	Clinical judgment of the need for professional mental health care in patients with cancer: a qualitative study among oncologists and nurses. <i>Journal of Cancer Survivorship</i> , <b>2021</b> , 1	5.1	0
4	Oral contraceptives, depressive and insomnia symptoms in adult women with and without depression. <i>Psychoneuroendocrinology</i> , <b>2021</b> , 133, 105390	5	0
3	Longitudinal Relationships Between Depressive Symptom Severity and Phone-Measured Mobility: Dynamic Structural Equation Modeling Study.. <i>JMIR Mental Health</i> , <b>2022</b> , 9, e34898	6	0
2	Investigating Data-driven Biological Subtypes of Psychiatric Disorders Using Specification-Curve Analysis - ERRATUM. <i>Psychological Medicine</i> , <b>2021</b> , 1	6.9	
1	Insulin resistance as a marker for the immune-metabolic subtype of depression. <i>Journal of Affective Disorders</i> , <b>2021</b> , 295, 1371-1376	6.6	