

Jing-Min Zhao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9261951/publications.pdf>

Version: 2024-02-01

50
papers

9,297
citations

377584

21
h-index

223390

49
g-index

51
all docs

51
docs citations

51
times ranked

21010
citing authors

#	ARTICLE	IF	CITATIONS
1	Diagnostic Value of Serum Golgi Protein 73 for Liver Inflammation in Patients with Autoimmune Hepatitis and Primary Biliary Cholangitis. <i>Disease Markers</i> , 2022, 2022, 1-7.	0.6	3
2	Unique molecular characteristics of NAFLD-associated liver cancer accentuate β -catenin/TNFRSF19-mediated immune evasion. <i>Journal of Hepatology</i> , 2022, 77, 410-423.	1.8	13
3	Corticosteroid plus glycyrrhizin therapy for chronic drug- or herb-induced liver injury achieves biochemical and histological improvements: a randomised open-label trial. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 55, 1297-1310.	1.9	12
4	Reappraisal of the diagnostic value of alpha-fetoprotein for surveillance of HBV-related hepatocellular carcinoma in the era of antiviral therapy. <i>Journal of Viral Hepatitis</i> , 2021, 28, 20-29.	1.0	7
5	Hepatic Histopathology Among Excessive Drinkers Without Advanced Liver Disease. <i>Alcohol and Alcoholism</i> , 2021, 56, 669-677.	0.9	1
6	Computer auxiliary diagnosis technique of detecting cholangiocarcinoma based on medical imaging: A review. <i>Computer Methods and Programs in Biomedicine</i> , 2021, 208, 106265.	2.6	10
7	Hepatic Macrophage activation and the LPS pathway in patients with different degrees of severity and histopathological patterns of drug induced liver injury. <i>Histology and Histopathology</i> , 2021, 36, 653-662.	0.5	5
8	Chronic hepatitis E in an immunocompetent patient. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2020, 44, e66-e68.	0.7	7
9	qFIBS: An Automated Technique for Quantitative Evaluation of Fibrosis, Inflammation, Ballooning, and Steatosis in Patients With Nonalcoholic Steatohepatitis. <i>Hepatology</i> , 2020, 71, 1953-1966.	3.6	66
10	Emperipolesis mediated by CD8 ⁺ T cells correlates with biliary epithelia cell injury in primary biliary cholangitis. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 1268-1275.	1.6	17
11	Extracellular gp96 is a crucial mediator for driving immune hyperactivation and liver damage. <i>Scientific Reports</i> , 2020, 10, 12596.	1.6	8
12	Poor Outcomes of Acute Hepatitis E in Patients With Cirrhotic Liver Diseases Regardless of Etiology. <i>Open Forum Infectious Diseases</i> , 2020, 7, ofaa107.	0.4	6
13	Reply to: Correspondence relating to "SARS-CoV-2 infection of the liver directly contributes to hepatic impairment in patients with COVID-19". <i>Journal of Hepatology</i> , 2020, 73, 996-998.	1.8	14
14	Serum Golgi Protein 73 as a Potential Biomarker for Hepatic Necroinflammation in Population with Nonalcoholic Steatohepatitis. <i>Disease Markers</i> , 2020, 2020, 1-7.	0.6	10
15	Pathological findings of COVID-19 associated with acute respiratory distress syndrome. <i>Lancet Respiratory Medicine</i> , 2020, 8, 420-422.	5.2	6,934
16	Mitochondrial DNA from hepatocytes induces upregulation of interleukin-33 expression of macrophages in nonalcoholic steatohepatitis. <i>Digestive and Liver Disease</i> , 2020, 52, 637-643.	0.4	13
17	SARS-CoV-2 infection of the liver directly contributes to hepatic impairment in patients with COVID-19. <i>Journal of Hepatology</i> , 2020, 73, 807-816.	1.8	488
18	Clinical and pathological investigation of patients with severe COVID-19. <i>JCI Insight</i> , 2020, 5, .	2.3	232

#	ARTICLE	IF	CITATIONS
19	Evaluation of an antigen assay for diagnosing acute and chronic hepatitis E genotype 4 infection. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 458-465.	1.4	10
20	Incidence, predictors and prognosis of genotype 4 hepatitis E related liver failure: A tertiary nested case-control study. <i>Liver International</i> , 2019, 39, 2291-2300.	1.9	15
21	Detection of residual HCV-RNA in patients who have achieved sustained virological response is associated with persistent histological abnormality. <i>EBioMedicine</i> , 2019, 46, 227-235.	2.7	26
22	Exploring the Diagnostic Potential of Serum Golgi Protein 73 for Hepatic Necroinflammation and Fibrosis in Chronic HCV Infection with Different Stages of Liver Injuries. <i>Disease Markers</i> , 2019, 2019, 1-10.	0.6	10
23	Nonalcoholic fatty liver disease is associated with lower hepatitis B viral load and antiviral response in pediatric population. <i>Journal of Gastroenterology</i> , 2019, 54, 1096-1105.	2.3	11
24	Down-regulation of cell membrane localized NTCP expression in proliferating hepatocytes prevents hepatitis B virus infection. <i>Emerging Microbes and Infections</i> , 2019, 8, 879-894.	3.0	37
25	Serum GP73 combined AST and GGT reflects moderate to severe liver inflammation in chronic hepatitis B. <i>Clinica Chimica Acta</i> , 2019, 493, 92-97.	0.5	18
26	Liver Stiffness Measurement Can Reflect the Active Liver Necroinflammation in Population with Chronic Liver Disease: A Real-world Evidence Study. <i>Journal of Clinical and Translational Hepatology</i> , 2019, 7, 1-9.	0.7	6
27	Step layered combination of noninvasive fibrosis models improves diagnostic accuracy of advanced fibrosis in nonalcoholic fatty liver disease. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2019, 28, 289-296.	0.5	11
28	Chronic Hepatitis E in a Renal Transplant Recipient: The First Report of Genotype 4 Hepatitis E Virus Caused Chronic Infection in Organ Recipient. <i>Gastroenterology</i> , 2018, 154, 1199-1201.	0.6	38
29	The Clinical Significance of GP73 in Immunologically Mediated Chronic Liver Diseases: Experimental Data and Literature Review. <i>Clinical Reviews in Allergy and Immunology</i> , 2018, 54, 282-294.	2.9	36
30	Hepatitis E virus infection in acute non-traumatic neuropathy: A large prospective case-control study in China. <i>EBioMedicine</i> , 2018, 36, 122-130.	2.7	30
31	Second Harmonic Generation Reveals Subtle Fibrosis Differences in Adult and Pediatric Nonalcoholic Fatty Liver Disease. <i>American Journal of Clinical Pathology</i> , 2017, 148, 502-512.	0.4	18
32	Guideline of Prevention and Treatment for Chronic Hepatitis B (2015 Update). <i>Journal of Clinical and Translational Hepatology</i> , 2017, 5, 297-318.	0.7	181
33	Serum Golgi protein 73 is not a suitable diagnostic marker for hepatocellular carcinoma. <i>Oncotarget</i> , 2017, 8, 16498-16506.	0.8	35
34	Pathological Roles of Interleukin-22 in the Development of Recurrent Hepatitis C after Liver Transplantation. <i>PLoS ONE</i> , 2016, 11, e0154419.	1.1	8
35	IL-33 treatment attenuated diet-induced hepatic steatosis but aggravated hepatic fibrosis. <i>Oncotarget</i> , 2016, 7, 33649-33661.	0.8	55
36	Up-regulation of interleukin-22 mediates liver fibrosis via activating hepatic stellate cells in patients with hepatitis C. <i>Clinical Immunology</i> , 2015, 158, 77-87.	1.4	49

#	ARTICLE	IF	CITATIONS
37	Plasma membrane gp96 enhances invasion and metastatic potential of liver cancer via regulation of uPAR. <i>Molecular Oncology</i> , 2015, 9, 1312-1323.	2.1	26
38	Combined Serum Biomarkers in Non-Invasive Diagnosis of Non-Alcoholic Steatohepatitis. <i>PLoS ONE</i> , 2015, 10, e0131664.	1.1	53
39	Analysis of Hepatitis B Virus Intrahepatic Covalently Closed Circular DNA and Serum Viral Markers in Treatment-Naive Patients with Acute and Chronic HBV Infection. <i>PLoS ONE</i> , 2014, 9, e89046.	1.1	31
40	A novel method for detection of HBVcccDNA in hepatocytes using rolling circle amplification combined with in situ PCR. <i>BMC Infectious Diseases</i> , 2014, 14, 608.	1.3	15
41	Impairment of CD4 ⁺ cytotoxic T cells predicts poor survival and high recurrence rates in patients with hepatocellular carcinoma. <i>Hepatology</i> , 2013, 58, 139-149.	3.6	163
42	Quantitation of HBV covalently closed circular DNA in micro formalin fixed paraffin-embedded liver tissue using rolling circle amplification in combination with real-time PCR. <i>Clinica Chimica Acta</i> , 2011, 412, 1905-1911.	0.5	33
43	Altered biliary epithelial cell and monocyte responses to lipopolysaccharide as a TLR ligand in patients with primary biliary cirrhosis. <i>Scandinavian Journal of Gastroenterology</i> , 2011, 46, 485-494.	0.6	31
44	Hepatitis B Virus (HBV) Subgenotypes C2 and B2 Differ in Lamivudine- and Adefovir-Resistance-Associated Mutational Patterns in HBV-Infected Chinese Patients. <i>Journal of Clinical Microbiology</i> , 2010, 48, 4363-4369.	1.8	36
45	A novel non-alcoholic steatohepatitis animal model featured with insulin resistance, hepatic inflammation and fibrosis. <i>Scandinavian Journal of Gastroenterology</i> , 2010, 45, 1360-1371.	0.6	11
46	Acute hepatitis B infection associated with drug-resistant hepatitis B virus. <i>Journal of Clinical Virology</i> , 2010, 48, 270-274.	1.6	45
47	Chitosan ameliorates the severity of steatohepatitis induced by high fat diet in rats. <i>Scandinavian Journal of Gastroenterology</i> , 2008, 43, 1371-1377.	0.6	11
48	Pathological study of 130 cases of nonalcoholic fatty liver disease based on NASH-CRN system. <i>Frontiers of Medicine in China</i> , 2007, 1, 413-417.	0.1	2
49	Circulating and Liver Resident CD4 ⁺ CD25 ⁺ Regulatory T Cells Actively Influence the Antiviral Immune Response and Disease Progression in Patients with Hepatitis B. <i>Journal of Immunology</i> , 2006, 177, 739-747.	0.4	399
50	Developing a New qFIBS Model Assessing Histological Features in Pediatric Patients With Non-alcoholic Steatohepatitis. <i>Frontiers in Medicine</i> , 0, 9, .	1.2	1