
Yann Neuzillet

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9262022/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The Search for the Optimal cut-off Value of p53-Immunohistochemistry to Predict Prognosis of Invasive Bladder Cancer: A Multi-Center, Multi-Laboratory Analysis. International Journal of Surgical Pathology, 2023, 31, 157-166.	0.4	1
2	Small intestinal submucosa xenograft to manage lower urinary tract prostheses perforation: a new path?. International Urogynecology Journal, 2022, 33, 627-635.	0.7	1
3	The 2021 Updated European Association of Urology Guidelines on Metastatic Urothelial Carcinoma. European Urology, 2022, 81, 95-103.	0.9	158
4	Long-term survival benefit from dual kidney transplantation using kidneys from donors with very extended criteria—a French cohort between 2002 and 2014. Nephrology Dialysis Transplantation, 2022, 37, 982-990.	0.4	1
5	Online Public Interest in Urological Cancers During the COVID-19 Pandemic: What Can "Dr. Google― Teach Us?. European Urology Open Science, 2022, 37, 73-79.	0.2	9
6	Prognostic markers in invasive bladder cancer: FGFR3 mutation status versus P53 and KI-67 expression: a multi-center, multi-laboratory analysis in 1058 radical cystectomy patients. Urologic Oncology: Seminars and Original Investigations, 2022, 40, 110.e1-110.e9.	0.8	22
7	Follow-up of the Urethra and Management of Urethral Recurrence After Radical Cystectomy: A Systematic Review and Proposal of Management Algorithm by the European Association of Urology—Young Academic Urologists: Urothelial Carcinoma Working Group. European Urology Focus. 2022. 8. 1635-1642.	1.6	7
8	European Association of Urology Guidelines on Muscle-invasive and Metastatic Bladder Cancer: Summary of the 2020 Guidelines. European Urology, 2021, 79, 82-104.	0.9	1,152
9	A review of new hormonal therapies for prostate cancer in black men: is there enough data?. BMC Cancer, 2021, 21, 61.	1.1	4
10	PSA and obesity among men with localized prostate cancer: results of the ANDROCAN study. World Journal of Urology, 2021, 39, 2945-2951.	1.2	5
11	Clinical practice guidelines for BRCA1 and BRCA2 genetic testing. European Journal of Cancer, 2021, 146, 30-47.	1.3	81
12	Apalutamide, darolutamide and enzalutamide in nonmetastatic castration-resistant prostate cancer: a meta-analysis. Future Oncology, 2021, 17, 1811-1823.	1.1	12
13	Risk factors associated with positive surgical margins' location at radical cystectomy and their impact on bladder cancer survival. World Journal of Urology, 2021, 39, 4363-4371.	1.2	22
14	The impact of carcinoma in situ in ureteral margins during radical cystectomy: A case-controlled study. Urologic Oncology: Seminars and Original Investigations, 2021, 39, 497.e1-497.e8.	0.8	1
15	Management of long ureteral stenosis: Alternatives to indwelling ureteral stents. Progres En Urologie, 2021, 31, 598-604.	0.3	2
16	Metabolic syndrome, levels of androgens, and changes of erectile dysfunction and quality of life impairment 1 year after radical prostatectomy. Asian Journal of Andrology, 2021, 23, 370.	0.8	1
17	Relationship of preoperative androgen levels and metabolic syndrome with quality of life and erectile function in patients who are to undergo radical prostatectomy. Asian Journal of Andrology, 2021, 23, 520.	0.8	2
18	Impact of carcinoma in situ on survival of patients treated by adjuvant chemotherapy after cystectomy. Progres En Urologie, 2021, 32, 53-53.	0.3	0

#	Article	IF	CITATIONS
19	Prognostic Impact of pT3 Subclassification in a Multicentre Cohort of Patients with Urothelial Carcinoma of the Renal Pelvicalyceal System Undergoing Radical Nephroureterectomy: A Propensity Score-weighted Analysis After Central Pathology Review. European Urology Focus, 2021, 7, 1075-1083.	1.6	5
20	Oncologic Impact and Safety of Pre-Operative Radiotherapy in Localized Prostate and Bladder Cancer: A Comprehensive Review from the Cancerology Committee of the Association Française d'Urologie. Cancers, 2021, 13, 6070.	1.7	2
21	Neuroendocrine Carcinoma of the Urinary Bladder: A Large, Retrospective Study From the French Genito-Urinary Tumor Group. Clinical Genitourinary Cancer, 2020, 18, 295-303.e3.	0.9	12
22	The Importance of Hospital and Surgeon Volume as Major Determinants of Morbidity and Mortality After Radical Cystectomy for Bladder Cancer: A Systematic Review and Recommendations by the European Association of Urology Muscle-invasive and Metastatic Bladder Cancer Guideline Panel. European Urology Oncology, 2020, 3, 131-144.	2.6	61
23	EAU-ESMO Consensus Statements on the Management of Advanced and Variant Bladder Cancer—An International Collaborative Multistakeholder Effortâ€. European Urology, 2020, 77, 223-250.	0.9	132
24	Measured glomerular filtration rate (GFR) significantly and rapidly decreases after radical cystectomy for bladder cancer. Scientific Reports, 2020, 10, 16145.	1.6	5
25	PD-L1 expression and pattern of immune cells in pre-treatment specimens are associated with disease-free survival for HR-NMIBC undergoing BCG treatment. World Journal of Urology, 2020, 39, 4055-4065.	1.2	11
26	FGFR3 Mutation Status and FGFR3 Expression in a Large Bladder Cancer Cohort Treated by Radical Cystectomy: Implications for Anti-FGFR3 Treatment?â€. European Urology, 2020, 78, 682-687.	0.9	57
27	PARP inhibitors as a new therapeutic option in metastatic prostate cancer: a systematic review. Prostate Cancer and Prostatic Diseases, 2020, 23, 549-560.	2.0	36
28	European Association of Urology Guidelines on Primary Urethral Carcinoma—2020 Update. European Urology Oncology, 2020, 3, 424-432.	2.6	28
29	Prognosis of patients receiving induction chemotherapy for locally advanced or lymph node metastatic bladder cancer. Journal of Clinical Urology, 2020, 13, 425-436.	0.1	1
30	Grade groups at diagnosis in African Caribbean men with prostate cancer: Results of a comparative study. Prostate, 2019, 79, 1640-1646.	1.2	4
31	Multiple recurrences and risk of disease progression in patients with primary low-grade (TaG1) non–muscle-invasive bladder cancer and with low and intermediate EORTC-risk score. PLoS ONE, 2019, 14, e0211721.	1.1	17
32	Integrated analysis of 18F-FDG PET/CT improves preoperative lymph node staging for patients with invasive bladder cancer. European Radiology, 2019, 29, 4286-4293.	2.3	48
33	EAU–ESMO consensus statements on the management of advanced and variant bladder cancer—an international collaborative multi-stakeholder effort: under the auspices of the EAU and ESMO Guidelines Committees. Annals of Oncology, 2019, 30, 1697-1727.	0.6	96
34	Stromal lymphocyte infiltration is associated with tumour invasion depth but is not prognostic in high-grade T1 bladder cancer. European Journal of Cancer, 2019, 108, 111-119.	1.3	16
35	Recurrent activating mutations of PPARÎ ³ associated with luminal bladder tumors. Nature Communications, 2019, 10, 253.	5.8	44
36	Sex steroids in serum and prostatic tissue of human cancerous prostate (STERKPROSER trial). Prostate, 2019, 79, 272-280.	1.2	9

#	Article	IF	CITATIONS
37	Aggressiveness of Localized Prostate Cancer: the Key Value of Testosterone Deficiency Evaluated by Both Total and Bioavailable Testosterone: AndroCan Study Results. Hormones and Cancer, 2019, 10, 36-44.	4.9	23
38	PD-L1/PD-1 expression as a predictor of response to BCG in patients with high-risk non–muscle invasive bladder cancer Journal of Clinical Oncology, 2019, 37, 4550-4550.	0.8	3
39	ALBAN: An open label, randomized, phase III trial, evaluating efficacy of atezolizumab in addition to one year BCG (bacillus Calmette-Guerin) bladder instillation in BCG-naive patients with high-risk nonmuscle invasive bladder cancer (AFU-GETUG 37) Journal of Clinical Oncology, 2019, 37, TPS4589-TPS4589.	0.8	6
40	Management of renal transplant urolithiasis: a multicentre study by the French Urology Association Transplantation Committee. World Journal of Urology, 2018, 36, 105-109.	1.2	17
41	Development of immunotherapy in bladder cancer: present and future on targeting PD(L)1 and CTLA-4 pathways. World Journal of Urology, 2018, 36, 1727-1740.	1.2	75
42	Quelles ordonnances l'urologue doit-il rédiger pour initier et suivre une immunothérapie�. Progrès En Urologie - FMC, 2018, 28, F51-F54.	0.2	0
43	Updated 2016 EAU Guidelines on Muscle-invasive and Metastatic Bladder Cancer. European Urology, 2017, 71, 462-475.	0.9	1,241
44	Systematic review of the oncological and functional outcomes of pelvic organâ€preserving radical cystectomy (<scp>RC</scp>) compared with standard <scp>RC</scp> in women who undergo curative surgery and orthotopic neobladder substitution for bladder cancer. BJU International, 2017, 120, 12-24.	1.3	63
45	Gleason Score within Prostate Abnormal Areas Defined by Multiparametric Magnetic Resonance Imaging Did Not Vary According to the PIRADS Score. Urologia Internationalis, 2017, 99, 156-161.	0.6	15
46	Sexual steroids in serum and prostatic tissue of human nonâ€cancerous prostate (STERPROSER trial). Prostate, 2017, 77, 1512-1519.	1.2	13
47	Tumor heterogeneity of fibroblast growth factor receptor 3 (FGFR3) mutations in invasive bladder cancer: implications for perioperative anti-FGFR3 treatment. Annals of Oncology, 2016, 27, 1311-1316.	0.6	49
48	What do we know about treatment sequencing of abiraterone, enzalutamide, and chemotherapy in metastatic castration-resistant prostate cancer?. World Journal of Urology, 2016, 34, 617-624.	1.2	15
49	Quality of life outcomes after neobladder and ileal conduit following cystectomy for bladder cancer using a validated bladder-specific instrument: A prospective multi-institutional study Journal of Clinical Oncology, 2016, 34, 359-359.	0.8	0
50	A 16-gene assay to predict recurrence after surgery in localised renal cell carcinoma: development and validation studies. Lancet Oncology, The, 2015, 16, 676-685.	5.1	229
51	Trends in Renal Function After Radical Cystectomy and Ileal Conduit Diversion: New Insights Regarding Estimated Glomerular Filtration Rate Variations. Clinical Genitourinary Cancer, 2015, 13, e139-e144.	0.9	18
52	Clinicopathological characteristics of urothelial bladder cancer in patients less than 40Âyears old. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2015, 466, 589-594.	1.4	125
53	Obesity and hypogonadism are associated with an increased risk of predominant Gleason 4 pattern on radical prostatectomy specimen. Hormone Molecular Biology and Clinical Investigation, 2015, 22, 101-9.	0.3	5
54	Positive surgical margins after radical prostatectomy: What should we care about?. World Journal of Urology, 2015, 33, 1973-1978.	1.2	17

#	Article	lF	CITATIONS
55	Preoperative low serum testosterone is associated with high-grade prostate cancer and an increased Gleason score upgrading. Prostate Cancer and Prostatic Diseases, 2015, 18, 382-387.	2.0	26
56	Characteristics of undetected prostate cancer on diffusion-weighted MR Imaging at 3-Tesla with a b-value of 2000s/mm2: Imaging-pathologic correlation. Diagnostic and Interventional Imaging, 2015, 96, 923-929.	1.8	12
57	Long-term follow-up of TaG1 non–muscle-invasive bladder cancer. Urologic Oncology: Seminars and Original Investigations, 2015, 33, 20.e1-20.e7.	0.8	13
58	Prostate cancer incidence on cystoprostatectomy specimens is directly linked to age: results from a multicentre study. BJU International, 2015, 115, 87-93.	1.3	19
59	Postoperative nomogram to predict cancerâ€specific survival after radical nephroureterectomy in patients with localised and/or locally advanced upper tract urothelial carcinoma without metastasis. BJU International, 2014, 114, 733-740.	1.3	62
60	Independent Component Analysis Uncovers the Landscape of the Bladder Tumor Transcriptome and Reveals Insights into Luminal and Basal Subtypes. Cell Reports, 2014, 9, 1235-1245.	2.9	181
61	Potential impact of 18F-FDG PET/CT on patients selection for neoadjuvant chemotherapy before radical cystectomy. European Journal of Surgical Oncology, 2014, 40, 1724-1730.	0.5	27
62	Assessment of diagnostic gain with hexaminolevulinate (HAL) in the setting of newly diagnosed non–muscle-invasive bladder cancer with positive results on urine cytology. Urologic Oncology: Seminars and Original Investigations, 2014, 32, 1135-1140.	0.8	25
63	Effects of Adenosine Monophosphate Used in Combination with Lâ€Arginine on Female Rabbit Corpus Cavernosum Tissue. Sexual Medicine, 2014, 2, 1-7.	0.9	0
64	EGFR as a potential therapeutic target for a subset of muscle-invasive bladder cancers presenting a basal-like phenotype. Science Translational Medicine, 2014, 6, 244ra91.	5.8	304
65	Long-Term Women-Reported Quality of Life After Radical Cystectomy and Orthotopic Ileal Neobladder Reconstruction. Annals of Surgical Oncology, 2014, 21, 1398-1404.	0.7	32
66	Clinicopathological Characteristics of Incidental Prostate Cancer Discovered from Radical Cystoprostatectomy Specimen: A Multicenter French Study. Annals of Surgical Oncology, 2014, 21, 684-690.	0.7	22
67	Landmarks in non-muscle-invasive bladder cancer. Nature Reviews Urology, 2014, 11, 476-480.	1.9	23
68	Cáncer de riñón en el paciente dializado y en el paciente trasplantado. EMC - UrologÃa, 2014, 46, 1-10.	0.0	0
69	FGFR3 mutations, but not FGFR3 expression and FGFR3 copy-number variations, are associated with favourable non-muscle invasive bladder cancer. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2014, 465, 207-213.	1.4	23
70	Nephron-Sparing Surgery for Renal Tumors Measuring More Than 7 cm: Morbidity, and Functional and Oncological Outcomes. Clinical Genitourinary Cancer, 2014, 12, e19-e27.	0.9	31
71	A randomized, doubleâ€blind, crossover, placeboâ€controlled comparative clinical trial of arginine aspartate plus adenosine monophosphate for the intermittent treatment of male erectile dysfunction. Andrology, 2013, 1, 223-228.	1.9	30
72	Influence of preoperative hydronephrosis on the outcome of urothelial carcinoma of the upper urinary tract after nephroureterectomy: the results from a multi-institutional French cohort. World Journal of Urology, 2013, 31, 83-91.	1.2	20

#	Article	IF	CITATIONS
73	Evaluation of sexuality, health-related quality-of-life and depression in advanced cancer patients: A prospective study in a Phase I clinical trial unit of predominantly targeted anticancer drugs. European Journal of Cancer, 2013, 49, 431-438.	1.3	41
74	Comment suivre un schéma d'instillation du BCG en toute sécurité en 2013�. Progrès En Urologie - FMC, 2013, 23, F40-F46.	0.2	0
75	Positive surgical margins and their locations in specimens are adverse prognosis features after radical cystectomy in nonâ€metastatic carcinoma invading bladder muscle: results from a nationwide case–control study. BJU International, 2013, 111, 1253-1260.	1.3	36
76	Indication and timing of cystectomy in high-risk bladder cancer. Current Opinion in Urology, 2012, 22, 427-431.	0.9	7
77	Cancer-specific survival after radical nephroureterectomy for upper urinary tract urothelial carcinoma: proposal and multi-institutional validation of a post-operative nomogram. British Journal of Cancer, 2012, 106, 1083-1088.	2.9	84
78	Concentration and Chain Length of Polyethylene Glycol in Islet Isolation Solution: Evaluation in a Pancreatic Islet Transplantation Model. Cell Transplantation, 2012, 21, 2079-2088.	1.2	6
79	De Novo Kidney Graft Tumors: Results From a Multicentric Retrospective National Study. American Journal of Transplantation, 2012, 12, 3308-3315.	2.6	82
80	Patterns of local recurrence after radical cystectomy in a contemporary series of patients with muscle-invasive bladder cancer. World Journal of Urology, 2012, 30, 821-826.	1.2	21
81	Influence of Positive Surgical Margin Status After Radical Nephroureterectomy on Upper Urinary Tract Urothelial Carcinoma Survival. Annals of Surgical Oncology, 2012, 19, 3613-3620.	0.7	72
82	French results of the ARESC Study: Clinical aspects and epidemiology of antimicrobial resistance in female patients with cystitis. Implications for empiric therapy. Médecine Et Maladies Infectieuses, 2012, 42, 66-75.	5.1	31
83	A Meta-Analysis of the Relationship between FGFR3 and TP53 Mutations in Bladder Cancer. PLoS ONE, 2012, 7, e48993.	1.1	47
84	Assessment of Oncologic Control Obtained After Open Versus Laparoscopic Nephroureterectomy for Upper Urinary Tract Urothelial Carcinomas (UUT-UCs): Results from a Large French Multicenter Collaborative Study. Annals of Surgical Oncology, 2012, 19, 301-308.	0.7	84
85	<i>CDKN2A</i> homozygous deletion is associated with muscle invasion in <i>FGFR3</i> â€mutated urothelial bladder carcinoma. Journal of Pathology, 2012, 227, 315-324.	2.1	90
86	Effects of nucleotides adenosine monophosphate and adenosine triphosphate in combination with L-arginine on male rabbit corpus cavernosum tissue. Journal of Developmental and Physical Disabilities, 2012, 35, 860-866.	3.6	17
87	Comparison of oncological outcomes after segmental ureterectomy or radical nephroureterectomy in urothelial carcinomas of the upper urinary tract: results from a large French multicentre study. BJU International, 2012, 110, 1134-1141.	1.3	105
88	Perivesical fat invasion in bladder cancer: implications for prognosis comparing pT2b, pT3a and pT3b stages and consequences for adjuvant chemotherapy indications. BJU International, 2012, 110, 1736-1741.	1.3	21
89	The role of American Society of Anesthesiologists scores in predicting urothelial carcinoma of the upper urinary tract outcome after radical nephroureterectomy: results from a national multiâ€institutional collaborative study. BJU International, 2012, 110, E1035-40.	1.3	28
90	Renal cell carcinoma (RCC) arising in native kidneys of dialyzed and transplant patients: are they different entities?. BJU International, 2012, 110, E570-3.	1.3	44

#	Article	IF	CITATIONS
91	Qu'attendre d'un dosage de la testostéronémie chez un patient ayant un cancer de prostate�. Prog En Urologie - FMC, 2011, 21, F80-F85.	ſès 0.2	0
92	Idiopathic Infantile Bladder Lithiasis from Roman Antiquity. Urology, 2011, 78, 1-2.	0.5	11
93	High Incidence of Predominant Gleason Pattern 4 Localized Prostate Cancer is Associated With Low Serum Testosterone. Journal of Urology, 2011, 186, 1400-1405.	0.2	40
94	The Zâ€shaped ileal neobladder after radical cystectomy: an 18 years experience with 329 patients. BJU International, 2011, 108, 596-602.	1.3	20
95	Renal Cell Carcinoma (RCC) in Patients With End-Stage Renal Disease Exhibits Many Favourable Clinical, Pathologic, and Outcome Features Compared With RCC in the General Population. European Urology, 2011, 60, 366-373.	0.9	82
96	Oncologic Outcomes and Survival in pT0 Tumors After Radical Cystectomy in Patients Without Neoadjuvant Chemotherapy: Results from a Large Multicentre Collaborative Study. Annals of Surgical Oncology, 2011, 18, 3833-3838.	0.7	11
97	Preoperative low serum testosterone levels are associated with tumor aggressiveness in radical prostatectomy treated cancer patients. Hormone Molecular Biology and Clinical Investigation, 2010, 2, 191-201.	0.3	8
98	Effectiveness of a cranberry (<i>Vaccinium macrocarpon</i>) preparation in reducing asymptomatic bacteriuria in patients with an ileal enterocystoplasty. Scandinavian Journal of Urology and Nephrology, 2010, 44, 165-168.	1.4	23
99	Prognosis factors in localised and metastatic renal cell carcinoma. Oncologie, 2009, 11, 260-266.	0.2	0
100	Prognostic factors for cases with metastatic renal cell carcinoma in the era of targeted medicine. International Journal of Urology, 2009, 16, 855-861.	0.5	5
101	Morbidity of Retropubic Radical Prostatectomy for Prostate Cancer in Renal Transplant Recipients: Multicenter Study from Renal Transplantation Committee of French Urological Association. Urology, 2008, 72, 1366-1370.	0.5	42
102	Prostate cancer in renal transplant recipients. Nephrology Dialysis Transplantation, 2008, 23, 2374-2380.	0.4	64
103	Effects of the Molecular Weight of Peg Molecules (8, 20 and 35 KDA) on Cell Function and Allograft Survival Prolongation in Pancreatic Islets Transplantation. Transplantation Proceedings, 2006, 38, 2354-2355.	0.3	14
104	De novo renal cell carcinoma of native kidney in renal transplant recipients. Cancer, 2005, 103, 251-257.	2.0	86
105	Follow-up of renal oncocytoma diagnosed by percutaneous tumor biopsy. Urology, 2005, 66, 1181-1185.	0.5	74
106	Accuracy and Clinical Role of Fine Needle Percutaneous Biopsy With Computerized Tomography Guidance of Small (Less Than 4.0 Cm) Renal Masses. Journal of Urology, 2004, 171, 1802-1805.	0.2	288