

Sabrina Ehnert

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9262913/publications.pdf>

Version: 2024-02-01

102
papers

2,591
citations

159358

30
h-index

233125

45
g-index

105
all docs

105
docs citations

105
times ranked

3790
citing authors

#	ARTICLE	IF	CITATIONS
1	Erhöhtes Alter, kardiovaskuläre Nebenerkrankungen, COPD und Diabetes mellitus bedingen eine Übersterblichkeit in der septischen Unfallchirurgie. Zeitschrift Für Orthopädie Und Unfallchirurgie, 2022, , .	0.4	1
2	Smoking Impairs Hematoma Formation and Dysregulates Angiogenesis as the First Steps of Fracture Healing. Bioengineering, 2022, 9, 186.	1.6	3
3	Development of an ischemic fracture healing model in mice. Monthly Notices of the Royal Astronomical Society: Letters, 2022, 93, 466-471.	1.2	2
4	Establishment of an In Vitro Scab Model for Investigating Different Phases of Wound Healing. Bioengineering, 2022, 9, 191.	1.6	7
5	CX3CR1 Depletion Promotes the Formation of Platelet-Neutrophil Complexes and Aggravates Acute Peritonitis. Shock, 2021, Publish Ahead of Print, 287-297.	1.0	2
6	3D Environment Is Required In Vitro to Demonstrate Altered Bone Metabolism Characteristic for Type 2 Diabetics. International Journal of Molecular Sciences, 2021, 22, 2925.	1.8	4
7	Exposure to 16 Hz Pulsed Electromagnetic Fields Protect the Structural Integrity of Primary Cilia and Associated TGF- β 2 Signaling in Osteoprogenitor Cells Harmed by Cigarette Smoke. International Journal of Molecular Sciences, 2021, 22, 7036.	1.8	11
8	Ostelectin+ stromal cells: Mechanical stimulation improves bone regeneration and supports bacterial clearance after fracture. Signal Transduction and Targeted Therapy, 2021, 6, 257.	7.1	1
9	Altered Secretome of Diabetic Monocytes Could Negatively Influence Fracture Healing – An In Vitro Study. International Journal of Molecular Sciences, 2021, 22, 9212.	1.8	4
10	The Art of Inducing Hypoxia. Oxygen, 2021, 1, 46-61.	1.6	8
11	A simple method for decellularizing a cell-derived matrix for bone cell cultivation and differentiation. Journal of Materials Science: Materials in Medicine, 2021, 32, 124.	1.7	8
12	Synthesis and Characterization of a Novel Biocompatible Alloy, Ti-Nb-Zr-Ta-Sn. International Journal of Molecular Sciences, 2021, 22, 10611.	1.8	10
13	Modulation of Macrophage Activity by Pulsed Electromagnetic Fields in the Context of Fracture Healing. Bioengineering, 2021, 8, 167.	1.6	15
14	Direct Current Electrical Fields Improve Experimental Wound Healing by Activation of Cytokine Secretion and Erk1/2 Pathway Stimulation. Life, 2021, 11, 1195.	1.1	4
15	Effects of immune cells on mesenchymal stem cells during fracture healing. World Journal of Stem Cells, 2021, 13, 1670-1698.	1.3	0
16	Effects of immune cells on mesenchymal stem cells during fracture healing. World Journal of Stem Cells, 2021, 13, 1667-1695.	1.3	15
17	CXCR4 and CXCR7 Inhibition Ameliorates the Formation of Platelet-Neutrophil Complexes and Neutrophil Extracellular Traps through Adora2b Signaling. International Journal of Molecular Sciences, 2021, 22, 13576.	1.8	5
18	Preoperative Ascorbic Acid Levels in Proximal Femur Fracture Patients Have No Postoperative Clinical Impact, While Ascorbic Acid Levels upon Discharge Have a Major Effect on Postoperative Outcome. Journal of Clinical Medicine, 2020, 9, 66.	1.0	12

#	ARTICLE	IF	CITATIONS
19	Cell-Type-Specific Quantification of a Scaffold-Based 3D Liver Co-Culture. <i>Methods and Protocols</i> , 2020, 3, 1.	0.9	17
20	Precision-cut liver slices as an alternative method for long-term hepatotoxicity studies. <i>Archives of Toxicology</i> , 2020, 94, 2889-2891.	1.9	7
21	Ethyl Pyruvate Reduces Systemic Leukocyte Activation via Caspase-1 and NF- κ B After Blunt Chest Trauma and Haemorrhagic Shock. <i>Frontiers in Medicine</i> , 2020, 7, 562904.	1.2	5
22	Use of in vitro bone models to screen for altered bone metabolism, osteopathies, and fracture healing: challenges of complex models. <i>Archives of Toxicology</i> , 2020, 94, 3937-3958.	1.9	16
23	E-vapor aerosols do not compromise bone integrity relative to cigarette smoke after 6-month inhalation in an ApoE κ / κ mouse model. <i>Archives of Toxicology</i> , 2020, 94, 2163-2177.	1.9	17
24	Development of Scaffolds with Adjusted Stiffness for Mimicking Disease-Related Alterations of Liver Rigidity. <i>Journal of Functional Biomaterials</i> , 2020, 11, 17.	1.8	8
25	Primary Human Chondrocytes Affected by Cigarette Smoke – Therapeutic Challenges. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1901.	1.8	13
26	Material-Dependent Formation and Degradation of Bone Matrix – Comparison of Two Cryogels. <i>Bioengineering</i> , 2020, 7, 52.	1.6	6
27	Risk of malnutrition in orthopedic trauma patients with surgical site infections is associated with increased morbidity and mortality – a 3-year follow-up study. <i>Injury</i> , 2020, 51, 2219-2229.	0.7	15
28	Towards improved hepatocyte cultures: Progress and limitations. <i>Food and Chemical Toxicology</i> , 2020, 138, 111188.	1.8	49
29	Bio-impedance measurement allows displaying the early stages of neutrophil extracellular traps. <i>EXCLI Journal</i> , 2020, 19, 1481-1495.	0.5	5
30	Feasibility of Cell Lines for In Vitro Co-Cultures Models for Bone Metabolism. <i>SciMedicine Journal</i> , 2020, 2, 157-181.	1.5	10
31	Assessment of tobacco heating system 2.4 on osteogenic differentiation of mesenchymal stem cells and primary human osteoblasts compared to conventional cigarettes. <i>World Journal of Stem Cells</i> , 2020, 12, 841-856.	1.3	12
32	Assessment of the Influence of Diabetes mellitus and Malnutrition on the Postoperative Complication Rate and Quality of Life of Patients in a Clinic Focused on Trauma Surgery. <i>Zeitschrift Fur Orthopadie Und Unfallchirurgie</i> , 2019, 157, 173-182.	0.4	4
33	Impact of Four Protein Additives in Cryogels on Osteogenic Differentiation of Adipose-Derived Mesenchymal Stem Cells. <i>Bioengineering</i> , 2019, 6, 67.	1.6	11
34	Intervertebral Disc Nucleus Repair: Hype or Hope?. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3622.	1.8	55
35	One-Step ARMS-PCR for the Detection of SNPs – Using the Example of the PADI4 Gene. <i>Methods and Protocols</i> , 2019, 2, 63.	0.9	14
36	A quantitative study of transepidermal water loss (TEWL) on conventional and microclimate management capable mattresses and hospital beds. <i>Journal of Tissue Viability</i> , 2019, 28, 194-199.	0.9	6

#	ARTICLE	IF	CITATIONS
37	Endogenous Uteroglobin as Intrinsic Anti-inflammatory Signal Modulates Monocyte and Macrophage Subsets Distribution Upon Sepsis Induced Lung Injury. <i>Frontiers in Immunology</i> , 2019, 10, 2276.	2.2	23
38	Club cell protein 16 in sera from trauma patients modulates neutrophil migration and functionality via CXCR1 and CXCR2. <i>Molecular Medicine</i> , 2019, 25, 45.	1.9	6
39	Cigarette Smoke Induces the Risk of Metabolic Bone Diseases: Transforming Growth Factor Beta Signaling Impairment via Dysfunctional Primary Cilia Affects Migration, Proliferation, and Differentiation of Human Mesenchymal Stem Cells. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2915.	1.8	37
40	Hepatic Osteodystrophy—Molecular Mechanisms Proposed to Favor Its Development. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2555.	1.8	43
41	Circulating growth/differentiation factor 15 is associated with human CD56bright natural killer cell dysfunction and nosocomial infection in severe systemic inflammation. <i>EBioMedicine</i> , 2019, 43, 380-391.	2.7	27
42	Exogenous Delivery of Link N mRNA into Chondrocytes and MSCs—The Potential Role in Increasing Anabolic Response. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1716.	1.8	8
43	Smoking Dependent Alterations in Bone Formation and Inflammation Represent Major Risk Factors for Complications Following Total Joint Arthroplasty. <i>Journal of Clinical Medicine</i> , 2019, 8, 406.	1.0	28
44	Pulsed Electromagnetic Field Therapy Improves Osseous Consolidation after High Tibial Osteotomy in Elderly Patients—A Randomized, Placebo-Controlled, Double-Blind Trial. <i>Journal of Clinical Medicine</i> , 2019, 8, 2008.	1.0	11
45	Translational Insights into Extremely Low Frequency Pulsed Electromagnetic Fields (ELF-PEMFs) for Bone Regeneration after Trauma and Orthopedic Surgery. <i>Journal of Clinical Medicine</i> , 2019, 8, 2028.	1.0	35
46	Ethanol sensitizes hepatocytes for TGF- β 2-triggered apoptosis. <i>Cell Death and Disease</i> , 2018, 9, 51.	2.7	20
47	Resveratrol protects primary cilia integrity of human mesenchymal stem cells from cigarette smoke to improve osteogenic differentiation in vitro. <i>Archives of Toxicology</i> , 2018, 92, 1525-1538.	1.9	27
48	Nicotine and Cotinine Inhibit Catalase and Glutathione Reductase Activity Contributing to the Impaired Osteogenesis of SCP-1 Cells Exposed to Cigarette Smoke. <i>Oxidative Medicine and Cellular Longevity</i> , 2018, 2018, 1-13.	1.9	55
49	A Standardized Collagen-Based Scaffold Improves Human Hepatocyte Shipment and Allows Metabolic Studies over 10 Days. <i>Bioengineering</i> , 2018, 5, 86.	1.6	25
50	Transfection of Peripheral Blood Monocytes with SOX2 Enhances Multipotency, Proliferation, and Redifferentiation into Neohepatocytes and Insulin-Producing Cells. <i>Stem Cells International</i> , 2018, 2018, 1-8.	1.2	2
51	Immune Cell Induced Migration of Osteoprogenitor Cells Is Mediated by TGF- β 2 Dependent Upregulation of NOX4 and Activation of Focal Adhesion Kinase. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2239.	1.8	18
52	Co-Culture with Human Osteoblasts and Exposure to Extremely Low Frequency Pulsed Electromagnetic Fields Improve Osteogenic Differentiation of Human Adipose-Derived Mesenchymal Stem Cells. <i>International Journal of Molecular Sciences</i> , 2018, 19, 994.	1.8	34
53	Donor Site Location Is Critical for Proliferation, Stem Cell Capacity, and Osteogenic Differentiation of Adipose Mesenchymal Stem/Stromal Cells: Implications for Bone Tissue Engineering. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1868.	1.8	32
54	From the Clinical Problem to the Basic Research—Co-Culture Models of Osteoblasts and Osteoclasts. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2284.	1.8	33

#	ARTICLE	IF	CITATIONS
55	BMP9 a possible alternative drug for the recently withdrawn BMP7? New perspectives for (re-)implementation by personalized medicine. Archives of Toxicology, 2017, 91, 1353-1366.	1.9	37
56	TGF- β 1 impairs mechanosensation of human osteoblasts via HDAC6-mediated shortening and distortion of primary cilia. Journal of Molecular Medicine, 2017, 95, 653-663.	1.7	46
57	Extremely low frequency pulsed electromagnetic fields cause antioxidative defense mechanisms in human osteoblasts via induction of H_2O_2 and H_2O_2 . Scientific Reports, 2017, 7, 14544.	1.6	70
58	TGF- β 1-Dependent Downregulation of HDAC9 Inhibits Maturation of Human Osteoblasts. Journal of Functional Morphology and Kinesiology, 2017, 2, 41.	1.1	5
59	Crucial Role of Vitamin D in the Musculoskeletal System. Nutrients, 2016, 8, 319.	1.7	148
60	Distinct Gene Expression Patterns Defining Human Osteoblasts' Response to BMP2 Treatment: Is the Therapeutic Success All a Matter of Timing?. European Surgical Research, 2016, 57, 197-210.	0.6	7
61	Imaging Cell Viability on Non-transparent Scaffolds — Using the Example of a Novel Knitted Titanium Implant. Journal of Visualized Experiments, 2016, , .	0.2	4
62	Pluripotency Gene Expression and Growth Control in Cultures of Peripheral Blood Monocytes during Their Conversion into Programmable Cells of Monocytic Origin (PCMO): Evidence for a Regulatory Role of Autocrine Activin and TGF- β 2. PLoS ONE, 2015, 10, e0118097.	1.1	6
63	Primary human osteoblasts with reduced alkaline phosphatase and matrix mineralization baseline capacity are responsive to extremely low frequency pulsed electromagnetic field exposure “ Clinical implication possible. Bone Reports, 2015, 3, 48-56.	0.2	48
64	Factors circulating in the blood of type 2 diabetes mellitus patients affect osteoblast maturation “ Description of a novel in vitro model. Experimental Cell Research, 2015, 332, 247-258.	1.2	38
65	Induction of active demethylation and 5hmC formation by 5-azacytidine is TET2 dependent and suggests new treatment strategies against hepatocellular carcinoma. Clinical Epigenetics, 2015, 7, 98.	1.8	55
66	Increased Oxidative Stress Response in Granulocytes from Older Patients with a Hip Fracture May Account for Slow Regeneration. Oxidative Medicine and Cellular Longevity, 2014, 2014, 1-9.	1.9	16
67	Darbepoetin inhibits proliferation of hepatic cancer cells in the presence of TGF- β 2. Archives of Toxicology, 2014, 88, 89-96.	1.9	4
68	Therapeutic peritoneal lavage with warm saline solution as an option for a critical hypothermic trauma patient. Wiener Klinische Wochenschrift, 2014, 126, 56-61.	1.0	8
69	Chronic CCl4 intoxication causes liver and bone damage similar to the human pathology of hepatic osteodystrophy: a mouse model to analyse the liver“bone axis. Archives of Toxicology, 2014, 88, 997-1006.	1.9	41
70	Gene expression changes in cancellous bone of type 2 diabetics: a biomolecular basis for diabetic bone disease. Langenbeck's Archives of Surgery, 2014, 399, 639-647.	0.8	8
71	5-Azacytidine Improves the Osteogenic Differentiation Potential of Aged Human Adipose-Derived Mesenchymal Stem Cells by DNA Demethylation. PLoS ONE, 2014, 9, e90846.	1.1	71
72	Anti-diabetic treatment regulates pro-fibrotic TGF- β 2 serum levels in type 2 diabetics. Diabetology and Metabolic Syndrome, 2013, 5, 48.	1.2	21

#	ARTICLE	IF	CITATIONS
73	Modeling hepatic osteodystrophy in Abcb4 deficient mice. <i>Bone</i> , 2013, 55, 501-511.	1.4	20
74	Response to the "Enhancement of Human Peripheral Blood Mononuclear Cell Transplantation-Mediated Bone Formation" by Yang et al.. <i>Cell Transplantation</i> , 2013, 22, 1955-1957.	1.2	1
75	Decrease of Global Methylation Improves Significantly Hepatic Differentiation of Ad-MSCs: Possible Future Application for Urea Detoxification. <i>Cell Transplantation</i> , 2013, 22, 119-131.	1.2	32
76	The right choice of antihypertensives protects primary human hepatocytes from ethanol- and recombinant human TGF- β 1-induced cellular damage. <i>Hepatic Medicine: Evidence and Research</i> , 2013, 5, 31.	0.9	2
77	Human Hepatocytes: Isolation, Culture, and Quality Procedures. <i>Methods in Molecular Biology</i> , 2012, 806, 99-120.	0.4	46
78	Hyperinsulinemia reduces osteoblast activity in vitro via upregulation of TGF- β 2. <i>Journal of Molecular Medicine</i> , 2012, 90, 1257-1266.	1.7	30
79	EGF and HB-EGF enhance the proliferation of programmable cells of monocytic origin (PCMO) through activation of MEK/ERK signaling and improve differentiation of PCMO-derived hepatocyte-like cells. <i>Cell Communication and Signaling</i> , 2012, 10, 23.	2.7	20
80	Transforming growth factor β 1 inhibits bone morphogenic protein (BMP)-2 and BMP-7 signaling via upregulation of Ski-related novel protein N (SnoN): possible mechanism for the failure of BMP therapy?. <i>BMC Medicine</i> , 2012, 10, 101.	2.3	60
81	Monocytes Do Not Transdifferentiate into Proper Osteoblasts. <i>Scientific World Journal, The</i> , 2012, 2012, 1-11.	0.8	5
82	The microenvironment in the Hirschsprung's disease gut supports myenteric plexus growth. <i>International Journal of Colorectal Disease</i> , 2012, 27, 817-829.	1.0	20
83	Diallyl-disulphide is the effective ingredient of garlic oil that protects primary human osteoblasts from damage due to cigarette smoke. <i>Food Chemistry</i> , 2012, 132, 724-729.	4.2	11
84	Comparative analysis of phase I and II enzyme activities in 5 hepatic cell lines identifies Huh-7 and HCC-T cells with the highest potential to study drug metabolism. <i>Archives of Toxicology</i> , 2012, 86, 87-95.	1.9	80
85	Green tea protects human osteoblasts from cigarette smoke-induced injury: possible clinical implication. <i>Langenbeck's Archives of Surgery</i> , 2012, 397, 467-474.	0.8	26
86	N-acetylcysteine and flavonoid rich diet: The protective effect of 15 different antioxidants on cigarette smoke-damaged primary human osteoblasts. <i>Advances in Bioscience and Biotechnology (Print)</i> , 2012, 03, 1129-1139.	0.3	5
87	L-carnosine inhibits high-glucose-mediated matrix accumulation in human mesangial cells by interfering with TGF- β production and signalling. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 3852-3858.	0.4	28
88	Further characterization of autologous NeoHepatocytes for in vitro toxicity testing. <i>Toxicology in Vitro</i> , 2011, 25, 1203-1208.	1.1	2
89	Quercetin Protects Primary Human Osteoblasts Exposed to Cigarette Smoke through Activation of the Antioxidative Enzymes HO-1 and SOD-1. <i>Scientific World Journal, The</i> , 2011, 11, 2348-2357.	0.8	48
90	Autologous Serum Improves Yield and Metabolic Capacity of Monocyte-Derived Hepatocyte-Like Cells: Possible Implication for Cell Transplantation. <i>Cell Transplantation</i> , 2011, 20, 1465-1478.	1.2	18

#	ARTICLE	IF	CITATIONS
91	In Vitro Differentiated Adult Human Liver Progenitor Cells Display Mature Hepatic Metabolic Functions: A Potential Tool for in Vitro Pharmacotoxicological Testing. <i>Cell Transplantation</i> , 2011, 20, 287-302.	1.2	49
92	Cell therapeutic options in liver diseases: cell types, medical devices and regulatory issues. <i>Journal of Materials Science: Materials in Medicine</i> , 2011, 22, 1087-1099.	1.7	2
93	Breast milk contains relevant neurotrophic factors and cytokines for enteric nervous system development. <i>Molecular Nutrition and Food Research</i> , 2011, 55, 1592-1596.	1.5	41
94	Hepatotropic growth factors protect hepatocytes during inflammation by upregulation of antioxidative systems. <i>World Journal of Gastroenterology</i> , 2011, 17, 2199.	1.4	3
95	NeoHepatocytes From Alcoholics and Controls Express Hepatocyte Markers and Display Reduced Fibrogenic TGF β ² /Smad3 Signaling: Advantage for Cell Transplantation?. <i>Alcoholism: Clinical and Experimental Research</i> , 2010, 34, 708-718.	1.4	6
96	Protective Role of HO-1 for Alcohol-Dependent Liver Damage. <i>Digestive Diseases</i> , 2010, 28, 792-798.	0.8	24
97	TGF β ² enhances alcohol dependent hepatocyte damage via down-regulation of alcohol dehydrogenase I. <i>Journal of Hepatology</i> , 2010, 52, 407-416.	1.8	50
98	TGF β ² As Possible Link between Loss of Bone Mineral Density and Chronic Inflammation. <i>PLoS ONE</i> , 2010, 5, e14073.	1.1	82
99	The possible use of stem cells in regenerative medicine: dream or reality?. <i>Langenbeck's Archives of Surgery</i> , 2009, 394, 985-997.	0.8	50
100	Disruption of the Smad7 gene enhances CCl ₄ -dependent liver damage and fibrogenesis in mice. <i>Journal of Cellular and Molecular Medicine</i> , 2008, 12, 2130-2144.	1.6	54
101	Hepatocyte-Specific Smad7 Expression Attenuates TGF β ² -Mediated Fibrogenesis and Protects Against Liver Damage. <i>Gastroenterology</i> , 2008, 135, 642-659.e46.	0.6	258
102	Blood Monocyte-Derived Neohepatocytes as in Vitro Test System for Drug Metabolism. <i>Drug Metabolism and Disposition</i> , 2008, 36, 1922-1929.	1.7	25