Kazuyoshi Hirota

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/926403/publications.pdf

Version: 2024-02-01

210 papers

3,690 citations

31 h-index

147801

206112 48 g-index

213 all docs

213 docs citations

213 times ranked 3028 citing authors

#	Article	IF	CITATIONS
1	Higher neutrophil-to-lymphocyte ratio, mean platelet volume, and platelet distribution width are associated with postoperative delirium in patients undergoing esophagectomy: a retrospective observational study. Journal of Anesthesia, 2022, 36, 58-67.	1.7	16
2	Plasma orexin A does not reflect severity of illness in the intensive care units patients with systemic inflammation. JA Clinical Reports, 2022, 8, 7.	0.7	1
3	H2 antagonists, proton pump inhibitors and COVID-19. Journal of Anesthesia, 2022, , 1.	1.7	1
4	Analysis of prolonged length of stay in intensive care units in Japan using the Japanese intensive care patient database. Journal of the Japanese Society of Intensive Care Medicine, 2022, 29, 107-116.	0.0	0
5	Usefulness of presepsin for the early detection of infectious complications after elective colorectal surgery, compared with C-reactive protein and procalcitonin. Scientific Reports, 2022, 12, 3960.	3.3	8
6	Acute normovolemic hemodilution reduced the frequency and amount of perioperative allogeneic blood transfusion in pediatric and adolescent scoliosis surgery: a retrospective observational study. Journal of Anesthesia, 2022, 36, 484-492.	1.7	1
7	Ketamine; history and role in anesthetic pharmacology. Neuropharmacology, 2022, 216, 109171.	4.1	18
8	Air contamination with SARS-CoV-2 in the operating room. Journal of Anesthesia, 2021, 35, 333-336.	1.7	22
9	Concerns for labor analgesia and autism spectrum disorders. Journal of Anesthesia, 2021, 35, 319-320.	1.7	6
10	Clotting functional stability of withdrawing blood in storage for acute normovolemic hemodilution: a pilot study. Journal of Anesthesia, 2021, 35, 35-42.	1.7	3
11	Roles of Neuropeptide S in Anesthesia, Analgesia, and Sleep. Pharmaceuticals, 2021, 14, 483.	3.8	9
12	Anaesthesia-related drugs and SARS-CoV-2 infection. British Journal of Anaesthesia, 2021, 127, e32-e34.	3.4	4
13	Intra-operative intravascular effect of the difference in colloid solutions during acute normovolemic hemodilution. JA Clinical Reports, 2021, 7, 70.	0.7	O
14	Preoperative management and postoperative delirium. Journal of Anesthesia, 2020, 34, 1-4.	1.7	10
15	The efficacy of acute normovolemic hemodilution for preventing perioperative allogeneic blood transfusion in gynecological cancer patients. Journal of Clinical Anesthesia, 2020, 60, 42-43.	1.6	12
16	Acute normovolemic hemodilution and acute kidney injury after open abdominal cancer surgery. Journal of Clinical Anesthesia, 2020, 61, 109657.	1.6	6
17	Is neurotransmitter release involved in the mechanism of general anesthesia?. Journal of Anesthesia, 2020, 34, 153-155.	1.7	O
18	Acute normovolemic hemodilution reduced allogeneic blood transfusion without increasing perioperative complications in patients undergoing free-flap reconstruction of the head and neck. Journal of Anesthesia, 2020, 34, 187-194.	1.7	10

#	Article	IF	Citations
19	Propofol and SARS-CoV-2 infection. British Journal of Anaesthesia, 2020, 125, e475-e476.	3.4	5
20	Has anesthesia research activity in Japan successfully recovered?. Journal of Anesthesia, 2020, 34, 639-641.	1.7	1
21	Impact of acute normovolemic hemodilution on allogeneic blood transfusion during open abdominal cancer surgery: A propensity matched retrospective study. Journal of Clinical Anesthesia, 2020, 64, 109822.	1.6	4
22	Patent ductus arteriosus closure and somatic regional oxyhemoglobin saturation. Journal of Clinical Monitoring and Computing, 2019, 33, 403-405.	1.6	2
23	The volume of acute normovolemic hemodilution. Gynecologic Oncology Reports, 2019, 29, 132.	0.6	3
24	Serum Tryptase Cannot Differentiate Vancomycin-Induced Anaphylaxis From Red Man Syndrome. Journal of Clinical Immunology, 2019, 39, 855-856.	3.8	7
25	Preoperative cerebral and renal oxygen saturation and clinical outcomes in pediatric patients with congenital heart disease. Journal of Clinical Monitoring and Computing, 2019, 33, 1015-1022.	1.6	10
26	Influence of Orexinergic System on Survival in Septic Rats. Neuropsychobiology, 2019, 77, 45-48.	1.9	4
27	Significance of preoperative butyrylcholinesterase level as an independent predictor of survival in patients with upper urinary tract urothelial carcinoma treated with nephroureterectomy. Japanese Journal of Clinical Oncology, 2018, 48, 184-189.	1.3	6
28	Central noradrenergic activity affects analgesic effect of Neuropeptide S. Journal of Anesthesia, 2018, 32, 48-53.	1.7	7
29	Perioperative respiratory complications: current evidence and strategy discussed in 2017 JA symposium. Journal of Anesthesia, 2018, 32, 132-136.	1.7	6
30	Ketamine and depression. British Journal of Anaesthesia, 2018, 121, 1198-1202.	3.4	13
31	Haematocrit and plasma volume during induction of anaesthesia. Acta Anaesthesiologica Scandinavica, 2018, 62, 1330-1331.	1.6	1
32	Orexinergic tone affects survival in sepsis in rat. British Journal of Anaesthesia, 2018, 120, e19-e20.	3.4	0
33	A case of acute kidney injury and coma possibly due to a massive xylitol infusion for nephrogenic diabetes insipidus. Journal of the Japanese Society of Intensive Care Medicine, 2018, 25, 199-200.	0.0	O
34	Impact of acute changes in perfusion index and blood pressure on the accuracy of non-invasive continuous hemoglobin concentration measurements during induction of anesthesia. Journal of Anesthesia, 2017, 31, 193-197.	1.7	5
35	Pilot Study of Changes in Presepsin Concentrations Compared With Changes in Procalcitonin and C-Reactive Protein Concentrations After Cardiovascular Surgery. Journal of Cardiothoracic and Vascular Anesthesia, 2017, 31, 1262-1267.	1.3	14
36	Propofol Anesthesia Is Reduced in Phospholipase C–Related Inactive Protein Type-1 Knockout Mice. Journal of Pharmacology and Experimental Therapeutics, 2017, 361, 367-374.	2.5	6

3

#	Article	IF	Citations
37	Ketamine suppresses the proliferation of rat C6 glioma cells. Oncology Letters, 2017, 14, 4911-4917.	1.8	4
38	Effects of cardiac output on the initial distribution volume of glucose in the absence of fluid gain or loss in pigs. Journal of Anesthesia, 2017, 31, 95-102.	1.7	0
39	Anesthesia research in Japan: seeds of recovery and the role of the Journal of Anesthesia. Journal of Anesthesia, 2017, 31, 803-805.	1.7	4
40	Anesthetic management of a patient with narcolepsy by combination of total intravenous and regional anesthesia: a case report. JA Clinical Reports, 2017, 3, 37.	0.7	3
41	The effects of newly-established surgical ICU on our university hospital. Journal of the Japanese Society of Intensive Care Medicine, 2017, 24, 35-36.	0.0	0
42	Ketamine and propofol have opposite effects on postanesthetic sleep architecture in rats: relevance to the endogenous sleep–wakefulness substances orexin and melanin-concentrating hormone. Journal of Anesthesia, 2016, 30, 437-443.	1.7	25
43	Sepsis and the orexin system. Journal of Anesthesia, 2016, 30, 919-922.	1.7	7
44	Adrenoceptor modulators and cancer progression. Journal of Anesthesia, 2016, 30, 365-368.	1.7	1
45	Significance of preoperative butyrylcholinesterase as an independent predictor of biochemical recurrence-free survival in patients with prostate cancer treated with radical prostatectomy. International Journal of Clinical Oncology, 2016, 21, 379-383.	2.2	18
46	Changes in presepsin concentrations in surgical patients with end-stage kidney disease undergoing living kidney transplantation: a pilot study. Journal of Anesthesia, 2016, 30, 174-177.	1.7	17
47	Involvement of the orexin system in sympathetic nerve regulation. Biochemical and Biophysical Research Communications, 2015, 460, 1076-1081.	2.1	21
48	Cannulation needle-induced anterior wall tenting of internal jugular vein causing posterior wall penetration. Journal of Anesthesia, 2015, 29, 467-470.	1.7	7
49	Launch of JA Clinical Reports. Journal of Anesthesia, 2015, 29, 161-163.	1.7	4
50	The accuracy of non-invasively continuous total hemoglobin measurement by pulse CO-Oximetry undergoing acute normovolemic hemodilution and reinfusion of autologous blood. Journal of Anesthesia, 2015, 29, 29-34.	1.7	16
51	Preoperative Butyrylcholinesterase Level as an Independent Predictor of Overall Survival in Clear Cell Renal Cell Carcinoma Patients Treated with Nephrectomy. Scientific World Journal, The, 2014, 2014, 1-5.	2.1	9
52	Endogenous neuropeptide S tone influences sleep–wake rhythm in rats. Neuroscience Letters, 2014, 581, 94-97.	2.1	17
53	Mechanisms of Anesthetic Emergence: Evidence for Active Reanimation. Current Anesthesiology Reports, 2014, 4, 49-56.	2.0	13
54	Significance of preoperative butyrylcholinesterase as an independent predictor of survival in patients with muscle-invasive bladder cancer treated with radical cystectomy. Urologic Oncology: Seminars and Original Investigations, 2014, 32, 820-825.	1.6	26

#	Article	IF	CITATIONS
55	Mild hypercapnia with hyperventilation attenuates recovery from anesthesia in elderly patients. Journal of Anesthesia, 2013, 27, 712-719.	1.7	4
56	Corrected right ventricular end-diastolic volume and initial distribution volume of glucose correlate with cardiac output after cardiac surgery. Journal of Anesthesia, 2013, 27, 512-520.	1.7	4
57	A Worrying Decline in Anesthesia Journal Publications from Japan. Journal of Anesthesia, 2013, 27, 323-324.	1.7	7
58	Measurement of [Ca2+]i in Whole Cell Suspensions Using Fura-2. Methods in Molecular Biology, 2013, 937, 37-47.	0.9	13
59	New method for quantitative assessment of airway calibre using a stereovision fibreoptic bronchoscope. British Journal of Anaesthesia, 2012, 108, 512-516.	3.4	13
60	Plasma Ropivacaine Concentrations After Ultrasound-Guided Rectus Sheath Block in Patients Undergoing Lower Abdominal Surgery. Anesthesia and Analgesia, 2012, 114, 230-232.	2.2	33
61	Effects of oral rehydration therapy on gastric volume and pH in patients with preanesthetic H2 antagonist. Journal of Anesthesia, 2012, 26, 936-938.	1.7	4
62	Sleep in anesthesiology $\hat{a}\in \mathcal{C}$ What can we learn about anesthesia from studying sleep?. Trends in Anaesthesia and Critical Care, 2012, 2, 30-35.	0.9	2
63	Antinociceptive effects of neurotropin in a rat model of central neuropathic pain: DSP-4 induced noradrenergic lesion. Neuroscience Letters, 2011, 503, 20-22.	2.1	25
64	A marked increase in gastric fluid volume during cardiopulmonary bypass. Journal of Clinical Biochemistry and Nutrition, 2011, 49, 16-19.	1.4	1
65	Study on airway smooth muscle tone using fiberoptic bronchoscopy: basic research and clinical application. Journal of Anesthesia, 2011, 25, 147-151.	1.7	0
66	Ketamine: new uses for an old drug?. British Journal of Anaesthesia, 2011, 107, 123-126.	3.4	118
67	Role of coerulean noradrenergic neurones in general anaesthesia in rats. British Journal of Anaesthesia, 2011, 107, 924-929.	3.4	43
68	The Effects of Neuropeptide S on General Anesthesia in Rats. Anesthesia and Analgesia, 2011, 112, 845-849.	2.2	31
69	A case of trigeminal neuralgia complicated by ipsilateral temporal arteritis. Journal of Anesthesia, 2010, 24, 139-142.	1.7	1
70	Back massage therapy promotes psychological relaxation and an increase in salivary chromogranin A release. Journal of Anesthesia, 2010, 24, 955-958.	1.7	36
71	Leg massage therapy promotes psychological relaxation and reinforces the first-line host defense in cancer patients. Journal of Anesthesia, 2010, 24, 827-831.	1.7	17
72	Changes in plasma orexin A during propofol–fentanyl anaesthesia in patients undergoing eye surgery. British Journal of Anaesthesia, 2010, 104, 723-727.	3.4	16

#	Article	IF	CITATIONS
73	Nitrous oxide and xenon increase noradrenaline release in the cerebral cortex in vivo and in vitro. Neuroscience Letters, 2010, 469, 199-203.	2.1	11
74	A central neuropathic pain model by DSP-4 induced lesion of noradrenergic neurons: Preliminary report. Neuroscience Letters, 2010, 481, 102-104.	2.1	11
75	Plasma orexin A increases at emergence from sevoflurane-fentanyl anesthesia in patients undergoing ophthalmologic surgery. Neuroscience Letters, 2010, 482, 212-215.	2.1	12
76	Interaction between orexinergic neurons and NMDA receptors in the control of locus coeruleus–cerebrocortical noradrenergic activity of the rat. Brain Research, 2009, 1250, 81-87.	2.2	42
77	Efficacy of a single 24â€hour preâ€anesthetic dose of proton pump inhibitors. Journal of Gastroenterology and Hepatology (Australia), 2009, 24, 1244-1247.	2.8	1
78	Orexin A Decreases Ketamine-Induced Anesthesia Time in the Rat: The Relevance to Brain Noradrenergic Neuronal Activity. Anesthesia and Analgesia, 2009, 108, 491-495.	2.2	44
79	The Effects of Benzodiazepines on Urotensin II-Stimulated Norepinephrine Release from Rat Cerebrocortical Slices. Anesthesia and Analgesia, 2009, 108, 1177-1181.	2.2	7
80	Marked reduction in bispectral index with severe bradycardia without hypotension in a diabetic patient undergoing ophthalmic surgery. Journal of Anesthesia, 2008, 22, 300-303.	1.7	10
81	Use of initial distribution volume of glucose to determine fluid volume loading in pulmonary thromboembolism and right ventricular myocardial infarction. Journal of Anesthesia, 2008, 22, 453-456.	1.7	5
82	Role of the orexinergic system in acute haemorrhage in the rat. Neuroscience Letters, 2008, 432, 162-166.	2.1	3
83	Urotensin II evokes neurotransmitter release from rat cerebrocortical slices. Neuroscience Letters, 2008, 440, 275-279.	2.1	14
84	A New Method to Estimate Regional Pulmonary Blood Flow Using Transesophageal Echocardiography. Anesthesia and Analgesia, 2008, 106, 530-534.	2.2	11
85	Obturator Nerve Block: From Anatomy to Ultrasound Guidance. Anesthesia and Analgesia, 2008, 106, 350-351.	2.2	5
86	The Effects of Benzodiazepines on Orexinergic Systems in Rat Cerebrocortical Slices. Anesthesia and Analgesia, 2007, 104, 338-340.	2.2	9
87	Flat Electroencephalogram Caused by Carbon Dioxide Pneumoperitoneum. Anesthesia and Analgesia, 2007, 105, 1749-1752.	2.2	14
88	Obturator Nerve Block Using Ultrasound Guidance. Anesthesia and Analgesia, 2007, 105, 888-889.	2.2	40
89	Correlation Between Salivary α-Amylase Activity and Pain Scale in Patients With Chronic Pain. Regional Anesthesia and Pain Medicine, 2007, 32, 120-123.	2.3	34
90	Selection of opioid and measures against opioid-induced adverse reactions during the initial introduction period of opioid therapy for cancer pain. European Journal of Pain Supplements, 2007, 1, 88-89.	0.0	1

#	Article	IF	CITATIONS
91	Correlation Between Salivary α-Amylase Activity and Pain Scale in Patients With Chronic Pain. Regional Anesthesia and Pain Medicine, 2007, 32, 120-123.	2.3	41
92	Intravenous indigo carmine might cause cerebral ischemia. Acta Anaesthesiologica Scandinavica, 2007, 51, 776-777.	1.6	10
93	Does long-term medication with a proton pump inhibitor induce a tolerance to H2 receptor antagonist?. Journal of Gastroenterology, 2007, 42, 275-278.	5.1	5
94	Anaphylactoid shock in a patient following 5% human serum albumin infusion during off-pump coronary artery bypass grafting. Journal of Anesthesia, 2007, 21, 396-398.	1.7	18
95	Prospect of Propofol-Total Intravenous Anesthesia. The Journal of Japan Society for Clinical Anesthesia, 2007, 27, 42-49.	0.0	1
96	Special cases: Ketamine, nitrous oxide and xenon. Bailliere's Best Practice and Research in Clinical Anaesthesiology, 2006, 20, 69-79.	4.0	52
97	Comparison of Initial Distribution Volume of Glucose and Intrathoracic Blood Volume During Hemodynamically Unstable States Early After Esophagectomy. Chest, 2005, 128, 1713-1719.	0.8	12
98	The Efficacy of Preanesthetic Proton Pump Inhibitor Treatment for Patients on Long-Term H2 Antagonist Therapy. Anesthesia and Analgesia, 2005, 101, 1038-1041.	2.2	9
99	Regular use of H2 blockers reduces the efficacy of roxatidine to control gastric pH and volume. Canadian Journal of Anaesthesia, 2005, 52, 166-171.	1.6	9
100	Measurement of [$\langle SUP \rangle 3 \langle SUP \rangle H$]PN200-110 and [$\langle SUP \rangle 125 \langle SUP \rangle I$]w-Conotoxin MVIIA Binding. , 2005, 312, 147-160.		1
101	The Relationship Between Salivary Biomarkers and State-Trait Anxiety Inventory Score Under Mental Arithmetic Stress: A Pilot Study Anesthesia and Analgesia, 2005, 101, 1873-1876.	2.2	172
102	Initial distribution volume of glucose can be approximated using a conventional glucose analyzer in the intensive care unit. Critical Care, 2005, 9, R144.	5.8	13
103	Lack of interaction between orexinergic and $\hat{i}\pm 2$ -adrenergic neuronal systems in rat cerebrocortical slices. Neuroscience Letters, 2005, 387, 49-52.	2.1	1
104	Isoflurane increases norepinephrine release in the rat preoptic area and the posterior hypothalamus in vivo and in vitro: Relevance to thermoregulation during anesthesia. Neuroscience, 2005, 131, 79-86.	2.3	35
105	Measurement of [Ca ²⁺] _i in Whole Cell Suspensions Using Fura-2., 2005, 312, 037-046.		19
106	Supraclinical concentrations of dexmedetomidine evoke norepinephrine release from rat cerebrocortical slices. Neuroscience Letters, 2004, 372, 142-145.	2.1	0
107	Supraclinical concentrations of dexmedetomidine evoke norepinephrine release from rat cerebrocortical slicesPossible involvement of the orexin-1 receptor. Neuroscience Letters, 2004, 372, 142-145.	2.1	5
108	Effects of nociceptin/orphanin FQ receptor ligands on blood pressure, heart rate, and plasma catecholamine concentrations in guinea pigs. Naunyn-Schmiedeberg's Archives of Pharmacology, 2003, 367, 342-347.	3.0	33

7

#	Article	IF	CITATIONS
109	Effects of central hypocretin-1 administration on hemodynamic responses in young-adult and middle-aged rats. Brain Research, 2003, 981, 143-150.	2.2	49
110	Effects of propofol on bronchoconstriction and bradycardia induced by vagal nerve stimulation. Acta Anaesthesiologica Scandinavica, 2003, 47, 1059-1063.	1.6	15
111	A marked decrease in bispectral index with elevation of suppression ratio by cervical haematoma reducing cerebral perfusion pressure. Journal of Clinical Neuroscience, 2003, 10, 694-696.	1.5	29
112	Lack of an interaction between orexinergic and opioid/nociceptinergic systems in rat cerebrocortical slices. Neuroscience Letters, 2003, 340, 173-176.	2.1	1
113	Orexinergic neurons and barbiturate anesthesia. Neuroscience, 2003, 121, 855-863.	2.3	85
114	Effects of three different L-type Ca 2+ entry blockers on airway constriction induced by muscarinic receptor stimulation. British Journal of Anaesthesia, 2003, 90, 671-675.	3.4	29
115	Differential effects of thiopental on methacholine- and serotonin-induced bronchoconstriction in dogs â€. British Journal of Anaesthesia, 2003, 91, 379-384.	3.4	6
116	Editorial II. British Journal of Anaesthesia, 2003, 90, 576-579.	3.4	14
117	Effects of nicardipine and diltiazem on the bispectral index and 95% spectral edge frequency. European Journal of Anaesthesiology, 2003, 20, 809-812.	1.7	5
118	Fentanyl-mediated reduction in the bispectral index and 95% spectral edge frequency is age-dependent. European Journal of Anaesthesiology, 2003, 20, 167-169.	1.7	1
119	The Effects of Local and Intravenous Anesthetics on Recombinant Rat VR1 Vanilloid Receptors. Anesthesia and Analgesia, 2003, 96, 1656-1660.	2.2	28
120	Effects of nicardipine and diltiazem on the bispectral index and 95% spectral edge frequency. European Journal of Anaesthesiology, 2003, 20, 809-812.	1.7	3
121	Alpha-2 Adrenoceptor Activity Affects Propofol-Induced Sleep Time. Anesthesia and Analgesia, 2002, 94, 1201-1206.	2.2	34
122	Quantification and Comparison of Pulmonary Emboli Formation After Pneumatic Tourniquet Release in Patients Undergoing Reconstruction of Anterior Cruciate Ligament and Total Knee Arthroplasty. Anesthesia and Analgesia, 2002, 94, 1633-1638.	2.2	26
123	Interaction of Intravenous Anesthetics with Recombinant Human M1-M3 Muscarinic Receptors Expressed in Chinese Hamster Ovary Cells. Anesthesia and Analgesia, 2002, 95, 1607-1610.	2.2	40
124	Quantification and Comparison of Pulmonary Emboli Formation After Pneumatic Tourniquet Release in Patients Undergoing Reconstruction of Anterior Cruciate Ligament and Total Knee Arthroplasty. Anesthesia and Analgesia, 2002, 94, 1633-1638.	2.2	30
125	Ketamine and the inhibition of albumin extravasation in chemical peritonitis in rat. European Journal of Anaesthesiology, 2002, 19, 173.	1.7	5
126	Flurbiprofen does not change the bispectral index and 95% spectral edge frequency during total intravenous anaesthesia with propofol and fentanyl. European Journal of Anaesthesiology, 2002, 19, 483.	1.7	3

#	ARTICLE	IF	Citations
127	Inhibitory effects of intravenous anaesthetic agents on K + -evoked glutamate release from rat cerebrocortical slices. Involvement of voltage-sensitive Ca 2+ channels and GABA A receptors. Naunyn-Schmiedeberg's Archives of Pharmacology, 2002, 366, 246-253.	3.0	27
128	Spasmolytic effects of colforsin daropate on serotonin-induced pulmonary hypertension and bronchoconstriction in dogs. Acta Anaesthesiologica Scandinavica, 2002, 46, 297-302.	1.6	6
129	Ketamine and the inhibition of albumin extravasation in chemical peritonitis in rat. European Journal of Anaesthesiology, 2002, 19, 173-176.	1.7	4
130	Bronchoconstrictive and relaxant effects of lidocaine on the airway in dogs. Critical Care Medicine, 2001, 29, 1040-1044.	0.9	10
131	The Relationship Between Pneumatic Tourniquet Time and the Amount of Pulmonary Emboli in Patients Undergoing Knee Arthroscopic Surgeries. Anesthesia and Analgesia, 2001, 93, 776-780.	2.2	49
132	Unventilated Airway Is Time-dependently Constricted in Paralyzed Dogs. Anesthesiology, 2001, 95, 1480-1484.	2.5	3
133	Xenon inhalation increases norepinephrine release from the anterior and posterior hypothalamus in rats. Canadian Journal of Anaesthesia, 2001, 48, 651-655.	1.6	16
134	Spasmolytic effect of magnesium sulfate on serotoninâ€induced pulmonary hypertension and bronchoconstriction in dogs. Acta Anaesthesiologica Scandinavica, 2001, 45, 435-440.	1.6	17
135	Use of olprinone, a phosphodiesterase III inhibitor, in an asthmatic patient. Acta Anaesthesiologica Scandinavica, 2001, 45, 510-512.	1.6	8
136	Orexin A and B evoke noradrenaline release from rat cerebrocortical slices. British Journal of Pharmacology, 2001, 134, 1461-1466.	5 . 4	47
137	Comparison of relaxant effects of propofol on methacholine-induced bronchoconstriction in dogs with and without vagotomy. British Journal of Anaesthesia, 2001, 86, 249-253.	3.4	11
138	Editorial I. British Journal of Anaesthesia, 2001, 87, 811-813.	3.4	21
139	A Comparison of the Relaxant Effects of Olprinone and Aminophylline on Methacholine-Induced Bronchoconstriction in Dogs. Anesthesia and Analgesia, 2001, 93, 230-233.	2.2	15
140	Milrinone Attenuates Serotonin-Induced Pulmonary Hypertension and Bronchoconstriction in Dogs. Anesthesia and Analgesia, 2000, 90, 790-794.	2.2	15
141	A Comparison of the Spasmolytic Effects of Olprinone and Aminophylline on Serotonin-Induced Pulmonary Hypertension and Bronchoconstriction With or Without I ² -Blockade in Dogs. Anesthesia and Analgesia, 2000, 91, 1345-1350.	2.2	16
142	Lidocaine added to a tracheostomy tube cuff reduces tube discomfort. Canadian Journal of Anaesthesia, 2000, 47, 412-414.	1.6	30
143	Effects of intravenous and local anesthetic agents on ω-conotoxin MVIIA binding to rat cerebrocortex. Canadian Journal of Anaesthesia, 2000, 47, 467-470.	1.6	2
144	Inhibitory effects of intravenous anaesthetic agents on K $+$ -evoked norepinephrine and dopamine release from rat striatal slices: possible involvement of P/Q-type voltage-sensitive Ca $2+$ channels. British Journal of Anaesthesia, 2000, 85, 874-880.	3.4	14

#	Article	IF	CITATIONS
145	Milrinone Attenuates Serotonin-Induced Pulmonary Hypertension and Bronchoconstriction in Dogs. Anesthesia and Analgesia, 2000, 9, 790-794.	2.2	8
146	Interaction of local anaesthetics with recombinant \hat{l} /4, \hat{l} ² , and \hat{l} -opioid receptors expressed in Chinese hamster ovary cells. British Journal of Anaesthesia, 2000, 85, 740-746.	3.4	18
147	Spasmolytic effects of prostaglandin E 1 on serotonin-induced bronchoconstriction and pulmonary hypertension in dogs. British Journal of Anaesthesia, 2000, 85, 460-462.	3.4	8
148	Barbiturates inhibit K+-evoked noradrenaline and dopamine release from rat striatal slices – involvement of voltage sensitive Ca2+ channels. Neuroscience Letters, 2000, 291, 175-178.	2.1	16
149	Measurement of [³ H]PN200-110 and [¹²⁵ l]ï‰-Conotoxin MVIIA Binding. , 1999, 114, 149-162.		1
150	Inhibitory effect of clonidine on ketamine-induced norepinephrine release from the medial prefrontal cortex in rats. British Journal of Anaesthesia, 1999, 83, 945-947.	3.4	15
151	Relaxant effect of propofol on the airway in dogs. British Journal of Anaesthesia, 1999, 83, 292-295.	3.4	18
152	I.v. lidocaine worsens histamine-induced bronchoconstriction in dogs. British Journal of Anaesthesia, 1999, 82, 87-89.	3.4	15
153	The effects of nitrous oxide and ketamine on the bispectral index and 95% spectral edge frequency during propofol–fentanyl anaesthesia. European Journal of Anaesthesiology, 1999, 16, 779.	1.7	51
154	Is total body weight an appropriate predictor for propofol maintenance dose?. Acta Anaesthesiologica Scandinavica, 1999, 43, 842-844.	1.6	14
155	Estimation of the initial distribution volume of glucose by an incremental plasma glucose level at 3â€∫min after i.v. glucose in humans. British Journal of Clinical Pharmacology, 1999, 47, 361-364.	2.4	25
156	Effects of sedatives on noradrenaline release from the medial prefrontal cortex in rats. Psychopharmacology, 1999, 146, 335-338.	3.1	50
157	Effects of ketamine and pentobarbital on noradrenaline release from the medial prefrontal cortex in rats. Canadian Journal of Anaesthesia, 1999, 46, 388-392.	1.6	53
158	Interaction of ketamine with ?2 opioid receptors in SH-SY5Y human neuroblastoma cells. Journal of Anesthesia, 1999, 13, 107-109.	1.7	17
159	Physostigmine antagonizes ketamine-induced noradrenaline release from the medial prefrontal cortex in rats. Brain Research, 1999, 840, 175-178.	2.2	25
160	Relation between bispectral index and plasma catecholamines after oral diazepam premedication. European Journal of Anaesthesiology, 1999, 16, 516.	1.7	15
161	Measurement of [Ca ²⁺] _i in Whole Cell Suspensions Using Fura-2., 1999, 114, 31-40.		7
162	The Relaxant Effect of Propofol on Guinea Pig Tracheal Muscle Is Independent of Airway Epithelial Function and beta-Adrenoceptor Activity. Anesthesia and Analgesia, 1999, 89, 191-196.	2.2	13

#	Article	IF	CITATIONS
163	The Relaxant Effect of Propofol on Guinea Pig Tracheal Muscle Is Independent of Airway Epithelial Function and beta-Adrenoceptor Activity. Anesthesia and Analgesia, 1999, 89, 191-196.	2.2	23
164	Stereoselective Interaction of Ketamine with Recombinant [micro sign], [small kappa, Greek], and [small delta, Greek] Opioid Receptors Expressed in Chinese Hamster Ovary CellsÂ. Anesthesiology, 1999, 90, 174-182.	2.5	112
165	Relaxant effect of magnesium and zinc on histamine-induced bronchoconstriction in dogs. Critical Care Medicine, 1999, 27, 1159-1163.	0.9	33
166	Prostaglandin E1 produces spasmolytic effects on histamine-induced bronchoconstriction in dogs. Critical Care Medicine, 1999, 27, 2755-2759.	0.9	6
167	Relation between bispectral index and plasma catecholamines after oral diazepam premedication. European Journal of Anaesthesiology, 1999, 16, 516-518.	1.7	18
168	The effects of nitrous oxide and ketamine on the bispectral index and 95% spectral edge frequency during propofol-fentanyl anaesthesia. European Journal of Anaesthesiology, 1999, 16, 779-783.	1.7	43
169	In vivo spasmolytic effect of ketamine and adrenaline on histamineâ€induced airway constriction. Acta Anaesthesiologica Scandinavica, 1998, 42, 184-188.	1.6	12
170	Inhibited hypothalamic histamine metabolism during isoflurane and sevoflurane anesthesia in rats. Acta Anaesthesiologica Scandinavica, 1998, 42, 858-863.	1.6	5
171	Effect of phenylephrine on histamine-induced bronchoconstriction in dogs. Journal of Anesthesia, 1998, 12, 133-136.	1.7	5
172	Effects of thiopental on airway calibre in dogs: direct visualization method using a superfine fibreoptic bronchoscope. British Journal of Anaesthesia, 1998, 81, 203-207.	3.4	16
173	The Role of the N-Methyl-D-Aspartic Acid Receptor in the Relaxant Effect of Ketamine on Tracheal Smooth Muscle. Anesthesia and Analgesia, 1998, 87, 1383-1388.	2.2	25
174	The Role of the N-Methyl-D-Aspartic Acid Receptor in the Relaxant Effect of Ketamine on Tracheal Smooth Muscle. Anesthesia and Analgesia, 1998, 87, 1383-1388.	2.2	33
175	Ketamine inhibits the tonic response to carbachol and histamine in the guinea pig trachea. European Journal of Anaesthesiology, 1998, 15, 486-492.	1.7	3
176	In vivo assessment of droperidol-induced bronchial relaxation in dogs using a superfine fibreoptic bronchoscope. British Journal of Anaesthesia, 1997, 78, 579-582.	3.4	15
177	Measurement of bronchodilatation using a superfine fibreoptic bronchoscope. British Journal of Anaesthesia, 1997, 78, 583-585.	3.4	21
178	Do local anaesthetics interact with dihydropyridine binding sites on neuronal L-type Ca2+ channels?. British Journal of Anaesthesia, 1997, 78, 185-188.	3.4	22
179	Studies on the binding of [3H]amethocaine to rat cerebrocortical membranes. British Journal of Anaesthesia, 1997, 79, 521-524.	3.4	0
180	The Relaxant Effect of Ketamine on Guinea Pig Airway Smooth Muscle Is Epithelium-Independent. Anesthesia and Analgesia, 1997, 84, 641-647.	2.2	1

#	Article	IF	Citations
181	The Relaxant Effect of Ketamine on Guinea Pig Airway Smooth Muscle Is Epithelium-Independent. Anesthesia and Analgesia, 1997, 84, 641-647.	2.2	22
182	Coupling of the cloned rat \hat{I}^2 -opioid receptor to adenylyl cyclase is dependent on receptor expression. Neuroscience Letters, 1997, 232, 119-122.	2.1	12
183	Etomidate inhibits [3H]noradrenaline release from SH-SY5Y human neuroblastoma cells. Neuroscience Letters, 1997, 236, 87-90.	2.1	5
184	A comparative study of L-type voltage sensitive Ca2+ channels in rat brain regions and cultured neuronal cells. Neuroscience Letters, 1997, 223, 169-172.	2.1	25
185	The effects of recombinant rat \hat{l} 4-opioid receptor activation in CHO cells on phospholipase C, [Ca2+]i and adenylyl cyclase. British Journal of Pharmacology, 1997, 120, 1165-1171.	5.4	42
186	Continuous haemodiafiltration during and after cardiopulmonary bypass in renal failure patients. Canadian Journal of Anaesthesia, 1997, 44, 1182-1186.	1.6	14
187	Midazolam reverses histamine-induced bronchoconstriction in dogs. Canadian Journal of Anaesthesia, 1997, 44, 1115-1119.	1.6	8
188	A1116 Relaxant Effect of Propofol on The Airway in Dogs. Anesthesiology, 1997, 87, 1116A.	2.5	1
189	Ketamine and its isomers have equipotent relaxant effects on tracheal smooth muscle contracted by tachykinins. Journal of Anesthesia, 1996, 10, 55-57.	1.7	2
190	Prolonged respiratory depression after anesthesia for parathyroidectomy in a patient with juvenile type of acid maltase deficiency. Journal of Clinical Anesthesia, 1996, 8, 620.	1.6	4
191	In vivo direct measurement of the bronchodilating effect of sevoflurane using a superfine fiberoptic bronchoscope: Comparison with enflurane and halothane. Journal of Cardiothoracic and Vascular Anesthesia, 1996, 10, 213-216.	1.3	29
192	Droperidol inhibits tracheal contraction induced by serotonin, histamine or carbachol in guinea pigs. Canadian Journal of Anaesthesia, 1996, 43, 172-178.	1.6	13
193	I.v. anaesthetic agents inhibit dihydropyridine binding to L-type voltage-sensitive Ca2+ channels in rat cerebrocortical membranes. British Journal of Anaesthesia, 1996, 77, 248-253.	3.4	34
194	Relaxant effect of ketamine and its isomers on histamine-induced contraction of tracheal smooth muscle. British Journal of Anaesthesia, 1996, 76, 266-270.	3.4	28
195	Ketamine: its mechanism(s) of action and unusual clinical uses. British Journal of Anaesthesia, 1996, 77, 441-444.	3.4	313
196	Voltage-sensitive Ca2+ channels and anaesthesia. British Journal of Anaesthesia, 1996, 76, 344-346.	3.4	29
197	Motor and Sensory Disability Has a Strong Relationship to Induction Dose of Thiopental in Patients with the Hypertropic Variety of Charcot-Marie-Tooth Syndrome. Anesthesia and Analgesia, 1996, 82, 182-186.	2.2	34
198	Alteration in the Reactivity of Sphingomyelin in Mitogen-Stimulated Lymphocytes 1. Journal of Biochemistry, 1995, 118, 4-8.	1.7	12

#	Article	IF	CITATIONS
199	Posterior Hypothalamic Noradrenaline Release During Emergence from Sevoflurane Anesthesia in Rats. Anesthesia and Analgesia, 1995, 81, 1289-1291.	2.2	1
200	Topical ketamine inhibits albumin extravasation in chemical peritonitis in rats. Acta Anaesthesiologica Scandinavica, 1995, 39, 174-178.	1.6	20
201	Ketamine inhibits contractile responses of intestinal smooth muscle by decreasing the influx of calcium through the Lâ€type calcium channel. Acta Anaesthesiologica Scandinavica, 1995, 39, 759-764.	1.6	17
202	Pharmacokinetics of ketamine during hypothermic cardiopulmonary bypass in cardiac patients. Journal of Anesthesia, 1995, 9, 142-145.	1.7	0
203	Posterior Hypothalamic Noradrenaline Release During Emergence from Sevoflurane Anesthesia in Rats. Anesthesia and Analgesia, 1995, 81, 1289-1291.	2.2	8
204	Effects of halothane on membrane ionic currents in guinea pig atrial and ventricular myocytes. Acta Anaesthesiologica Scandinavica, 1989, 33, 239-244.	1.6	33
205	Effects of halothane on membrane potentials and membrane ionic currents in single bullfrog atrial cells. Acta Anaesthesiologica Scandinavica, 1988, 32, 333-338.	1.6	15
206	Bile acid metabolism in liver diseases (II). Gastroenterologia Japonica, 1968, 3, 300-300.	0.3	0
207	Diagnosis of intraabdominal tumors with peritoneography. Gastroenterologia Japonica, 1968, 3, 319-319.	0.3	0
208	Histopathological study on achalasia. Gastroenterologia Japonica, 1968, 3, 434-435.	0.3	0
209	Electron microscopic study of hepatic fibrosis; fine structural change of the liver in congestive heart failure. Gastroenterologia Japonica, 1966, 1, 53-53.	0.3	0
210	The change and its clinical significance of enzyme activity in liver damage (II). Gastroenterologia Japonica, 1966, 1, 47-47.	0.3	0