

Sallie E Lamb

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9264147/sallie-e-lamb-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

332 papers	17,299 citations	50 h-index	126 g-index
352 ext. papers	21,119 ext. citations	5.9 avg, IF	6.61 L-index

#	Paper	IF	Citations
332	Surgical fixation with K-wires versus casting in adults with fracture of distal radius: DRAFFT2 multicentre randomised clinical trial.. <i>BMJ, The</i> , 2022 , 376, e068041	5.9	2
331	Effects of a home-based physical training and activity promotion program in community-dwelling older persons with cognitive impairment after discharge from rehabilitation: A randomized controlled trial.. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022 ,	6.4	1
330	Effect of an osteoporotic fracture prevention program on fracture incidence in routine care: a cluster-randomized trial.. <i>BMC Medicine</i> , 2022 , 20, 49	11.4	0
329	Moulded cast compared with K-wire fixation after manipulation of an acute dorsally displaced distal radius fracture: the DRAFFT 2 RCT.. <i>Health Technology Assessment</i> , 2022 , 26, 1-80	4.4	0
328	Flexibility and resistance exercises versus usual care for improving pain and function after distal radius fracture in adults aged 50 years or over: protocol for the WISE randomised multicentre feasibility trial.. <i>Pilot and Feasibility Studies</i> , 2022 , 8, 55	1.9	1
327	SWAT 110: Printing the primary outcome on Pink Paper versus standard paper to increase participant engagement to postal questionnaires (PEPPER). <i>Research Methods in Medicine & Health Sciences</i> , 2022 , 3, 49-54	5	
326	Exercise to prevent shoulder problems after breast cancer surgery: the PROSPER RCT.. <i>Health Technology Assessment</i> , 2022 , 26, 1-124	4.4	0
325	The effectiveness of rehabilitation interventions including outdoor mobility on older adults physical activity, endurance, outdoor mobility and falls-related self-efficacy: systematic review and meta-analysis. <i>Age and Ageing</i> , 2022 , 51,	3	1
324	Exercise Effects on Falls, Fractures, Hospitalizations, and Mortality in Older Adults With Dementia: An Individual-Level Patient Data Meta-analysis. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, e203-e212	6.4	2
323	Musculoskeletal pain and loneliness, social support and social engagement among older adults: Analysis of the Oxford Pain, Activity and Lifestyle cohort. <i>Musculoskeletal Care</i> , 2021 , 19, 269-277	1.6	2
322	Multi-Factorial Fall Prevention Strategies: Where to Next? 2021 , 386-395		
321	The Prevalence of Back and Leg Pain and the Cross-sectional Association With Adverse Health Outcomes in Community Dwelling Older Adults in England. <i>Spine</i> , 2021 , 46, 54-61	3.3	0
320	Unicompartmental compared with total knee replacement for patients with multimorbidities: a cohort study using propensity score stratification and inverse probability weighting. <i>Health Technology Assessment</i> , 2021 , 25, 1-126	4.4	0
319	Exercise versus usual care after non-reconstructive breast cancer surgery (UK PROSPER): multicentre randomised controlled trial and economic evaluation. <i>BMJ, The</i> , 2021 , 375, e066542	5.9	2
318	A feasibility study to assess the design of a multicentre randomized controlled trial of the clinical and cost-effectiveness of a caregiving intervention for people following hip fracture surgery. <i>Bone & Joint Open</i> , 2021 , 2, 909-920	2.8	0
317	A hand exercise mobile app for people with rheumatoid arthritis in Turkey: design, development and usability study. <i>Rheumatology International</i> , 2021 , 41, 1151-1160	3.6	1
316	Adrenaline to improve survival in out-of-hospital cardiac arrest: the PARAMEDIC2 RCT. <i>Health Technology Assessment</i> , 2021 , 25, 1-166	4.4	0

315	Psychometric Properties of the Proxy-Reported Life-Space Assessment in Institutionalized Settings (LSA-IS-Proxy) for Older Persons with and without Cognitive Impairment. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
314	Fall prevention interventions in primary care to reduce fractures and falls in people aged 70 years and over: the PreFIT three-arm cluster RCT. <i>Health Technology Assessment</i> , 2021 , 25, 1-114	4.4	1
313	Hand Osteoarthritis: investigating Pain Effects of estrogen-containing therapy (HOPE-e): a protocol for a feasibility randomised placebo-controlled trial. <i>Pilot and Feasibility Studies</i> , 2021 , 7, 133	1.9	0
312	Effectiveness of community-based rehabilitation interventions incorporating outdoor mobility on ambulatory ability and falls-related self-efficacy after hip fracture: a systematic review and meta-analysis. <i>Archives of Osteoporosis</i> , 2021 , 16, 99	2.9	1
311	Getting Recovery Right After Neck Dissection (GRRAND-F): mixed-methods feasibility study to design a pragmatic randomised controlled trial protocol. <i>BMJ Open</i> , 2021 , 11, e045741	3	0
310	Rehabilitation to enable recovery from COVID-19: a rapid systematic review. <i>Physiotherapy</i> , 2021 , 111, 4-22	3	13
309	Experiences and perceptions of trial participants and healthcare professionals in the UK Frozen Shoulder Trial (UK FROST): a nested qualitative study. <i>BMJ Open</i> , 2021 , 11, e040829	3	
308	Statistical analysis plan for a pragmatic phase III randomised controlled trial examining behaviour change physiotherapy intervention to increase physical activity following hip and knee replacements: the PEP-TALK trial. <i>Trials</i> , 2021 , 22, 467	2.8	1
307	Progressive exercise compared with best practice advice, with or without corticosteroid injection, for the treatment of patients with rotator cuff disorders (GRASP): a multicentre, pragmatic, 2x2 factorial, randomised controlled trial. <i>Lancet, The</i> , 2021 , 398, 416-428	4.0	11
306	Items for consideration in a reporting guideline for mediation analyses: a Delphi study. <i>BMJ Evidence-Based Medicine</i> , 2021 , 26, 106	2.7	4
305	Characteristics of L-PRP preparations for treating Achilles tendon rupture within the PATH-2 study. <i>Platelets</i> , 2021 , 32, 273-279	3.6	4
304	The findings of a surgical hip fracture trial were generalizable to the UK national hip fracture database. <i>Journal of Clinical Epidemiology</i> , 2021 , 131, 141-151	5.7	1
303	The Effect of Therapeutic Exercise Interventions on Physical and Psychosocial Outcomes in Adults Aged 80 Years and Older: A Systematic Review and Meta-Analysis. <i>Journal of Aging and Physical Activity</i> , 2021 , 1-18	1.6	0
302	The evidence for cognitive behavioural therapy in any condition, population or context: a meta-review of systematic reviews and panoramic meta-analysis. <i>Psychological Medicine</i> , 2021 , 51, 21-29	6.9	12
301	Identification of subgroup effect with an individual participant data meta-analysis of randomised controlled trials of three different types of therapist-delivered care in low back pain. <i>BMC Musculoskeletal Disorders</i> , 2021 , 22, 191	2.8	2
300	Cognitive-behavioural therapy for a variety of conditions: an overview of systematic reviews and panoramic meta-analysis. <i>Health Technology Assessment</i> , 2021 , 25, 1-378	4.4	2
299	The Severe Asthma Questionnaire: sensitivity to change and minimal clinically important difference. <i>European Respiratory Journal</i> , 2021 , 57,	13.6	0
298	Factors associated with persistent opioid use after an upper extremity fracture. <i>Bone & Joint Open</i> , 2021 , 2, 119-124	2.8	3

297	Monitoring, implementation and reporting of interventions in a selection of trials assessing exercise therapy for the management of shoulder subacromial pain: a cross-sectional investigation. <i>BMJ Open</i> , 2021 , 11, e044462	3	
296	Home environmental assessments and modification delivered by occupational therapists to reduce falls in people aged 65 years and over: the OTIS RCT. <i>Health Technology Assessment</i> , 2021 , 25, 1-118	4.4	2
295	Measuring the success of blinding in placebo-controlled trials: Should we be so quick to dismiss it?. <i>Journal of Clinical Epidemiology</i> , 2021 , 135, 176-181	5.7	1
294	Progressive exercise compared with best-practice advice, with or without corticosteroid injection, for rotator cuff disorders: the GRASP factorial RCT. <i>Health Technology Assessment</i> , 2021 , 25, 1-158	4.4	2
293	Home-based rehabilitation programme compared with traditional physiotherapy for patients at risk of poor outcome after knee arthroplasty: the CORKA randomised controlled trial. <i>BMJ Open</i> , 2021 , 11, e052598	3	2
292	A Guideline for Reporting Mediation Analyses of Randomized Trials and Observational Studies: The AGReMA Statement. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 1045-1056	27.4	26
291	Research Note: Transporting causal effects from randomised trials to target populations to improve external validity. <i>Journal of Physiotherapy</i> , 2021 , 67, 315-318	2.9	
290	Effectiveness of interventions for the management of primary frozen shoulder : a systematic review of randomized trials. <i>Bone & Joint Open</i> , 2021 , 2, 773-784	2.8	3
289	Risk Factors for Mobility Decline in Community-Dwelling Older Adults: A Systematic Literature Review. <i>Journal of Aging and Physical Activity</i> , 2021 , 29, 1053-1066	1.6	1
288	Evaluation of Clinical Practice Guidelines on Fall Prevention and Management for Older Adults: A Systematic Review.. <i>JAMA Network Open</i> , 2021 , 4, e2138911	10.4	11
287	The online version of an evidence-based hand exercise program for people with rheumatoid arthritis: A mixed-method, proof-of-concept study. <i>Journal of Hand Therapy</i> , 2020 ,	1.6	2
286	Screening and Intervention to Prevent Falls and Fractures in Older People. <i>New England Journal of Medicine</i> , 2020 , 383, 1848-1859	59.2	27
285	Comparison of the clinical and cost effectiveness of two management strategies (rehabilitation versus surgical reconstruction) for non-acute anterior cruciate ligament (ACL) injury: study protocol for the ACL SNNAP randomised controlled trial. <i>Trials</i> , 2020 , 21, 405	2.8	8
284	Components, design and effectiveness of digital physical rehabilitation interventions for older people: A systematic review. <i>Journal of Telemedicine and Telecare</i> , 2020 , 1357633X20927587	6.8	3
283	The impact of a patient's engagement in their health on the magnitude of limitations and experience following upper limb fractures. <i>Bone and Joint Journal</i> , 2020 , 102-B, 42-47	5.6	10
282	Participant expectations and experiences of a tailored physiotherapy intervention for people with Parkinson's and a history of falls. <i>Disability and Rehabilitation</i> , 2020 , 1-9	2.4	2
281	Exercise for people with a fragility fracture of the pelvis or lower limb: a systematic review of interventions evaluated in clinical trials and reporting quality. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 435	2.8	1
280	Plaster cast versus functional brace for non-surgical treatment of Achilles tendon rupture (UKSTAR): a multicentre randomised controlled trial and economic evaluation. <i>Lancet, The</i> , 2020 , 395, 441-448	40	18

279	Enhanced rehabilitation and care models for adults with dementia following hip fracture surgery. <i>The Cochrane Library</i> , 2020 , 2, CD010569	5.2	15
278	Development of A Guideline for Reporting Mediation Analyses (AGReMA). <i>BMC Medical Research Methodology</i> , 2020 , 20, 19	4.7	8
277	The importance of different frailty domains in a population based sample in England. <i>BMC Geriatrics</i> , 2020 , 20, 16	4.1	5
276	Bayesian adaptive designs for multi-arm trials: an orthopaedic case study. <i>Trials</i> , 2020 , 21, 83	2.8	4
275	Outpatient physiotherapy versus home-based rehabilitation for patients at risk of poor outcomes after knee arthroplasty: CORKA RCT. <i>Health Technology Assessment</i> , 2020 , 24, 1-116	4.4	4
274	Evaluating the impact of a champion on implementation of the Back Skills Training (BeST) programme in Canada: a mixed methods feasibility study protocol. <i>BMJ Open</i> , 2020 , 10, e040834	3	
273	Plaster cast versus functional bracing for Achilles tendon rupture: the UKSTAR RCT. <i>Health Technology Assessment</i> , 2020 , 24, 1-86	4.4	6
272	Surgical treatments compared with early structured physiotherapy in secondary care for adults with primary frozen shoulder: the UK FROST three-arm RCT. <i>Health Technology Assessment</i> , 2020 , 24, 1-162	4.4	2
271	Moderators of Cognitive Outcomes from an Exercise Program in People with Mild to Moderate Dementia. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 2095-2100	5.6	0
270	Physiotherapy rehabilitation for osteoporotic vertebral fracture-a randomised controlled trial and economic evaluation (PROVE trial). <i>Osteoporosis International</i> , 2020 , 31, 277-289	5.3	6
269	Exercise for preventing falls in older people living in the community: an abridged Cochrane systematic review. <i>British Journal of Sports Medicine</i> , 2020 , 54, 885-891	10.3	71
268	Management of adults with primary frozen shoulder in secondary care (UK FROST): a multicentre, pragmatic, three-arm, superiority randomised clinical trial. <i>Lancet, The</i> , 2020 , 396, 977-989	4.0	3.0
267	Translating the Strengthening and Stretching for Rheumatoid Arthritis of the Hand Programme from clinical trial to clinical practice: An effectivenessImplementation study. <i>Hand Therapy</i> , 2020 , 25, 87-97	1.1	1
266	Behaviour change physiotherapy intervention to increase physical activity following hip and knee replacement (PEP-TALK): study protocol for a pragmatic randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e035014	3	4
265	Better Outcomes for Older people with Spinal Trouble (BOOST) trial: statistical analysis plan for a randomised controlled trial of a combined physical and psychological intervention for older adults with neurogenic claudication. <i>Trials</i> , 2020 , 21, 667	2.8	0
264	Evaluation of the implementation of the Back Skills Training (BeST) programme using online training: a cohort implementation study. <i>Physiotherapy</i> , 2020 , 109, 4-12	3	0
263	Cost-effectiveness of the PDSAFE personalised physiotherapy intervention for fall prevention in Parkinson's: an economic evaluation alongside a randomised controlled trial. <i>BMC Neurology</i> , 2020 , 20, 295	3.1	2
262	Understanding the mechanisms of a combined physical and psychological intervention for people with neurogenic claudication: protocol for a causal mediation analysis of the BOOST trial. <i>BMJ Open</i> , 2020 , 10, e037121	3	0

261	Cost-effectiveness of adrenaline for out-of-hospital cardiac arrest. <i>Critical Care</i> , 2020 , 24, 579	10.8	6
260	Cohort profile: Oxford Pain, Activity and Lifestyle (OPAL) Study, a prospective cohort study of older adults in England. <i>BMJ Open</i> , 2020 , 10, e037516	3	2
259	Physical Activity and Exercise in Mild Cognitive Impairment and Dementia: An Umbrella Review of Intervention and Observational Studies. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 1415-1422.e6	5.9	29
258	TIDieR-Placebo: A guide and checklist for reporting placebo and sham controls. <i>PLoS Medicine</i> , 2020 , 17, e1003294	11.6	15
257	Early Psychological and Social Factors Explain the Recovery Trajectory After Distal Radial Fracture. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020 , 102, 788-795	5.6	22
256	Progressive exercise compared with best practice advice, with or without corticosteroid injection, for the treatment of rotator cuff disorders: statistical analysis plan for the Getting it Right: Addressing Shoulder Pain (GRASP) 2 2 factorial multicentre randomised controlled trial. <i>Trials</i> , 2020 , 21, 1547	2.8	2
255	Synergistic effects of hip/knee osteoarthritis and comorbidities on mobility and self-care limitations among older adults: Cross-sectional analysis of the Oxford pain, Activity and Lifestyle study. <i>Journal of Comorbidity</i> , 2020 , 10, 2235042X20974529	4	
254	Multifactorial interventions for preventing falls in older people living in the community: a systematic review and meta-analysis of 41 trials and almost 20 000 participants. <i>British Journal of Sports Medicine</i> , 2020 , 54, 1340-1350	10.3	33
253	Development and implementation of the physiotherapy-led exercise interventions for the treatment of rotator cuff disorders for the 'Getting it Right: Addressing Shoulder Pain' (GRASP) trial. <i>Physiotherapy</i> , 2020 , 107, 252-266	3	5
252	Physiotherapy for primary Frozen shoulder in secondary care: Developing and implementing stand-alone and post operative protocols for UK FROST and inferences for wider practice. <i>Physiotherapy</i> , 2020 , 107, 150-160	3	10
251	Is Protocolised Weaning that Includes Early Extubation Onto Non-Invasive Ventilation More Cost Effective Than Protocolised Weaning Without Non-Invasive Ventilation? Findings from the Breathe Study. <i>Pharmacoeconomics - Open</i> , 2020 , 4, 697-710	2.1	1
250	Investigating causal mechanisms in randomised controlled trials. <i>Trials</i> , 2019 , 20, 524	2.8	16
249	Comparison of alternative falls data collection methods in the Prevention of Falls Injury Trial (PreFIT). <i>Journal of Clinical Epidemiology</i> , 2019 , 106, 32-40	5.7	12
248	Using Bayesian adaptive designs to improve phase III trials: a respiratory care example. <i>BMC Medical Research Methodology</i> , 2019 , 19, 99	4.7	15
247	Surgical fixation with K-wires versus plaster casting in the treatment of dorsally displaced distal radius fractures: protocol for Distal Radius Acute Fracture Fixation Trial 2 (DRAFFT 2). <i>BMJ Open</i> , 2019 , 9, e028474	3	7
246	Caregiver-Delivered Stroke Rehabilitation in Rural China. <i>Stroke</i> , 2019 , 50, 1825-1830	6.7	31
245	An overview of systematic reviews found suboptimal reporting and methodological limitations of mediation studies investigating causal mechanisms. <i>Journal of Clinical Epidemiology</i> , 2019 , 111, 60-68.e15	5.7	10
244	Effectiveness of scoliosis-specific exercises for adolescent idiopathic scoliosis compared with other non-surgical interventions: a systematic review and meta-analysis. <i>Physiotherapy</i> , 2019 , 105, 214-234	3	12

243	Development and delivery of the BOOST (Better Outcomes for Older adults with Spinal Trouble) intervention for older adults with neurogenic claudication. <i>Physiotherapy</i> , 2019 , 105, 262-274	3	2
242	Duration of Treatment Effect Should Be Considered in the Design and Interpretation of Clinical Trials: Results of a Discrete Choice Experiment. <i>Medical Decision Making</i> , 2019 , 39, 461-473	2.5	2
241	Multicentre, randomised controlled trial of PDSAFE, a physiotherapist-delivered fall prevention programme for people with Parkinson's. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019 , 90, 774-782	5.5	31
240	The different influence of high levels of physical activity on the incidence of knee OA in overweight and obese men and women-a gender specific analysis. <i>Osteoarthritis and Cartilage</i> , 2019 , 27, 1430-1436	6.2	5
239	Psychosocial factors affecting variation in patient-reported outcomes after elbow fractures. <i>Journal of Shoulder and Elbow Surgery</i> , 2019 , 28, 1431-1440	4.3	14
238	Caregiver Interventions for Adults Discharged from the Hospital: Systematic Review and Meta-Analysis. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 1960-1969	5.6	11
237	Inadequate description of placebo and sham controls in a systematic review of recent trials. <i>European Journal of Clinical Investigation</i> , 2019 , 49, e13169	4.6	6
236	Process evaluation of complex interventions tested in randomised controlled trials in musculoskeletal disorders: a systematic review protocol. <i>BMJ Open</i> , 2019 , 9, e028160	3	4
235	Predicting patient-reported and objectively measured functional outcome 6 months after ankle fracture in people aged 60 years or over in the UK: prognostic model development and internal validation. <i>BMJ Open</i> , 2019 , 9, e029813	3	3
234	Platelet-rich plasma injection for adults with acute Achilles tendon rupture: the PATH-2 RCT. <i>Efficacy and Mechanism Evaluation</i> , 2019 , 6, 1-98	1.7	7
233	Exercise- and strategy-based physiotherapy-delivered intervention for preventing repeat falls in people with Parkinson's: the PDSAFE RCT. <i>Health Technology Assessment</i> , 2019 , 23, 1-150	4.4	20
232	Exercise or manual physiotherapy compared with a single session of physiotherapy for osteoporotic vertebral fracture: three-arm PROVE RCT. <i>Health Technology Assessment</i> , 2019 , 23, 1-318	4.4	5
231	Protocolised non-invasive compared with invasive weaning from mechanical ventilation for adults in intensive care: the Breathe RCT. <i>Health Technology Assessment</i> , 2019 , 23, 1-114	4.4	2
230	Treatment of first-time traumatic anterior shoulder dislocation: the UK TASH-D cohort study. <i>Health Technology Assessment</i> , 2019 , 23, 1-104	4.4	3
229	Platelet rich plasma injection for acute Achilles tendon rupture: PATH-2 randomised, placebo controlled, superiority trial. <i>BMJ, The</i> , 2019 , 367, l6132	5.9	30
228	Environmental interventions for preventing falls in older people living in the community. <i>The Cochrane Library</i> , 2019 ,	5.2	10
227	Exercise for preventing falls in older people living in the community. <i>The Cochrane Library</i> , 2019 , 1, CD013424	4.4	269
226	Short and long-term clinical effectiveness and cost-effectiveness of a late-phase community-based balance and gait exercise program following hip fracture. The EVA-Hip Randomised Controlled Trial. <i>PLoS ONE</i> , 2019 , 14, e0224971	3.7	9

225	Progressive functional exercise versus best practice advice for adults aged 50 years or over after ankle fracture: protocol for a pilot randomised controlled trial in the UK - the Ankle Fracture Treatment: Enhancing Rehabilitation (AFTER) study. <i>BMJ Open</i> , 2019 , 9, e030877	3	3
224	Construct Validity and Precision of Different Patient-reported Outcome Measures During Recovery After Upper Extremity Fractures. <i>Clinical Orthopaedics and Related Research</i> , 2019 , 477, 2521-2530	2.2	9
223	Study of Peri-Articular Anaesthetic for Replacement of the Knee (SPAARK): study protocol for a patient-blinded, randomised controlled superiority trial of liposomal bupivacaine. <i>Trials</i> , 2019 , 20, 732	2.8	1
222	Relationship Between Magnitude of Limitations and Patient Experience During Recovery from Upper-Extremity Fracture. <i>JBJS Open Access</i> , 2019 , 4,	3.1	6
221	Does Structured Exercise Improve Cognitive Impairment in People with Mild to Moderate Dementia? A Cost-Effectiveness Analysis from a Confirmatory Randomised Controlled Trial: The Dementia and Physical Activity (DAPA) Trial. <i>PharmacoEconomics - Open</i> , 2019 , 3, 215-227	2.1	2
220	On Being (Not) Old: Agency, Self-care, and Life-course Aspirations in the United States. <i>Medical Anthropology Quarterly</i> , 2019 , 33, 263-281	2.5	3
219	Current UK Practices on Health Economics Analysis Plans (HEAPs): Are We Using Heaps of Them?. <i>Pharmacoeconomics</i> , 2018 , 36, 253-257	4.4	9
218	Reproducible and replicable pain research: a critical review. <i>Pain</i> , 2018 , 159, 1683-1689	8	51
217	Three-Year Follow-up of a Trial of Close Contact Casting vs Surgery for Initial Treatment of Unstable Ankle Fractures in Older Adults. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 1274-1276	27.4	16
216	Randomised controlled trial of exercise to prevent shoulder problems in women undergoing breast cancer treatment: study protocol for the prevention of shoulder problems trial (UK PROSPER). <i>BMJ Open</i> , 2018 , 8, e019078	3	14
215	Physiotherapist-delivered cognitive-behavioural interventions are effective for low back pain, but can they be replicated in clinical practice? A systematic review. <i>Disability and Rehabilitation</i> , 2018 , 40, 1-9	2.4	72
214	Exploring physiotherapists' experiences of implementing a cognitive behavioural approach for managing low back pain and identifying barriers to long-term implementation. <i>Physiotherapy</i> , 2018 , 104, 107-115	3	18
213	Development and delivery of an exercise programme for falls prevention: the Prevention of Falls Injury Trial (PreFIT). <i>Physiotherapy</i> , 2018 , 104, 72-79	3	5
212	Participation in a trial in the emergency situation: a qualitative study of patient experience in the UK WOLLF trial. <i>Trials</i> , 2018 , 19, 328	2.8	7
211	Multifactorial and multiple component interventions for preventing falls in older people living in the community. <i>The Cochrane Library</i> , 2018 , 7, CD012221	5.2	114
210	Development of an exercise intervention for the prevention of musculoskeletal shoulder problems after breast cancer treatment: the prevention of shoulder problems trial (UK PROSPER). <i>BMC Health Services Research</i> , 2018 , 18, 463	2.9	11
209	Exercise for rheumatoid arthritis of the hand. <i>The Cochrane Library</i> , 2018 , 7, CD003832	5.2	14
208	Anti-Tumour Necrosis Factor Therapy for Dupuytren's Disease: A Randomised Dose Response Proof of Concept Phase 2a Clinical Trial. <i>EBioMedicine</i> , 2018 , 33, 282-288	8.8	28

207	Predictors of Falls and Fractures Leading to Hospitalization in People With Dementia: A Representative Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2018 , 19, 607-612	5.9	34
206	Effect of Negative Pressure Wound Therapy vs Standard Wound Management on 12-Month Disability Among Adults With Severe Open Fracture of the Lower Limb: The WOLLF Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 2280-2288	27.4	82
205	A nested randomised controlled trial of a newsletter and Post-it [®] note did not increase postal questionnaire response rates in a falls prevention trial. <i>F1000Research</i> , 2018 , 7, 1083	3.6	2
204	An Online Hand Exercise Intervention for Adults With Rheumatoid Arthritis (mySARAH): Design, Development, and Usability Testing. <i>Journal of Medical Internet Research</i> , 2018 , 20, e10457	7.6	13
203	Intramedullary nail fixation versus locking plate fixation for adults with a fracture of the distal tibia: the UK FixDT RCT. <i>Health Technology Assessment</i> , 2018 , 22, 1-148	4.4	10
202	Aerobic and strength training exercise programme for cognitive impairment in people with mild to moderate dementia: the DAPA RCT. <i>Health Technology Assessment</i> , 2018 , 22, 1-202	4.4	21
201	Negative-pressure wound therapy versus standard dressings for adults with an open lower limb fracture: the WOLLF RCT. <i>Health Technology Assessment</i> , 2018 , 22, 1-162	4.4	32
200	A nested randomised controlled trial of a newsletter and Post-it [®] note did not increase postal questionnaire response rates in a falls prevention trial. <i>F1000Research</i> , 2018 , 7, 1083	3.6	2
199	Prognostic models for identifying risk of poor outcome in people with acute ankle sprains: the SPRAINED development and external validation study. <i>Health Technology Assessment</i> , 2018 , 22, 1-112	4.4	25
198	Development and prospective external validation of a tool to predict poor recovery at 9 months after acute ankle sprain in UK emergency departments: the SPRAINED prognostic model. <i>BMJ Open</i> , 2018 , 8, e022802	3	2
197	Effectiveness of cognitive-behavioural therapy: a protocol for an overview of systematic reviews and meta-analyses. <i>BMJ Open</i> , 2018 , 8, e025761	3	8
196	Sample size calculations are poorly conducted and reported in many randomised trials of hip and knee osteoarthritis: results of a systematic review. <i>Journal of Clinical Epidemiology</i> , 2018 , 104, 52-61	5.7	10
195	Better Outcomes for Older people with Spinal Trouble (BOOST) Trial: a randomised controlled trial of a combined physical and psychological intervention for older adults with neurogenic claudication, a protocol. <i>BMJ Open</i> , 2018 , 8, e022205	3	9
194	What Factors Are Associated With Disability After Upper Extremity Injuries? A Systematic Review. <i>Clinical Orthopaedics and Related Research</i> , 2018 , 476, 2190-2215	2.2	52
193	Effect of Protocolized Weaning With Early Extubation to Noninvasive Ventilation vs Invasive Weaning on Time to Liberation From Mechanical Ventilation Among Patients With Respiratory Failure: The Breathe Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 1881-1888	27.4	30
192	Platelet-rich plasma in Achilles tendon healing 2 (PATH-2) trial: statistical analysis plan for a multicentre, double-blinded, parallel-group, placebo-controlled randomised clinical trial. <i>Trials</i> , 2018 , 19, 464	2.8	3
191	Can occupational therapist-led home environmental assessment prevent falls in older people? A modified cohort randomised controlled trial protocol. <i>BMJ Open</i> , 2018 , 8, e022488	3	14
190	Predictors of falls and fractures leading to hospitalization in people with schizophrenia spectrum disorder: A large representative cohort study. <i>Schizophrenia Research</i> , 2018 , 201, 70-78	3.6	19

189	Dementia And Physical Activity (DAPA) trial of moderate to high intensity exercise training for people with dementia: randomised controlled trial. <i>BMJ, The</i> , 2018 , 361, k1675	5.9	158
188	Cost-Effectiveness of a Multifaceted Podiatry Intervention for the Prevention of Falls in Older People: The REDucing Falls with Orthoses and a Multifaceted Podiatry Intervention Trial Findings. <i>Gerontology</i> , 2018 , 64, 503-512	5.5	9
187	Out-of-hours discharge from intensive care, in-hospital mortality and intensive care readmission rates: a systematic review and meta-analysis. <i>Intensive Care Medicine</i> , 2018 , 44, 1115-1129	14.5	25
186	Is Vitamin D Supplementation Effective for Low Back Pain? A Systematic Review and Meta-Analysis. <i>Pain Physician</i> , 2018 , 21, 121-145	1.8	9
185	A qualitative study of older people's experience of living with neurogenic claudication to inform the development of a physiotherapy intervention. <i>Disability and Rehabilitation</i> , 2017 , 39, 1009-1017	2.4	7
184	Relationship Between Low Bone Mineral Density and Fractures With Incident Cardiovascular Disease: A Systematic Review and Meta-Analysis. <i>Journal of Bone and Mineral Research</i> , 2017 , 32, 1126-1135	6.3	72
183	Severity of Hypoxemia and Effect of High-Frequency Oscillatory Ventilation in Acute Respiratory Distress Syndrome. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017 , 196, 727-733	10.2	62
182	Hand exercises for patients with rheumatoid arthritis: an extended follow-up of the SARAH randomised controlled trial. <i>BMJ Open</i> , 2017 , 7, e013121	3	12
181	The design and development of a complex multifactorial falls assessment intervention for falls prevention: The Prevention of Falls Injury Trial (PreFIT). <i>BMC Geriatrics</i> , 2017 , 17, 116	4.1	9
180	Explaining How Cognitive Behavioral Approaches Work for Low Back Pain: Mediation Analysis of the Back Skills Training Trial. <i>Spine</i> , 2017 , 42, E1031-E1039	3.3	24
179	Can Mapping Algorithms Based on Raw Scores Overestimate QALYs Gained by Treatment? A Comparison of Mappings Between the Roland-Morris Disability Questionnaire and the EQ-5D-3L Based on Raw and Differenced Score Data. <i>Pharmacoeconomics</i> , 2017 , 35, 549-559	4.4	3
178	Cohort Randomised Controlled Trial of a Multifaceted Podiatry Intervention for the Prevention of Falls in Older People (The REFORM Trial). <i>PLoS ONE</i> , 2017 , 12, e0168712	3.7	30
177	Core outcome measures for interventions to prevent or slow the progress of dementia for people living with mild to moderate dementia: Systematic review and consensus recommendations. <i>PLoS ONE</i> , 2017 , 12, e0179521	3.7	36
176	Prognostic factors for recovery following acute lateral ankle ligament sprain: a systematic review. <i>BMC Musculoskeletal Disorders</i> , 2017 , 18, 421	2.8	25
175	A systematic review and meta-analysis of online versus alternative methods for training licensed health care professionals to deliver clinical interventions. <i>BMC Medical Education</i> , 2017 , 17, 227	3.3	46
174	Current practice in methodology and reporting of the sample size calculation in randomised trials of hip and knee osteoarthritis: a protocol for a systematic review. <i>Trials</i> , 2017 , 18, 466	2.8	3
173	United Kingdom Frozen Shoulder Trial (UK FROST), multi-centre, randomised, 12 month, parallel group, superiority study to compare the clinical and cost-effectiveness of Early Structured Physiotherapy versus manipulation under anaesthesia versus arthroscopic capsular release for patients referred to secondary care with a primary frozen shoulder: study protocol for a	2.8	19
172	A Systematic Review of Outcome Measures Assessing Disability Following Upper Extremity Trauma. <i>Journal of the American Academy of Orthopaedic Surgeons Global Research and Reviews</i> , 2017 , 1, e021	1.2	10

171	Clinical and cost-effectiveness of progressive exercise compared with best practice advice, with or without corticosteroid injection, for the treatment of rotator cuff disorders: protocol for a 2x2 factorial randomised controlled trial (the GRASP trial). <i>BMJ Open</i> , 2017 , 7, e018004	3	16
170	Intrarater reliability and agreement of linear encoder derived heel-rise endurance test outcome measures in healthy adults. <i>Journal of Electromyography and Kinesiology</i> , 2017 , 36, 34-39	2.5	9
169	Measuring physical capacity and performance in older people. <i>Best Practice and Research in Clinical Rheumatology</i> , 2017 , 31, 243-254	5.3	13
168	Incidence of shoulder dislocations in the UK, 1995-2015: a population-based cohort study. <i>BMJ Open</i> , 2017 , 7, e016112	3	28
167	Platelet rich Plasma in Achilles Tendon Healing 2 (PATH-2) trial: protocol for a multicentre, participant and assessor-blinded, parallel-group randomised clinical trial comparing platelet-rich plasma (PRP) injection versus placebo injection for Achilles tendon rupture. <i>BMJ Open</i> , 2017 , 7, e018135	3	15
166	Effect of Locking Plate Fixation vs Intramedullary Nail Fixation on 6-Month Disability Among Adults With Displaced Fracture of the Distal Tibia: The UK FixDT Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 318, 1767-1776	27.4	34
165	Cast versus functional brace in the rehabilitation of patients treated non-operatively for a rupture of the Achilles tendon: protocol for the UK study of tendo achilles rehabilitation (UK STAR) multi-centre randomised trial. <i>BMJ Open</i> , 2017 , 7, e019628	3	6
164	An empirical evaluation of the SF-12, SF-6D, EQ-5D and Michigan Hand Outcome Questionnaire in patients with rheumatoid arthritis of the hand. <i>Health and Quality of Life Outcomes</i> , 2017 , 15, 20	3	33
163	An optimised patient information sheet did not significantly increase recruitment or retention in a falls prevention study: an embedded randomised recruitment trial. <i>Trials</i> , 2017 , 18, 144	2.8	21
162	A longitudinal, qualitative study exploring sustained adherence to a hand exercise programme for rheumatoid arthritis evaluated in the SARAH trial. <i>Disability and Rehabilitation</i> , 2017 , 39, 1856-1863	2.4	9
161	Mediating Effect of Changes in Hand Impairments on Hand Function in Patients With Rheumatoid Arthritis: Exploring the Mechanisms of an Effective Exercise Program. <i>Arthritis Care and Research</i> , 2017 , 69, 982-988	4.7	4
160	Advancing Physical Therapist Interventions by Investigating Causal Mechanisms. <i>Physical Therapy</i> , 2017 , 97, 1119-1121	3.3	8
159	Study protocol: A multi-centre, double blind, randomised, placebo-controlled, parallel group, phase II trial (RIDD) to determine the efficacy of intra-nodular injection of anti-TNF to control disease progression in early Dupuytren's disease, with an embedded dose response study. <i>Wellcome Open Research</i> , 2017 , 2, 37	4.8	10
158	Study protocol: A multi-centre, double blind, randomised, placebo-controlled, parallel group, phase II trial (RIDD) to determine the efficacy of intra-nodular injection of anti-TNF to control disease progression in early Dupuytren's disease, with an embedded dose response study.. <i>Wellcome Open Research</i> , 2017 , 2, 37	4.8	12
157	A Web-Based Training Resource for Therapists to Deliver an Evidence-Based Exercise Program for Rheumatoid Arthritis of the Hand (iSARAH): Design, Development, and Usability Testing. <i>Journal of Medical Internet Research</i> , 2017 , 19, e411	7.6	9
156	Prehospital randomised assessment of a mechanical compression device in out-of-hospital cardiac arrest (PARAMEDIC): a pragmatic, cluster randomised trial and economic evaluation. <i>Health Technology Assessment</i> , 2017 , 21, 1-176	4.4	19
155	Clinical effectiveness and cost-effectiveness of a multifaceted podiatry intervention for falls prevention in older people: a multicentre cohort randomised controlled trial (the REDucing Falls with ORthoses and a Multifaceted podiatry intervention trial). <i>Health Technology Assessment</i> , 2017 , 21, 1-198	4.4	14
154	Development of a core outcome set for disease modification trials in mild to moderate dementia: a systematic review, patient and public consultation and consensus recommendations. <i>Health Technology Assessment</i> , 2017 , 21, 1-192	4.4	19

153	Mapping the Association between Vitamin D and Low Back Pain: A Systematic Review and Meta-Analysis of Observational Studies. <i>Pain Physician</i> , 2017 , 20, 611-640	1.8	14
152	A randomized controlled trial on rehabilitation through caregiver-delivered nurse-organized service programs for disabled stroke patients in rural china (the RECOVER trial): design and rationale. <i>International Journal of Stroke</i> , 2016 , 11, 823-30	6.3	14
151	What Value Can Qualitative Research Add to Quantitative Research Design? An Example From an Adolescent Idiopathic Scoliosis Trial Feasibility Study. <i>Qualitative Health Research</i> , 2016 , 26, 1838-1850	3.9	12
150	Pre-hospital Assessment of the Role of Adrenaline: Measuring the Effectiveness of Drug administration In Cardiac arrest (PARAMEDIC-2): Trial protocol. <i>Resuscitation</i> , 2016 , 108, 75-81	4	38
149	Exercise for preventing falls in older people living in the community. <i>The Cochrane Library</i> , 2016 ,	5.2	4
148	Dementia and Physical Activity (DAPA) - an exercise intervention to improve cognition in people with mild to moderate dementia: study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 165	2.8	15
147	Appraising the uptake and use of recommendations for a common outcome data set for clinical trials: a case study in fall injury prevention. <i>Trials</i> , 2016 , 17, 131	2.8	19
146	The application of multilevel modelling to account for the influence of walking speed in gait analysis. <i>Gait and Posture</i> , 2016 , 43, 216-9	2.6	11
145	Ageing, Muscle Power and Physical Function: A Systematic Review and Implications for Pragmatic Training Interventions. <i>Sports Medicine</i> , 2016 , 46, 1311-32	10.6	95
144	The Immediate Effects of Different Types of Ankle Support Introduced 6 Weeks After Surgical Internal Fixation for Ankle Fracture on Gait and Pain: A Randomized Crossover Trial. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2016 , 46, 157-67	4.2	1
143	The Ankle Injury Management (AIM) trial: a pragmatic, multicentre, equivalence randomised controlled trial and economic evaluation comparing close contact casting with open surgical reduction and internal fixation in the treatment of unstable ankle fractures in patients aged over 60 years. <i>Health Technology Assessment</i> , 2016 , 20, 1-158	4.4	52
142	Identifying back pain subgroups: developing and applying approaches using individual patient data collected within clinical trials. <i>Programme Grants for Applied Research</i> , 2016 , 4, 1-278	1.5	8
141	Economic and Health-Related Quality of Life Outcomes of Whiplash Associated Disorders. <i>Spine</i> , 2016 , 41, 1378-1386	3.3	14
140	Multifactorial and multiple component interventions for preventing falls in older people living in the community. <i>The Cochrane Library</i> , 2016 ,	5.2	4
139	Community-based Rehabilitation after Knee Arthroplasty (CORKA): study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 501	2.8	6
138	Using mixed methods evaluation to assess the feasibility of online clinical training in evidence based interventions: a case study of cognitive behavioural treatment for low back pain. <i>BMC Medical Education</i> , 2016 , 16, 163	3.3	17
137	A cluster randomised controlled trial of advice, exercise or multifactorial assessment to prevent falls and fractures in community-dwelling older adults: protocol for the prevention of falls injury trial (PreFIT). <i>BMJ Open</i> , 2016 , 6, e009362	3	21
136	One-year resource utilisation, costs and quality of life in patients with acute respiratory distress syndrome (ARDS): secondary analysis of a randomised controlled trial. <i>Journal of Intensive Care</i> , 2016 , 4, 56	7	29

135	Close Contact Casting vs Surgery for Initial Treatment of Unstable Ankle Fractures in Older Adults: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 316, 1455-1463	27.4	61
134	Mechanical versus manual chest compression for out-of-hospital cardiac arrest (PARAMEDIC): a pragmatic, cluster randomised controlled trial. <i>Lancet, The</i> , 2015 , 385, 947-55	40	260
133	Predictors of attendance to group exercise: a cohort study of older adults in long-term care facilities. <i>BMC Geriatrics</i> , 2015 , 15, 37	4.1	11
132	"If I can get over that, I can get over anything"--understanding how individuals with acute whiplash disorders form beliefs about pain and recovery: a qualitative study. <i>Physiotherapy</i> , 2015 , 101, 178-86	3	16
131	The case for stepped-wedge studies: a trial of falls prevention. <i>Lancet, The</i> , 2015 , 385, 2556-7	40	4
130	UK Fixation of Distal Tibia Fractures (UK FixDT): protocol for a randomised controlled trial of 'locking' plate fixation versus intramedullary nail fixation in the treatment of adult patients with a displaced fracture of the distal tibia. <i>BMJ Open</i> , 2015 , 5, e009162	3	7
129	Development of an exercise intervention to improve cognition in people with mild to moderate dementia: Dementia And Physical Activity (DAPA) Trial, registration ISRCTN32612072. <i>Physiotherapy</i> , 2015 , 101, 126-34	3	18
128	The effects of ankle supports on gait in adults: A randomized cross-over study. <i>Journal of Electromyography and Kinesiology</i> , 2015 , 25, 973-81	2.5	
127	Risk factors for chronic disability in a cohort of patients with acute whiplash associated disorders seeking physiotherapy treatment for persisting symptoms. <i>Physiotherapy</i> , 2015 , 101, 34-43	3	27
126	Protocol for a randomised controlled trial of standard wound management versus negative pressure wound therapy in the treatment of adult patients with an open fracture of the lower limb: UK Wound management of Lower Limb Fractures (UK WOLLF). <i>BMJ Open</i> , 2015 , 5, e009087	3	15
125	A multi-centre, randomised controlled trial of the effectiveness of PDSAFE to prevent falls among people with Parkinson's: study protocol. <i>BMC Neurology</i> , 2015 , 15, 81	3.1	8
124	A randomised controlled trial and cost-effectiveness analysis of high-frequency oscillatory ventilation against conventional artificial ventilation for adults with acute respiratory distress syndrome. The OSCAR (OSCillation in ARDS) study. <i>Health Technology Assessment</i> , 2015 , 19, 1-177, vii	4.4	26
123	Quantitative biomechanical comparison of ankle fracture casting methods. <i>Biomedizinische Technik</i> , 2015 , 60, 263-7	1.3	2
122	Exercises to improve function of the rheumatoid hand (SARAH): a randomised controlled trial. <i>Lancet, The</i> , 2015 , 385, 421-9	40	78
121	Comprehensive geriatric care for patients with hip fractures: a prospective, randomised, controlled trial. <i>Lancet, The</i> , 2015 , 385, 1623-33	40	338
120	Patterns of interaction between factors that enhance or inhibit recovery from chronic low back pain. <i>Disability and Rehabilitation</i> , 2015 , 37, 194-206	2.4	2
119	Recommendations for a core outcome set for measuring standing balance in adult populations: a consensus-based approach. <i>PLoS ONE</i> , 2015 , 10, e0120568	3.7	51
118	The Effectiveness of Cognitive Behavioural Treatment for Non-Specific Low Back Pain: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2015 , 10, e0134192	3.7	117

117	UK DRAFFT: a randomised controlled trial of percutaneous fixation with Kirschner wires versus volar locking-plate fixation in the treatment of adult patients with a dorsally displaced fracture of the distal radius. <i>Health Technology Assessment</i> , 2015 , 19, 1-124, v-vi	4.4	55
116	Strengthening And stretching for Rheumatoid Arthritis of the Hand (SARAH). A randomised controlled trial and economic evaluation. <i>Health Technology Assessment</i> , 2015 , 19, 1-222	4.4	27
115	Active Treatment for Idiopathic Adolescent Scoliosis (ACTivATeS): a feasibility study. <i>Health Technology Assessment</i> , 2015 , 19, 1-242	4.4	9
114	Physiotherapy Rehabilitation for Osteoporotic Vertebral Fracture (PROVE): study protocol for a randomised controlled trial. <i>Trials</i> , 2014 , 15, 22	2.8	14
113	Matching patients to an intervention for back pain: classifying patients using a latent class approach. <i>Journal of Evaluation in Clinical Practice</i> , 2014 , 20, 544-50	2.5	6
112	Operative versus non-operative treatment for closed, displaced, intra-articular fractures of the calcaneus: randomised controlled trial. <i>BMJ, The</i> , 2014 , 349, g4483	5.9	168
111	Mapping between the Roland Morris Questionnaire and generic preference-based measures. <i>Value in Health</i> , 2014 , 17, 686-95	3.3	17
110	Early ankle movement versus immobilization in the postoperative management of ankle fracture in adults: a systematic review and meta-analysis. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2014 , 44, 690-701, C1-7	4.2	25
109	Permanent personhood or meaningful decline? Toward a critical anthropology of successful aging. <i>Journal of Aging Studies</i> , 2014 , 29, 41-52	2.2	152
108	The beta agonist lung injury trial prevention. A randomized controlled trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014 , 189, 674-83	10.2	48
107	The REFORM study protocol: a cohort randomised controlled trial of a multifaceted podiatry intervention for the prevention of falls in older people. <i>BMJ Open</i> , 2014 , 4, e006977	3	16
106	Percutaneous fixation with Kirschner wires versus volar locking plate fixation in adults with dorsally displaced fracture of distal radius: randomised controlled trial. <i>BMJ, The</i> , 2014 , 349, g4807	5.9	117
105	The administration of intermittent parathyroid hormone affects functional recovery from pertrochanteric fractured neck of femur: a protocol for a prospective mixed method pilot study with randomisation of treatment allocation and blinded assessment (FRACTT). <i>BMJ Open</i> , 2014 , 4, e004389	3	5
104	Better reporting of interventions: template for intervention description and replication (TIDieR) checklist and guide. <i>BMJ, The</i> , 2014 , 348, g1687	5.9	3570
103	Case typologies, chronic illness and primary health care. <i>Journal of Evaluation in Clinical Practice</i> , 2014 , 20, 513-21	2.5	2
102	Ankle Injury Management (AIM): design of a pragmatic multi-centre equivalence randomised controlled trial comparing Close Contact Casting (CCC) to Open surgical Reduction and Internal Fixation (ORIF) in the treatment of unstable ankle fractures in patients over 60 years. <i>BMC Medical Research Methodology</i> , 2014 , 14, 73	2.8	11
101	High prevalence of falls, fear of falling, and impaired balance in older adults with pain in the United States: findings from the 2011 National Health and Aging Trends Study. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1844-52	5.6	82
100	Properties of patient-reported outcome measures in individuals following acute whiplash injury. <i>Health and Quality of Life Outcomes</i> , 2014 , 12, 38	3	10

99	Treatment compliance and effectiveness of a cognitive behavioural intervention for low back pain: a complier average causal effect approach to the BeST data set. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 17	2.8	18
98	Emergency department treatments and physiotherapy for acute whiplash: a pragmatic, two-step, randomised controlled trial. <i>Lancet, The</i> , 2013 , 381, 546-56	4.0	84
97	Factors associated with mobility outcomes in older people post-ankle fracture: an observational cohort study focussing on peripheral vessel function. <i>Injury</i> , 2013 , 44, 987-93	2.5	4
96	Exercise for depression in elderly people - Authors' reply. <i>Lancet, The</i> , 2013 , 382, 1325	4.0	
95	High-frequency oscillation for acute respiratory distress syndrome. <i>New England Journal of Medicine</i> , 2013 , 368, 806-13	59.2	899
94	Exercise for depression in elderly residents of care homes: a cluster-randomised controlled trial. <i>Lancet, The</i> , 2013 , 382, 41-9	4.0	84
93	Change in vision, visual disability, and health after cataract surgery. <i>Optometry and Vision Science</i> , 2013 , 90, 392-9	2.1	14
92	Exercise for depression in care home residents: a randomised controlled trial with cost-effectiveness analysis (OPERA). <i>Health Technology Assessment</i> , 2013 , 17, 1-281	4.4	31
91	Beta-Agonist Lung injury Trial-2 (BALTI-2): a multicentre, randomised, double-blind, placebo-controlled trial and economic evaluation of intravenous infusion of salbutamol versus placebo in patients with acute respiratory distress syndrome. <i>Health Technology Assessment</i> , 2013 , 17, v-vi, 1-87	4.4	29
90	Group cognitive behavioural interventions for low back pain in primary care: extended follow-up of the Back Skills Training Trial (ISRCTN54717854). <i>Pain</i> , 2012 , 153, 494-501	8	36
89	The Achilles tendon total rupture score: a study of responsiveness, internal consistency and convergent validity on patients with acute Achilles tendon ruptures. <i>Health and Quality of Life Outcomes</i> , 2012 , 10, 24	3	47
88	Effect of intravenous β_2 agonist treatment on clinical outcomes in acute respiratory distress syndrome (BALTI-2): a multicentre, randomised controlled trial. <i>Lancet, The</i> , 2012 , 379, 229-35	4.0	230
87	Intravenous salbutamol in ARDS and increased mortality [Authors' reply]. <i>Lancet, The</i> , 2012 , 379, 1876	4.0	
86	Effect of exercise on depression severity in older people: systematic review and meta-analysis of randomised controlled trials. <i>British Journal of Psychiatry</i> , 2012 , 201, 180-5	5.4	249
85	A systematic review of patient-reported outcome measures used to assess Achilles tendon rupture management: what's being used and should we be using it?. <i>British Journal of Sports Medicine</i> , 2012 , 46, 1102-9	10.3	52
84	Telephone interviews can be used to collect follow-up data subsequent to no response to postal questionnaires in clinical trials. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 90-9	5.7	12
83	Strengthening and stretching for rheumatoid arthritis of the hand (SARAH): design of a randomised controlled trial of a hand and upper limb exercise intervention--ISRCTN89936343. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 230	2.8	8
82	Development and delivery of an exercise intervention for rheumatoid arthritis: strengthening and stretching for rheumatoid arthritis of the hand (SARAH) trial. <i>Physiotherapy</i> , 2012 , 98, 121-30	3	37

81	Interventions for preventing falls in older people living in the community. <i>The Cochrane Library</i> , 2012 , CD007146	5.2	1237
80	Managing Injuries of the Neck Trial (MINT): a randomised controlled trial of treatments for whiplash injuries. <i>Health Technology Assessment</i> , 2012 , 16, iii-iv, 1-141	4.4	22
79	Assessment of physical activity in older people with and without cognitive impairment. <i>Journal of Aging and Physical Activity</i> , 2011 , 19, 347-72	1.6	26
78	Exploring the use of the 'Adapted Miracle Question' in the assessment of low back pain. <i>Physiotherapy</i> , 2011 , 97, 203-8	3	7
77	Effect of in-hospital comprehensive geriatric assessment (CGA) in older people with hip fracture. The protocol of the Trondheim Hip Fracture trial. <i>BMC Geriatrics</i> , 2011 , 11, 18	4.1	39
76	UK DRAFFT - a randomised controlled trial of percutaneous fixation with kirschner wires versus volar locking-plate fixation in the treatment of adult patients with a dorsally displaced fracture of the distal radius. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 201	2.8	17
75	Beta Agonist Lung Injury Trial-2 (BALTI-2) trial protocol: a randomised, double-blind, placebo-controlled of intravenous infusion of salbutamol in the acute respiratory distress syndrome. <i>Trials</i> , 2011 , 12, 113	2.8	14
74	Reporting of complex interventions in clinical trials: development of a taxonomy to classify and describe fall-prevention interventions. <i>Trials</i> , 2011 , 12, 125	2.8	118
73	The OPERA trial: protocol for a randomised trial of an exercise intervention for older people in residential and nursing accommodation. <i>Trials</i> , 2011 , 12, 27	2.8	22
72	The Beta Agonist Lung Injury Trial (BALTI)--prevention trial protocol. <i>Trials</i> , 2011 , 12, 79	2.8	11
71	Predicting response to a cognitive-behavioral approach to treating low back pain: Secondary analysis of the BeST data set. <i>Arthritis Care and Research</i> , 2011 , 63, 1271-9	4.7	17
70	In-shoe plantar pressures within ankle-foot orthoses: implications for the management of achilles tendon ruptures. <i>American Journal of Sports Medicine</i> , 2011 , 39, 2679-85	6.8	10
69	Sarcopenia and some simple approaches to modifying the consequence of ageing. <i>Clinical Medicine</i> , 2011 , 11, 170-2	1.9	
68	A multicentred randomised controlled trial of a primary care-based cognitive behavioural programme for low back pain. The Back Skills Training (BeST) trial. <i>Health Technology Assessment</i> , 2010 , 14, 1-253, iii-iv	4.4	100
67	Kognitive Gruppen-Verhaltenstherapie in der primären Gesundheitsversorgung bei LWS-Syndrom: eine randomisierte, kontrollierte Studie und Analyse der Kostenwirksamkeit. <i>Osteopathische Medizin</i> , 2010 , 11, 24-26	0.2	1
66	Recovery of muscle strength and power after limb-lengthening surgery. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010 , 91, 384-8	2.8	16
65	Group cognitive behavioural treatment for low-back pain in primary care: a randomised controlled trial and cost-effectiveness analysis. <i>Lancet, The</i> , 2010 , 375, 916-23	4.0	289
64	Developing evidence for how to tailor medical interventions for the individual patient. <i>Qualitative Health Research</i> , 2010 , 20, 1629-41	3.9	33

63	Rethinking the Generation Gap: Age and Agency in Middle-Class Kolkata. <i>Journal of Aging, Humanities, and the Arts</i> , 2010 , 4, 83-97		3
62	Effect of a statewide fall prevention program on incidence of femoral fractures in residents of long-term care facilities. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 70-5	5.6	22
61	A cognitive-behavioural programme for the management of low back pain in primary care: a description and justification of the intervention used in the Back Skills Training Trial (BeST; ISRCTN 54717854). <i>Physiotherapy</i> , 2010 , 96, 87-94	3	44
60	Prehospital randomised assessment of a mechanical compression device in cardiac arrest (PaRAMeDIC) trial protocol. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2010 , 18, 58	3.6	36
59	Development and delivery of a physiotherapy intervention for the early management of whiplash injuries: the Managing Injuries of Neck Trial (MINT) Intervention. <i>Physiotherapy</i> , 2009 , 95, 15-23	3	12
58	Group versus individual sessions delivered by a physiotherapist for female urinary incontinence: an interview study with women attending group sessions nested within a randomised controlled trial. <i>BMC Women's Health</i> , 2009 , 9, 25	2.9	5
57	Group treatments for sensitive health care problems: a randomised controlled trial of group versus individual physiotherapy sessions for female urinary incontinence. <i>BMC Women's Health</i> , 2009 , 9, 26	2.9	24
56	Does a monetary incentive improve the response to a postal questionnaire in a randomised controlled trial? The MINT incentive study. <i>Trials</i> , 2009 , 10, 44	2.8	26
55	Interventions for preventing falls in older people living in the community. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD007146		577
54	Multidisciplinary assessment of elderly people with a history of multiple falls reduces the risk of further falls. <i>Australian Journal of Physiotherapy</i> , 2009 , 55, 139		3
53	Mechanical supports for acute, severe ankle sprain: a pragmatic, multicentre, randomised controlled trial. <i>Lancet, The</i> , 2009 , 373, 575-81	4.0	151
52	10-day below-knee cast for management of severe ankle sprains [Authors' reply]. <i>Lancet, The</i> , 2009 , 373, 1602-1603	4.0	1
51	The prognostic value of symptom responses in the conservative management of spinal pain: a systematic review. <i>Spine</i> , 2009 , 34, 2686-99	3.3	16
50	Prevention of falls in nursing homes: subgroup analyses of a randomized fall prevention trial. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 1092-7	5.6	41
49	Response and non-response to postal questionnaire follow-up in a clinical trial--a qualitative study of the patient's perspective. <i>Journal of Evaluation in Clinical Practice</i> , 2008 , 14, 226-35	2.5	29
48	A national survey of services for the prevention and management of falls in the UK. <i>BMC Health Services Research</i> , 2008 , 8, 233	2.9	20
47	A systematic literature review of psychological factors and the development of late whiplash syndrome. <i>Pain</i> , 2008 , 135, 20-30	8	92
46	Chronic disease management programme in people with severe knee osteoarthritis: efficacy and moderators of response. <i>Clinical Rehabilitation</i> , 2008 , 22, 169-78	3.3	14

45	Interventions for preventing falls in older people living in the community 2008 ,		20
44	The optimal sequence and selection of screening test items to predict fall risk in older disabled women: the Women's Health and Aging Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2008 , 63, 1082-8	6.4	44
43	Responsiveness of a patient specific outcome measure compared with the Oswestry Disability Index v2.1 and Roland and Morris Disability Questionnaire for patients with subacute and chronic low back pain. <i>Spine</i> , 2008 , 33, 2450-7; discussion 2458	3.3	70
42	Leg extension power deficit and mobility limitation in women recovering from hip fracture. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2008 , 87, 363-70	2.6	29
41	EuroQol EQ-5D and condition-specific measures of health outcome in women with urinary incontinence: reliability, validity and responsiveness. <i>Quality of Life Research</i> , 2008 , 17, 475-83	3.7	40
40	Hip fractures in institutionalized elderly people: incidence rates and excess mortality. <i>Journal of Bone and Mineral Research</i> , 2008 , 23, 1825-31	6.3	110
39	. <i>Journal of Rehabilitation Research and Development</i> , 2008 , 45, 1105		125
38	Design considerations in a clinical trial of a cognitive behavioural intervention for the management of low back pain in primary care: Back Skills Training Trial. <i>BMC Musculoskeletal Disorders</i> , 2007 , 8, 14	2.8	13
37	Managing Injuries of the Neck Trial (MINT): design of a randomised controlled trial of treatments for whiplash associated disorders. <i>BMC Musculoskeletal Disorders</i> , 2007 , 8, 7	2.8	21
36	Re: 'falls definition validation'. <i>Age and Ageing</i> , 2007 , 36, 111-2	3	5
35	A systematic literature review of physical prognostic factors for the development of Late Whiplash Syndrome. <i>Spine</i> , 2007 , 32, E764-80	3.3	62
34	A Validation Study of the New Zealand Score for Hip and Knee Surgery. <i>Clinical Orthopaedics and Related Research</i> , 2007 , 464, 190-195	2.2	9
33	Personal meanings in the construction of need for total knee replacement surgery. <i>Social Science and Medicine</i> , 2006 , 63, 43-53	5.1	41
32	Maximising response to postal questionnaires--a systematic review of randomised trials in health research. <i>BMC Medical Research Methodology</i> , 2006 , 6, 5	4.7	232
31	Systematic review of definitions and methods of measuring falls in randomised controlled fall prevention trials. <i>Age and Ageing</i> , 2006 , 35, 5-10	3	310
30	Cost-utility analysis of physiotherapy treatment compared with physiotherapy advice in low back pain. <i>Spine</i> , 2006 , 31, 1381-7	3.3	52
29	A RESPONSE LETTER TO DRS. HAUSDORFF AND YOGEV. <i>Journal of the American Geriatrics Society</i> , 2006 , 54, 865-866	5.6	9
28	Asymmetrical lower extremity power deficit as a risk factor for injurious falls in healthy older women. <i>Journal of the American Geriatrics Society</i> , 2006 , 54, 551-3	5.6	27

27	Suitability of physical activity questionnaires for older adults in fall-prevention trials: a systematic review. <i>Journal of Aging and Physical Activity</i> , 2005 , 13, 461-81	1.6	44
26	Measuring the psychological outcomes of falling: a systematic review. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 501-10	5.6	304
25	Development of a common outcome data set for fall injury prevention trials: the Prevention of Falls Network Europe consensus. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 1618-22	5.6	1314
24	A critical appraisal and defence of the Oxfordshire low back pain trial. <i>Physiotherapy</i> , 2005 , 91, 1-2	3	2
23	Clinical and cost effectiveness of mechanical support for severe ankle sprains: design of a randomised controlled trial in the emergency department [ISRCTN 37807450]. <i>BMC Musculoskeletal Disorders</i> , 2005 , 6, 1	2.8	37
22	Effective Measurement of the Functional Progress of Stroke Clients. <i>British Journal of Occupational Therapy</i> , 2005 , 68, 253-259	1	6
21	Randomised controlled trial of physiotherapy compared with advice for low back pain. <i>BMJ, The</i> , 2004 , 329, 708	5.9	138
20	Association between radiographic joint space narrowing, function, pain and muscle power in severe osteoarthritis of the knee. <i>Clinical Rehabilitation</i> , 2004 , 18, 793-800	3.3	98
19	Multi-item outcome measures for lateral ligament injury of the ankle: a structured review. <i>Journal of Evaluation in Clinical Practice</i> , 2004 , 10, 339-52	2.5	25
18	Risk Factors for Falling in Home-Dwelling Older Women With Stroke. <i>Stroke</i> , 2003 , 34, 494-501	6.7	211
17	Cryotherapy after total knee replacement: a survey of current practice. <i>Physiotherapy Research International</i> , 2003 , 8, 111-20	1.8	26
16	Recovery of mobility after knee arthroplasty: expected rates and influencing factors. <i>Journal of Arthroplasty</i> , 2003 , 18, 575-82	4.4	35
15	Changes in muscle torque following anterior cruciate ligament reconstruction: a comparison between hamstrings and patella tendon graft procedures on 45 patients. <i>Acta Orthopaedica</i> , 2002 , 73, 546-52		44
14	Neuromuscular stimulation of the quadriceps muscle after hip fracture: a randomized controlled trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2002 , 83, 1087-92	2.8	43
13	Being a Widow and Other Life Stories: The Interplay between Lives and Words. <i>Anthropology and Humanism</i> , 2001 , 26, 16-34	0.2	14
12	Loss of knee range of motion in leg lengthening. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2001 , 31, 238-44; discussion 245-6	4.2	25
11	Interventions for preventing falls in the elderly. <i>Cochrane Database of Systematic Reviews</i> , 2000 , CD000340		364
10	How Much Function Do Functional Restoration Programmes Restore?. <i>Physiotherapy</i> , 2000 , 86, 496	3	

9	A Functional Restoration Programme for Chronic Low Back Pain. <i>Physiotherapy</i> , 2000 , 86, 285-293	3	28
8	Research Assessment Exercise 2001: what is the big deal?. <i>International Journal of Therapy and Rehabilitation</i> , 2000 , 7, 373-373		1
7	Physiotherapy Outcome Measures for Rehabilitation of Elderly People. <i>Physiotherapy</i> , 1998 , 84, 216-221	3	18
6	Does intereferential therapy affect blood flow?. <i>Clinical Rehabilitation</i> , 1994 , 8, 213-218	3.3	5
5	Exercise – The Other Root of our Profession. <i>Physiotherapy</i> , 1993 , 79, 772	3	11
4	Better reporting of interventions: template for intervention description and replication (TIDieR) checklist and guide		1
3	Home hazard assessment and environmental modification to prevent falls in older people: the OTIS trial. <i>F1000Research</i> , 10, 500	3.6	2
2	Can behavioural change interventions improve self-efficacy and exercise adherence among people with Parkinson's? A systematic review protocol. <i>HRB Open Research</i> , 5, 15	1.2	
1	Anti-TNF (adalimumab) injection for the treatment of adults with frozen shoulder during the pain predominant stage protocol for a multi-centre, randomised, double blind, parallel group, feasibility trial. <i>NIHR Open Research</i> , 2, 28		0