

# Anxin Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9264901/publications.pdf>

Version: 2024-02-01

140  
papers

3,236  
citations

218381

26  
h-index

223531

46  
g-index

145  
all docs

145  
docs citations

145  
times ranked

3393  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ideal Cardiovascular Health Metrics and the Risks of Ischemic and Intracerebral Hemorrhagic Stroke. Stroke, 2013, 44, 2451-2456.	1.0	186
2	Clopidogrel With Aspirin in Acute Minor Stroke or Transient Ischemic Attack (CHANCE) Trial. Circulation, 2015, 132, 40-46.	1.6	178
3	Dual antiplatelet therapy in stroke and ICAS. Neurology, 2015, 85, 1154-1162.	1.5	158
4	Ticagrelor versus Clopidogrel in <i>CYP2C19</i> Loss-of-Function Carriers with Stroke or TIA. New England Journal of Medicine, 2021, 385, 2520-2530.	13.9	147
5	Association of Hypertension With Stroke Recurrence Depends on Ischemic Stroke Subtype. Stroke, 2013, 44, 1232-1237.	1.0	106
6	Triglyceride-glucose index is associated with the risk of myocardial infarction: an 11-year prospective study in the Kailuan cohort. Cardiovascular Diabetology, 2021, 20, 19.	2.7	87
7	Edaravone Dextroamphetamine Versus Edaravone Alone for the Treatment of Acute Ischemic Stroke. Stroke, 2021, 52, 772-780.	1.0	78
8	Triglyceride-glucose index and the risk of stroke and its subtypes in the general population: an 11-year follow-up. Cardiovascular Diabetology, 2021, 20, 46.	2.7	71
9	High-Sensitive C-Reactive Protein Predicts Recurrent Stroke and Poor Functional Outcome. Stroke, 2016, 47, 2025-2030.	1.0	70
10	Dual Antiplatelet Therapy in Transient Ischemic Attack and Minor Stroke With Different Infarction Patterns. JAMA Neurology, 2018, 75, 711.	4.5	67
11	Measures of Adiposity and Risk of Stroke in China: A Result from the Kailuan Study. PLoS ONE, 2013, 8, e61665.	1.1	66
12	Change in triglyceride-glucose index predicts the risk of cardiovascular disease in the general population: a prospective cohort study. Cardiovascular Diabetology, 2021, 20, 113.	2.7	66
13	Severity of Nonalcoholic Fatty Liver Disease and Risk of Future Ischemic Stroke Events. Stroke, 2021, 52, 103-110.	1.0	57
14	Asymptomatic Polyvascular Abnormalities in Community (APAC) Study in China: Objectives, Design and Baseline Characteristics. PLoS ONE, 2013, 8, e84685.	1.1	54
15	Visit-to-Visit Variability of Fasting Plasma Glucose and the Risk of Cardiovascular Disease and All-Cause Mortality in the General Population. Journal of the American Heart Association, 2017, 6, .	1.6	51
16	Effect of clopidogrel with aspirin on functional outcome in TIA or minor stroke. Neurology, 2015, 85, 573-579.	1.5	44
17	Association of Oxidized Low-Density Lipoprotein With Prognosis of Stroke and Stroke Subtypes. Stroke, 2017, 48, 91-97.	1.0	43
18	Expression of the integrin subunit $\alpha 9$ in the murine embryo. Developmental Dynamics, 1995, 204, 421-431.	0.8	42

#	ARTICLE	IF	CITATIONS
19	Safety and efficacy of Edoxaban versus edaravone for patients with acute ischaemic stroke: a phase II, multicentre, randomised, double-blind, multiple-dose, active-controlled clinical trial. <i>Stroke and Vascular Neurology</i> , 2019, 4, 109-114.	1.5	42
20	Relationship between C - Reactive Protein and Stroke: A Large Prospective Community Based Study. <i>PLoS ONE</i> , 2014, 9, e107017.	1.1	39
21	Flurbiprofen and hypertension but not hydroxyethyl starch are associated with post-craniotomy intracranial haematoma requiring surgery. <i>British Journal of Anaesthesia</i> , 2014, 113, 832-839.	1.5	38
22	Resting Heart Rate and Risk of Cardiovascular Diseases and All-Cause Death: The Kailuan Study. <i>PLoS ONE</i> , 2014, 9, e110985.	1.1	38
23	Hypertriglyceridemic waist phenotype and risk of cardiovascular diseases in China: Results from the Kailuan Study. <i>International Journal of Cardiology</i> , 2014, 174, 106-109.	0.8	37
24	The Association between Serum Uric Acid Levels and the Prevalence of Vulnerable Atherosclerotic Carotid Plaque: A Cross-sectional Study. <i>Scientific Reports</i> , 2015, 5, 10003.	1.6	35
25	Clopidogrel with aspirin in High-risk patients with Acute Non-disabling Cerebrovascular Events II (CHANCE-2): rationale and design of a multicentre randomised trial. <i>Stroke and Vascular Neurology</i> , 2021, 6, 280-285.	1.5	34
26	Triglyceride-glucose index variability and incident cardiovascular disease: a prospective cohort study. <i>Cardiovascular Diabetology</i> , 2022, 21, .	2.7	34
27	Association of Ideal Cardiovascular Health and Brachial Ankle Pulse Wave Velocity: A Cross-Sectional Study in Northern China. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016, 25, 41-48.	0.7	32
28	Hypertension, Arterial Stiffness, and Diabetes: a Prospective Cohort Study. <i>Hypertension</i> , 2022, 79, 1487-1496.	1.3	32
29	Low-dose rescue tirofiban in mechanical thrombectomy for acute cerebral large artery occlusion. <i>European Journal of Neurology</i> , 2020, 27, 1056-1061.	1.7	31
30	Visit-to-Visit Variability of Lipids Measurements and the Risk of Stroke and Stroke Types: A Prospective Cohort Study. <i>Journal of Stroke</i> , 2020, 22, 119-129.	1.4	29
31	Cumulative Exposure to Ideal Cardiovascular Health and Incident Diabetes in a Chinese Population: The Kailuan Study. <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	28
32	In-hospital medical complications associated with stroke recurrence after initial ischemic stroke. <i>Medicine (United States)</i> , 2016, 95, e4929.	0.4	27
33	Association between Carotid Artery Stenosis and Cognitive Impairment in Stroke Patients: A Cross-Sectional Study. <i>PLoS ONE</i> , 2016, 11, e0146890.	1.1	25
34	Effect of Menopausal Status on Carotid Intima-Media Thickness and Presence of Carotid Plaque in Chinese Women Generation Population. <i>Scientific Reports</i> , 2015, 5, 8076.	1.6	24
35	Effect of Adjusted Antiplatelet Therapy on Preventing Ischemic Events After Stenting for Intracranial Aneurysms. <i>Stroke</i> , 2021, 52, 3815-3825.	1.0	24
36	All-cause mortality in metabolically healthy individuals was not predicted by overweight and obesity. <i>JCI Insight</i> , 2020, 5, .	2.3	24

#	ARTICLE	IF	CITATIONS
37	Non-High-Density Lipoprotein Cholesterol on the Risks of Stroke: A Result from the Kailuan Study. PLoS ONE, 2013, 8, e74634.	1.1	24
38	Homocysteine and Carotid Plaque Stability: A Cross-Sectional Study in Chinese Adults. PLoS ONE, 2014, 9, e94935.	1.1	24
39	Association between the metabolically healthy obese phenotype and the risk of myocardial infarction: results from the Kailuan study. European Journal of Endocrinology, 2018, 179, 343-352.	1.9	24
40	Trimethylamine N-Oxide and Stroke Recurrence Depends on Ischemic Stroke Subtypes. Stroke, 2022, 53, 1207-1215.	1.0	24
41	Asymptomatic Extracranial Artery Stenosis and the Risk of Cardiovascular and Cerebrovascular Diseases. Scientific Reports, 2016, 6, 33960.	1.6	22
42	Association of estimated glomerular filtration rate and proteinuria with all-cause mortality in community-based population in China: A Result from Kailuan Study. Scientific Reports, 2018, 8, 2157.	1.6	21
43	Efficacy of clopidogrel for stroke depends on CYP2C19 genotype and risk profile. Annals of Neurology, 2019, 86, 419-426.	2.8	21
44	Asymptomatic polyvascular disease and the risks of cardiovascular events and all-cause death. Atherosclerosis, 2017, 262, 1-7.	0.4	20
45	Low serum albumin levels predict poor outcome in patients with acute ischaemic stroke or transient ischaemic attack. Stroke and Vascular Neurology, 2021, 6, 458-466.	1.5	20
46	Elevated fasting glucose as a potential predictor for asymptomatic cerebral artery stenosis: A cross-sectional study in Chinese adults. Atherosclerosis, 2014, 237, 661-665.	0.4	19
47	Positive changes in ideal CVH metrics reduce the incidence of stroke. Scientific Reports, 2016, 6, 19673.	1.6	19
48	Hematocrit and the incidence of stroke: a prospective, population-based cohort study. Therapeutics and Clinical Risk Management, 2018, Volume 14, 2081-2088.	0.9	19
49	Association between Non-High-Density-Lipoprotein-Cholesterol Levels and the Prevalence of Asymptomatic Intracranial Arterial Stenosis. PLoS ONE, 2013, 8, e65229.	1.1	19
50	U-Shaped Relationship of High-Density Lipoprotein Cholesterol and Incidence of Total, Ischemic and Hemorrhagic Stroke: A Prospective Cohort Study. Stroke, 2022, 53, 1624-1632.	1.0	19
51	Carotid intima-media thickness and cognitive function in a middle-aged and older adult community: a cross-sectional study. Journal of Neurology, 2016, 263, 2097-2104.	1.8	18
52	Whole genome sequencing of 10K patients with acute ischaemic stroke or transient ischaemic attack: design, methods and baseline patient characteristics. Stroke and Vascular Neurology, 2021, 6, 291-297.	1.5	18
53	Safety and Efficacy of Low-Dose Tirofiban Combined With Intravenous Thrombolysis and Mechanical Thrombectomy in Acute Ischemic Stroke: A Matched-Control Analysis From a Nationwide Registry. Frontiers in Neurology, 2021, 12, 666919.	1.1	18
54	Association between the triglyceride-glucose index and carotid plaque stability in nondiabetic adults. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 2921-2928.	1.1	18

#	ARTICLE	IF	CITATIONS
55	The Product of Resting Heart Rate Times Blood Pressure Is Associated with High Brachial-Ankle Pulse Wave Velocity. PLoS ONE, 2014, 9, e107852.	1.1	17
56	Association of ideal cardiovascular health metrics and cognitive functioning: the APAC study. European Journal of Neurology, 2016, 23, 1447-1454.	1.7	17
57	Brachial-ankle pulse wave velocity and metabolic syndrome in general population: the APAC study. BMC Cardiovascular Disorders, 2016, 16, 228.	0.7	17
58	Risk scores for predicting incidence of type 2 diabetes in the Chinese population: the Kailuan prospective study. Scientific Reports, 2016, 6, 26548.	1.6	17
59	Effect of Clopidogrel by Smoking Status on Secondary Stroke Prevention. Circulation, 2017, 135, 315-316.	1.6	17
60	Changes in proteinuria and the risk of myocardial infarction in people with diabetes or pre-diabetes: a prospective cohort study. Cardiovascular Diabetology, 2017, 16, 104.	2.7	17
61	Association of long-term blood pressure variability and brachial-ankle pulse wave velocity: a retrospective study from the APAC cohort. Scientific Reports, 2016, 6, 21303.	1.6	16
62	Association between oxidized low-density lipoprotein and cognitive impairment in patients with ischemic stroke. European Journal of Neurology, 2018, 25, 185-191.	1.7	16
63	Associations between changes in serum uric acid and the risk of myocardial infarction. International Journal of Cardiology, 2020, 314, 25-31.	0.8	16
64	Combined Approach to Eptifibatide and Thrombectomy in Acute Ischemic Stroke Because of Large Vessel Occlusion: A Matched-Control Analysis. Stroke, 2022, 53, 1580-1588.	1.0	16
65	Asymptomatic carotid artery stenosis and retinal nerve fiber layer thickness. A community-based, observational study. PLoS ONE, 2017, 12, e0177277.	1.1	15
66	Cumulative alcohol consumption and stroke risk in men. Journal of Neurology, 2019, 266, 2112-2119.	1.8	15
67	Gastrointestinal bleeding during acute ischaemic stroke hospitalisation increases the risk of stroke recurrence. Stroke and Vascular Neurology, 2020, 5, 116-120.	1.5	15
68	Association between Carotid Intima-Media Thickness and Cognitive Impairment in a Chinese Stroke Population: A Cross-sectional Study. Scientific Reports, 2016, 6, 19556.	1.6	14
69	Association between high sensitivity C-Reactive protein and prevalence of asymptomatic carotid artery stenosis. Atherosclerosis, 2016, 246, 44-49.	0.4	14
70	Association of Cumulative Exposure to Resting Heart Rate with Risk of Stroke in General Population: The Kailuan Cohort Study. Journal of Stroke and Cerebrovascular Diseases, 2017, 26, 2501-2509.	0.7	14
71	Association between non-high-density lipoprotein cholesterol levels and asymptomatic vulnerable carotid atherosclerotic plaques. European Journal of Neurology, 2019, 26, 1433-1438.	1.7	14
72	Safety and Efficacy of Heparinization During Mechanical Thrombectomy in Acute Ischemic Stroke. Frontiers in Neurology, 2019, 10, 299.	1.1	14

#	ARTICLE	IF	CITATIONS
73	Elevated Plasma Total Cholesterol Level Is Associated with the Risk of Asymptomatic Intracranial Arterial Stenosis. PLoS ONE, 2014, 9, e101232.	1.1	14
74	Association of pre- and post-stroke glycemic status with clinical outcome in spontaneous intracerebral hemorrhage. Scientific Reports, 2019, 9, 19054.	1.6	13
75	Association of plasma C-reactive protein with ischaemic stroke: a Mendelian randomization study. European Journal of Neurology, 2020, 27, 565-571.	1.7	13
76	Association between High-density-lipoprotein-cholesterol Levels and the Prevalence of Asymptomatic Intracranial Arterial Stenosis. Scientific Reports, 2017, 7, 573.	1.6	12
77	Two-Year Changes in Proteinuria and the Risk of Stroke in the Chinese Population: A Prospective Cohort Study. Journal of the American Heart Association, 2017, 6, .	1.6	12
78	The impact of the cumulative burden of LDL-c and hs-CRP on cardiovascular risk: a prospective, population-based study. Aging, 2020, 12, 11990-12001.	1.4	12
79	Higher Levels of Lipoprotein Associated Phospholipase A2 is associated with Increased Prevalence of Cognitive Impairment: the APAC Study. Scientific Reports, 2016, 6, 33073.	1.6	11
80	Distinct triglyceride-glucose trajectories are associated with different risks of incident cardiovascular disease in normal-weight adults. American Heart Journal, 2022, 248, 63-71.	1.2	11
81	Cumulative Resting Heart Rate Exposure and Risk of All-Cause Mortality: Results from the Kailuan Cohort Study. Scientific Reports, 2017, 7, 40212.	1.6	10
82	Estimated Glomerular Filtration Rate, Proteinuria, and Risk of Cardiovascular Diseases and All-cause Mortality in Diabetic Population: a Community-based Cohort Study. Scientific Reports, 2017, 7, 17948.	1.6	10
83	Association between tea consumption and cognitive impairment in middle-aged and older adults. BMC Geriatrics, 2020, 20, 447.	1.1	10
84	Cumulative burden of lipid profiles predict future incidence of ischaemic stroke and residual risk. Stroke and Vascular Neurology, 2021, 6, 581-588.	1.5	10
85	Changes in serum uric acid and the risk of cardiovascular disease and all-cause mortality in the general population. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 1401-1409.	1.1	10
86	Asymptomatic Intracranial Arterial Stenosis and Metabolic Syndrome: The APAC Study. PLoS ONE, 2014, 9, e113205.	1.1	10
87	Non-High-Density Lipoprotein Cholesterol Levels on the Risk of Asymptomatic Intracranial Arterial Stenosis: A Result from the APAC Study. Scientific Reports, 2016, 6, 37410.	1.6	9
88	High SBP trajectories are associated with risk of all-cause death in general Chinese population. Journal of Hypertension, 2018, 36, 1299-1305.	0.3	9
89	Oxidative lipoprotein markers predict poor functional outcome in patients with minor stroke or transient ischaemic attack. European Journal of Neurology, 2019, 26, 1082-1090.	1.7	9
90	Safety and efficacy of oral antiplatelet for patients who had acute ischaemic stroke undergoing endovascular therapy. Stroke and Vascular Neurology, 2021, 6, 230-237.	1.5	9

#	ARTICLE	IF	CITATIONS
91	Two-year changes in proteinuria and risk for myocardial infarction in patients with hypertension. <i>Journal of Hypertension</i> , 2017, 35, 2295-2302.	0.3	8
92	No Association Between High-Sensitivity C-Reactive Protein and Carotid Intima-Media Progression: The APAC Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017, 26, 252-259.	0.7	8
93	Association between fasting Triglyceride levels and the Prevalence of Asymptomatic Intracranial Arterial Stenosis in a Chinese Community-based Study. <i>Scientific Reports</i> , 2018, 8, 5744.	1.6	8
94	Cystatin C and risk of new-onset depressive symptoms among individuals with a normal creatinine-based estimated glomerular filtration rate: A prospective cohort study. <i>Psychiatry Research</i> , 2019, 273, 75-81.	1.7	8
95	Association between cumulative exposure to different lipid parameters and risk of newly developed carotid plaque. <i>Stroke and Vascular Neurology</i> , 2021, 6, 359-365.	1.5	8
96	Visit-to-visit variability of serum uric acid measurements and the risk of all-cause mortality in the general population. <i>Arthritis Research and Therapy</i> , 2021, 23, 74.	1.6	8
97	Association between healthy vascular aging and the risk of the first stroke in a community-based Chinese cohort. <i>Aging</i> , 2019, 11, 5807-5816.	1.4	8
98	Serum bilirubin levels are associated with poor functional outcomes in patients with acute ischemic stroke or transient ischemic attack. <i>BMC Neurology</i> , 2021, 21, 373.	0.8	8
99	Hemoglobin Concentration and Clinical Outcomes After Acute Ischemic Stroke or Transient Ischemic Attack. <i>Journal of the American Heart Association</i> , 2021, 10, e022547.	1.6	8
100	Time course of serum uric acid accumulation and the risk of diabetes mellitus. <i>Nutrition and Diabetes</i> , 2022, 12, 1.	1.5	8
101	Non-traditional Lipid Parameters as Potential Predictors of Asymptomatic Intracranial Arterial Stenosis. <i>Frontiers in Neurology</i> , 2021, 12, 679415.	1.1	7
102	Baseline and Cumulative Blood Pressure in Predicting the Occurrence of Cardiovascular Events. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 735679.	1.1	7
103	Proteinuria and risk of stroke in patients with hypertension: The Kailuan cohort study. <i>Journal of Clinical Hypertension</i> , 2018, 20, 765-774.	1.0	6
104	Relationship of ideal cardiovascular health metrics with retinal vessel calibers and retinal nerve fiber layer thickness: a cross-sectional study. <i>BMC Cardiovascular Disorders</i> , 2018, 18, 187.	0.7	6
105	Different contribution of SBP and DBP variability to vascular events in patients with stroke. <i>Stroke and Vascular Neurology</i> , 2020, 5, 110-115.	1.5	6
106	Ambulatory blood pressure profile and stroke recurrence. <i>Stroke and Vascular Neurology</i> , 2021, 6, 352-358.	1.5	6
107	Analytical validation of GMEX rapid point-of-care <i>CYP2C19</i> genotyping system for the CHANCE-2 trial. <i>Stroke and Vascular Neurology</i> , 2021, 6, 274-279.	1.5	6
108	CO <sub>2</sub> combining power and outcomes in patients with acute ischaemic stroke or transient ischaemic attack. <i>Stroke and Vascular Neurology</i> , 2021, 6, 252-259.	1.5	6

#	ARTICLE	IF	CITATIONS
109	Association Between Plasma Trimethyllysine and Prognosis of Patients With Ischemic Stroke. <i>Journal of the American Heart Association</i> , 2021, 10, e020979.	1.6	6
110	Elevated gamma-glutamyl transferase levels are associated with stroke recurrence after acute ischemic stroke or transient ischemic attack. <i>CNS Neuroscience and Therapeutics</i> , 2022, 28, 1637-1647.	1.9	6
111	Association of Persistent, Incident, and Remittent Proteinuria With Stroke Risk in Patients With Diabetes Mellitus or Prediabetes Mellitus. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	5
112	Dipstick proteinuria and risk of myocardial infarction and all-cause mortality in diabetes or pre-diabetes: a population-based cohort study. <i>Scientific Reports</i> , 2017, 7, 11986.	1.6	5
113	In-hospital complications affect short-term and long-term mortality in ICH: a prospective cohort study. <i>Stroke and Vascular Neurology</i> , 2021, 6, 201-206.	1.5	5
114	Association of changes in lipids with risk of myocardial infarction among people without lipid-lowering therapy. <i>Atherosclerosis</i> , 2020, 301, 69-78.	0.4	5
115	Association of Newly Found Asymptomatic Intracranial Artery Stenosis and Ideal Cardiovascular Health Metrics in Chinese Community Population. <i>Scientific Reports</i> , 2020, 10, 7200.	1.6	5
116	Distinct <scp>eGFR</scp> trajectories are associated with risk of myocardial infarction in people with diabetes or prediabetes. <i>Journal of Diabetes</i> , 2021, 13, 124-133.	0.8	5
117	Association of triglyceride-glucose index with intra- and extra-cranial arterial stenosis: a combined cross-sectional and longitudinal analysis. <i>Endocrine</i> , 2021, 74, 308-317.	1.1	5
118	Association of Stroke Subtype With Hemorrhagic Transformation Mediated by Thrombectomy Pass: Data From the ANGEL-ACT Registry. <i>Stroke</i> , 2022, 53, 1984-1992.	1.0	5
119	Decreased Estimated Glomerular Filtration Rate (eGFR), Not Proteinuria, Is Associated with Asymptomatic Intracranial Arterial Stenosis in Chinese General Population. <i>Scientific Reports</i> , 2017, 7, 4619.	1.6	4
120	Association Between Cumulative Exposure to Increased Low-Density Lipoprotein Cholesterol and the Prevalence of Asymptomatic Intracranial Atherosclerotic Stenosis. <i>Frontiers in Neurology</i> , 2020, 11, 555274.	1.1	4
121	Ideal Cardiovascular Health Metrics on the New Occurrence of Peripheral Artery Disease: A Prospective Cohort Study in Northern China. <i>Scientific Reports</i> , 2020, 10, 9660.	1.6	4
122	Higher early recurrence risk and potential benefit of dual antiplatelet therapy for minor stroke with watershed infarction: subgroup analysis of CHANCE. <i>European Journal of Neurology</i> , 2020, 27, 800-808.	1.7	4
123	Diabetes modifies the association of prehypertension with cardiovascular disease and all-cause mortality. <i>Journal of Clinical Hypertension</i> , 2021, 23, 1221-1228.	1.0	4
124	Mediation effect of arterial stiffness on ideal cardiovascular health and stroke. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2382-2390.	1.1	4
125	Effect of changes in serum uric acid on the risk of stroke and its subtypes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 167-175.	1.1	4
126	Effects of individual and integrated cumulative burden of blood pressure, glucose, low-density lipoprotein cholesterol, and C-reactive protein on cardiovascular risk. <i>European Journal of Preventive Cardiology</i> , 2020, , .	0.8	4

#	ARTICLE	IF	CITATIONS
127	Bleeding Risk of Dual Antiplatelet Therapy after Minor Stroke or Transient Ischemic Attack. <i>Annals of Neurology</i> , 2022, 91, 380-388.	2.8	4
128	Impact of baseline systolic blood pressure on visit-to-visit blood pressure variability: the Kailuan study. <i>Therapeutics and Clinical Risk Management</i> , 2016, Volume 12, 1191-1196.	0.9	3
129	Changes in Proteinuria on the Risk of All-Cause Mortality in People with Diabetes or Prediabetes: A Prospective Cohort Study. <i>Journal of Diabetes Research</i> , 2017, 2017, 1-7.	1.0	3
130	Association between non-high-density lipoprotein cholesterol levels and the prevalence of asymptomatic extracranial internal carotid artery stenosis in a Chinese community-based study. <i>European Journal of Neurology</i> , 2019, 26, 740-746.	1.7	3
131	Risk of arterial stiffness according to metabolically healthy obese phenotype: a combined cross-sectional and longitudinal study in kailuan cohort. <i>Aging</i> , 2021, 13, 15114-15125.	1.4	3
132	Joint association of modifiable lifestyle and metabolic health status with incidence of cardiovascular disease and all-cause mortality: a prospective cohort study. <i>Endocrine</i> , 2022, 75, 82-91.	1.1	3
133	Association of Impaired Fasting Glucose With Cardiovascular Disease in the Absence of Risk Factor. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e1710-e1718.	1.8	3
134	Prognostic value of glycemic gap in patients with spontaneous intracerebral hemorrhage. <i>European Journal of Neurology</i> , 0, , .	1.7	3
135	Control of Blood Pressure and Risk of Cardiovascular Disease and Mortality in Elderly Chinese: A Real-World Prospective Cohort Study. <i>Hypertension</i> , 2022, 79, 1866-1875.	1.3	3
136	Night-time diastolic blood pressure variability relates to stroke recurrence in patients who had ischaemic stroke with small artery occlusion. <i>Stroke and Vascular Neurology</i> , 2022, 7, 237-244.	1.5	2
137	Prediabetes and risk of stroke and its subtypes by hypertension status. <i>Diabetes/Metabolism Research and Reviews</i> , 2022, 38, e3521.	1.7	2
138	Creatine Kinase Is Associated With Recurrent Stroke and Functional Outcomes of Ischemic Stroke or Transient Ischemic Attack. <i>Journal of the American Heart Association</i> , 2022, 11, e022279.	1.6	2
139	Baseline and change in serum uric acid predict the progression from prehypertension to hypertension: a prospective cohort study. <i>Journal of Human Hypertension</i> , 2022, 36, 381-389.	1.0	1
140	P-001...Non-contrast CT alone versus combined CT plus CTA or MRA selection for thrombectomy in acute ischemic stroke: analysis of the angel-act registry. , 2021, , .		0