

JosÃ© Ángel Mercado Carmona

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9265058/publications.pdf>

Version: 2024-02-01

73
papers

2,992
citations

172457

29
h-index

168389

53
g-index

75
all docs

75
docs citations

75
times ranked

2755
citing authors

#	ARTICLE	IF	CITATIONS
1	Manipulation of Strawberry Fruit Softening by Antisense Expression of a Pectate Lyase Gene. <i>Plant Physiology</i> , 2002, 128, 751-759.	4.8	309
2	Antisense Down-Regulation of the <i>FaPG1</i> Gene Reveals an Unexpected Central Role for Polygalacturonase in Strawberry Fruit Softening. <i>Plant Physiology</i> , 2009, 150, 1022-1032.	4.8	182
3	Fruit softening and pectin disassembly: an overview of nanostructural pectin modifications assessed by atomic force microscopy. <i>Annals of Botany</i> , 2014, 114, 1375-1383.	2.9	177
4	Pollen sporopollenin: degradation and structural elucidation. <i>Sexual Plant Reproduction</i> , 1999, 12, 171-178.	2.2	158
5	A nanostructural view of the cell wall disassembly process during fruit ripening and postharvest storage by atomic force microscopy. <i>Trends in Food Science and Technology</i> , 2019, 87, 47-58.	15.1	141
6	Antisense down-regulation of the strawberry β -galactosidase gene <i>FaβGal4</i> increases cell wall galactose levels and reduces fruit softening. <i>Journal of Experimental Botany</i> , 2016, 67, 619-631.	4.8	122
7	Structural characterization of cell wall pectin fractions in ripe strawberry fruits using AFM. <i>Carbohydrate Polymers</i> , 2012, 88, 882-890.	10.2	116
8	Antisense inhibition of a pectate lyase gene supports a role for pectin depolymerization in strawberry fruit softening. <i>Journal of Experimental Botany</i> , 2008, 59, 2769-2779.	4.8	109
9	Insights into the effects of polygalacturonase <i>FaPG1</i> gene silencing on pectin matrix disassembly, enhanced tissue integrity, and firmness in ripe strawberry fruits. <i>Journal of Experimental Botany</i> , 2013, 64, 3803-3815.	4.8	84
10	The strawberry (<i>Fragaria ananassa</i>) fruit-specific rhamnogalacturonate lyase 1 (<i>FaRGLyase1</i>) gene encodes an enzyme involved in the degradation of cell-wall middle lamellae. <i>Journal of Experimental Botany</i> , 2013, 64, 1471-1483.	4.8	83
11	A possible role for flowering locus <i>T</i> -encoding genes in interpreting environmental and internal cues affecting olive (<i>Olea europaea</i> L.) flower induction. <i>Plant, Cell and Environment</i> , 2017, 40, 1263-1280.	5.7	70
12	Regeneration and transformation via <i>Agrobacterium tumefaciens</i> of the strawberry cultivar Chandler. <i>Plant Cell, Tissue and Organ Culture</i> , 1998, 54, 29-36.	2.3	69
13	Structural changes in cell wall pectins during strawberry fruit development. <i>Plant Physiology and Biochemistry</i> , 2017, 118, 55-63.	5.8	68
14	Biochemical and phenotypical characterization of transgenic tomato plants overexpressing a basic peroxidase. <i>Physiologia Plantarum</i> , 1999, 106, 355-362.	5.2	65
15	Shoot regeneration and <i>Agrobacterium</i> -mediated transformation of <i>Fragaria vesca</i> L. <i>Plant Cell Reports</i> , 1996, 15, 642-646.	5.6	61
16	The nanostructural characterization of strawberry pectins in pectate lyase or polygalacturonase silenced fruits elucidates their role in softening. <i>Carbohydrate Polymers</i> , 2015, 132, 134-145.	10.2	58
17	Partial Activation of SA- and JA-Defensive Pathways in Strawberry upon <i>Colletotrichum acutatum</i> Interaction. <i>Frontiers in Plant Science</i> , 2016, 7, 1036.	3.6	55
18	Effects of low temperature on pepper pollen morphology and fertility: Evidence of cold induced exine alterations. <i>The Journal of Horticultural Science</i> , 1997, 72, 317-326.	0.3	48

#	ARTICLE	IF	CITATIONS
19	Structural and physiological changes in the roots of tomato plants over-expressing a basic peroxidase. <i>Physiologia Plantarum</i> , 2003, 118, 422-429.	5.2	47
20	An efficient regeneration system via somatic embryogenesis in olive. <i>Plant Cell, Tissue and Organ Culture</i> , 2011, 106, 337-344.	2.3	46
21	The polygalacturonase &span style="font-style="font-style. <i>Plant Signaling and Behavior</i> , 2009, 4, 766-768.	2.4	43
22	Studies on genetic transformation of olive (<i>Olea europaea</i> L.) somatic embryos: I. Evaluation of different aminoglycoside antibiotics for nptII selection; II. Transient transformation via particle bombardment. <i>Plant Cell, Tissue and Organ Culture</i> , 2009, 97, 243-251.	2.3	41
23	Elucidating the role of polygalacturonase genes in strawberry fruit softening. <i>Journal of Experimental Botany</i> , 2020, 71, 7103-7117.	4.8	41
24	Unravelling the nanostructure of strawberry fruit pectins by endo-polygalacturonase digestion and atomic force microscopy. <i>Food Chemistry</i> , 2017, 224, 270-279.	8.2	40
25	Effects of in vitro tissue culture conditions and acclimatization on the contents of Rubisco, leaf soluble proteins, photosynthetic pigments, and C/N ratio. <i>Journal of Plant Physiology</i> , 2001, 158, 835-840.	3.5	37
26	Isolation of intact pollen exine using anhydrous hydrogen fluoride. <i>Grana</i> , 1998, 37, 93-96.	0.8	36
27	Expression of the Î²-1,3-glucanase gene bgn13.1 from <i>Trichoderma harzianum</i> in strawberry increases tolerance to crown rot diseases but interferes with plant growth. <i>Transgenic Research</i> , 2015, 24, 979-989.	2.4	35
28	Evaluation of the role of the endo-Î²-(1,4)-glucanase gene FaEG3 in strawberry fruit softening. <i>Postharvest Biology and Technology</i> , 2010, 55, 8-14.	6.0	34
29	TheCaMVÂ35S promoter is highly active on floral organs and pollen of transgenic strawberry plants. <i>Plant Cell Reports</i> , 2004, 23, 32-38.	5.6	32
30	Development of a high throughput system for genetic transformation of olive (<i>Olea europaea</i> L.) plants. <i>Plant Cell, Tissue and Organ Culture</i> , 2010, 103, 61-69.	2.3	32
31	Antisense inhibition of pectate lyase gene expression in strawberry fruit: Characteristics of fruits processed into jam. <i>Journal of Food Engineering</i> , 2007, 79, 194-199.	5.2	31
32	In vitro germination of pepper pollen in liquid medium. <i>Scientia Horticulturae</i> , 1994, 57, 273-281.	3.6	30
33	A convenient protocol for extraction and purification of DNA from <i>Fragaria</i> . <i>In Vitro Cellular and Developmental Biology - Plant</i> , 1999, 35, 152-153.	2.1	25
34	Evidence of frequent integration of non-T-DNA vector backbone sequences in transgenic strawberry plant. <i>Journal of Bioscience and Bioengineering</i> , 2006, 101, 508-510.	2.2	25
35	Fruit yield and quality of strawberry plants transformed with a fruit specific strawberry pectate lyase gene. <i>Scientia Horticulturae</i> , 2009, 119, 120-125.	3.6	24
36	Plant Regeneration via Somatic Embryogenesis in Mature Wild Olive Genotypes Resistant to the Defoliating Pathotype of <i>Verticillium dahliae</i> . <i>Frontiers in Plant Science</i> , 2019, 10, 1471.	3.6	24

#	ARTICLE	IF	CITATIONS
37	The Strawberry FaWRKY1 Transcription Factor Negatively Regulates Resistance to <i>Colletotrichum acutatum</i> in Fruit Upon Infection. <i>Frontiers in Plant Science</i> , 2019, 10, 480.	3.6	24
38	Metabolic Changes and Susceptibility to Chilling Stress in <i>Capsicum annuum</i> Plants Grown at Suboptimal Temperature. <i>Functional Plant Biology</i> , 1997, 24, 759.	2.1	23
39	Effect of simultaneous down-regulation of pectate lyase and endo- β -1,4-glucanase genes on strawberry fruit softening. <i>Molecular Breeding</i> , 2013, 31, 313-322.	2.1	20
40	Usage of the Heterologous Expression of the Antimicrobial Gene <i>afp</i> From <i>Aspergillus giganteus</i> for Increasing Fungal Resistance in Olive. <i>Frontiers in Plant Science</i> , 2018, 9, 680.	3.6	20
41	Changes in the water binding characteristics of the cell walls from transgenic <i>Nicotiana tabacum</i> leaves with enhanced levels of peroxidase activity. <i>Physiologia Plantarum</i> , 2004, 122, 504-512.	5.2	19
42	Heterologous Expression of the <i>AtNPR1</i> Gene in Olive and Its Effects on Fungal Tolerance. <i>Frontiers in Plant Science</i> , 2020, 11, 308.	3.6	19
43	Rheological characterisation of juices obtained from transgenic pectate lyase-silenced strawberry fruits. <i>Food Chemistry</i> , 2009, 116, 426-432.	8.2	18
44	Evaluation of key factors influencing <i>Agrobacterium</i> -mediated transformation of somatic embryos of avocado (<i>Persea americana</i> Mill.). <i>Plant Cell, Tissue and Organ Culture</i> , 2012, 109, 201-211.	2.3	18
45	Title is missing!. <i>Plant Cell, Tissue and Organ Culture</i> , 2000, 62, 101-106.	2.3	14
46	EVALUATION OF TOLERANCE OF <i>COLLETOTRICHUM ACUTATUM</i> IN STRAWBERRY PLANTS TRANSFORMED WITH <i>TRICHODERMA</i> -DERIVED GENES. <i>Acta Horticulturae</i> , 2007, , 383-388.	0.2	14
47	<i>Agrobacterium</i> -mediated transformation of avocado (<i>Persea americana</i> Mill.) somatic embryos with fluorescent marker genes and optimization of transgenic plant recovery. <i>Plant Cell, Tissue and Organ Culture</i> , 2017, 128, 447-455.	2.3	13
48	An atypical HLH transcriptional regulator plays a novel and important role in strawberry ripened receptacle. <i>BMC Plant Biology</i> , 2019, 19, 586.	3.6	13
49	GENETIC TRANSFORMATION OF OLIVE SOMATIC EMBRYOS THROUGH BIOLISTICS. <i>Acta Horticulturae</i> , 2007, , 473-477.	0.2	12
50	Development of an efficient transient transformation protocol for avocado (<i>Persea americana</i> Mill.) embryogenic callus. <i>In Vitro Cellular and Developmental Biology - Plant</i> , 2014, 50, 292-298.	2.1	12
51	<i>Agrobacterium</i> cells as microprojectile coating: a novel approach to enhance stable transformation rates in strawberry. <i>Functional Plant Biology</i> , 2000, 27, 1093.	2.1	11
52	Isolation and culture of strawberry protoplasts and field evaluation of regenerated plants. <i>Scientia Horticulturae</i> , 2019, 256, 108552.	3.6	10
53	STORAGE OF BELL PEPPERS IN CONTROLLED ATMOSPHERES AT CHILLING AND NONCHILLING TEMPERATURES. <i>Acta Horticulturae</i> , 1995, , 134-142.	0.2	10
54	Enhancing frequency of regeneration of somatic embryos of avocado (<i>Persea americana</i> Mill.) using semi-permeable cellulose acetate membranes. <i>Plant Cell, Tissue and Organ Culture</i> , 2013, 115, 199-207.	2.3	9

#	ARTICLE	IF	CITATIONS
55	Modification of 13-hydroperoxide lyase expression in olive affects plant growth and results in altered volatile profile. <i>Plant Science</i> , 2021, 313, 111083.	3.6	9
56	Shoot regeneration and <i>Agrobacterium</i> -mediated transformation of <i>Fragaria vesca</i> L.. <i>Plant Cell Reports</i> , 1996, 15, 642-646.	5.6	9
57	<i>Influence of sucrose concentration on</i>in vitro rooting, growth, endogenous sugars and<i>ex vitro</i> survival of juvenile avocado. <i>Journal of Horticultural Science and Biotechnology</i> , 2003, 78, 46-50.	1.9	8
58	Exploring the Use of Fruit Callus Culture as a Model System to Study Color Development and Cell Wall Remodeling during Strawberry Fruit Ripening. <i>Plants</i> , 2020, 9, 805.	3.5	8
59	Olive (<i>Olea europaea</i> L.) Genetic Transformation: Current Status and Future Prospects. <i>Genes</i> , 2021, 12, 386.	2.4	6
60	Ectopic expression of the atypical HLH FaPRE1 gene determines changes in cell size and morphology. <i>Plant Science</i> , 2021, 305, 110830.	3.6	6
61	Influences of exogenous sucrose on juvenile avocado during in vitro cultivation and subsequent ex vitro acclimatization. <i>Trees - Structure and Function</i> , 2002, 16, 569-575.	1.9	5
62	POSTHARVEST BEHAVIOUR OF TRANSGENIC STRAWBERRY WITH POLYGALACTURONASE OR PECTATE LYASE GENES SILENCED. <i>Acta Horticulturae</i> , 2009, , 573-576.	0.2	5
63	Fruit and Vegetable Texture: Role of Their Cell Walls. , 2019, , 1-7.		5
64	AGROBACTERIUM-MEDIATED TRANSFORMATION OF OLIVE (<i>OLEA EUROPAEA</i> L.) EMBRYOGENIC CULTURES. <i>Acta Horticulturae</i> , 2009, , 387-391.	0.2	4
65	EVALUATION OF THE EFFECT OF PHOSPHINOTHRICIN, AS SELECTION AGENT, ON THE GROWTH OF OLIVE SOMATIC EMBRYOS. <i>Acta Horticulturae</i> , 2014, , 533-542.	0.2	4
66	Use of fluorescent reporter genes in olive (<i>Olea europaea</i> L.) transformation. <i>Acta Physiologiae Plantarum</i> , 2019, 41, 1.	2.1	4
67	EFFECT OF SILENCING OF CELL WALL DEGRADING ENZYMES ON STRAWBERRY FRUIT SOFTENING. <i>Acta Horticulturae</i> , 2009, , 931-934.	0.2	4
68	Effects of hand-pollination, paclobutrazol treatments, root temperature and genotype on pollen viability and seed fruit content of winter-grown pepper. <i>The Journal of Horticultural Science</i> , 1997, 72, 893-900.	0.3	3
69	The History and Current Status of Genetic Transformation in Berry Crops. <i>Compendium of Plant Genomes</i> , 2018, , 139-160.	0.5	3
70	Generation and Selection of Transgenic Olive Plants. <i>Bio-protocol</i> , 2017, 7, e2611.	0.4	3
71	PHYSIOLOGICAL INFLUENCE OF SUCROSE ON JUVENILE AVOCADO DURING $\hat{\text{T}}^{\text{M}}\text{N}$ VITRO CULTIVATION AND SUBSEQUENT $\hat{\text{I}}\text{-X}$ VITRO ACCLIMATIZATION. <i>Acta Horticulturae</i> , 2003, , 421-424.	0.2	1
72	Caracterizaci3n de indicadores de la calidad del fruto en l3neas de fresa transg3nicas con genes silenciados que codifican para enzimas pectinol3ticas. <i>Revista Colombiana De Biotecnolog3a</i> , 2018, 20, 42-50.	0.2	1

#	ARTICLE	IF	CITATIONS
73	IMPROVEMENT OF STRAWBERRY FRUIT SOFTENING THROUGH THE SILENCING OF CELL WALL GENES. Acta Horticulturae, 2012, , 107-110.	0.2	0