

Claudio Pellecchia

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9268193/claudio-pellecchia-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

139
papers

4,923
citations

40
h-index

62
g-index

148
ext. papers

5,330
ext. citations

4.7
avg, IF

5.45
L-index

#	Paper	IF	Citations
139	.beta.-Hydrogen abstraction and regiospecific insertion in syndiotactic polymerization of styrene. <i>Macromolecules</i> , 1987 , 20, 2035-2037	5.5	175
138	Living Ring-Opening Homo- and Copolymerization of ϵ -Caprolactone and l- and d,l-Lactides by Dimethyl(salicylaldiminato)aluminum Compounds. <i>Macromolecules</i> , 2009 , 42, 6056-6062	5.5	166
137	Synthesis of highly syndiotactic polystyrene with organometallic catalysts and monomer insertion. <i>Die Makromolekulare Chemie Rapid Communications</i> , 1987 , 8, 277-279		163
136	Synthesis, crystal structure, and olefin polymerization activity of a zwitterionic .eta.6-arene zirconium tris(hydrocarbyl). <i>Journal of the American Chemical Society</i> , 1993 , 115, 1160-1162	16.4	141
135	Base-free cationic mono(cyclopentadienyl)zirconium complexes: synthesis, structural characterization, and catalytic activity in olefin polymerization. <i>Organometallics</i> , 1993 , 12, 4473-4478	3.8	130
134	Catalysts for syndiotactic-specific polymerization of styrene: A tentative interpretation of some experimental data. <i>Die Makromolekulare Chemie</i> , 1991 , 192, 223-231		124
133	Soluble catalysts for syndiotactic polymerization of styrene. <i>Macromolecules</i> , 1989 , 22, 2129-2130	5.5	118
132	.eta.5-C5Me5TiMe3-B(C6F5)3: A true Ziegler-Natta catalyst for the syndiotactic-specific polymerization of styrene. <i>Journal of the American Chemical Society</i> , 1995 , 117, 6593-6594	16.4	112
131	Carbon-13 enriched end groups of isotactic polypropylene and poly(1-butene) prepared in the presence of ethylenediindenyl dimethyltitanium and methylalumoxane. <i>Macromolecules</i> , 1987 , 20, 1015-1018	5.5	104
130	Polymerization of 1,3-alkadienes in the presence of Ni- and Ti-based catalytic systems containing methylalumoxane. <i>Die Makromolekulare Chemie Rapid Communications</i> , 1990 , 11, 519-524		102
129	Alternating Ethylene-Styrene Copolymerization with a Methylaluminoxane-Free Half-Titanocene Catalyst. <i>Macromolecules</i> , 1996 , 29, 1158-1162	5.5	88
128	Syndiospecific Polymerization of Propene Promoted by Bis(salicylaldiminato)titanium Catalysts: Regiochemistry of Monomer Insertion and Polymerization Mechanism. <i>Macromolecules</i> , 2002 , 35, 658-663	5.5	83
127	Random Copolymerization of ϵ -Caprolactone and Lactides Promoted by Pyrrolylpyridylamido Aluminum Complexes. <i>Macromolecules</i> , 2012 , 45, 8614-8620	5.5	82
126	Novel aluminoxane-free catalysts for syndiotactic-specific polymerization of styrene. <i>Die Makromolekulare Chemie Rapid Communications</i> , 1992 , 13, 265-268		78
125	Versatile Copolymerization of Glycolide and rac-Lactide by Dimethyl(salicylaldiminato)aluminum Compounds. <i>Macromolecules</i> , 2014 , 47, 534-543	5.5	76
124	Syndiotactic-specific polymerization of propene with a Ni-based catalyst. <i>Macromolecular Rapid Communications</i> , 1996 , 17, 333-338	4.8	74
123	Regiospecificity of Ethylene-Styrene Copolymerization with a Homogeneous Zirconocene Catalyst. <i>Macromolecules</i> , 1995 , 28, 4665-4667	5.5	71

122	Ring-opening homo- and co-polymerization of lactides and ϵ -caprolactone by salalen aluminum complexes. <i>Dalton Transactions</i> , 2015 , 44, 2157-65	4.3	68
121	Isotactic-specific polymerization of propene with an iron-based catalyst: polymer end groups and regiochemistry of propagation. <i>Macromolecular Rapid Communications</i> , 1998 , 19, 651-655	4.8	67
120	Metal complexes as fluorescent probes for sensing biologically relevant gas molecules. <i>Coordination Chemistry Reviews</i> , 2016 , 318, 16-28	23.2	66
119	Syndiotactic-specific polymerization of styrene: catalyst structure and polymerization mechanism. <i>Topics in Catalysis</i> , 1999 , 7, 125-132	2.3	63
118	Some Evidence of a Dual Stereodifferentiation Mechanism in the Polymerization of Propene by β -Diimine Nickel Catalysts. <i>Macromolecules</i> , 2000 , 33, 9483-9487	5.5	61
117	A combined NMR and electron spin resonance investigation of the $(C_5(CH_3)_5Ti(CH_2C_6H_5)_3/B(C_6F_5)_3$ catalytic system active in the syndiospecific styrene polymerization. <i>Macromolecular Chemistry and Physics</i> , 1995 , 196, 1093-1100	2.6	60
116	Polymerization of ethylene and propene in the presence of organometallic compounds of titanium and zirconium activated with tris(pentafluorophenyl)boron. <i>Die Makromolekulare Chemie Rapid Communications</i> , 1992 , 13, 277-281		60
115	A Novel η^7 Coordination Mode of a Benzyl Ligand in a Cationic Zirconium Complex. <i>Organometallics</i> , 1994 , 13, 3773-3775	3.8	57
114	Coordination chemistry and reactivity of zinc complexes supported by a phosphido pincer ligand. <i>Chemistry - A European Journal</i> , 2012 , 18, 2349-60	4.8	55
113	Polymerization of ethylene with nickel β -diimine catalysts. <i>Macromolecular Rapid Communications</i> , 1997 , 18, 1017-1023	4.8	55
112	Copolymerization of styrene and isoprene: an insight into the mechanism of syndiospecific styrene polyinsertion. <i>Macromolecules</i> , 1992 , 25, 4450-4452	5.5	55
111	Mechanism of stereospecific polymerization of β -olefins by late-transition metal and octahedral group 4 metal catalysts. <i>Coordination Chemistry Reviews</i> , 2009 , 253, 2082-2097	23.2	53
110	Isotactic-specific polymerization of propene with supported catalysts in the presence of different modifiers. <i>Macromolecules</i> , 1990 , 23, 2904-2907	5.5	51
109	Phosphido Pincer Complexes of Palladium as New Efficient Catalysts for Allylation of Aldehydes. <i>Organometallics</i> , 2008 , 27, 5741-5743	3.8	48
108	A FRET enzyme-based probe for monitoring hydrogen sulfide. <i>Inorganic Chemistry</i> , 2012 , 51, 11220-2	5.1	47
107	Branched Polyethylene Produced by a Half-Titanocene Catalyst. <i>Macromolecules</i> , 1999 , 32, 4491-4493	5.5	46
106	Anilidopyridyl-Pyrrolide and Anilidopyridyl-Indolide Group 3 Metal Complexes: Highly Active Initiators for the Ring-Opening Polymerization of rac-Lactide. <i>Organometallics</i> , 2012 , 31, 1180-1188	3.8	45
105	Syndiotactic-specific polymerization of propene with Nickel-based catalysts. 3. Polymer end-groups and regiochemistry of propagation. <i>Journal of Molecular Catalysis A</i> , 1998 , 128, 229-237		45

104	New Neutral and Cationic Dialkylaluminium Complexes Bearing Imino-Amide or Imino-Phenoxide Ligands: Synthesis, Characterization and Reactivity With Olefins. <i>European Journal of Inorganic Chemistry</i> , 2002 , 2002, 621-628	2.3	45
103	Syndiotactic-Specific Polymerization of Propene with Nickel-Based Catalysts. 2. Regiochemistry and Stereochemistry of the Initiation Steps. <i>Macromolecules</i> , 1996 , 29, 6990-6993	5.5	45
102	A Binaphthyl-Bridged Salen Zirconium Catalyst Affording Atactic Poly(propylene) and Isotactic Poly(olefins). <i>Macromolecular Rapid Communications</i> , 2005 , 26, 1866-1871	4.8	43
101	Selective Co-oligomerization of Ethylene and Styrenes by Half-Titanocene Catalysts and Synthesis of Polyethylenes with 4-Aryl-1-butyl Branches. <i>Macromolecules</i> , 2000 , 33, 2807-2814	5.5	43
100	Selective detection of ATP and ADP in aqueous solution by using a fluorescent zinc receptor. <i>Chemical Communications</i> , 2012 , 48, 11419-21	5.8	41
99	Fluorescence-based biosensors. <i>Methods in Molecular Biology</i> , 2012 , 875, 193-216	1.4	40
98	Therapeutic potential of a pyridoxal-based vanadium(IV) complex showing selective cytotoxicity for cancer versus healthy cells. <i>Journal of Cellular Physiology</i> , 2013 , 228, 2202-9	7	39
97	New (Anilidomethyl)pyridine Titanium(IV) and Zirconium(IV) Catalyst Precursors for the Highly Chemo- and Stereoselective cis-1,4-Polymerization of 1,3-Butadiene. <i>Macromolecules</i> , 2011 , 44, 1934-1947	5.5	39
96	Myoglobin as a new fluorescence probe to sense H ₂ S. <i>Protein and Peptide Letters</i> , 2011 , 18, 282-6	1.9	38
95	Single insertion of α -olefins into the cationic complex [Zr(CH ₂ Ph) ₃] ⁺ affording isolable [Zr(CH ₂ Ph) ₂ (CH ₂ CHRCH ₂ Ph)] ⁺ adducts: a model for the insertion mechanism in Ziegler-Natta polymerization. <i>Organometallics</i> , 1994 , 13, 298-302	3.8	38
94	Ring-opening polymerization of cyclic esters promoted by phosphido-diphosphine pincer group 3 complexes. <i>Journal of Polymer Science Part A</i> , 2011 , 49, 403-413	2.5	37
93	Phosphido-diphosphine pincer group 3 complexes as efficient initiators for lactide polymerization. <i>Journal of Polymer Science Part A</i> , 2010 , 48, 1374-1382	2.5	37
92	An efficient solvent free catalytic oxidation of sulfides to sulfoxides with hydrogen peroxide catalyzed by a binaphthyl-bridged Schiff base titanium complex. <i>Tetrahedron Letters</i> , 2006 , 47, 7233-7235	2.3	37
91	Stereospecific polymerization of 1-olefins and styrene in the presence of homogeneous catalysts. <i>Makromolekulare Chemie Macromolecular Symposia</i> , 1991 , 48-49, 297-316		37
90	Behaviour of homogenous catalysts for propene polymerization in methylene chloride. <i>Die Makromolekulare Chemie</i> , 1989 , 190, 2357-2361		37
89	New Titanium and Hafnium Complexes Bearing [N ₂ NN]Pyrrolylpyridylamido Ligands as Olefin Polymerization Catalysts. <i>Organometallics</i> , 2012 , 31, 6772-6778	3.8	36
88	Tridentate [N,N,O] Schiff-base group 4 metal complexes: Synthesis, structural characterization and reactivity in olefin polymerization. <i>Journal of Molecular Catalysis A</i> , 2006 , 258, 275-283		36
87	A Copper Porphyrin for Sensing H ₂ S in Aqueous Solution via a π -Coordinative-Based Approach. <i>European Journal of Inorganic Chemistry</i> , 2015 , 2015, 2272-2276	2.3	35

86	Isotactic-Specific Polymerization of Propene by a Cs-Symmetric Zirconium(IV) Complex Bearing a Dianionic Tridentate [N,N,N]-Amidomethylpyrrolidopyridine Ligand. <i>Macromolecules</i> , 2009 , 42, 5572-5578	5.5	33
85	Iron and manganese pyridoxal-based complexes as fluorescent probes for nitrite and nitrate anions in aqueous solution. <i>Inorganic Chemistry</i> , 2013 , 52, 11778-86	5.1	32
84	Heteroscorpionate-based Co ²⁺ , Zn ²⁺ , and Cu ²⁺ complexes: coordination behavior, aerobic oxidation, and hydrogen sulfide detection. <i>Inorganic Chemistry</i> , 2011 , 50, 900-10	5.1	31
83	Bis(phenoxyimine)zirconium and -titanium Catalysts Affording Prevaillingly Syndiotactic Polypropylenes via Opposite Modes of Monomer Insertion. <i>Macromolecules</i> , 2004 , 37, 276-282	5.5	31
82	Non-metallocene group 4 organometallic complexes as catalysts for olefin polymerization: synthesis and catalytic activity of the cationic complex [Zr(CH ₂ Ph) ₃] ⁺ [B(CH ₂ Ph)(C ₆ F ₅) ₃] ⁻ . <i>Journal of Molecular Catalysis</i> , 1993 , 82, 57-65		31
81	Chemically reversible binding of HS to a zinc porphyrin complex: towards implementation of a reversible sensor via a "coordinative-based approach". <i>Dalton Transactions</i> , 2017 , 46, 1872-1877	4.3	30
80	Ring-Opening Copolymerization of Epoxides with Cyclic Anhydrides Promoted by Bimetallic and Monometallic PhenoxyImine Aluminum complexes. <i>ChemCatChem</i> , 2017 , 9, 2972-2979	5.2	28
79	Ring-Opening Polymerization of ε-Caprolactone by Benzylalkoxybis(2,4,6-triisopropylphenyl)tin Compounds: Observation of the Insertion Product into the Sn-Me Bond. <i>Macromolecules</i> , 2007 , 40, 1886-1890	5.5	28
78	Phenoxyaldimine and Phenoxyketimine Titanium Complexes in Propene Polymerization. A Different Effect of o-Phenoxy Halide Substituents. <i>Macromolecules</i> , 2006 , 39, 7812-7820	5.5	28
77	Polymerization of Conjugated Dienes Promoted by Bis(phenoxyimino)titanium Catalysts. <i>Macromolecules</i> , 2003 , 36, 9260-9263	5.5	28
76	Group 4 transition metal complex cations for olefin polymerization. <i>Die Makromolekulare Chemie Rapid Communications</i> , 1991 , 12, 663-667		28
75	Bis[(amidomethyl)pyridine] Zirconium(IV) Complexes: Synthesis, Characterization, and Activity as Olefin Polymerization Catalysts. <i>Organometallics</i> , 2009 , 28, 688-697	3.8	27
74	Polymerization of ethylene and propene promoted by binaphthyl-bridged Schiff base complexes of titanium. <i>Journal of Molecular Catalysis A</i> , 2006 , 258, 284-291		27
73	Mechanism of syndiotactic-specific polymerization of styrene. <i>Macromolecular Symposia</i> , 1995 , 89, 373-383		27
72	Neutral and Cationic Methylaluminium Complexes of 2-Anilino tropone Ligands: Synthesis, Characterization, and Reactivity toward Ethylene. <i>European Journal of Inorganic Chemistry</i> , 2004 , 2004, 1292-1298	2.3	26
71	Mechanism of Unlike Stereoselectivity in 1-Alkene Primary Insertions: Syndiospecific Propene Polymerization by Brookhart-Type Nickel(II) Catalysts. <i>Organometallics</i> , 2000 , 19, 1343-1349	3.8	26
70	Ethylene-Styrene Copolymerization. <i>Rubber Chemistry and Technology</i> , 1999 , 72, 553-558	1.7	26
69	Single insertion of propene into a cationic zirconium(IV) complex: Isolation and X-ray crystal structure of [(C ₅ Me ₅)Zr(CH ₂ CHMeCH ₂ Ph)(CH ₂ Ph)] ⁺ [B(CH ₂ Ph)(C ₆ F ₅) ₃] ⁻ . <i>Journal of Organometallic Chemistry</i> , 1994 , 479, c9-c11	2.3	26

68	Ring-opening polymerization of ϵ -hexadecenolactone by a salicylaldiminato aluminum complex: a route to semicrystalline and functional poly(ester)s. <i>Polymer Chemistry</i> , 2015 , 6, 1727-1740	4.9	25
67	Organometallic sulfur complexes: reactivity of the hydrogen sulfide anion with cobaloximes. <i>New Journal of Chemistry</i> , 2015 , 39, 4093-4099	3.6	25
66	Ring-opening polymerization of cyclic esters by phenoxy-thioether complexes derived from biocompatible metals. <i>Dalton Transactions</i> , 2013 , 42, 13036-47	4.3	25
65	C1-Symmetric Pentacoordinate Anilidopyridylpyrrolide Zirconium(IV) Complexes as Highly Isospecific Olefin Polymerization Catalysts. <i>Macromolecules</i> , 2010 , 43, 8887-8891	5.5	24
64	Preliminary kinetic investigation on syndiotactic polymerization of styrene. <i>Macromolecules</i> , 1989 , 22, 1642-1645	5.5	24
63	Rare earth complexes of phenoxy-thioether ligands: synthesis and reactivity in the ring opening polymerization of cyclic esters. <i>Dalton Transactions</i> , 2013 , 42, 9338-51	4.3	22
62	A FRET-based biosensor for NO detection. <i>Journal of Inorganic Biochemistry</i> , 2010 , 104, 619-24	4.2	22
61	Synthesis of hyperbranched low molecular weight polyethylene oils by an iminopyridine nickel(II) catalyst. <i>Polymer Chemistry</i> , 2017 , 8, 6443-6454	4.9	21
60	NMR spectroscopy and X-ray characterisation of cationic N-heteroaryl-pyridylamido Zr(IV) complexes: a further level of complexity for the elusive active species of pyridylamido olefin polymerisation catalysts. <i>Chemistry - A European Journal</i> , 2014 , 20, 232-44	4.8	21
59	A Comparative Study on the Polymerization of α -Olefins Catalyzed by Salen and Salan Zirconium Complexes. <i>Macromolecular Chemistry and Physics</i> , 2008 , 209, 585-592	2.6	21
58	Isotactic polypropylene by polymerization of propene in the presence of some achiral soluble transition metal compounds and methylaluminumoxane. <i>Die Makromolekulare Chemie Rapid Communications</i> , 1988 , 9, 51-55		21
57	New homoleptic bis(pyrrolylpyridylimino) Mg(II) and Zn(II) complexes as catalysts for the ring opening polymerization of cyclic esters via an "activated monomer" mechanism. <i>Dalton Transactions</i> , 2017 , 46, 12217-12225	4.3	20
56	Palladium-Catalyzed Ethylene/Methyl Acrylate Copolymerization: Moving from the Acenaphthene to the Phenanthrene Skeleton of β -Diimine Ligands. <i>Organometallics</i> , 2019 , 38, 3498-3511	3.8	18
55	Absorption into fluorescence. A method to sense biologically relevant gas molecules. <i>Nanoscale</i> , 2011 , 3, 298-302	7.7	18
54	Polymerization of α -olefins promoted by zirconium complexes bearing bis(phenoxy-imine) ligands with ortho-phenoxy halogen substituents. <i>Journal of Molecular Catalysis A</i> , 2009 , 297, 9-17		18
53	Fluorescent -type Zn(II) Complexes As Probes for Detecting Hydrogen Sulfide and Its Anion: Bioimaging Applications. <i>Inorganic Chemistry</i> , 2020 , 59, 15977-15986	5.1	18
52	Interaction of monohydrogensulfide with a family of fluorescent pyridoxal-based Zn(II) receptors. <i>Dalton Transactions</i> , 2018 , 47, 17392-17400	4.3	18
51	Salen-type aluminum and zinc complexes as two-faced Janus compounds: contribution to molecular sensing and polymerization catalysis. <i>Dalton Transactions</i> , 2020 , 49, 16533-16550	4.3	17

50	Efficient Modulation of Polyethylene Microstructure by Proper Activation of (Diimine)Ni(II) Catalysts: Synthesis of Well-Performing Polyethylene Elastomers. <i>Macromolecules</i> , 2017 , 50, 6586-6594	5.5	16
49	Solution Structure and Reactivity with Metallocenes of AlMe F: Mimicking Cation-Anion Interactions in Metallocenium-Methylalumoxane Inner-Sphere Ion Pairs. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 14227-14231	16.4	16
48	Ring-Opening Polymerization of Racemic ϵ -Butyrolactone Promoted by Salan- and Salen-Type Yttrium Amido Complexes. <i>Macromolecular Chemistry and Physics</i> , 2013 , 214, 1965-1972	2.6	16
47	Group 4 bis(chelate) metal complexes of monoanionic bidentate [E,O-] ligands (E = O, S): synthesis and application as alpha-olefin polymerization catalysts. <i>Dalton Transactions</i> , 2009 , 8831-7	4.3	16
46	(E/Z) Selectivity in the Polymerization of 2-Butene Promoted by Ni(II) Brookhart-Type Catalysts. <i>Macromolecules</i> , 2005 , 38, 2072-2075	5.5	16
45	Synthesis, crystal structure and application in regio- and stereoselective epoxidation of allylic alcohols of a titanium binaphthyl-bridged Schiff base complex. <i>Journal of Molecular Catalysis A</i> , 2005 , 235, 253-259		16
44	Isolation of a single-insertion intermediate in the catalytic polymerization of propene by a cationic tris(hydrocarbyl) zirconium complex. <i>Journal of the Chemical Society Chemical Communications</i> , 1993 , 947		16
43	Octahedral Bis(phenoxy-imine)tin(IV) Alkyl Complexes: Synthesis, Characterization, and Reactivity toward Ionizing Species and Ethylene. <i>Organometallics</i> , 2005 , 24, 1947-1952	3.8	15
42	Preparation of poly(glycolide-co-lactide)s through a green process: Analysis of structural, thermal, and barrier properties. <i>Reactive and Functional Polymers</i> , 2016 , 109, 70-78	4.6	13
41	Synthesis and olefin polymerization activity of (quinolin-8-ylamino)phenolate and (quinolin-8-ylamido)phenolate Group 4 metal complexes. <i>Journal of Molecular Catalysis A</i> , 2011 , 351, 112-119		13
40	Synthesis of 4-phenylbutyl-branched polyethylene from an ethylene-styrene feed by a half-titanocene catalyst. <i>Macromolecular Rapid Communications</i> , 1999 , 20, 337-340	4.8	13
39	Zinc (II) porphyrins as viable scaffolds to stabilize hydrogen sulfide binding at the metal center. <i>Inorganica Chimica Acta</i> , 2017 , 466, 426-431	2.7	12
38	Polymerization of propene by post-metallocene catalysts. <i>Macromolecular Symposia</i> , 2004 , 213, 235-252	0.8	12
37	Phosphido-diphosphine pincer aluminum complexes as catalysts for ring opening polymerization of cyclic esters. <i>Journal of Polymer Science Part A</i> , 2014 , 52, 49-60	2.5	11
36	Polymerization of ϵ -caprolactone by sodium hydride: From the synthesis of the polymer samples to their thermal, mechanical and barrier properties. <i>Reactive and Functional Polymers</i> , 2012 , 72, 752-756	4.6	11
35	Correlations between microstructural characterization and thermal properties of well defined poly(ϵ -caprolactone) samples by ring opening polymerization with neutral and cationic bis(2,4,6-trisopropylphenyl)tin(IV) compounds. <i>Reactive and Functional Polymers</i> , 2010 , 70, 151-158	4.6	11
34	New anilino tropone-based titanium complexes: synthesis, characterization and application as catalysts for olefin polymerization. <i>Dalton Transactions</i> , 2005 , 3025-31	4.3	11
33	Effects of the Reaction Conditions on the Syndiospecific Polymerization of Propene Promoted by Bis(phenoxyimine) Titanium Catalysts. <i>Macromolecular Chemistry and Physics</i> , 2004 , 205, 486-491	2.6	11

32	Tailor-made block copolymers of L-, D- and ϵ -lactides and ϵ -caprolactone one-pot sequential ring opening polymerization by pyridylamidozinc(II) catalysts.. <i>RSC Advances</i> , 2019 , 9, 32771-32779	3.7	11
31	Azurin and HS ⁻ Towards Implementation of a Sensor for HS ⁻ Detection. <i>European Journal of Inorganic Chemistry</i> , 2019 , 2019, 885-891	2.3	11
30	Ring-opening polymerization of ϵ -caprolactone and lactides promoted by salen- and salen-type yttrium amido complexes. <i>Journal of Molecular Catalysis A</i> , 2013 , 379, 303-308		10
29	Group 4 metal bis(chelate) complexes of 2-anilidomethylpyridine ligands: Synthesis and catalytic activity for olefin polymerization. <i>Journal of Molecular Catalysis A</i> , 2011 , 337, 1-8		10
28	Alternating Copolymerization of CO ₂ and Cyclohexene Oxide by New Pyridylamidozinc(II) Catalysts. <i>Macromolecules</i> , 2018 , 51, 9871-9877	5.5	10
27	Tetracoordinate aluminum complexes bearing phenoxy-based ligands as catalysts for epoxide/anhydride copolymerization: some mechanistic insights. <i>Catalysis Science and Technology</i> , 2019 , 9, 3090-3098	5.5	9
26	Isospecific polymerization of propene by new indolyl-pyridylamido Zr(IV) catalysts. <i>Journal of Molecular Catalysis A</i> , 2013 , 370, 28-34		9
25	A Cyclam-Based Fluorescent Ligand as a Molecular Beacon for Cu ²⁺ and H ₂ S Detection. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 3900-3907	2.3	9
24	Reactivity of a Cationic Alkyl Amino-Functionalized Cyclopentadienyl Aluminum Compound with Olefins: NMR Observation and Computational Investigation of the Single Propene Insertion Product into an Al π Bond. <i>Organometallics</i> , 2009 , 28, 2554-2562	3.8	9
23	Copolymerization and terpolymerization of glycolide with lactones by dimethyl(salicylaldiminato)aluminum compounds. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	8
22	Octahedral Alkylbis(phenoxy-imine)tin(IV) Complexes: Effect of Substituents on the Geometry of the Complexes and Their Reactivity Toward Ionizing Species and Ethylene. <i>European Journal of Inorganic Chemistry</i> , 2007 , 2007, 5752-5759	2.3	7
21	Stereospecific and Stereoselective Polymerization of 4-Methyl-1-hexene by Enantiomeric Binaphthyl-Bridged Salen Dichlorozirconium (IV) Complexes. <i>Macromolecular Rapid Communications</i> , 2007 , 28, 1912-1917	4.8	7
20	Reactivity of monohydrogensulfide with a suite of pyridoxal-based complexes: A combined NMR, ESI-MS, UV-visible and fluorescence study. <i>Inorganica Chimica Acta</i> , 2020 , 501, 119235	2.7	7
19	Copolymerization of Ethylene and Methyl Acrylate by Pyridylimino Ni(II) Catalysts Affording Hyperbranched Poly(ethylene-co-methyl acrylate)s with Tunable Structures of the Ester Groups. <i>Macromolecules</i> , 2020 , 53, 9294-9305	5.5	7
18	Modern fluorescence-based concepts and methods to study biomolecular interactions. <i>Molecular Systems Design and Engineering</i> , 2017 , 2, 123-132	4.6	6
17	Influence of coordinated ligands in a series of inorganic cobaloximes. <i>Inorganica Chimica Acta</i> , 2016 , 444, 202-208	2.7	6
16	Solution Structure and Reactivity with Metallocenes of AlMe ₂ F: Mimicking Cation π -Anion Interactions in Metallocenium π -Methylalumoxane Inner-Sphere Ion Pairs. <i>Angewandte Chemie</i> , 2017 , 129, 14415-14419	3.6	6
15	Bis(2,4,6-triisopropylphenyl)tin(IV) compounds: Synthesis, single-crystal X-ray characterization and reactivity toward ionizing species and polar monomers. <i>Journal of Organometallic Chemistry</i> , 2006 , 691, 1505-1514	2.3	6

14	Bi-enzyme sensor for phenolic compounds with fluorescent read-out. <i>Chemistry - A European Journal</i> , 2013 , 19, 14977-82	4.8	4
13	Classical and metallocene catalytic systems: Comparison between the stereochemical mechanisms of Eblefin polymerization. <i>Makromolekulare Chemie Macromolecular Symposia</i> , 1993 , 66, 1-10		4
12	SECONDARY ENAMINES AS LIGANDS. I. SYNTHESIS AND CHARACTERIZATION OF COMPLEXES OF GROUP VIII METALS WITH 2-(2-PYRIDINYLMETHYL)AMINO-3-(2-PYRIDINYLMETHYLENE)AMINO-2-BUTENEDINITRILE (PPH).	1.6	4
11	CRYSTAL STRUCTURE OF THE IRON(II) COMPLEX [Fe(PPH) ₂](PF ₆) ₂ ·2H ₂ O. <i>Journal of Coordination Chemistry</i> , 1995 , 12, 191-200 Tuning the thermal properties of poly(ethylene)-like poly(esters) by copolymerization of ε-caprolactone with macrolactones, in the presence of a pyridylamidozinc(II) complex. <i>Journal of Polymer Science</i> , 2020 , 58, 528-539	2.4	4
10	Synthesis of bio-based polymacrolactones with pendant eugenol moieties as novel antimicrobial thermoplastic materials. <i>Reactive and Functional Polymers</i> , 2020 , 155, 104714	4.6	4
9	20. Copolymerization of Hydrocarbon Monomers in the Presence of CpTiCl ₃ - MAO: Some Information on the Reaction Mechanism from Kinetic Data and Model Compounds. <i>Studies in Surface Science and Catalysis</i> , 1994 , 89, 209-219	1.8	3
8	Imidazo-pyridine-based zinc(II) complexes as fluorescent hydrogen sulfide probes. <i>Dalton Transactions</i> , 2021 , 50, 17075-17085	4.3	3
7	Guanidinate Zn(II) Complexes as Efficient Catalysts for Lactide Homo- and Copolymerization under Industrially Relevant Conditions. <i>ACS Applied Polymer Materials</i> , 2021 , 3, 4035-4043	4.3	3
6	Cationic zirconium benzyl complexes as catalysts for olefin polymerization: A comparison among dicyclopentadienyl, monocyclopentadienyl and Cp-free derivatives. <i>Macromolecular Symposia</i> , 1995 , 89, 335-344	0.8	2
5	D-serine-dehydratase from <i>Saccharomyces cerevisiae</i> : a pyridoxal 5'- phosphate-dependent enzyme for advanced biotech applications. <i>Protein and Peptide Letters</i> , 2012 , 19, 592-5	1.9	2
4	Isotactic-specific polymerization of propene with an iron-based catalyst: polymer end groups and regiochemistry of propagation 1998 , 19, 651		2
3	Tunable In-Chain and At the End of the Branches Methyl Acrylate Incorporation in the Polyolefin Skeleton through Pd(II) Catalysis. <i>ACS Catalysis</i> , 2022 , 12, 3430-3443	13.1	2
2	The contribution of metalloporphyrin complexes in molecular sensing and in sustainable polymerization processes: a new and unique perspective. <i>Dalton Transactions</i> , 2021 , 50, 7898-7916	4.3	1
1	Iminopyridine Ni(II) Catalysts Affording Oily Hyperbranched Ethylene Oligomers and/or Crystalline Polyethylenes Depending on the Reaction Conditions: Possible Role of In Situ Catalyst Structure Modifications. <i>Macromol</i> , 2021 , 1, 121-129		0