

Sivaprasad

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9268269/sivaprasad-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

116
papers

2,281
citations

27
h-index

44
g-index

122
ext. papers

2,651
ext. citations

2.5
avg, IF

5.23
L-index

#	Paper	IF	Citations
116	Sliding wear behaviour of Al 6063/TiB ₂ in situ composites at elevated temperatures. <i>Materials & Design</i> , 2009 , 30, 2521-2531		155
115	X-ray peak broadening analysis of AA 6061/100 wt.% Al ₂ O ₃ nanocomposite prepared by mechanical alloying. <i>Materials Characterization</i> , 2011 , 62, 661-672	3.9	131
114	Dry sliding wear behaviour of AA 6351-ZrB ₂ in situ composite at room temperature. <i>Materials & Design</i> , 2010 , 31, 1526-1532		96
113	An investigation on flowability and compressibility of AA 6061/100 wt.% TiO ₂ micro and nanocomposite powder prepared by blending and mechanical alloying. <i>Powder Technology</i> , 2010 , 201, 70-82	5.2	90
112	Microstructure and mechanical properties of ultra fine grained Cu ₃ Ni and Cu ₃ Al alloys produced by cryorolling and annealing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 489, 253-258	5.3	87
111	Study on abrasive and erosive wear behaviour of Al 6063/TiB ₂ in situ composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 498, 495-500	5.3	79
110	An investigation of the synthesis, consolidation and mechanical behaviour of Al 6061 nanocomposites reinforced by TiC via mechanical alloying. <i>Materials & Design</i> , 2014 , 57, 394-404		75
109	Analysis and Characterization of the Role of Ni Interlayer in the Friction Welding of Titanium and 304 Austenitic Stainless Steel. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2016 , 47, 347-359	2.3	73
108	Properties of Friction Welding Titanium-stainless Steel Joints with a Nickel Interlayer 2014 , 5, 1120-1129		67
107	Study on cryorolled Al ₇₀ Cu alloy using X-ray diffraction line profile analysis and evaluation of strengthening mechanisms. <i>Materials & Design</i> , 2013 , 52, 785-790		63
106	Localized corrosion of an ultrafine grained Al ₇₀ Zn ₂₀ Mg alloy produced by cryorolling. <i>Corrosion Science</i> , 2012 , 60, 82-89	6.8	61
105	Synthesis, structure and sinterability of 6061 AA100 wt.% TiO ₂ composites prepared by high-energy ball milling. <i>Journal of Alloys and Compounds</i> , 2010 , 491, 712-721	5.7	55
104	Influence of Weld Cooling Rate on Microstructure and Mechanical Properties of Alloy 718 Weldments. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2008 , 39, 2115-2127	2.3	55
103	Evaluation of Microstructures and Mechanical Properties of Dissimilar Materials by Friction Welding 2014 , 5, 1107-1113		48
102	Effect of cryorolling on the mechanical properties of AA5083 alloy and the Portevin \ddot{e} Chatelier phenomenon. <i>Materials & Design</i> , 2015 , 67, 107-117		47
101	Microstructural evolution and aging behavior of cryorolled Al ₇₀ Zn ₂₀ Mg alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 535, 129-135	5.3	47
100	The influence of aluminium intermediate layer in dissimilar friction welds. <i>International Journal of Materials Research</i> , 2014 , 105, 350-357	0.5	47

99	Enhanced Relative Slip Distance in Gas-Tungsten-Arc-Welded Al _{0.5} CoCrFeNi High-Entropy Alloy. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2017 , 48, 3630-3634 ^{2,3}	4.3	45
98	Influence of magnetic arc oscillation and current pulsing on fatigue behavior of alloy 718 TIG weldments. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 448, 120-127	5.3	42
97	Influence of magnetic arc oscillation and current pulsing on microstructure and high temperature tensile strength of alloy 718 TIG weldments. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 428, 327-331	5.3	38
96	Nucleation and growth of TiAl intermetallic phase in diffusion bonded Ti/Al Metal Intermetallic Laminate. <i>Scientific Reports</i> , 2018 , 8, 16797	4.9	34
95	Microstructural observation, consolidation and mechanical behaviour of AA 6061 nanocomposites reinforced by Al ₂ O ₃ nanoparticles. <i>Advanced Powder Technology</i> , 2015 , 26, 139-148	4.6	32
94	Influence of turning parameters on the machinability of homogenized AlCu/TiB ₂ in situ metal matrix composites. <i>International Journal of Advanced Manufacturing Technology</i> , 2013 , 67, 1589-1596	3.2	32
93	Dissimilar welding of Al _{0.1} CoCrFeNi high-entropy alloy and AISI304 stainless steel. <i>Journal of Materials Research</i> , 2019 , 34, 2683-2694	2.5	30
92	Fabrication and consolidation behavior of Al 6061 nanocomposite powders reinforced by multi-walled carbon nanotubes. <i>Powder Technology</i> , 2014 , 258, 189-197	5.2	29
91	Mechanical anisotropy and microstructural changes during cryorolling of AlMgSi alloy. <i>Materials Characterization</i> , 2015 , 107, 302-308	3.9	28
90	Evaluation of compaction equations and prediction using adaptive neuro-fuzzy inference system on compressibility behavior of AA 6061/100 wt.% TiO ₂ nanocomposites prepared by mechanical alloying. <i>Powder Technology</i> , 2011 , 209, 124-137	5.2	28
89	Phase Evolution and Thermal Analysis of Nanocrystalline AlCrCuFeNiZn High Entropy Alloy Produced by Mechanical Alloying. <i>Journal of Materials Engineering and Performance</i> , 2013 , 22, 3077-3084 ^{1,6}	1.6	26
88	Mechanical properties and microstructures of AlFe(0-1)Zr bulk nano-crystalline alloy processed by mechanical alloying and spark plasma sintering. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 541, 152-158	5.3	24
87	Anisotropy models in precise crystallite size determination of mechanically alloyed powders. <i>Physica B: Condensed Matter</i> , 2011 , 406, 165-168	2.8	24
86	Microwave processing of functionally graded bioactive materials. <i>Materials Letters</i> , 2003 , 57, 2716-2721 ^{3,3}	3.3	23
85	Studies of the energy spectrum and composition of the primary cosmic rays at 1000000 TeV from the GRAPES-3 experiment. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2012 , 39, 025201	2.9	22
84	Microstructure and mechanical properties of fly ash particle reinforced AA6061 composites produced by press and extrusion. <i>Transactions of the Indian Institute of Metals</i> , 2009 , 62, 559-566	1.2	22
83	Strengthening contributions in ultra-high strength cryorolled Al-4%Cu-3%TiB ₂ in situ composite. <i>Transactions of Nonferrous Metals Society of China</i> , 2014 , 24, 641-647	3.3	21
82	Microstructure, cold workability and strain hardening behavior of trimodal AA 6061/TiO ₂ nanocomposite prepared by mechanical alloying. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 6776-6787	5.3	21

81	Studies on void coalescence analysis of nanocrystalline cryorolled commercially pure aluminium formed under different stress conditions. <i>Materials & Design</i> , 2010 , 31, 3578-3584		21
80	A comparative study on microstructure and mechanical properties near interface for dissimilar materials during conventional V-groove and narrow gap welding. <i>Journal of Manufacturing Processes</i> , 2017 , 25, 274-283	5	20
79	Characterization of Nanocrystalline AlCoCrCuNiFeZn High Entropy Alloy Produced by Mechanical Alloying 2014 , 5, 1020-1026		20
78	Novel welding of Al _{0.5} CoCrFeNi high-entropy alloy: Corrosion behavior. <i>Journal of Alloys and Compounds</i> , 2020 , 817, 153163	5-7	20
77	Microstructure Characterization of Superalloy 718 during Dissimilar Rotary Friction Welding. <i>Materials Science Forum</i> , 2019 , 969, 211-217	0-4	19
76	Microstructure and mechanical properties of Al ₁₃ Mg ₁₀ Sc alloy sheets produced by cryorolling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 740-741, 49-62	5-3	19
75	Development of a Friction Welded Bimetallic Joints Between Titanium and 304 Austenitic Stainless Steel 2018 , 709-717		18
74	Microstructural characterization and grain refinement of AA6082 gas tungsten arc welds by scandium modified fillers. <i>Materials Chemistry and Physics</i> , 2012 , 137, 543-551	4-4	17
73	Effect of strengthening mechanisms on cold workability and instantaneous strain hardening behavior during grain refinement of AA 6061-10wt.% TiO ₂ composite prepared by mechanical alloying. <i>Journal of Alloys and Compounds</i> , 2010 , 507, 236-244	5-7	17
72	High temperature tensile properties of cryorolled Al-4wt%Cu-3wt%TiB ₂ in-situ composites. <i>Transactions of the Indian Institute of Metals</i> , 2011 , 64, 63-66	1-2	16
71	Techno-economics of carbon nanotubes produced by open air arc discharge method. <i>International Journal of Engineering, Science and Technology</i> , 2010 , 2,	1-4	15
70	A study on the work hardening and the effect of triaxiality on the fracture behaviour of some cryorolled aluminium alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 678, 165-177	5-3	15
69	Thermal Analysis and Nanoindentation Studies on Nanocrystalline AlCrNiFeZn High Entropy Alloy 2014 , 6, 641-647		13
68	Characterization of Laser Beam Welded Al _{0.5} CoCrFeNi High-Entropy Alloy. <i>Key Engineering Materials</i> , 2018 , 775, 448-453	0-4	12
67	Effect of Rolling Temperature on Microstructure and Mechanical Properties of Cryorolled Al-Mg-Si Alloy Reinforced with 3wt% TiB ₂ In Situ Composite. <i>Advanced Materials Research</i> , 2012 , 584, 556-560	0-5	12
66	Formability and fracture behaviour of cryorolled Al-3 Mg-0.25 Sc alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 721, 14-21	5-3	11
65	Effect of gaussian beam on microstructural and mechanical properties of dissimilar laser welding of AA5083 and AA6061 alloys. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018 , 330, 012066	0-4	11
64	Influence of titanium and boron additions on grain refinement of AA6082 gas tungsten arc welds. <i>Materials & Design</i> , 2012 , 40, 467-475		11

63	Mechanical and Tribological Behavior of Multiwalled Carbon Nanotubes-Reinforced AA7075 Composites Prepared by Powder Metallurgy and Hot Extrusion. <i>Journal of Materials Engineering and Performance</i> , 2018 , 27, 5675-5688	1.6	11
62	Work hardening behavior of Ti/Al-based metal intermetallic laminates. <i>International Journal of Advanced Manufacturing Technology</i> , 2017 , 93, 361-374	3.2	10
61	Coupled effect of heat input and beam oscillation on mechanical properties of alloy 718 electron beam weldments. <i>Science and Technology of Welding and Joining</i> , 2006 , 11, 127-134	3.7	10
60	Studies on post weld heat treatment of dissimilar aluminum alloys by laser beam welding technique. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018 , 330, 012079	0.4	10
59	Corrosion behavior of ultrafine-grained AA2024 aluminum alloy produced by cryorolling. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2017 , 24, 1293-1305	3.1	9
58	Influence of short annealing treatment on corrosion behaviour of cryorolled commercially pure aluminum. <i>Anti-Corrosion Methods and Materials</i> , 2010 , 57, 18-20	0.8	9
57	Tungsten Matrix Composite Reinforced with CoCrFeMnNi High-Entropy Alloy: Impact of Processing Routes on Microstructure and Mechanical Properties. <i>Metals</i> , 2019 , 9, 992	2.3	8
56	Electron-beam welding of high-entropy alloy and stainless steel: microstructure and mechanical properties. <i>Materials and Manufacturing Processes</i> , 2020 , 35, 1885-1894	4.1	8
55	Powder metallurgy of Al _{0.1} CoCrFeNi high-entropy alloy. <i>Journal of Materials Research</i> , 2020 , 35, 2835-2847	2.4	8
54	Improving the corrosion properties of magnesium AZ31 alloy GTA weld metal using microarc oxidation process. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2017 , 24, 566-573	3.1	7
53	Effect of Stress Relief Annealing on Microstructure & Mechanical Properties of Welded Joints Between Low Alloy Carbon Steel and Stainless Steel. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2017 , 48, 230-245	2.3	7
52	On Plastic Deformation Behavior of Cryorolled AA8090 Alloy. <i>Transactions of the Indian Institute of Metals</i> , 2017 , 70, 1463-1475	1.2	7
51	Microstructural Characterization and Mechanical Properties of Diffusion Bonded TiNi In Situ Metal Intermetallic Laminates. <i>Transactions of the Indian Institute of Metals</i> , 2017 , 70, 709-719	1.2	6
50	Tribological studies on laser surface melted Hastelloy C-276. <i>Surface Engineering</i> , 2013 , 29, 531-535	2.6	6
49	Studies on Potentiodynamic Polarization Behaviour of Cryorolled Al-Mg-Si Alloy. <i>Key Engineering Materials</i> , 2013 , 545, 153-157	0.4	6
48	Enhanced Mechanical Properties of AA5083 GTA Weldments with Current Pulsing and Addition of Scandium. <i>Materials Science Forum</i> , 2013 , 765, 716-720	0.4	6
47	Mechanical behavior and void coalescence analysis of cryorolled AA8090 alloy. <i>International Journal of Advanced Manufacturing Technology</i> , 2017 , 93, 253-259	3.2	5
46	Effect of coarse grain matrix content on the mechanical behavior of trimodal AA 6061-TiO ₂ nanocomposite prepared by mechanical alloying. <i>International Journal of Advanced Manufacturing Technology</i> , 2015 , 78, 385-394	3.2	5

45	Dispersion and Thermal Analysis of Carbon Nanotube Reinforced AA 4032 Alloy Produced by High Energy Ball Milling. <i>Experimental Techniques</i> , 2013 , 37, 14-18	1.4	5
44	Mechanical Properties and Corrosion Behavior of Carbon Nanotubes Reinforced AA 4032 Nanocomposites. <i>Experimental Techniques</i> , 2014 , 38, 48-52	1.4	5
43	Characterization based analysis on TiAl ₃ intermetallic phase layer growth phenomenon and kinetics in diffusion bonded Ti/TiAl ₃ /Al laminates. <i>Materials Characterization</i> , 2021 , 174, 110981	3.9	4
42	DSC analysis on AA2219 plates processed by cryorolling and coldrolling. <i>Materials Research Express</i> , 2019 , 6, 1065c9	1.7	3
41	Superior Strength with Enhanced Fracture Resistance of Al-Mg-Sc Alloy Through Two-Step Cryo Cross Rolling. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2019 , 50, 3265-3281	2.3	3
40	Evaluation of Microstructure at Interfaces of Welded Joint Between Low Alloy Steel and Stainless Steel. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2019 , 50, 2784-2793	2.3	3
39	Microstructural, Mechanical and Tribological Behavior of Gravity- and Squeeze-Cast Novel AlSiCuMgFe Alloy. <i>Transactions of the Indian Institute of Metals</i> , 2020 , 73, 1409-1415	1.2	3
38	Study on low melting nanocrystalline Sn-0.7Cu solder alloy. <i>International Journal of Engineering, Science and Technology</i> , 2018 , 10, 17-26	1.4	3
37	Analysis of Heat Treatment Response for Cryorolled AA2219 Alloy. <i>Transactions of the Indian Institute of Metals</i> , 2019 , 72, 1881-1900	1.2	2
36	Tribological Behavior of Additive Manufactured TiAl by Electron Beam Melting. <i>Transactions of the Indian Institute of Metals</i> , 2020 , 73, 1661-1667	1.2	2
35	Narrow gap welding of low alloy and austenitic stainless steels using different Inconel alloys: comparison of microstructure and properties. <i>Materials Research Express</i> , 2019 , 6, 096518	1.7	2
34	Synthesis and Characterization of CNT Reinforced AA4032 Nanocomposites by High Energy Ball Milling 2010 ,		2
33	CONSOLIDATION OF CNT-REINFORCED AA4032 NANOCOMPOSITES BY ECAP. <i>International Journal of Nanoscience</i> , 2011 , 10, 233-236	0.6	2
32	Achieving Superior Strength and Ductility Combination Through Cryorolling in 2219 Aluminum Alloy. <i>Journal of Materials Engineering and Performance</i> , 2020 , 29, 6809-6817	1.6	2
31	Effect of crack path and high angle grain boundaries on fracture toughness and fatigue behaviour of cryorolled AA2219. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2020 , 43, 2608-2622	3	2
30	Synthesis of metal catalyst carbon nanotubes by arc-discharge method used for energy efficient applications 2018 ,		2
29	Deformation behavior of Al/Cu in-situ metal-intermetallic laminates at low and high strain rates. <i>Journal of Alloys and Compounds</i> , 2021 , 873, 159767	5.7	2
28	Comparison based on specific strength and density of in-situ Ti/Al and Ti/Ni metal intermetallic laminates. <i>Journal of Materials Research and Technology</i> , 2021 , 14, 1126-1136	5.5	2

27	Role of deformation induced martensite on mechanical properties of cryorolled 304 stainless steel. <i>Materials Research Express</i> , 2019 , 6, 086539	1.7	1
26	Improving Corrosion Resistance of AA2014 Welds with Micro Arc Oxidation. <i>Materials Science Forum</i> , 2013 , 765, 634-638	0.4	1
25	Dissimilar welding of high-entropy alloy to Inconel 718 superalloy for structural applications. <i>Journal of Materials Research</i> ,1	2.5	1
24	Tribological Behavior of Laser Surface Melted TiAl Fabricated by Electron Beam Additive Manufacturing. <i>Journal of Materials Engineering and Performance</i> ,1	1.6	1
23	A Novel Method of Estimating the Laves Phase in Electron Beam Welded Alloy 718. <i>Praktische Metallographie/Practical Metallography</i> , 2008 , 45, 271-282	0.3	1
22	Effect of Fe Addition to Binder Phase on Mechanical Properties of Tungsten Heavy Alloy. <i>Transactions of the Indian Institute of Metals</i> , 2020 , 73, 863-871	1.2	1
21	Effect of Composition on Tensile and Impact Properties of Tungsten-Based Heavy Alloy. <i>Materials Science Forum</i> , 2016 , 863, 40-44	0.4	1
20	Correlating Tensile Properties with Microstructures of Various Regions in Gas Tungsten Arc Welded AA2014 Alloy. <i>Materials Science Forum</i> , 2019 , 969, 22-26	0.4	1
19	Microstructure and properties of in-situ high entropy alloy/tungsten carbide composites by mechanical alloying.. <i>Material Design and Processing Communications</i> , 2020 ,	0.9	1
18	Excellent Combination of Tensile ductility and strength due to nanotwinning and a bimodal structure in cryorolled austenitic stainless steel. <i>Scientific Reports</i> , 2020 , 10, 354	4.9	0
17	Replication of the Al/Ti Metal Intermetallic Laminates Using LS Dyna for Tungsten Alloy Penetrator Application. <i>Journal of the Institution of Engineers (India): Series D</i> , 2020 , 1	0.9	0
16	Effect of Frequency and Duty Cycle on Growth, Structure and Corrosion Resistance of Micro Arc Oxidation Coating on RZ5 Magnesium Alloy. <i>Key Engineering Materials</i> , 2018 , 775, 291-297	0.4	0
15	Mechanical and Tribological Behavior of Gravity and Squeeze Cast Novel Al-Si Alloy. <i>Metals</i> , 2022 , 12, 194	2.3	0
14	Influence of nickel-based buttering material on welded joint between SA508 low alloy steel and 304LN stainless steel. <i>International Journal of Pressure Vessels and Piping</i> , 2022 , 195, 104576	2.4	0
13	Microstructural and corrosion behavior of MAO coated 5052 aluminum alloy. <i>Materials Today: Proceedings</i> , 2021 , 41, 1120-1124	1.4	0
12	Simulations on compressive properties of Al-Cu metal intermetallic laminates (MILs) using FEA. <i>Materials Today: Proceedings</i> , 2021 , 41, 1110-1115	1.4	0
11	Sustainable Low-Cost Method for Production of High-Entropy Alloys from Alloy Scraps. <i>Journal of Sustainable Metallurgy</i> ,	2.7	0
10	Microstructure and Mechanical properties of Cu-7wt.% Al Alloy produced by Equal Channel Angular pressing with different routes. <i>Materials Today: Proceedings</i> , 2018 , 5, 8241-8248	1.4	

9	WEAR BEHAVIOUR OF CARBON NANOTUBES REINFORCED NANOCRYSTALLINE AA 4032 COMPOSITES. <i>IOP Conference Series: Materials Science and Engineering</i> , 2016 , 149, 012080	0.4
8	Studies on Dissimilar Friction Stir Welded Al ₇₀ Cu ₁₀ Ti ₁₀ B ₂ In Situ Composites with Base Alloy. <i>Advanced Materials Research</i> , 2018 , 1148, 165-175	0.5
7	Influence of Crystallite Size on Consolidation of Carbon Nanotube Reinforced AA 4032 Composite Powders by Equal Channel Angular Pressing. <i>Key Engineering Materials</i> , 2011 , 471-472, 127-132	0.4
6	Studies on Dissimilar Welding of AA5083 and AA6061 Alloys by Laser Beam Welding. <i>Advanced Materials Research</i> , 2012 , 626, 701-705	0.5
5	Effect of Type and Concentration of Aqueous Solutions on Corrosion Behaviour of Plasma Electrolytic Oxide Films on ZM21 Mg Alloy. <i>Materials Science Forum</i> , 2019 , 969, 309-314	0.4
4	High strength and high conductive copper-based alloy produced by SPD for contact wires for high speed railway lines - A short review. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019 , 672, 012055	0.4
3	Effect of Welding Speed on the Microstructure and Corrosion Properties of Weld and Heat Affected Zones in GTA Welded AA2014 Alloy. <i>Materials Science Forum</i> , 2019 , 969, 834-838	0.4
2	Combination of high strength and corrosion resistance in AA5052 alloy using cryorolling and micro arc oxidation. <i>Materials Today: Proceedings</i> , 2021 , 39, 1738-1742	1.4
1	Dynamic Compression Behavior of Ti/TiAl ₃ /Al Metal Intermetallic Laminates. <i>Journal of Materials Engineering and Performance</i> , 1	1.6