

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9268780/ewa-poleszak-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

145 papers	1,823 citations	25 h-index	36 g-index
156 ext. papers	2,253 ext. citations	3.4 avg, IF	4.64 L-index

#	Paper	IF	Citations
145	The involvement of serotonergic system in the antidepressant effect of zinc in the forced swim test. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 323-9	5.5	102
144	Antidepressant-like activity of zinc: further behavioral and molecular evidence. <i>Journal of Neural Transmission</i> , 2008 , 115, 1621-8	4.3	95
143	Antidepressant activity of zinc and magnesium in view of the current hypotheses of antidepressant action. <i>Pharmacological Reports</i> , 2008 , 60, 588-9	3.9	93
142	Antidepressant- and anxiolytic-like activity of magnesium in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2004 , 78, 7-12	3.9	84
141	NMDA/glutamate mechanism of antidepressant-like action of magnesium in forced swim test in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2007 , 88, 158-64	3.9	62
140	Magnesium in depression. <i>Pharmacological Reports</i> , 2013 , 65, 547-54	3.9	52
139	Zinc, magnesium and NMDA receptor alterations in the hippocampus of suicide victims. <i>Journal of Affective Disorders</i> , 2013 , 151, 924-31	6.6	48
138	A complex interaction between glycine/NMDA receptors and serotonergic/noradrenergic antidepressants in the forced swim test in mice. <i>Journal of Neural Transmission</i> , 2011 , 118, 1535-46	4.3	44
137	Zinc-induced adaptive changes in NMDA/glutamatergic and serotonergic receptors. <i>Pharmacological Reports</i> , 2009 , 61, 1184-91	3.9	44
136	Investigational NMDA receptor modulators for depression. <i>Expert Opinion on Investigational Drugs</i> , 2012 , 21, 91-102	5.9	40
135	Immobility stress induces depression-like behavior in the forced swim test in mice: effect of magnesium and imipramine. <i>Pharmacological Reports</i> , 2006 , 58, 746-52	3.9	37
134	Caffeine enhances the antidepressant-like activity of common antidepressant drugs in the forced swim test in mice. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2016 , 389, 211-21	3.4	36
133	Cannabinoids in depressive disorders. <i>Life Sciences</i> , 2018 , 213, 18-24	6.8	35
132	NMDA but not AMPA glutamatergic receptors are involved in the antidepressant-like activity of MTEP during the forced swim test in mice. <i>Pharmacological Reports</i> , 2010 , 62, 1186-90	3.9	34
131	Enhancement of antidepressant-like activity by joint administration of imipramine and magnesium in the forced swim test: Behavioral and pharmacokinetic studies in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2005 , 81, 524-9	3.9	34
130	Effects of acute and chronic treatment with magnesium in the forced swim test in rats. <i>Pharmacological Reports</i> , 2005 , 57, 654-8	3.9	34
129	NMDA and AMPA receptors are involved in the antidepressant-like activity of tianeptine in the forced swim test in mice. <i>Pharmacological Reports</i> , 2011 , 63, 1526-32	3.9	30

128	Magnesium and depression. <i>Magnesium Research</i> , 2016 , 29, 112-119	1.7	30
127	Activation of the NMDA/glutamate receptor complex antagonizes the NMDA antagonist-induced antidepressant-like effects in the forced swim test. <i>Pharmacological Reports</i> , 2007 , 59, 595-600	3.9	30
126	Antidepressant-like effect of chromium chloride in the mouse forced swim test: involvement of glutamatergic and serotonergic receptors. <i>Pharmacological Reports</i> , 2008 , 60, 991-5	3.9	28
125	Zinc signaling and epilepsy. <i>Pharmacology & Therapeutics</i> , 2019 , 193, 156-177	13.9	27
124	Involvement of NMDA and AMPA receptors in the antidepressant-like activity of antidepressant drugs in the forced swim test. <i>Pharmacological Reports</i> , 2013 , 65, 991-7	3.9	27
123	Neuroprotective Effects of Coffee Bioactive Compounds: A Review. <i>International Journal of Molecular Sciences</i> , 2020 , 22,	6.3	27
122	Caffeine augments the antidepressant-like activity of mianserin and agomelatine in forced swim and tail suspension tests in mice. <i>Pharmacological Reports</i> , 2016 , 68, 56-61	3.9	26
121	Chronic Variable Stress Is Responsible for Lipid and DNA Oxidative Disorders and Activation of Oxidative Stress Response Genes in the Brain of Rats. <i>Oxidative Medicine and Cellular Longevity</i> , 2017 , 2017, 7313090	6.7	26
120	Lack of NMDA-AMPA interaction in antidepressant-like effect of CGP 37849, an antagonist of NMDA receptor, in the forced swim test. <i>Journal of Neural Transmission</i> , 2008 , 115, 1519-20	4.3	24
119	NMDA/glutamate mechanism of magnesium-induced anxiolytic-like behavior in mice. <i>Pharmacological Reports</i> , 2008 , 60, 655-63	3.9	24
118	D-serine, a selective glycine/N-methyl-D-aspartate receptor agonist, antagonizes the antidepressant-like effects of magnesium and zinc in mice. <i>Pharmacological Reports</i> , 2008 , 60, 996-1000	3.9	24
117	Anxiolytic-like activity of zinc in rodent tests. <i>Pharmacological Reports</i> , 2011 , 63, 1050-5	3.9	22
116	Benzodiazepine/GABA(A) receptors are involved in magnesium-induced anxiolytic-like behavior in mice. <i>Pharmacological Reports</i> , 2008 , 60, 483-9	3.9	21
115	Effects of ifenprodil on the antidepressant-like activity of NMDA ligands in the forced swim test in mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 46, 29-35	5.5	19
114	The role of microbiota-gut-brain axis in neuropsychiatric and neurological disorders. <i>Pharmacological Research</i> , 2021 , 172, 105840	10.2	17
113	The depressogenic-like effect of acute and chronic treatment with dexamethasone and its influence on the activity of antidepressant drugs in the forced swim test in adult mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014 , 54, 243-8	5.5	16
112	Antidepressant-Like Activity of Typical Antidepressant Drugs in the Forced Swim Test and Tail Suspension Test in Mice Is Augmented by DMPX, an Adenosine A Receptor Antagonist. <i>Neurotoxicity Research</i> , 2019 , 35, 344-352	4.3	16
111	The influence of caffeine on the activity of moclobemide, venlafaxine, bupropion and milnacipran in the forced swim test in mice. <i>Life Sciences</i> , 2015 , 136, 13-8	6.8	15

110	Traxoprodil, a selective antagonist of the NR2B subunit of the NMDA receptor, potentiates the antidepressant-like effects of certain antidepressant drugs in the forced swim test in mice. <i>Metabolic Brain Disease</i> , 2016 , 31, 803-14	3.9	15
109	Sildenafil, a phosphodiesterase type 5 inhibitor, enhances the antidepressant activity of amitriptyline but not desipramine, in the forced swim test in mice. <i>Journal of Neural Transmission</i> , 2012 , 119, 645-52	4.3	15
108	Rho kinase inhibition ameliorates cyclophosphamide-induced cystitis in rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2017 , 390, 613-619	3.4	14
107	Activity and Safety of Inhaled Itraconazole Nanosuspension in a Model Pulmonary Aspergillus fumigatus Infection in Inoculated Young Quails. <i>Mycopathologia</i> , 2015 , 180, 35-42	2.9	14
106	Attenuating effect of adenosine receptor agonists on the development of behavioral sensitization induced by sporadic treatment with morphine. <i>Pharmacology Biochemistry and Behavior</i> , 2011 , 98, 356-61	3.9	14
105	Involvement of NMDA receptor complex in the anxiolytic-like effects of chlordiazepoxide in mice. <i>Journal of Neural Transmission</i> , 2011 , 118, 857-64	4.3	14
104	Fourteen-day administration of corticosterone may induce detrusor overactivity symptoms. <i>International Urogynecology Journal</i> , 2016 , 27, 1713-1721	2	13
103	Influence of sildenafil on the antidepressant activity of bupropion and venlafaxine in the forced swim test in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2012 , 103, 273-8	3.9	13
102	Estimation of oxidative stress parameters in rats after simultaneous administration of rosuvastatin with antidepressants. <i>Pharmacological Reports</i> , 2016 , 68, 172-6	3.9	12
101	Evaluation of the role of NMDA receptor function in antidepressant-like activity. A new study with citalopram and fluoxetine in the forced swim test in mice. <i>Pharmacological Reports</i> , 2015 , 67, 490-3	3.9	12
100	The effects of ifenprodil on the activity of antidepressant drugs in the forced swim test in mice. <i>Pharmacological Reports</i> , 2014 , 66, 1031-6	3.9	11
99	Sildenafil, a phosphodiesterase type 5 inhibitor, reduces antidepressant-like activity of paroxetine in the forced swim test in mice. <i>Pharmacological Reports</i> , 2012 , 64, 1259-66	3.9	11
98	Sildenafil, a phosphodiesterase type 5 inhibitor, enhances the activity of two atypical antidepressant drugs, mianserin and tianeptine, in the forced swim test in mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012 , 38, 121-6	5.5	11
97	Agomelatine and tianeptine antidepressant activity in mice behavioral despair tests is enhanced by DMPX, a selective adenosine A receptor antagonist, but not DPCPX, a selective adenosine A receptor antagonist. <i>Pharmacological Reports</i> , 2019 , 71, 676-681	3.9	10
96	DPCPX, a selective adenosine A1 receptor antagonist, enhances the antidepressant-like effects of imipramine, escitalopram, and reboxetine in mice behavioral tests. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2018 , 391, 1361-1371	3.4	10
95	The role of magnesium and zinc in depression: similarities and differences. <i>Magnesium Research</i> , 2018 , 31, 78-89	1.7	10
94	Influence of the phosphodiesterase type 5 inhibitor, sildenafil, on antidepressant-like activity of magnesium in the forced swim test in mice. <i>Pharmacological Reports</i> , 2012 , 64, 205-11	3.9	9
93	Inhibition of Rho kinase by GSK 269962 reverses both corticosterone-induced detrusor overactivity and depression-like behaviour in rats. <i>European Journal of Pharmacology</i> , 2018 , 837, 127-136	5.3	9

92	Effects of Magnesium Supplementation on Unipolar Depression: A Placebo-Controlled Study and Review of the Importance of Dosing and Magnesium Status in the Therapeutic Response. <i>Nutrients</i> , 2018 , 10,	6.7	8
91	Chronic treatment with caffeine and its withdrawal modify the antidepressant-like activity of selective serotonin reuptake inhibitors in the forced swim and tail suspension tests in mice. Effects on Comt, Slc6a15 and Adora1 gene expression. <i>Toxicology and Applied Pharmacology</i> , 2017 , 337, 95-103	4.6	8
90	An anti-immobility effect of spermine in the forced swim test in mice. <i>Pharmacological Reports</i> , 2014 , 66, 223-7	3.9	8
89	O-1602, an Agonist of Atypical Cannabinoid Receptors GPR55, Reverses the Symptoms of Depression and Detrusor Overactivity in Rats Subjected to Corticosterone Treatment. <i>Frontiers in Pharmacology</i> , 2020 , 11, 1002	5.6	8
88	Ligands of the CB2 cannabinoid receptors augment activity of the conventional antidepressant drugs in the behavioural tests in mice. <i>Behavioural Brain Research</i> , 2020 , 378, 112297	3.4	8
87	Assessment of physical properties of granules with paracetamol and caffeine. <i>Saudi Pharmaceutical Journal</i> , 2017 , 25, 900-905	4.4	7
86	Inhibition of the CRF receptor influences the activity of antidepressant drugs in the forced swim test in rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2017 , 390, 769-774	3.4	7
85	CB cannabinoid receptor ligands augment the antidepressant-like activity of biometals (magnesium and zinc) in the behavioural tests. <i>Journal of Pharmacy and Pharmacology</i> , 2018 , 70, 566-575	4.8	7
84	Synergistic antidepressant-like effect of the joint administration of caffeine and NMDA receptor ligands in the forced swim test in mice. <i>Journal of Neural Transmission</i> , 2016 , 123, 463-72	4.3	7
83	8-Cyclopentyl-1,3-dimethylxanthine enhances effectiveness of antidepressant in behavioral tests and modulates redox balance in the cerebral cortex of mice. <i>Saudi Pharmaceutical Journal</i> , 2018 , 26, 694-702	4.4	7
82	Antidepressant and anxiolytic-like activity of sodium selenite after acute treatment in mice. <i>Pharmacological Reports</i> , 2017 , 69, 276-280	3.9	7
81	The differential effects of green tea on dose-dependent doxorubicin toxicity. <i>Food and Nutrition Research</i> , 2015 , 59, 29754	3.1	7
80	Influence of the CB and CB cannabinoid receptor ligands on the activity of atypical antidepressant drugs in the behavioural tests in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2020 , 188, 172833	3.9	7
79	Resveratrol Limits Lipogenesis and Enhance Mitochondrial Activity in HepG2 Cells. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2018 , 21, 504-515	3.4	7
78	Influence of the CB cannabinoid receptors on the activity of the monoaminergic system in the behavioural tests in mice. <i>Brain Research Bulletin</i> , 2019 , 150, 179-185	3.9	6
77	New arylpiperazine derivatives with antidepressant-like activity containing isonicotinic and picolinic nuclei: evidence for serotonergic system involvement. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2019 , 392, 743-754	3.4	6
76	The effect of imipramine, ketamine, and zinc in the mouse model of depression. <i>Metabolic Brain Disease</i> , 2015 , 30, 1379-86	3.9	6
75	A Novel Alternative in the Treatment of Detrusor Overactivity? In Vivo Activity of O-1602, the Newly Synthesized Agonist of GPR55 and GPR18 Cannabinoid Receptors. <i>Molecules</i> , 2020 , 25,	4.8	6

74	A botanical and pharmacological description of petasites species. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2015 , 28, 151-154	0.5	6
73	Influence of the endocannabinoid system on the antidepressant activity of bupropion and moclobemide in the behavioural tests in mice. <i>Pharmacological Reports</i> , 2020 , 72, 1562-1572	3.9	5
72	Traxoprodil augments the antidepressant-like activity of agomelatine but not of mianserin or tianeptine in the forced swim test in mice. <i>Pharmacological Reports</i> , 2016 , 68, 960-3	3.9	5
71	The effect of an acute and 7-day administration of magnesium chloride on magnesium concentration in the serum, erythrocytes, and brain of rats. <i>Pharmacological Reports</i> , 2016 , 68, 289-91	3.9	5
70	Effects of NMDA antagonists on the development and expression of tolerance to diazepam-induced motor impairment in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2016 , 142, 42-7	3.9	5
69	Bioaccessibility of phenolic compounds, lutein, and bioelements of preparations containing in artificial digestive juices. <i>Journal of Applied Phycology</i> , 2018 , 30, 1629-1640	3.2	5
68	Withdrawal of caffeine after its chronic administration modifies the antidepressant-like activity of atypical antidepressants in mice. Changes in cortical expression of Comt, Slc6a15 and Adora1 genes. <i>Psychopharmacology</i> , 2018 , 235, 2423-2434	4.7	5
67	Comparison of physicochemical properties of suppositories containing starch hydrolysates. <i>Saudi Pharmaceutical Journal</i> , 2017 , 25, 365-369	4.4	5
66	Duloxetine reverses the symptoms of overactive bladder co-existing with depression via the central pathways. <i>Pharmacology Biochemistry and Behavior</i> , 2020 , 189, 172842	3.9	5
65	Altered expression of genes involved in brain energy metabolism as adaptive responses in rats exposed to chronic variable stress; changes in cortical level of glucogenic and neuroactive amino acids. <i>Molecular Medicine Reports</i> , 2019 , 19, 2386-2396	2.9	5
64	Blebbistatin, a Myosin II Inhibitor, Exerts Antidepressant-Like Activity and Suppresses Detrusor Overactivity in an Animal Model of Depression Coexisting with Overactive Bladder. <i>Neurotoxicity Research</i> , 2019 , 35, 196-207	4.3	5
63	Effects of alprazolam treatment on anxiety-like behavior induced by color stimulation in adult zebrafish. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 82, 297-306	5.5	5
62	The influence of selective A1 and A2A receptor antagonists on the antidepressant-like activity of moclobemide, venlafaxine and bupropion in mice. <i>Journal of Pharmacy and Pharmacology</i> , 2018 , 70, 1200-1208	4.8	5
61	Influence of the selective antagonist of the NR2B subunit of the NMDA receptor, traxoprodil, on the antidepressant-like activity of desipramine, paroxetine, milnacipran, and bupropion in mice. <i>Journal of Neural Transmission</i> , 2017 , 124, 387-396	4.3	4
60	Intravesical administration of blebbistatin prevents cyclophosphamide-induced toxicity of the urinary bladder in female Wistar rats. <i>Neurourology and Urodynamics</i> , 2019 , 38, 1044-1052	2.3	4
59	Anxiogenic- and antidepressant-like behavior in corneally kindled rats. <i>Pharmacological Reports</i> , 2015 , 67, 349-52	3.9	4
58	Ionic Glutamate Modulators in Depression (Zinc, Magnesium) 2010 , 21-38		4
57	Effects of classic antiseizure drugs on seizure activity and anxiety-like behavior in adult zebrafish. <i>Toxicology and Applied Pharmacology</i> , 2021 , 415, 115429	4.6	4

56	Polyvalent Mechanical Bacterial Lysate Administration Improves the Clinical Course of Grass Pollen-Induced Allergic Rhinitis in Children: A Randomized Controlled Trial. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021 , 9, 453-462	5.4	4
55	Asiatic Acid, a Natural Compound that Exerts Beneficial Effects on the Cystometric and Biochemical Parameters in the Retinyl Acetate-Induced Model of Detrusor Overactivity. <i>Frontiers in Pharmacology</i> , 2020 , 11, 574108	5.6	4
54	Synergistic Action of Sodium Selenite with some Antidepressants and Diazepam in Mice. <i>Pharmaceutics</i> , 2018 , 10,	6.4	4
53	The application of povidone in the preparation of modified release tablets. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2016 , 29, 71-78	0.5	3
52	NMDA receptor activation antagonizes the NMDA antagonist-induced antianxiety effect in the elevated plus-maze test in mice. <i>Pharmacological Reports</i> , 2013 , 65, 1124-31	3.9	3
51	Adenosine receptor ligands and dizocilpine-induced antinociception in mice. <i>International Journal of Neuroscience</i> , 2005 , 115, 511-22	2	3
50	Kinetics of the decomposition and the estimation of the stability of 10% aqueous and non-aqueous hydrogen peroxide solutions. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2014 , 27, 213-216	0.5	3
49	Mineral and trace element composition of the roe and muscle tissue of farmed rainbow trout (<i>Oncorhynchus mykiss</i>) with respect to nutrient requirements: Elements in rainbow trout products. <i>Journal of Trace Elements in Medicine and Biology</i> , 2020 , 62, 126619	4.1	3
48	Imipramine Influences Body Distribution of Supplemental Zinc Which May Enhance Antidepressant Action. <i>Nutrients</i> , 2020 , 12,	6.7	3
47	Tirapazamine has no Effect on Hepatotoxicity of Cisplatin and 5-fluorouracil but Interacts with Doxorubicin Leading to Side Changes in Redox Equilibrium. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016 , 119, 330-40	3.1	3
46	Blebbistatin reveals beneficial effects on the cystometric parameters in an animal model of detrusor overactivity. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2019 , 392, 843-850	3.4	2
45	Stimulation of atypical cannabinoid receptor GPR55 abolishes the symptoms of detrusor overactivity in spontaneously hypertensive rats. <i>European Journal of Pharmaceutical Sciences</i> , 2020 , 150, 105329	5.1	2
44	The effect of a combined choline salicylate and cetalkonium chloride gel on particular strains of <i>Pseudomonas aeruginosa</i> , <i>Staphylococcus</i> spp. and <i>Streptococcus</i> spp.. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2015 , 28, 77-80	0.5	2
43	Influence of the dissolution medium on the release of dehydroepiandrosterone from lipophilic suppositories. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2014 , 27, 46-50	0.5	2
42	Review on analgesic effect of co-administrated ibuprofen and caffeine. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2014 , 27, 10-13	0.5	2
41	A bright future of researching AMPA receptor agonists for depression treatment. <i>Expert Opinion on Investigational Drugs</i> , 2012 , 21, 583-4; author reply 584-5	5.9	2
40	The Positive Synergism of CPT and MK-801 in Behavioral Tests and in Reduction of Environmental Stress and Redox Signaling Changes in Mice Cerebral Cortex. <i>CNS and Neurological Disorders - Drug Targets</i> , 2017 , 16, 837-845	2.6	2
39	Effect of Pork Meat Replacement by Fish Products on Fatty Acid Content, Physicochemical, and Sensory Properties of Pork Pies. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 188	2.6	2

38	The relationship between the physical activity of students from Lublinâs universities, and video games. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2016 , 29, 21-23	0.5	2
37	The Interaction of Selective A1 and A2A Adenosine Receptor Antagonists with Magnesium and Zinc Ions in Mice: Behavioural, Biochemical and Molecular Studies. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
36	Neurobehavioral properties of Cymbopogon essential oils and its components. <i>Phytochemistry Reviews</i> , 1	7.7	2
35	The influence of nebivolol on the activity of BRL 37344 - the β -adrenergic receptor agonist, in the animal model of detrusor overactivity. <i>Neurourology and Urodynamics</i> , 2019 , 38, 1229-1240	2.3	1
34	Selenium and manganese in depression - preclinical and clinical studies. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2017 , 30, 151-155	0.5	1
33	Release kinetics of papaverine hydrochloride from tablets with different excipients. <i>Scientia Pharmaceutica</i> , 2014 , 82, 684-96	4.3	1
32	Physical and chemical properties of cosmetic cream made of ingredients obtained from Juglans regia L.. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2012 , 25, 190-193	0.5	1
31	The influence of the eutectic mixtures: salicylic acid - menthol and benzocaine - menthol on physical properties of the creams with fluconazole. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2013 , 26, 457-460	0.5	1
30	Physical properties and caffeine release from creams prepared with different oils. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2014 , 27, 224-228	0.5	1
29	The influence of emulsifiers on physical properties and release parameters of creams with caffeine. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2015 , 28, 81-84	0.5	1
28	The influence of excipients on dissolution of caffeine from granules. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2012 , 25, 194-197	0.5	1
27	The Potential of Asiatic Acid in the Reversion of Cyclophosphamide-Induced Hemorrhagic Cystitis in Rats. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
26	Anxiolytic-like effects of the new arylpiperazine derivatives containing isonicotinic and picolinic nuclei: behavioral and biochemical studies. <i>Fundamental and Clinical Pharmacology</i> , 2019 , 33, 254-266	3.1	1
25	Purinergic transmission in depressive disorders. <i>Pharmacology & Therapeutics</i> , 2021 , 224, 107821	13.9	1
24	Effects of new antiseizure drugs on seizure activity and anxiety-like behavior in adult zebrafish. <i>Toxicology and Applied Pharmacology</i> , 2021 , 427, 115655	4.6	1
23	Nasal carriage of Staphylococcus aureus in children with grass pollen-induced allergic rhinitis and the effect of polyvalent mechanical bacterial lysate immunostimulation on carriage status: A randomized controlled trial.. <i>Immunity, Inflammation and Disease</i> , 2021 ,	2.4	1
22	Chemical comparison of the underground parts of Valeriana officinalis and Valeriana turkestanica from Poland and Kazakhstan. <i>Open Chemistry</i> , 2017 , 15, 75-81	1.6	0
21	The in vitro efficacy of eye drops containing a bacteriophage solution specific for Staphylococcus spp. isolated from dogs with bacterial conjunctivitis. <i>Irish Veterinary Journal</i> , 2020 , 73, 21	2.2	0

20	Development of spectrophotometric method for simultaneous estimation of diclofenac sodium and papaverine hydrochloride in tablets based on simultaneous equation method. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2012 , 25, 182-186	0.5	0
19	Influence of different excipients on the properties of hard gelatin capsules with metamizole sodium. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2016 , 29, 114-117	0.5	
18	New perspectives of the treatment of urogenital atrophy in women: intravaginal DHEA therapy. <i>Przegląd Menopauzalny</i> , 2013 , 2, 111-114	1.2	
17	Comparative Histochemical analysis of above-ground parts of <i>Filipendula vulgaris</i> and <i>Filipendula ulmaria</i> growing in Central Kazakhstan. <i>Research Journal of Pharmacy and Technology</i> , 2021 , 4863-4867	1.7	
16	IMMUNODIAGNOSIS IN MEMBRANOUS NEPHROPATHY. <i>Wiadomości Lekarskie</i> , 2020 , 73, 1861-1866	0.3	
15	DISORDERS OF THE INTESTINAL FLORA AND IT IS EFFECT ON SKELETAL SYSTEM DISEASES. <i>Wiadomości Lekarskie</i> , 2020 , 73, 1835-1839	0.3	
14	Influence of Polymer Type on the Physical Properties and Release Profile of Papaverine Hydrochloride From Hard Gelatin Capsules. <i>Polimery W Medycynie</i> , 2015 , 45, 51-5	1.1	
13	A brief analysis of patients suffering from stomach or duodenal ulcers in Almaty hospital. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2015 , 28, 241-243	0.5	
12	Physical and chemical properties of emulsions made of ingredients obtained from <i>Juglans regia</i> L.. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2012 , 25, 438-442	0.5	
11	The release of phenobarbital from parenteral emulsions. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2012 , 25, 381-383	0.5	
10	Comparison of the physical properties of ointments, creams and gels with ibuprofen obtained with two different methods according to the own compositions. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2012 , 25, 384-387	0.5	
9	The influence of starch hydrolysates on properties of suspensions. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2012 , 25, 187-189	0.5	
8	Formulation and evaluation of sulfadimidine and trimethoprim tablets using wet granulation technique. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2012 , 25, 202-206	0.5	
7	Release kinetics of sulfadimidine sodium and trimethoprim from tablets containing different excipients prepared by wet granulation method. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2013 , 26, 183-188	0.5	
6	Comparison of fluconazole release from hydrogels with Syntalen MP and Syntalen KP and from hydrophilic cream. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2013 , 26, 189-192	0.5	
5	Effect of bioadhesive agents on physico-chemical properties of suppositories. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2013 , 26, 193-197	0.5	
4	Comparative dissolution studies on granules with acetaminophen and caffeine using the basket and paddle methods with simultaneous spectrophotometric determination of active substances. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2019 , 32, 219-224	0.5	
3	DISORDERS OF THE INTESTINAL FLORA AND IT IS EFFECT ON SKELETAL SYSTEM DISEASES. <i>Wiadomości Lekarskie</i> , 2020 , 73, 1835-1839	0.3	

- 2 IMMUNODIAGNOSIS IN MEMBRANOUS NEPHROPATHY. *Wiadomości Lekarskie*, **2020**, 73, 1861-1866 0.3
- 1 Comparison of sensory and rheological properties of green cosmetic creams prepared on different natural, ECOCERT and BDIH certificated self-emulsifying bases. *Current Issues in Pharmacy and Medical Sciences*, **2021**, 34, 218-223 0.5