

Fernando Gomez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9269458/publications.pdf>

Version: 2024-02-01

27
papers

730
citations

623734

14
h-index

580821

25
g-index

27
all docs

27
docs citations

27
times ranked

1122
citing authors

#	ARTICLE	IF	CITATIONS
1	Phenotype of Osteosarcopenia in Older Individuals With a History of Falling. Journal of the American Medical Directors Association, 2015, 16, 290-295.	2.5	182
2	Frailty among rural elderly adults. BMC Geriatrics, 2014, 14, 2.	2.7	70
3	Activity Restriction Related to Fear of Falling Among Older People in the Colombian Andes Mountains. Journal of Aging and Health, 2009, 21, 460-479.	1.7	61
4	SABE Colombia: Survey on Health, Well-Being, and Aging in Colombia—Study Design and Protocol. Current Gerontology and Geriatrics Research, 2016, 2016, 1-7.	1.6	59
5	Phenotype of sarcopenic obesity in older individuals with a history of falling. Archives of Gerontology and Geriatrics, 2016, 65, 255-259.	3.0	34
6	A Simple Algorithm to Predict Falls in Primary Care Patients Aged 65 to 74 Years: The International Mobility in Aging Study. Journal of the American Medical Directors Association, 2017, 18, 774-779.	2.5	33
7	Dynapenia and Sarcopenia as a Risk Factor for Disability in a Falls and Fractures Clinic in Older Persons. Open Access Macedonian Journal of Medical Sciences, 2018, 6, 344-349.	0.2	31
8	High parathyroid hormone levels are associated with osteosarcopenia in older individuals with a history of falling. Maturitas, 2018, 113, 21-25.	2.4	29
9	Health Care for Older Persons in Colombia: A Country Profile. Journal of the American Geriatrics Society, 2009, 57, 1692-1696.	2.6	23
10	Cohort Profile: The International Mobility In Aging Study (IMIAS). International Journal of Epidemiology, 2018, 47, 1393-1393h.	1.9	23
11	A Regression Tree for Identifying Risk Factors for Fear of Falling: The International Mobility in Aging Study (IMIAS). Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 181-188.	3.6	23
12	Frailty in older adults and their association with social determinants of Health. The SABE Colombia Study. Colombia Medica, 2019, 50, 89-101.	0.2	21
13	Effects of the falls and fractures clinic as an integrated multidisciplinary model of care in Australia: a pre- and post study. BMJ Open, 2019, 9, e027013.	1.9	17
14	Abuse in Colombian elderly and its association with socioeconomic conditions and functionality. Colombia Medica, 2019, 50, 77-88.	0.2	16
15	Social and Economic Predictors of Worse Frailty Status Occurrence Across Selected Countries in North and South America and Europe. Innovation in Aging, 2018, 2, igy037.	0.1	15
16	The development of a fear of falling interdisciplinary intervention program. Clinical Interventions in Aging, 2007, 2, 661-7.	2.9	14
17	Prevalence, awareness, treatment and control of high blood pressure in the elderly according to the ethnic group. Colombian survey. Colombia Medica, 2019, 50, 115-127.	0.2	12
18	Successful Aging in Colombia: The Role of Disease. Gerontology and Geriatric Medicine, 2018, 4, 233372141880405.	1.5	11

#	ARTICLE	IF	CITATIONS
19	Differing approaches to falls and fracture prevention between Australia and Colombia. <i>Clinical Interventions in Aging</i> , 2013, 8, 61.	2.9	10
20	Religiosity and self-rated health among older adults in Colombia. <i>Colombia Medica</i> , 2019, 50, 67-76.	0.2	9
21	Falls and life-space mobility: longitudinal analysis from The International Mobility in Aging Study. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 303-310.	2.9	9
22	Healthy aging determinants and disability among older adults: SABE Colombia. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2021, 45, 1.	1.1	9
23	Arthritis diagnosis and symptoms are positively associated with specific physical job exposures in lower- and middle-income countries: cross-sectional results from the World Health Organization's Study on global AGEing and adult health (SAGE). <i>BMC Public Health</i> , 2018, 18, 719.	2.9	7
24	Social differences associated with the use of psychotropic drugs among men and women aged 65 to 74 years living in the community: the international mobility in aging study (IMIAS). <i>BMC Geriatrics</i> , 2015, 15, 85.	2.7	6
25	Global cognition predicts the incidence of poor physical performance among older adults: A cross-national study. <i>Geriatrics and Gerontology International</i> , 2020, 20, 218-222.	1.5	6
26	Interdisciplinary Collaboration in Gerontology and Geriatrics in Latin America: Conceptual Approaches and Health Care Teams. <i>Gerontology and Geriatrics Education</i> , 2013, 34, 161-175.	0.8	0
27	Fenotipo de envejecimiento saludable de personas mayores en Manizales. <i>Biomedica</i> , 2020, 40, 102-116.	0.7	0