

Tanju T Kaya

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9270761/publications.pdf>

Version: 2024-02-01

28
papers

252
citations

933447

10
h-index

1058476

14
g-index

28
all docs

28
docs citations

28
times ranked

221
citing authors

#	ARTICLE	IF	CITATIONS
1	New carnivore material from the Middle Miocene of Turkey. Implications on biochronology and palaeoecology. <i>Geobios</i> , 2015, 48, 9-23.	1.4	25
2	ÅžerefrÅŸy-2, a new Late Miocene mammal locality from the YataÅŸan Formation, MuÅŸla, SW Turkey. <i>Comptes Rendus - Palevol</i> , 2012, 11, 5-12.	0.2	24
3	A new Middle Miocene mammalian fauna from MordoÅŸan (Western Turkey). <i>Palaontologische Zeitschrift</i> , 2003, 77, 293-302.	1.6	21
4	New carnivoran remains from the Late Miocene of Turkey. <i>Palaontologische Zeitschrift</i> , 2018, 92, 131-162.	1.6	16
5	<i>Ancylotherium pentelicum</i> (Perissodactyla, Mammalia) from the Upper Miocene of central and western Turkey. <i>Geobios</i> , 2002, 35, 241-251.	1.4	15
6	First fossil find of the <i>Blanus strauchi</i> complex (Amphisbaenia, Blanidae) from the Miocene of Anatolia. <i>Journal of Vertebrate Paleontology</i> , 2018, 38, e1437044.	1.0	15
7	Late miocene rhinocerotids (Mammalia) from Yulafli (Åžorlu-Thrace/Turkey). <i>Geobios</i> , 2001, 34, 457-467.	1.4	14
8	A new late Orleanian/Early Astaracian mammalian fauna from Kultak (Milas-Mugla), southwestern Turkey. <i>Geobios</i> , 2001, 34, 673-680.	1.4	14
9	Reconciling the stratigraphy and depositional history of the Lycian orogen-top basins, SW Anatolia. <i>Palaeobiodiversity and Palaeoenvironments</i> , 2019, 99, 551-570.	1.5	14
10	A new early Miocene herpetofauna from KilÅŸak, Turkey. <i>Russian Journal of Herpetology</i> , 2019, 26, 205.	0.5	14
11	The hipparions (Mammalia, Equidae) from GÅŸlupinar (Canakkale, Turkey). <i>Palaontologische Zeitschrift</i> , 1995, 69, 491-501.	1.6	12
12	Bone histology, palaeobiology, and early diagenetic history of extinct equids from Turkey. <i>Quaternary Research</i> , 2021, 100, 240-259.	1.7	9
13	A new lophocyonid, <i>Izmirictis cani</i> gen. et sp. nov. (Carnivora: Mammalia), from the lower Miocene of Turkey. <i>Journal of Systematic Palaeontology</i> , 2019, 17, 1347-1358.	1.5	8
14	A new Late Miocene mammalian fauna in the Karaburun Peninsula (W Turkey). <i>Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen</i> , 2005, 236, 321-349.	0.4	8
15	<i>Sinotragus</i> (Bovidae, Mammalia) from Turkey and the Late Miocene Middle Asiatic Province. <i>Neues Jahrbuch FÅŸr Geologie Und PalÅontologie</i> , 2002, 2002, 477-489.	0.3	8
16	A skull of <i>Machairodus giganteus</i> (Felidae, Mammalia) from the Late Miocene of Turkey. <i>Neues Jahrbuch FÅŸr Geologie Und PalÅontologie</i> , 2004, 2004, 95-110.	0.3	7
17	Late Miocene <i>Ceratotherium</i> and <i>Hipparion</i> (Mammalia, Perissodactyla) from DÅŸzyayla (Hafik, Sivas), Turkey. <i>Geobios</i> , 1999, 32, 743-748.	1.4	6
18	Sabuncubeli too, Bornova, a second micromammal assemblage from the Sabuncubeli section (early) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	2.5	6

#	ARTICLE	IF	CITATIONS
19	Citardes: a new early Miocene micromammal assemblage from western Anatolia. <i>Palaeobiodiversity and Palaeoenvironments</i> , 2019, 99, 639-653.	1.5	6
20	Fossil Giraffidae (Mammalia, Artiodactyla) from the early Turolian of Kavakdere (Central Anatolia, Turkey). <i>Journal of Paleontology</i> , 2019, 93, 1015-1023.	0.2	3
21	Palynofloras and vertebrates from the Middle Miocene region (SW Turkey) and palaeoclimate of the Middle Burdigalian-Langhian period in Turkey. <i>Bulletin of Geosciences</i> , 2019, 93, 1-10.	1.1	3
22	Plio-Pleistocene Amphibians and Reptiles from Central Turkey: New Faunas and Faunal Records with Comments on their Biochronological Position Based on Small Mammals. <i>Fossil Imprint</i> , 2019, 75, 343-358.	0.8	2
23	Hyracoidea from the Middle Miocene hominoid locality of Paşalar (NW Turkey). <i>Turkish Journal of Earth Sciences</i> , 2020, 29, 1114-1124.	1.0	1
24	Beydere 3: a new early Miocene small mammal assemblage from western Anatolia, Turkey. <i>Historical Biology</i> , 2020, 52, 1-20.	1.4	1
25	Taking the Orient Express. <i>Palaeobiodiversity and Palaeoenvironments</i> , 2019, 99, 545-550.	1.5	0
26	Large giraffids (Mammalia, Ruminantia) from the new late Miocene fossiliferous locality of Kemiklitepe-E (Western Anatolia, Turkey). <i>Palaeobiodiversity and Palaeoenvironments</i> , 2020, 101, 853-867.	1.5	0
27	Stratigraphy of the Mio-Pleistocene sequence in the Çankaya region based on the fossil record (Muğla, Turkey). <i>Journal of Paleontology</i> , 2020, 94, 1074-1084.	1.0	0
28	Small early Miocene listriodont suid (Artiodactyla: Mammalia) from Sabuncubeli (Manisa, SW Turkey). <i>Journal of Paleontology</i> , 2020, 94, 382-390.	0.8	0