

Douglas Fernandes Rodrigues Alves

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9270845/publications.pdf>

Version: 2024-02-01

36
papers

216
citations

1163117

8
h-index

1199594

12
g-index

36
all docs

36
docs citations

36
times ranked

191
citing authors

#	ARTICLE	IF	CITATIONS
1	Seasonal variation in population structure and sexual maturity of <i>Sylviocarcinus pictus</i> (Decapoda: Trichodactylidae) in a Neotropical intermittent river. , 2022, 58, 5.		1
2	Invasive shrimp <i>Cinetorhynchus erythrostictus</i> (Decapoda: Caridea) misidentified in the marine aquarium trade: Niche overlap with a native congeneric species. <i>Estuarine, Coastal and Shelf Science</i> , 2021, 258, 107411.	2.1	5
3	Chemical and visual recognition in the association between the shrimps <i>Salmoneus carvachoi</i> Anker, 2007 (Caridea, Alpheidae), and <i>Alpheus estuariensis</i> Christoffersen, 1984 (Caridea, Alpheidae), and the fish <i>Gobionellus stomatus</i> Starks, 1913 (Perciformes, Gobiidae). <i>Symbiosis</i> , 2021, 85, 385-392.	2.3	1
4	<p>Morphology of the early larval stages of Lysmata lipkei Okuno & Fiedler, 2010 (Caridea: Lysmatidae): an invasive shrimp in the Western Atlantic</p>. <i>Zootaxa</i> , 2021, 4903, 71-88.	0.5	4
5	Sex change and reproductive output of the protandric shrimp <i>Merguia rhizophorae</i> (Rathbun,) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 222 T</i>	0.5	2
6	Nutritional vulnerability of early zoeal stages of the invasive shrimp <i>Lysmata vittata</i> (Decapoda:) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 T</i>	0.8	3
7	Biodiversity of caridean shrimps on rocky bottoms of two preserved islands on the southeastern Brazilian coast. <i>Marine Biology Research</i> , 2020, 16, 616-631.	0.7	6
8	Testing the resource economic monopolization hypothesis and its consequences for the mating system of <i>Alpheus estuariensis</i> (Decapoda, Caridea, Alpheidae). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2019, 99, 639-647.	0.8	3
9	Sexual system, reproductive cycle and embryonic development of the red-striped shrimp <i>Lysmata vittata</i> , an invader in the western Atlantic Ocean. <i>PLoS ONE</i> , 2019, 14, e0210723.	2.5	26
10	Relative growth and onset of morphological sexual maturity of the freshwater crab <i>Sylviocarcinus pictus</i> in a river of the Caatinga of northeastern Brazil. <i>Invertebrate Reproduction and Development</i> , 2019, 63, 23-29.	0.8	6
11	Reproductive biology of the shrimp <i>Palaemon northropi</i> (Rankin, 1898) (Caridea: Palaemonidae) from an estuary in the Brazilian northeastern. <i>Scientia Plena</i> , 2019, 15, .	0.2	1
12	Brachyuran crab (Crustacea, Decapoda) assemblage associated with <i>Sargassum cymosum</i> in southeastern Brazil. <i>Marine Biodiversity</i> , 2018, 48, 2043-2055.	1.0	6
13	Morphological and molecular analyses confirm the occurrence of two sympatric <i>Lysmata</i> shrimp (Crustacea, Decapoda) in the southwestern Atlantic. <i>Zootaxa</i> , 2018, 4526, 41-55.	0.5	15
14	Morphometric differences between two exotic invasive freshwater caridean species (genus) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 T</i>	0.8	3
15	Reproductive output of the ornamental shrimp <i>Lysmata vittata</i> (Stimpson, 1860) (Decapoda:) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 222 T</i>	0.8	12
16	Population structure and fecundity of <i>Upogebia omissa</i> (Decapoda: Gebiidea: Upogebiidae) in an estuarine region in Sergipe, northeastern Brazil. <i>Pesquisa E Ensino Em Ci�ncias Exatas E Da Natureza</i> , 2018, 2, 95.	0.1	1
17	The mating system of the symbiotic pea-crab <i>Dissodactylus crinitichelis</i> (Brachyura, Pinnotheridae): monogamy or promiscuity?. <i>Marine Biology</i> , 2017, 164, 1.	1.5	9
18	Host-use pattern of the shrimp <i>Periclimenes paivai</i> on the scyphozoan jellyfish <i>Lychnorhiza lucerna</i> : probing for territoriality and inferring its mating system. <i>Helgoland Marine Research</i> , 2017, 71, .	1.3	8

#	ARTICLE	IF	CITATIONS
19	Population dynamics of the mud crab <i>Panopeus austrobesus</i> Williams, 1983 (Brachyura: Panopeidae) associated with a mussel farm at the southeastern Brazilian coast. <i>Nauplius</i> , 2017, 25, .	0.3	2
20	New records of caridean shrimps, <i>Lysmata ankeri</i> and <i>L. cf. intermedia</i> , from southeast coast of Brazil. <i>Marine Biodiversity Records</i> , 2016, 9, .	1.2	4
21	Morphological review of the freshwater fairy shrimp <i>Dendrocephalus brasiliensis</i> Pesta, 1921 (Anostraca: Thamnocephalidae). <i>Nauplius</i> , 2016, 24, .	0.3	3
22	First zoeal stage of the crab <i>Domecia acanthophora</i> (Desbonne, in Desbonne & Schramm, 1867) (Decapoda, Brachyura) and revision of the larval morphology of superfamily Trapezioidea. <i>Nauplius</i> , 2016, 24, .	0.3	1
23	Morphological remarks on the peppermint shrimp <i>Lysmata ankeri</i> (Decapoda, Hippolytidae): implications for species identification of the <i>L. wurdemanni</i> complex. <i>Nauplius</i> , 2015, 23, 53-58.	0.3	5
24	Morphological variation in males of <i>Dendrocephalus orientalis</i> (Anostraca: Thamnocephalidae): Implications for species identification. <i>Zootaxa</i> , 2015, 3915, 569-80.	0.5	3
25	New records of decapod crustaceans from the coast of Sergipe state, Brazil. <i>Check List</i> , 2015, 11, 1768.	0.4	6
26	Onset of sexual maturity and relative growth of the freshwater crab <i>Trichodactylus fluviatilis</i> (Trichodactyloidea) in south-eastern Brazil. <i>Invertebrate Reproduction and Development</i> , 2013, 57, 105-112.	0.8	13
27	Comparison of the population biology of <i>Epialtus bituberculatus</i> from two rocky shores with distinct hydrodynamic patterns. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2013, 93, 693-702.	0.8	1
28	Population biology of shrimp <i>Macrobrachium jelskii</i> (Miers, 1778) (Decapoda, Palaemonoidea) at the Grande River at northwest of the state of Minas Gerais, Brazil. <i>Acta Limnologica Brasiliensia</i> , 2012, 24, 266-275.	0.4	19
29	Checklist of the brachyuran crabs (Crustacea: Decapoda) in the rocky subtidal of Vitória Archipelago, southeast coast of Brazil. <i>Check List</i> , 2012, 8, 940.	0.4	20
30	Mithracinae (Decapoda: Brachyura) from the Brazilian coast: review of the geographical distribution and comments on the biogeography of the group. <i>Nauplius</i> , 2012, 20, 51-62.	0.3	6
31	Relative growth and sexual maturity of the spider crab, <i>Mithrax tortugae</i> Rathbun, 1920 (Brachyura.) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 67</i> 1265-1273.	0.3	16
32	Shrimps of genus <i>Lysmata</i> Risso, 1816 (Caridea: Lysmatidae) from Queimada Grande Island region, southeastern Brazil. <i>Nauplius</i> , 0, 29, .	0.3	0
33	Population biology of the freshwater shrimp <i>Atya scabra</i> (Leach, 1816) (Crustacea: Decapoda) in São Francisco River, Brazil: evidence from a population at risk of extinction. <i>Nauplius</i> , 0, 29, .	0.3	1
34	Seasonal variation in the population structure of the freshwater prawn <i>Macrobrachium brasiliense</i> (Decapoda: Palaemonidae) in a neotropical region. <i>Nauplius</i> , 0, 29, .	0.3	1
35	A first report of decapod crustaceans (Anomura and Brachyura) from Laje de Santos: a no-take marine reserve in the southeast coast of Brazil. <i>Revista Mexicana De Biodiversidad</i> , 0, 93, e933658.	0.4	3
36	A description of the first zoeal stage of <i>Pilumnus vinaceus</i> A. Milne-Edwards, 1880 (Decapoda.) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67</i> <i>Zoologia</i> , 0, 62, e202262037.	0.4	0