

Stefan de Folter

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9270877/publications.pdf>

Version: 2024-02-01

101
papers

6,241
citations

101543
36
h-index

74163
75
g-index

130
all docs

130
docs citations

130
times ranked

6575
citing authors

#	ARTICLE	IF	CITATIONS
1	Molecular and Phylogenetic Analyses of the Complete MADS-Box Transcription Factor Family in Arabidopsis. Plant Cell, 2003, 15, 1538-1551.	6.6	758
2	Comprehensive Interaction Map of the Arabidopsis MADS Box Transcription Factors. Plant Cell, 2005, 17, 1424-1433.	6.6	528
3	Transcriptional program controlled by the floral homeotic gene AGAMOUS during early organogenesis. Development (Cambridge), 2005, 132, 429-438.	2.5	335
4	Elevated expression of metal transporter genes in three accessions of the metal hyperaccumulator Thlaspi caerulescens. Plant, Cell and Environment, 2001, 24, 217-226.	5.7	313
5	Arabidopsis Class I and Class II TCP Transcription Factors Regulate Jasmonic Acid Metabolism and Leaf Development Antagonistically. Plant Physiology, 2012, 159, 1511-1523.	4.8	279
6	SEPALLATA3: the 'glue' for MADS box transcription factor complex formation. Genome Biology, 2009, 10, R24.	9.6	250
7	Flower Development. The Arabidopsis Book, 2010, 8, e0127.	0.5	227
8	Sample sequencing of vascular plants demonstrates widespread conservation and divergence of microRNAs. Nature Communications, 2014, 5, 3722.	12.8	224
9	trans meets cis in MADS science. Trends in Plant Science, 2006, 11, 224-231.	8.8	173
10	Characterization of SOC1's Central Role in Flowering by the Identification of Its Upstream and Downstream Regulators. Plant Physiology, 2012, 160, 433-449.	4.8	169
11	Inside the gynoecium: at the carpel margin. Trends in Plant Science, 2013, 18, 644-655.	8.8	124
12	Analysis of functional redundancies within the Arabidopsis TCP transcription factor family. Journal of Experimental Botany, 2013, 64, 5673-5685.	4.8	124
13	A BisterMADS-box gene involved in ovule and seed development in petunia and Arabidopsis. Plant Journal, 2006, 47, 934-946.	5.7	117
14	Regulatory network analysis reveals novel regulators of seed desiccation tolerance in Arabidopsis thaliana. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E5232-41.	7.1	106
15	The role of cytokinin during Arabidopsis gynoecia and fruit morphogenesis and patterning. Plant Journal, 2012, 72, 222-234.	5.7	104
16	The bHLH transcription factor SPATULA enables cytokinin signaling, and both activate auxin biosynthesis and transport genes at the medial domain of the gynoecium. PLoS Genetics, 2017, 13, e1006726.	3.5	98
17	MADS-complexes regulate transcriptome dynamics during pollen maturation. Genome Biology, 2007, 8, R249.	9.6	95
18	Transcript profiling of transcription factor genes during silique development in Arabidopsis. Plant Molecular Biology, 2004, 56, 351-366.	3.9	88

#	ARTICLE	IF	CITATIONS
19	The MADS transcription factor XAL2/AGL14 modulates auxin transport during Arabidopsis root development by regulating PIN expression. EMBO Journal, 2013, 32, 2884-2895.	7.8	87
20	Hormonal control of the development of the gynoecium. Current Opinion in Plant Biology, 2016, 29, 104-114.	7.1	87
21	BOLITA, an Arabidopsis AP2/ERF-like transcription factor that affects cell expansion and proliferation/differentiation pathways. Plant Molecular Biology, 2006, 62, 825-843.	3.9	85
22	Cytochrome P450<i>CYP78A9</i> Is Involved in Arabidopsis Reproductive Development Â Â. Plant Physiology, 2013, 162, 779-799.	4.8	82
23	In planta localisation patterns of MADS domain proteins during floral development in Arabidopsis thaliana. BMC Plant Biology, 2009, 9, 5.	3.6	73
24	An efficient flat-surface collar-free grafting method for Arabidopsis thaliana seedlings. Plant Methods, 2013, 9, 14.	4.3	71
25	XAANTAL2 (AGL14) Is an Important Component of the Complex Gene Regulatory Network that Underlies Arabidopsis Shoot Apical Meristem Transitions. Molecular Plant, 2015, 8, 796-813.	8.3	68
26	JAIBA, a classâ€œ HDâ€œZIP transcription factor involved in the regulation of meristematic activity, and important for correct gynoecium and fruit development in Arabidopsis. Plant Journal, 2012, 71, 314-326.	5.7	65
27	The <scp>NTT</scp> transcription factor promotes replum development in <scp>A</scp>rabadopsis fruits. Plant Journal, 2014, 80, 69-81.	5.7	61
28	Yeast Proteinâ€œProtein Interaction Assays and Screens. Methods in Molecular Biology, 2011, 754, 145-165.	0.9	56
29	Differential effectiveness of Serratia plymuthica IC1270-induced systemic resistance against hemibiotrophic and necrotrophic leaf pathogens in rice. BMC Plant Biology, 2009, 9, 9.	3.6	55
30	Cytokinin treatments affect the apical-basal patterning of the Arabidopsis gynoecium and resemble the effects of polar auxin transport inhibition. Frontiers in Plant Science, 2014, 5, 191.	3.6	51
31	The maize (Zea mays ssp. mays var. B73) genome encodes 33 members of the purple acid phosphatase family. Frontiers in Plant Science, 2015, 6, 341.	3.6	51
32	Gynoecium size and ovule number are interconnected traits that impact seed yield. Journal of Experimental Botany, 2020, 71, 2479-2489.	4.8	51
33	Potential use of Trichoderma asperellum (Samuels, Liechfeldt et Nirenberg) T8a as a biological control agent against anthracnose in mango (Mangifera indica L.). Biological Control, 2013, 64, 37-44.	3.0	48
34	Entering the Next Dimension: Plant Genomes in 3D. Trends in Plant Science, 2018, 23, 598-612.	8.8	44
35	Gynoecium development: networks in Arabidopsis and beyond. Journal of Experimental Botany, 2019, 70, 1447-1460.	4.8	42
36	SEEDSTICK Controls Arabidopsis Fruit Size by Regulating Cytokinin Levels and FRUITFULL. Cell Reports, 2020, 30, 2846-2857.e3.	6.4	42

#	ARTICLE	IF	CITATIONS
37	Tagging of MADS domain proteins for chromatin immunoprecipitation. BMC Plant Biology, 2007, 7, 47.	3.6	40
38	Altered expression of the bZIP transcription factor DRINK ME affects growth and reproductive development in <i>Arabidopsis thaliana</i> . Plant Journal, 2016, 88, 437-451.	5.7	40
39	Unraveling the signal scenario of fruit set. Planta, 2014, 239, 1147-1158.	3.2	38
40	The AP2/ERF Transcription Factor DRNL Modulates Gynoecium Development and Affects Its Response to Cytokinin. Frontiers in Plant Science, 2017, 8, 1841.	3.6	37
41	ARACNe-based inference, using curated microarray data, of Arabidopsis thaliana root transcriptional regulatory networks. BMC Plant Biology, 2014, 14, 97.	3.6	35
42	Conserved and novel responses to cytokinin treatments during flower and fruit development in Brassica napus and Arabidopsis thaliana. Scientific Reports, 2018, 8, 6836.	3.3	35
43	Characterization of oil palm MADS box genes in relation to the mantled flower abnormality. Plant Cell, Tissue and Organ Culture, 2006, 85, 331-344.	2.3	34
44	Towards a comprehensive and dynamic gynoecium gene regulatory network. Current Plant Biology, 2015, 3-4, 3-12.	4.7	34
45	Elevated expression of metal transporter genes in three accessions of the metal hyperaccumulator Thlaspi caerulescens. Plant, Cell and Environment, 2001, 24, 217-226.	5.7	33
46	Selection of Reference Genes for Quantitative Real-Time RT-PCR Studies in Tomato Fruit of the Genotype MT-Rg1. Frontiers in Plant Science, 2016, 7, 1386.	3.6	32
47	A simple and efficient method for isolating small RNAs from different plant species. Plant Methods, 2011, 7, 4.	4.3	31
48	Exploring Cell Wall Composition and Modifications During the Development of the Gynoecium Medial Domain in Arabidopsis. Frontiers in Plant Science, 2018, 9, 454.	3.6	31
49	Vision, challenges and opportunities for a Plant Cell Atlas. ELife, 2021, 10, .	6.0	31
50	Vertebrate Paralogous MEF2 Genes: Origin, Conservation, and Evolution. PLoS ONE, 2011, 6, e17334.	2.5	30
51	Tetramer formation in Arabidopsis MADS domain proteins: analysis of a protein-protein interaction network. BMC Systems Biology, 2014, 8, 9.	3.0	28
52	Growth Promotion and Flowering Induction in Mango (Mangifera indica L. cv 'Ataulfo') Trees by Burkholderia and Rhizobium Inoculation: Morphometric, Biochemical, and Molecular Events. Journal of Plant Growth Regulation, 2013, 32, 615-627.	5.1	27
53	Characterization of the Vernalization Response in Lolium perenne by a cDNA Microarray Approach. Plant and Cell Physiology, 2006, 47, 481-492.	3.1	26
54	Conservation and Evolution in and among SRF- and MEF2-Type MADS Domains and Their Binding Sites. Molecular Biology and Evolution, 2011, 28, 501-511.	8.9	26

#	ARTICLE	IF	CITATIONS
55	Control of stem cell activity in the carpel margin meristem (CMM) in Arabidopsis. Plant Reproduction, 2019, 32, 123-136.	2.2	26
56	Metabolic fingerprinting of Arabidopsis thaliana accessions. Frontiers in Plant Science, 2015, 6, 365.	3.6	24
57	miRNA expression during prickly pear cactus fruit development. Planta, 2015, 241, 435-448.	3.2	23
58	Effect of Constitutive miR164 Expression on Plant Morphology and Fruit Development in Arabidopsis and Tomato. Agronomy, 2017, 7, 48.	3.0	23
59	New roles of NO TRANSMITTING TRACT and SEEDSTICK during medial domain development in Arabidopsis fruits. Development (Cambridge), 2019, 146, .	2.5	22
60	Hormones talking. Plant Signaling and Behavior, 2012, 7, 1698-1701.	2.4	21
61	Synergistic relationship between auxin and cytokinin in the ovary and the participation of the transcription factor SPATULA. Plant Signaling and Behavior, 2017, 12, e1376158.	2.4	21
62	Imaging early stages of the female reproductive structure of arabidopsis by confocal laser scanning microscopy. Developmental Dynamics, 2015, 244, 1286-1290.	1.8	20
63	REM34 and REM35 Control Female and Male Gametophyte Development in Arabidopsis thaliana. Frontiers in Plant Science, 2019, 10, 1351.	3.6	19
64	In vivo monitoring of nicotine biosynthesis in tobacco leaves by low-temperature plasma mass spectrometry. Talanta, 2018, 185, 324-327.	5.5	18
65	Gynoecium and fruit development in <i>Arabidopsis</i> . Development (Cambridge), 2022, 149, .	2.5	17
66	Agrobacterium rhizogenes-mediated transformation of grain (Amaranthus hypochondriacus) and leafy (A. hybridus) amaranths. Plant Cell Reports, 2020, 39, 1143-1160.	5.6	16
67	Arabidopsis thaliana gonidialless A/Zuotin related factors (GlsA/ZRF) are essential for maintenance of meristem integrity. Plant Molecular Biology, 2016, 91, 37-51.	3.9	14
68	Stimulation of the germination and growth of different plant species using an electric field treatment with IrO ₂ â€”Ta ₂ O ₅ Ti electrodes. Journal of Chemical Technology and Biotechnology, 2018, 93, 1488-1494.	3.2	14
69	Cell wall modifications by Î±-XYLOSIDASE1 are required for control of seed and fruit size in Arabidopsis. Journal of Experimental Botany, 2022, 73, 1499-1515.	4.8	13
70	Osmotic stress-induced somatic embryo maturation of coffee Coffea arabica L., shoot and root apical meristems development and robustness. Scientific Reports, 2021, 11, 9661.	3.3	12
71	Arabidopsis cysteine-rich receptor-like protein kinase <i>CRK33</i> affects stomatal density and drought tolerance. Plant Signaling and Behavior, 2021, 16, 1905335.	2.4	11
72	Transcriptome analysis of gynoecium morphogenesis uncovers the chronology of gene regulatory network activity. Plant Physiology, 2021, 185, 1076-1090.	4.8	11

#	ARTICLE	IF	CITATIONS
73	The Relationship between AGAMOUS and Cytokinin Signaling in the Establishment of Carpeloid Features. <i>Plants</i> , 2021, 10, 827.	3.5	9
74	An efficient method for miRNA detection and localization in crop plants. <i>Frontiers in Plant Science</i> , 2015, 6, 99.	3.6	8
75	Redundant and Non-redundant Functions of the AHK Cytokinin Receptors During Gynoecium Development. <i>Frontiers in Plant Science</i> , 2020, 11, 568277.	3.6	8
76	Genetic Interaction of SEEDSTICK, GORDITA and AUXIN RESPONSE FACTOR 2 during Seed Development. <i>Genes</i> , 2021, 12, 1189.	2.4	8
77	Protein interactions guiding carpel and fruit development in <i>Arabidopsis</i> . <i>Plant Biosystems</i> , 2014, 148, 169-175.	1.6	7
78	The MADS Symphonies of Transcriptional Regulation. <i>Frontiers in Plant Science</i> , 2011, 2, 26.	3.6	5
79	The class II HD-ZIP <i>JAIBA</i> gene is involved in meristematic activity and important for gynoecium and fruit development in <i>Arabidopsis</i> . <i>Plant Signaling and Behavior</i> , 2012, 7, 1501-1503.	2.4	5
80	Building a Flower: The Influence of Cell Wall Composition on Flower Development and Reproduction. <i>Genes</i> , 2021, 12, 978.	2.4	5
81	ANT and AIL6: masters of the master regulators during flower development. <i>Journal of Experimental Botany</i> , 2021, 72, 5263-5266.	4.8	5
82	Conservation, Divergence, and Abundance of MiRNAs and Their Effect in Plants. <i>RNA Technologies</i> , 2017, , 1-22.	0.3	4
83	tasiR-ARFs Production and Target Regulation during In Vitro Maize Plant Regeneration. <i>Plants</i> , 2020, 9, 849.	3.5	4
84	Protein Tagging for Chromatin Immunoprecipitation from <i>Arabidopsis</i> . <i>Methods in Molecular Biology</i> , 2011, 678, 199-210.	0.9	4
85	MiRNA expression analysis during somatic embryogenesis in <i>Coffea canephora</i> . <i>Plant Cell, Tissue and Organ Culture</i> , 2022, 150, 177-190.	2.3	4
86	Toward understanding the role of CYP78A9 during <i>Arabidopsis</i> reproduction. <i>Plant Signaling and Behavior</i> , 2013, 8, e25160.	2.4	3
87	Auxin Is Required for Valve Margin Patterning in <i>Arabidopsis</i> After All. <i>Molecular Plant</i> , 2016, 9, 768-770.	8.3	3
88	Laser-Assisted Microdissection to Study Global Transcriptional Changes During Plant Embryogenesis. , 2016, , 495-506.		3
89	Non-destructive Plant Morphometric and Color Analyses Using an Optoelectronic 3D Color Microscope. <i>Frontiers in Plant Science</i> , 2018, 9, 1409.	3.6	3
90	Effects of the Developmental Regulator BOLITA on the Plant Metabolome. <i>Genes</i> , 2021, 12, 995.	2.4	3

#	ARTICLE	IF	CITATIONS
91	Identification of genuine and novel miRNAs in <i>Amaranthus hypochondriacus</i> from high-throughput sequencing data. <i>Genomics</i> , 2021, 113, 88-103.	2.9	2
92	Enhanced Germination and Growth of <i>Arabidopsis thaliana</i> Using IrO ₂ -Ta ₂ O ₅ Ti as a Dimensional Stable Anode in the Electro-Culture Technique. , 2016, , .		1
93	Bioinformatic Analysis of Small RNA Sequencing Libraries. <i>Methods in Molecular Biology</i> , 2019, 1932, 51-63.	0.9	1
94	A Simple Protocol for Imaging Floral Tissues of <i>Arabidopsis</i> with Confocal Microscopy. <i>Methods in Molecular Biology</i> , 2019, 1932, 187-195.	0.9	1
95	Hot and Retro Meet <i>Arabidopsis</i> . <i>Frontiers in Plant Science</i> , 2011, 2, 22.	3.6	0
96	Isolation and Detection Methods of Plant miRNAs. <i>Methods in Molecular Biology</i> , 2019, 1932, 109-120.	0.9	0
97	Detection of miRNAs by Tissue Printing and Dot Blot Hybridization. <i>Methods in Molecular Biology</i> , 2019, 1932, 151-157.	0.9	0
98	Plant Biology: Gynoecium Development with Style. <i>Current Biology</i> , 2020, 30, R1420-R1422.	3.9	0
99	Genómica Funcional de Plantas: Estudio del Desarrollo de Flores y Frutos. <i>Acta Universitaria</i> , 2012, 19, 21-29.	0.2	0
100	Developmental Signals in the 21st Century; New Tools and Advances in Plant Signaling. <i>Genes</i> , 2021, 12, 1708.	2.4	0
101	Editorial: Plant Development: From Cells to Systems Biology. <i>Frontiers in Plant Science</i> , 2021, 12, 810071.	3.6	0