

Ji-Hyun Jang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9271318/publications.pdf>

Version: 2024-02-01

85
papers

4,638
citations

101543

36
h-index

98798

67
g-index

90
all docs

90
docs citations

90
times ranked

7470
citing authors

#	ARTICLE	IF	CITATIONS
1	Critical Void Dimension of Carbon Frameworks to Accommodate Insoluble Products of Lithium–Oxygen Batteries. ACS Applied Materials & Interfaces, 2022, 14, 492-501.	8.0	1
2	Highly Stable Germanium Microparticle Anodes with a Hybrid Conductive Shell for High Volumetric and Fast Lithium Storage. ACS Applied Materials & Interfaces, 2022, 14, 750-760.	8.0	2
3	Unveiling the Role of the Ti Dopant and Viable Si Doping of Hematite for Practically Efficient Solar Water Splitting. ACS Catalysis, 2022, 12, 5112-5122.	11.2	28
4	Bi-functional 3D-NiCu-Double Hydroxide@Partially Etched 3D-NiCu Catalysts for Non-Enzymatic Glucose Detection and the Hydrogen Evolution Reaction. ACS Applied Materials & Interfaces, 2022, 14, 33013-33023.	8.0	17
5	Ultrathin MoS ₂ flakes embedded in nanoporous graphene films for a multi-functional electrode. Journal of Materials Chemistry A, 2021, 9, 928-936.	10.3	7
6	Electroactive 1T-MoS ₂ Fluoroelastomer Ink for Intrinsically Stretchable Solid-State In-Plane Supercapacitors. ACS Applied Materials & Interfaces, 2021, 13, 26870-26878.	8.0	17
7	Graphitization with Suppressed Carbon Loss for High-Quality Reduced Graphene Oxide. ACS Nano, 2021, 15, 11655-11666.	14.6	17
8	NiFeOx decorated Ge-hematite/perovskite for an efficient water splitting system. Nature Communications, 2021, 12, 4309.	12.8	71
9	Self-Assembling Films of Covalent Organic Frameworks Enable Long-Term, Efficient Cycling of Zinc-Ion Batteries. Advanced Materials, 2021, 33, e2101726.	21.0	114
10	Rational Design of a High Performance and Robust Solar Evaporator via 3D-Printing Technology. Advanced Materials, 2021, 33, e2102649.	21.0	43
11	Stress-Relief Network in Silicon Microparticles and Composite Anodes for Durable High-Energy-Density Batteries. ACS Applied Energy Materials, 2021, 4, 10050-10058.	5.1	8
12	Rational Design of a High Performance and Robust Solar Evaporator via 3D-Printing Technology (Adv.) Tj ETQq0 0,0 rgBT /Overlock 10	21.0	1
13	Sn-Controlled Co-Doped Hematite for Efficient Solar-Assisted Chargeable Zn–Air Batteries. ACS Applied Materials & Interfaces, 2021, 13, 54906-54915.	8.0	10
14	Co ₃ O ₄ Exsolved Defective Layered Perovskite Oxide for Energy Storage Systems. ACS Energy Letters, 2020, 5, 3828-3836.	17.4	25
15	Recycling of Particulate Photoabsorbers for Highly Stable Solar Desalination Operation. ACS Applied Energy Materials, 2020, 3, 8295-8301.	5.1	9
16	Three-level micro–meso–macroporous three-dimensional graphene for highly fast capacitive deionization. Materials Today Energy, 2020, 18, 100502.	4.7	13
17	Stacking-Free Porous Graphene Network for High Capacitive Performance. ACS Applied Energy Materials, 2020, 3, 4348-4355.	5.1	6
18	A highly transparent thin film hematite with multi-element dopability for an efficient unassisted water splitting system. Nano Energy, 2020, 76, 105089.	16.0	29

#	ARTICLE	IF	CITATIONS
19	Wire-Shaped 3D-Hybrid Supercapacitors as Substitutes for Batteries. <i>Nano-Micro Letters</i> , 2020, 12, 28.	27.0	26
20	Three-dimensional solar steam generation device with additional non-photothermal evaporation. <i>Desalination</i> , 2019, 469, 114091.	8.2	31
21	Hierarchically Structured Multidimensional Carbon Composite Anchored to a Polymer Mat for a Superflexible Supercapacitor. <i>ACS Applied Energy Materials</i> , 2019, 2, 389-397.	5.1	6
22	Mesoporous Three-Dimensional Graphene Networks for Highly Efficient Solar Desalination under 1 sun Illumination. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 15602-15608.	8.0	117
23	Jabuticaba-Inspired Hybrid Carbon Filler/Polymer Electrode for Use in Highly Stretchable Aqueous Li-Ion Batteries. <i>Advanced Energy Materials</i> , 2018, 8, 1702478.	19.5	82
24	Ultrathin nickel hydroxide on carbon coated 3D-porous copper structures for high performance supercapacitors. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 719-727.	2.8	31
25	Sweat-based wearable energy harvesting-storage hybrid textile devices. <i>Energy and Environmental Science</i> , 2018, 11, 3431-3442.	30.8	196
26	Boron Doping of Metal-Doped Hematite for Reduced Surface Recombination in Water Splitting. <i>ACS Catalysis</i> , 2018, 8, 11932-11939.	11.2	80
27	Highly Active Bifunctional Electrocatalysts for Oxygen Evolution and Reduction in Zn-Air Batteries. <i>ChemSusChem</i> , 2018, 11, 4203-4208.	6.8	22
28	Plotter-assisted integration of wearable all-solid-state micro-supercapacitors. <i>Nano Energy</i> , 2018, 50, 410-416.	16.0	26
29	A simple maskless process for the fabrication of vertically aligned high density hematite and graphene/magnetite nanowires. <i>Journal of Materials Chemistry C</i> , 2017, 5, 1313-1320.	5.5	7
30	Nickel Hydroxide Supercapacitor with a Theoretical Capacitance and High Rate Capability Based on Hollow Dendritic 3D-Nickel Current Collectors. <i>Chemistry - an Asian Journal</i> , 2017, 12, 1291-1296.	3.3	32
31	Highly Enhanced Raman Scattering on Carbonized Polymer Films. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 21457-21463.	8.0	9
32	Sodium-Containing Spinel Zinc Ferrite as a Catalyst Precursor for the Selective Synthesis of Liquid Hydrocarbon Fuels. <i>ChemSusChem</i> , 2017, 10, 4764-4770.	6.8	89
33	A new approach to high-performance flexible supercapacitors: Mesoporous three-dimensional Ni-electrodes. <i>Nano Energy</i> , 2017, 39, 639-646.	16.0	38
34	Single-Step Synthesis of N-Doped Three-Dimensional Graphitic Foams for High-Performance Supercapacitors. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 6950-6957.	6.7	45
35	Highly transparent poly(glycidyl methacrylate-co-acryloisobutyl POSS) for 100- μ m-thick submicron patterns with an aspect ratio over 100. <i>Chemical Communications</i> , 2017, 53, 8172-8175.	4.1	6
36	Fully flexible, lightweight, high performance all-solid-state supercapacitor based on 3-Dimensional-graphene/graphite-paper. <i>Journal of Power Sources</i> , 2017, 337, 159-165.	7.8	250

#	ARTICLE	IF	CITATIONS
37	Realizing battery-like energy density with asymmetric supercapacitors achieved by using highly conductive three-dimensional graphene current collectors. <i>Journal of Materials Chemistry A</i> , 2017, 5, 13347-13356.	10.3	21
38	Ideal nanoporous gold based supercapacitors with theoretical capacitance and high energy/power density. <i>Nano Energy</i> , 2016, 24, 17-24.	16.0	66
39	Realization of high performance flexible wire supercapacitors based on 3-dimensional NiCo ₂ O ₄ /Ni fibers. <i>Journal of Materials Chemistry A</i> , 2016, 4, 4718-4727.	10.3	100
40	Zinc-Reduced Mesoporous TiO ₂ Li-ion Battery Anodes with Exceptional Rate Capability and Cycling Stability. <i>Chemistry - an Asian Journal</i> , 2016, 11, 3382-3388.	3.3	8
41	A Titanium-Doped SiO ₂ Passivation Layer for Greatly Enhanced Performance of a Hematite-Based Photoelectrochemical System. <i>Angewandte Chemie</i> , 2016, 128, 10076-10080.	2.0	18
42	Dendrimer-Capped Gold Nanoparticles for Highly Reliable and Robust Surface Enhanced Raman Scattering. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 20379-20384.	8.0	20
43	A Titanium-Doped SiO ₂ Passivation Layer for Greatly Enhanced Performance of a Hematite-Based Photoelectrochemical System. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 9922-9926.	13.8	90
44	A selectively decorated Ti-FeOOH co-catalyst for a highly efficient porous hematite-based water splitting system. <i>Journal of Materials Chemistry A</i> , 2016, 4, 18730-18736.	10.3	47
45	Cathode Materials: Recent Advances in Lithium Sulfide Cathode Materials and Their Use in Lithium Sulfur Batteries (<i>Adv. Energy Mater.</i> 16/2015). <i>Advanced Energy Materials</i> , 2015, 5, n/a-n/a.	19.5	1
46	Quantum Dots: Graphene Quantum Dot-Protected Cadmium Selenide Quantum Dot-Sensitized Photoanode for Efficient Photoelectrochemical Cells with Enhanced Stability and Performance (<i>Advanced Optical Materials</i> 7/2015). <i>Advanced Optical Materials</i> , 2015, 3, 978-978.	7.3	1
47	Visualization of Noncovalent Interaction between Aliphatic Dendrimers and Chemically Reduced Graphene Oxide. <i>Chemistry Letters</i> , 2015, 44, 665-667.	1.3	6
48	Graphene Quantum Dot-Protected Cadmium Selenide Quantum Dot-Sensitized Photoanode for Efficient Photoelectrochemical Cells with Enhanced Stability and Performance. <i>Advanced Optical Materials</i> , 2015, 3, 907-912.	7.3	24
49	A case study: effect of defects in CVD-grown graphene on graphene enhanced Raman spectroscopy. <i>RSC Advances</i> , 2015, 5, 62772-62777.	3.6	20
50	Fe ₂ O ₃ on patterned fluorine doped tin oxide for efficient photoelectrochemical water splitting. <i>Journal of Materials Chemistry A</i> , 2015, 3, 7706-7709.	10.3	41
51	Recent Advances in Lithium Sulfide Cathode Materials and Their Use in Lithium Sulfur Batteries. <i>Advanced Energy Materials</i> , 2015, 5, 1500110.	19.5	240
52	MoS _x supported hematite with enhanced photoelectrochemical performance. <i>Journal of Materials Chemistry A</i> , 2015, 3, 21444-21450.	10.3	33
53	Thermal conductivity reduction in three dimensional graphene-based nanofoam. <i>RSC Advances</i> , 2015, 5, 99394-99397.	3.6	7
54	Hematite-Based Photoelectrochemical Water Splitting Supported by Inverse Opal Structures of Graphene. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 22634-22639.	8.0	61

#	ARTICLE	IF	CITATIONS
55	Thermoelectric properties of nanoporous three-dimensional graphene networks. <i>Applied Physics Letters</i> , 2014, 105, 033905.	3.3	10
56	p-Doped three-dimensional graphene nano-networks superior to platinum as a counter electrode for dye-sensitized solar cells. <i>Chemical Communications</i> , 2014, 50, 2412-2415.	4.1	50
57	Optimization of Quantum Dot-Sensitized Photoelectrode for Realization of Visible Light Hydrogen Generation. <i>Small</i> , 2014, 10, 2325-2330.	10.0	17
58	A one-step practical strategy to enhance overall supercapacitor performance. <i>RSC Advances</i> , 2014, 4, 59310-59314.	3.6	12
59	Efficient photoelectrochemical water splitting of nanostructured hematite on a three-dimensional nanoporous metal electrode. <i>Journal of Materials Chemistry A</i> , 2014, 2, 17249-17252.	10.3	23
60	Nanoporous hematite structures to overcome short diffusion lengths in water splitting. <i>Journal of Materials Chemistry A</i> , 2014, 2, 19999-20003.	10.3	76
61	Great improvement in pseudocapacitor properties of nickel hydroxide via simple gold deposition. <i>Nanoscale</i> , 2014, 6, 11646-11652.	5.6	60
62	Photoelectronics: Optimization of Quantum Dot-Sensitized Photoelectrode for Realization of Visible Light Hydrogen Generation (<i>Small</i> 12/2014). <i>Small</i> , 2014, 10, 2504-2504.	10.0	1
63	Transparent graphene films with a tunable piezoresistive response. <i>Journal of Materials Chemistry C</i> , 2013, 1, 7208.	5.5	12
64	Nanostructures: Hierarchical Metal/Semiconductor Nanostructure for Efficient Water Splitting (<i>Small</i> 13/2013). <i>Small</i> , 2013, 9, 2202-2202.	10.0	3
65	Three-Dimensional Graphene Nano-Networks with High Quality and Mass Production Capability via Precursor-Assisted Chemical Vapor Deposition. <i>Scientific Reports</i> , 2013, 3, .	3.3	124
66	Lotus leaf-inspired CVD grown graphene for a water repellant flexible transparent electrode. <i>Chemical Communications</i> , 2013, 49, 10626.	4.1	12
67	Hierarchical Metal/Semiconductor Nanostructure for Efficient Water Splitting. <i>Small</i> , 2013, 9, 2341-2347.	10.0	54
68	An optimal substrate design for SERS: dual-scale diamond-shaped gold nano-structures fabricated via interference lithography. <i>Nanoscale</i> , 2013, 5, 1836.	5.6	54
69	Facile Route to an Efficient NiO Supercapacitor with a Three-Dimensional Nanonetwork Morphology. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 1596-1603.	8.0	581
70	A route towards superhydrophobic graphene surfaces: surface-treated reduced graphene oxide spheres. <i>Journal of Materials Chemistry A</i> , 2013, 1, 7312.	10.3	85
71	Chemical Vapor Deposition of Mesoporous Graphene Nanoballs for Supercapacitor. <i>ACS Nano</i> , 2013, 7, 6047-6055.	14.6	300
72	Optimization for visible light photocatalytic water splitting: gold-coated and surface-textured TiO ₂ inverse opal nano-networks. <i>Nanoscale</i> , 2013, 5, 6254.	5.6	65

#	ARTICLE	IF	CITATIONS
73	Towards Visible Light Hydrogen Generation: Quantum Dot-Sensitization via Efficient Light Harvesting of Hybrid-TiO ₂ . <i>Scientific Reports</i> , 2013, 3, 3330.	3.3	39
74	Three-dimensional nano-foam of few-layer graphene grown by CVD for DSSC. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 7938.	2.8	106
75	Power conversion efficiency enhancement based on the bio-inspired hierarchical antireflection layer in dye sensitized solar cells. <i>Nanoscale</i> , 2012, 4, 4464.	5.6	20
76	Three-dimensional actuators transformed from the programmed two-dimensional structures via bending, twisting and folding mechanisms. <i>Journal of Materials Chemistry</i> , 2011, 21, 6824.	6.7	136
77	Combining Pattern Instability and Shape-Memory Hysteresis for Phononic Switching. <i>Nano Letters</i> , 2009, 9, 2113-2119.	9.1	99
78	Colour-tunable spiral photonic actuators. <i>Journal of Materials Chemistry</i> , 2009, 19, 1956.	6.7	34
79	Three-Dimensionally-Patterned Submicrometer-Scale Hydrogel/Air Networks That Offer a New Platform for Biomedical Applications. <i>Nano Letters</i> , 2008, 8, 1456-1460.	9.1	35
80	Fabrication of Bio-Inspired Elastomer Nanofiber Arrays with Spatulate Tips using Notching Effect. , 2008, , .		4
81	Direct observation of a hypersonic band gap in two-dimensional single crystalline phononic structures. <i>Applied Physics Letters</i> , 2007, 91, .	3.3	48
82	Shape Control of Multivalent 3D Colloidal Particles via Interference Lithography. <i>Nano Letters</i> , 2007, 7, 647-651.	9.1	41
83	A Route to Three-Dimensional Structures in a Microfluidic Device: Stop-Flow Interference Lithography. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 9027-9031.	13.8	96
84	Inside Cover: A Route to Three-Dimensional Structures in a Microfluidic Device: Stop-Flow Interference Lithography (<i>Angew. Chem. Int. Ed.</i> 47/2007). <i>Angewandte Chemie - International Edition</i> , 2007, 46, 8918-8918.	13.8	0
85	Mechanically Tunable Three-Dimensional Elastomeric Network/Air Structures via Interference Lithography. <i>Nano Letters</i> , 2006, 6, 740-743.	9.1	98