Lothar H Wieler

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9271689/lothar-h-wieler-publications-by-year.pdf

Version: 2024-04-05

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

176 9,351 49 90 h-index g-index citations papers 188 11,081 5.8 5.76 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
176	Origin and Global Expansion of Mycobacterium tuberculosis Complex Lineage 3. <i>Genes</i> , 2022 , 13, 990	4.2	1
175	First Comparative Analysis of Genomes Provides Insights Into the Taxonomy, Species Genetic Diversity, and Virulence Related to Gas Gangrene <i>Frontiers in Microbiology</i> , 2021 , 12, 771945	5.7	
174	A Real-Time Thermal Sensor System for Quantifying the Inhibitory Effect of Antimicrobial Peptides on Bacterial Adhesion and Biofilm Formation. <i>Sensors</i> , 2021 , 21,	3.8	2
173	Evolutionary Dynamics Based on Comparative Genomics of Pathogenic Escherichia coli Lineages Harboring Polyketide Synthase () Island. <i>MBio</i> , 2021 , 12,	7.8	3
172	Genome Sequence Analysis of Strains of European Origin and Evaluation of Typing Options for Outbreak Investigations. <i>Frontiers in Microbiology</i> , 2021 , 12, 732106	5.7	1
171	Comprehensive integrated NGS-based surveillance and contact-network modeling unravels transmission dynamics of vancomycin-resistant enterococci in a high-risk population within a tertiary care hospital. <i>PLoS ONE</i> , 2020 , 15, e0235160	3.7	10
170	Influenza-associated pneumonia as reference to assess seriousness of coronavirus disease (COVID-19). <i>Eurosurveillance</i> , 2020 , 25,	19.8	33
169	High-Zinc Supplementation of Weaned Piglets Affects Frequencies of Virulence and Bacteriocin Associated Genes Among Intestinal Populations. <i>Frontiers in Veterinary Science</i> , 2020 , 7, 614513	3.1	4
168	One Health 2020 , 45-49		
167	Intestinal colonization with extended-spectrum beta-lactamase producing Enterobacterales (ESBL-PE) during long distance travel: A cohort study in a German travel clinic (2016-2017). <i>Travel Medicine and Infectious Disease</i> , 2020 , 33, 101521	8.4	7
166	Novel Avian Pathogenic Escherichia coli Genes Responsible for Adhesion to Chicken and Human Cell Lines. <i>Applied and Environmental Microbiology</i> , 2020 , 86,	4.8	4
165	Silence as a way of niche adaptation: mecC-MRSA with variations in the accessory gene regulator (agr) functionality express kaleidoscopic phenotypes. <i>Scientific Reports</i> , 2020 , 10, 14787	4.9	4
164	Genomic and Functional Analysis of Emerging Virulent and Multidrug-Resistant Lineage Sequence Type 648. <i>Antimicrobial Agents and Chemotherapy</i> , 2019 , 63,	5.9	41
163	Adaptation of host transmission cycle during Clostridium difficile speciation. <i>Nature Genetics</i> , 2019 , 51, 1315-1320	36.3	25
162	The gut microbiome of horses: current research on equine enteral microbiota and future perspectives. <i>Animal Microbiome</i> , 2019 , 1, 14	4.1	23
161	Comparison of different technologies for the decipherment of the whole genome sequence of BfR-CA-14430. <i>Gut Pathogens</i> , 2019 , 11, 59	5.4	1
160	Effects of a Four-Week High-Dosage Zinc Oxide Supplemented Diet on Commensal of Weaned Pigs. <i>Frontiers in Microbiology</i> , 2019 , 10, 2734	5.7	7

(2017-2019)

159	Genomic and Functional Characterization of Poultry From India Revealed Diverse Extended-Spectrum Lactamase-Producing Lineages With Shared Virulence Profiles. <i>Frontiers in Microbiology</i> , 2019 , 10, 2766	5.7	15	
158	A Core Genome Multilocus Sequence Typing Scheme for Enterococcus faecalis. <i>Journal of Clinical Microbiology</i> , 2019 , 57,	9.7	22	
157	Perceptions and attitudes regarding antibiotic resistance in Germany: a cross-sectoral survey amongst physicians, veterinarians, farmers and the general public. <i>Journal of Antimicrobial Chemotherapy</i> , 2018 , 73, 1984-1988	5.1	18	
156	GermanyB expanding role in global health. <i>Lancet, The</i> , 2018 , 391, 657	40	4	
155	Presence of Clostridium difficile in poultry and poultry meat in Egypt. <i>Anaerobe</i> , 2018 , 51, 21-25	2.8	19	
154	Analysis of mutations in pncA reveals non-overlapping patterns among various lineages of Mycobacterium tuberculosis. <i>Scientific Reports</i> , 2018 , 8, 4628	4.9	4	
153	Lysogenic conversion of atypical enteropathogenic Escherichia coli (aEPEC) from human, murine, and bovine origin with bacteriophage B538 Etx::cat proves their enterohemorrhagic E. coli (EHEC) progeny. <i>International Journal of Medical Microbiology</i> , 2018 , 308, 890-898	3.7	9	
152	ESBL-plasmid carriage in enhances in vitro bacterial competition fitness and serum resistance in some strains of pandemic sequence types without overall fitness cost. <i>Gut Pathogens</i> , 2018 , 10, 24	5.4	18	
151	Clinically Relevant ESBL-Producing ST307 and ST38 in an Urban West African Rat Population. <i>Frontiers in Microbiology</i> , 2018 , 9, 150	5.7	26	
150	Smear Microscopy for Diagnosis of Pulmonary Tuberculosis in Eastern Sudan. <i>Tuberculosis Research and Treatment</i> , 2018 , 2018, 8038137	2.1	2	
149	Microevolution of epidemiological highly relevant non-O157 enterohemorrhagic Escherichia coli of serogroups O26 and O111. <i>International Journal of Medical Microbiology</i> , 2018 , 308, 1085-1095	3.7	2	
148	High dietary zinc feeding promotes persistence of multi-resistant E. coli in the swine gut. <i>PLoS ONE</i> , 2018 , 13, e0191660	3.7	33	
147	The PGRS Domain of Mycobacterium tuberculosis PE_PGRS Protein Rv0297 Is Involved in Endoplasmic Reticulum Stress-Mediated Apoptosis through Toll-Like Receptor 4. <i>MBio</i> , 2018 , 9,	7.8	36	
146	The zoonotic potential of Clostridium difficile from small companion animals and their owners. <i>PLoS ONE</i> , 2018 , 13, e0193411	3.7	37	
145	Antibiotic resistance, the 3As and the road ahead. <i>Gut Pathogens</i> , 2018 , 10, 52	5.4	6	
144	Molecular Genetic and Functional Analysis of -Harboring, Extra-Intestinal Pathogenic From India. <i>Frontiers in Microbiology</i> , 2018 , 9, 2631	5.7	10	
143	Determination of virulence and fitness genes associated with the , and integration sites of LEE-negative food-borne Shiga toxin-producing strains. <i>Gut Pathogens</i> , 2018 , 10, 43	5.4	2	
142	Chromosomally encoded ESBL genes in Escherichia coli of ST38 from Mongolian wild birds. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, 1310-1313	5.1	47	

141	Effects of Ex Vivo Infection with ETEC on Jejunal Barrier Properties and Cytokine Expression in Probiotic-Supplemented Pigs. <i>Digestive Diseases and Sciences</i> , 2017 , 62, 922-933	4	13
140	First report of two complete Clostridium chauvoei genome sequences and detailed in silico genome analysis. <i>Infection, Genetics and Evolution</i> , 2017 , 54, 287-298	4.5	14
139	Persistent anthrax as a major driver of wildlife mortality in a tropical rainforest. <i>Nature</i> , 2017 , 548, 82-8	3 6 50.4	63
138	Comparative Genomics of Isolated from Skin and Soft Tissue and Other Extraintestinal Infections. <i>MBio</i> , 2017 , 8,	7.8	21
137	Comparative Genomic Analysis of Globally Dominant ST131 Clone with Other Epidemiologically Successful Extraintestinal Pathogenic (ExPEC) Lineages. <i>MBio</i> , 2017 , 8,	7.8	53
136	Evidence for Contemporary Switching of the O-Antigen Gene Cluster between Shiga Toxin-Producing Strains Colonizing Cattle. <i>Frontiers in Microbiology</i> , 2017 , 8, 424	5.7	7
135	Risk of Transmission of Antimicrobial Resistant from Commercial Broiler and Free-Range Retail Chicken in India. <i>Frontiers in Microbiology</i> , 2017 , 8, 2120	5.7	42
134	Highly diverse and antimicrobial susceptible Escherichia coli display a nalle bacterial population in fruit bats from the Republic of Congo. <i>PLoS ONE</i> , 2017 , 12, e0178146	3.7	19
133	SLIMM: species level identification of microorganisms from metagenomes. <i>PeerJ</i> , 2017 , 5, e3138	3.1	20
132	Beta-hemolytic Streptococcus dysgalactiae strains isolated from horses are a genetically distinct population within the Streptococcus dysgalactiae taxon. <i>Scientific Reports</i> , 2016 , 6, 31736	4.9	8
131	Clonal spread and interspecies transmission of clinically relevant ESBL-producing Escherichia coli of ST410another successful pandemic clone?. <i>FEMS Microbiology Ecology</i> , 2016 , 92,	4.3	77
130	Carriage of Extended-Spectrum Beta-Lactamase-Plasmids Does Not Reduce Fitness but Enhances Virulence in Some Strains of Pandemic E. coli Lineages. <i>Frontiers in Microbiology</i> , 2016 , 7, 336	5.7	61
129	Combined Analysis of Variation in Core, Accessory and Regulatory Genome Regions Provides a Super-Resolution View into the Evolution of Bacterial Populations. <i>PLoS Genetics</i> , 2016 , 12, e1006280	6	117
128	A Look into the Melting Pot: The mecC-Harboring Region Is a Recombination Hot Spot in Staphylococcus stepanovicii. <i>PLoS ONE</i> , 2016 , 11, e0147150	3.7	10
127	The Accessory Genome of Shiga Toxin-Producing Escherichia coli Defines a Persistent Colonization Type in Cattle. <i>Applied and Environmental Microbiology</i> , 2016 , 82, 5455-64	4.8	21
126	High carriage rate of ESBL-producing Enterobacteriaceae at presentation and follow-up among travellers with gastrointestinal complaints returning from India and Southeast Asia. <i>Journal of Travel Medicine</i> , 2016 , 23, tav024	12.9	49
125	Molecular Epidemiology and Genome Dynamics of New Delhi Metallo-Lactamase-Producing Extraintestinal Pathogenic Escherichia coli Strains from India. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 6795-6805	5.9	43
124	Highly Virulent Non-O157 Enterohemorrhagic Escherichia coli (EHEC) Serotypes Reflect Similar Phylogenetic Lineages, Providing New Insights into the Evolution of EHEC. <i>Applied and Environmental Microbiology</i> , 2015 , 81, 7041-7	4.8	33

(2014-2015)

123	Genomic and Functional Portrait of a Highly Virulent, CTX-M-15-Producing H30-Rx Subclone of Escherichia coli Sequence Type 131. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 6087-95	5.9	19
122	Inactivation of Shiga toxin-producing Escherichia coli O104:H4 using cold atmospheric pressure plasma. <i>Journal of Bioscience and Bioengineering</i> , 2015 , 120, 275-9	3.3	32
121	YjjQ Represses Transcription of flhDC and Additional Loci in Escherichia coli. <i>Journal of Bacteriology</i> , 2015 , 197, 2713-20	3.5	12
120	Comparative study on the high pressure inactivation behavior of the Shiga toxin-producing Escherichia coli O104:H4 and O157:H7 outbreak strains and a non-pathogenic surrogate. <i>Food Microbiology</i> , 2015 , 46, 184-194	6	16
119	Putative connection between zoonotic multiresistant extended-spectrum beta-lactamase (ESBL)-producing Escherichia coli in dog feces from a veterinary campus and clinical isolates from dogs. <i>Infection Ecology and Epidemiology</i> , 2015 , 5, 25334	4.3	28
118	Livestock-Associated MRSA: The Impact on Humans. <i>Antibiotics</i> , 2015 , 4, 521-43	4.9	156
117	Species-wide whole genome sequencing reveals historical global spread and recent local persistence in Shigella flexneri. <i>ELife</i> , 2015 , 4, e07335	8.9	65
116	Probiotic Escherichia coli Nissle 1917 reduces growth, Shiga toxin expression, release and thus cytotoxicity of enterohemorrhagic Escherichia coli. <i>International Journal of Medical Microbiology</i> , 2015 , 305, 20-6	3.7	26
115	Infections With Multidrug-Resistant BacteriaHas the Post-Antibiotic Era Arrived in Companion Animals? 2015 , 433-452		1
114	CTX-M-15-D-ST648 Escherichia coli from companion animals and horses: another pandemic clone combining multiresistance and extraintestinal virulence?. <i>Journal of Antimicrobial Chemotherapy</i> , 2014 , 69, 1224-30	5.1	124
113	Identification of enterotoxigenic Escherichia coli (ETEC) clades with long-term global distribution. <i>Nature Genetics</i> , 2014 , 46, 1321-6	36.3	134
112	Detection of Shiga toxin- and extended-spectrum Elactamase-producing Escherichia coli O145:NM and Ont:NM from calves with diarrhoea. <i>Journal of Antimicrobial Chemotherapy</i> , 2014 , 69, 2005-7	5.1	12
111	Extraintestinal pathogenic Escherichia coli (ExPEC) of human and avian origin belonging to sequence type complex 95 (STC95) portray indistinguishable virulence features. <i>International Journal of Medical Microbiology</i> , 2014 , 304, 835-42	3.7	43
110	Relevance of Campylobacter to public healththe need for a One Health approach. <i>International Journal of Medical Microbiology</i> , 2014 , 304, 817-23	3.7	49
109	Risk factors for MRSA infection in companion animals: results from a case-control study within Germany. <i>International Journal of Medical Microbiology</i> , 2014 , 304, 787-93	3.7	15
108	A transgenic probiotic secreting a parasite immunomodulator for site-directed treatment of gut inflammation. <i>Molecular Therapy</i> , 2014 , 22, 1730-40	11.7	47
107	Cyclic-di-GMP signalling and biofilm-related properties of the Shiga toxin-producing 2011 German outbreak Escherichia coli O104:H4. <i>EMBO Molecular Medicine</i> , 2014 , 6, 1622-37	12	48
106	Alarming proportions of methicillin-resistant Staphylococcus aureus (MRSA) in wound samples from companion animals, Germany 2010-2012. <i>PLoS ONE</i> , 2014 , 9, e85656	3.7	71

105	Haemolysin of Escherichia coli in IBD: a potentiator of inflammatory activity in the colon. <i>Gut</i> , 2014 , 63, 1893-901	19.2	43
104	Role of F1C fimbriae, flagella, and secreted bacterial components in the inhibitory effect of probiotic Escherichia coli Nissle 1917 on atypical enteropathogenic E. coli infection. <i>Infection and Immunity</i> , 2014 , 82, 1801-12	3.7	27
103	Clonal spread of highly successful ST15-CTX-M-15 Klebsiella pneumoniae in companion animals and horses. <i>Journal of Antimicrobial Chemotherapy</i> , 2014 , 69, 2676-80	5.1	69
102	Correlation between the genomic o454-nlpD region polymorphisms, virulence gene equipment and phylogenetic group of extraintestinal Escherichia coli (ExPEC) enables pathotyping irrespective of host, disease and source of isolation. <i>Gut Pathogens</i> , 2014 , 6, 37	5.4	5
101	Phylogenetic analysis of Staphylococcus aureus CC398 reveals a sub-lineage epidemiologically associated with infections in horses. <i>PLoS ONE</i> , 2014 , 9, e88083	3.7	30
100	Feeding the probiotic Enterococcus faecium strain NCIMB 10415 to piglets specifically reduces the number of Escherichia coli pathotypes that adhere to the gut mucosa. <i>Applied and Environmental Microbiology</i> , 2013 , 79, 7896-904	4.8	48
99	Timely approaches to identify probiotic species of the genus Lactobacillus. <i>Gut Pathogens</i> , 2013 , 5, 27	5.4	37
98	The broader context of antibiotic resistance: zinc feed supplementation of piglets increases the proportion of multi-resistant Escherichia coli in vivo. <i>International Journal of Medical Microbiology</i> , 2013 , 303, 396-403	3.7	106
97	Phylogenetic and molecular analysis of food-borne shiga toxin-producing Escherichia coli. <i>Applied and Environmental Microbiology</i> , 2013 , 79, 2731-40	4.8	33
96	Porcine E. coli: virulence-associated genes, resistance genes and adhesion and probiotic activity tested by a new screening method. <i>PLoS ONE</i> , 2013 , 8, e59242	3.7	14
95	ESBL-plasmids carrying toxin-antitoxin systems can be "cured" of wild-type Escherichia coli using a heat technique. <i>Gut Pathogens</i> , 2013 , 5, 34	5.4	15
94	Is fecal carriage of extended-spectrum-lactamase-producing Escherichia coli in urban rats a risk for public health?. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 2424-5	5.9	15
93	Genome Sequence of Porcine Escherichia coli Strain IMT8073, an Atypical Enteropathogenic E. coli Strain Isolated from a Piglet with Diarrhea. <i>Genome Announcements</i> , 2013 , 1,		2
92	Adhesion of human and animal Escherichia coli strains in association with their virulence-associated genes and phylogenetic origins. <i>Applied and Environmental Microbiology</i> , 2013 , 79, 5814-29	4.8	38
91	Sequencing and functional annotation of avian pathogenic Escherichia coli serogroup O78 strains reveal the evolution of E. coli lineages pathogenic for poultry via distinct mechanisms. <i>Infection and Immunity</i> , 2013 , 81, 838-49	3.7	64
90	Pathotyping bla CTX-M Escherichia coli from Nigeria. <i>European Journal of Microbiology and Immunology</i> , 2013 , 3, 120-5	4.6	4
89	Analyses of intestinal commensal Escherichia coli strains from wild boars suggest adaptation to conventional pig production conditions. <i>Veterinary Microbiology</i> , 2012 , 161, 122-9	3.3	10
88	tkt1, located on a novel pathogenicity island, is prevalent in avian and human extraintestinal pathogenic Escherichia coli. <i>BMC Microbiology</i> , 2012 , 12, 51	4.5	8

(2010-2012)

87	On the Current Situation of Glanders in Various Districts of the Pakistani Punjab. <i>Journal of Equine Veterinary Science</i> , 2012 , 32, 783-787	1.2	4
86	Sharing more than friendshipnasal colonization with coagulase-positive staphylococci (CPS) and co-habitation aspects of dogs and their owners. <i>PLoS ONE</i> , 2012 , 7, e35197	3.7	83
85	Comparable high rates of extended-spectrum-beta-lactamase-producing Escherichia coli in birds of prey from Germany and Mongolia. <i>PLoS ONE</i> , 2012 , 7, e53039	3.7	90
84	MRSA variant in companion animals. <i>Emerging Infectious Diseases</i> , 2012 , 18, 2017-20	10.2	55
83	Multiresistant uropathogenic Escherichia coli from a region in India where urinary tract infections are endemic: genotypic and phenotypic characteristics of sequence type 131 isolates of the CTX-M-15 extended-spectrum-Elactamase-producing lineage. <i>Antimicrobial Agents and</i>	5.9	66
82	Chemotherapy, 2012 , 56, 6358-65 Infections with avian pathogenic and fecal Escherichia coli strains display similar lung histopathology and macrophage apoptosis. <i>PLoS ONE</i> , 2012 , 7, e41031	3.7	37
81	Frequent combination of antimicrobial multiresistance and extraintestinal pathogenicity in Escherichia coli isolates from urban rats (Rattus norvegicus) in Berlin, Germany. <i>PLoS ONE</i> , 2012 , 7, e503	337	51
80	Companion animals: a relevant source of extended-spectrum Elactamase-producing fluoroquinolone-resistant Citrobacter freundii. <i>International Journal of Antimicrobial Agents</i> , 2011 , 37, 86-7	14.3	21
79	Methicillin-resistant staphylococci (MRS) and extended-spectrum beta-lactamases (ESBL)-producing Enterobacteriaceae in companion animals: nosocomial infections as one reason for the rising prevalence of these potential zoonotic pathogens in clinical samples. <i>International</i>	3.7	115
78	Journal of Medical Microbiology, 2011 , 301, 635-41 Virulence characteristics and genetic affinities of multiple drug resistant uropathogenic Escherichia coli from a semi urban locality in India. <i>PLoS ONE</i> , 2011 , 6, e18063	3.7	68
77	Extended-Spectrum Beta-Lactamases Producing E. coli in Wildlife, yet Another Form of Environmental Pollution?. <i>Frontiers in Microbiology</i> , 2011 , 2, 246	5.7	239
76	Antimicrobial susceptibilities and occurrence of resistance genes in bovine Helcococcus ovis isolates. <i>Veterinary Microbiology</i> , 2011 , 149, 488-91	3.3	4
75	No evidence of the Shiga toxin-producing E. coli O104:H4 outbreak strain or enteroaggregative E. coli (EAEC) found in cattle faeces in northern Germany, the hotspot of the 2011 HUS outbreak area. <i>Gut Pathogens</i> , 2011 , 3, 17	5.4	48
74	Adherent-invasive Escherichia coli phenotype displayed by intestinal pathogenic E. coli strains from cats, dogs, and swine. <i>Applied and Environmental Microbiology</i> , 2011 , 77, 5813-7	4.8	19
73	E. coli Nissle 1917 Affects Salmonella adhesion to porcine intestinal epithelial cells. <i>PLoS ONE</i> , 2011 , 6, e14712	3.7	37
72	Extended-spectrum beta-lactamases-producing gram-negative bacteria in companion animals: action is clearly warranted!. <i>Berliner Und Munchener Tierarztliche Wochenschrift</i> , 2011 , 124, 94-101		32
71	The GimA locus of extraintestinal pathogenic E. coli: does reductive evolution correlate with habitat and pathotype?. <i>PLoS ONE</i> , 2010 , 5, e10877	3.7	16
70	Detection of pandemic B2-O25-ST131 Escherichia coli harbouring the CTX-M-9 extended-spectrum beta-lactamase type in a feral urban brown rat (Rattus norvegicus). <i>Journal of Antimicrobial Chemotherapy</i> , 2010 , 65, 582-4	5.1	43

69	Identification of protective and broadly conserved vaccine antigens from the genome of extraintestinal pathogenic Escherichia coli. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 9072-7	11.5	197
68	Emergence of human pandemic O25:H4-ST131 CTX-M-15 extended-spectrum-beta-lactamase-producing Escherichia coli among companion animals. <i>Journal of Antimicrobial Chemotherapy</i> , 2010 , 65, 651-60	5.1	205
67	Detection of bla(CTX-M-15) extended-spectrum beta-lactamase genes in Escherichia coli from hospital patients in Nigeria. <i>International Journal of Antimicrobial Agents</i> , 2010 , 35, 206-7	14.3	19
66	CTX-M-15-type extended-spectrum beta-lactamases-producing Escherichia coli from wild birds in Germany. <i>Environmental Microbiology Reports</i> , 2010 , 2, 641-5	3.7	46
65	First insights into antimicrobial resistance among faecal Escherichia coli isolates from small wild mammals in rural areas. <i>Science of the Total Environment</i> , 2010 , 408, 3519-22	10.2	50
64	Enterobacteriaceae populations during experimental Salmonella infection in pigs. <i>Veterinary Microbiology</i> , 2010 , 142, 352-60	3.3	10
63	Antimicrobial resistance profiles of Escherichia coli from common European wild bird species. <i>Veterinary Microbiology</i> , 2010 , 144, 219-25	3.3	81
62	Widespread rapid emergence of a distinct methicillin- and multidrug-resistant Staphylococcus pseudintermedius (MRSP) genetic lineage in Europe. <i>Veterinary Microbiology</i> , 2010 , 144, 340-6	3.3	89
61	Shiga toxin producing Escherichia coli: identification of non-O157:H7-Super-Shedding cows and related risk factors. <i>Gut Pathogens</i> , 2010 , 2, 7	5.4	47
60	Multidrug- and methicillin resistant Staphylococcus pseudintermedius as a cause of canine pyoderma: a case report. <i>Berliner Und Munchener Tierarztliche Wochenschrift</i> , 2010 , 123, 353-8		9
59	Signature-tagged mutagenesis in a chicken infection model leads to the identification of a novel avian pathogenic Escherichia coli fimbrial adhesin. <i>PLoS ONE</i> , 2009 , 4, e7796	3.7	40
58	Comparative molecular analysis substantiates zoonotic potential of equine methicillin-resistant Staphylococcus aureus. <i>Journal of Clinical Microbiology</i> , 2009 , 47, 704-10	9.7	90
57	Influence of a probiotic strain of Enterococcus faecium on Salmonella enterica serovar Typhimurium DT104 infection in a porcine animal infection model. <i>Applied and Environmental Microbiology</i> , 2009 , 75, 2621-8	4.8	81
56	Isolation and characterization of intestinal Escherichia coli clones from wild boars in Germany. <i>Applied and Environmental Microbiology</i> , 2009 , 75, 695-702	4.8	42
55	Prevalence of Methicillin-resistant Staphylococcus pseudintermedius isolated from clinical samples of companion animals and equidaes. <i>Veterinary Microbiology</i> , 2009 , 136, 197-201	3.3	122
54	Genetic diversity of porcine Pasteurella multocida strains from the respiratory tract of healthy and diseased swine. <i>Veterinary Microbiology</i> , 2009 , 139, 97-105	3.3	45
53	Antimicrobial resistances do not affect colonization parameters of intestinal E. coli in a small piglet group. <i>Gut Pathogens</i> , 2009 , 1, 18	5.4	8
52	Adhesive threads of extraintestinal pathogenic Escherichia coli. <i>Gut Pathogens</i> , 2009 , 1, 22	5.4	75

(2007-2009)

51	O-acetyltransferase gene neuO is segregated according to phylogenetic background and contributes to environmental desiccation resistance in Escherichia coli K1. <i>Environmental Microbiology</i> , 2009 , 11, 3154-65	5.2	21
50	Effects of Bacillus cereus var. toyoi on immune parameters of pregnant sows. <i>Veterinary Immunology and Immunopathology</i> , 2009 , 127, 26-37	2	21
49	Intestine and environment of the chicken as reservoirs for extraintestinal pathogenic Escherichia coli strains with zoonotic potential. <i>Applied and Environmental Microbiology</i> , 2009 , 75, 184-92	4.8	167
48	Mallard ducks - a waterfowl species with high risk of distributing Escherichia coli pathogenic for humans. <i>Environmental Microbiology Reports</i> , 2009 , 1, 510-7	3.7	24
47	Phylogeny and disease association of Shiga toxin-producing Escherichia coli O91. <i>Emerging Infectious Diseases</i> , 2009 , 15, 1474-7	10.2	42
46	Staphylococcus aureus and MRSA colonization rates among personnel and dogs in a small animal hospital: association with nosocomial infections. <i>Berliner Und Munchener Tierarztliche Wochenschrift</i> , 2009 , 122, 178-85		20
45	Fluorescence in situ hybridization (FISH) analysis of the interactions between honeybee larvae and Paenibacillus larvae, the causative agent of American foulbrood of honeybees (Apis mellifera). <i>Environmental Microbiology</i> , 2008 , 10, 1612-20	5.2	103
44	ExPEC-typical virulence-associated genes correlate with successful colonization by intestinal E. coli in a small piglet group. <i>Environmental Microbiology</i> , 2008 , 10, 1742-51	5.2	44
43	Methicillin-resistant Staphylococcus aureus (MRSA) isolated from small and exotic animals at a university hospital during routine microbiological examinations. <i>Veterinary Microbiology</i> , 2008 , 127, 171	-3 -3	99
42	Association of Treponema spp. with canine periodontitis. <i>Veterinary Microbiology</i> , 2008 , 127, 334-42	3.3	25
41	High prevalence of treponemes in bovine digital dermatitis-a molecular epidemiology. <i>Veterinary Microbiology</i> , 2008 , 131, 293-300	3.3	65
40	The chicken as a natural model for extraintestinal infections caused by avian pathogenic Escherichia coli (APEC). <i>Microbial Pathogenesis</i> , 2008 , 45, 361-9	3.8	8o
39	Real-time PCR assay for the detection of species of the genus Mannheimia. <i>Journal of Microbiological Methods</i> , 2008 , 75, 75-80	2.8	18
38	Detection of Trichinella spiralis, T. britovi and T. pseudospiralis in muscle tissue with real-time PCR. Journal of Microbiological Methods, 2008 , 75, 287-92	2.8	29
37	Characterization of a yjjQ mutant of avian pathogenic Escherichia coli (APEC). <i>Microbiology (United Kingdom)</i> , 2008 , 154, 1082-1093	2.9	26
36	Helcococcus ovis, an emerging pathogen in bovine valvular endocarditis. <i>Journal of Clinical Microbiology</i> , 2008 , 46, 3291-5	9.7	35
35	Composition of intestinal Enterobacteriaceae populations of healthy domestic pigs. <i>Microbiology</i> (United Kingdom), 2007 , 153, 3830-3837	2.9	57
34	Bacillus cereus var. toyoi enhanced systemic immune response in piglets. <i>Veterinary Immunology and Immunopathology</i> , 2007 , 118, 1-11	2	44

33	Avian pathogenic, uropathogenic, and newborn meningitis-causing Escherichia coli: how closely related are they?. <i>International Journal of Medical Microbiology</i> , 2007 , 297, 163-76	3.7	362
32	Longitudinal prevalence study of diarrheagenic Escherichia coli in dairy calves. <i>Berliner Und Munchener Tierarztliche Wochenschrift</i> , 2007 , 120, 296-306		16
31	Antimicrobial susceptibility of Escherichia coli from swine, horses, dogs and cats as determined in the BfT-GermVet monitoring program 2004-2006. <i>Berliner Und Munchener Tierarztliche Wochenschrift</i> , 2007 , 120, 391-401		24
30	Virulence genotype of Pasteurella multocida strains isolated from different hosts with various disease status. <i>Veterinary Microbiology</i> , 2006 , 114, 304-17	3.3	136
29	Immunization with an alphatoxin variant 121A/91-R212H protects mice against Clostridium perfringens alphatoxin. <i>Anaerobe</i> , 2006 , 12, 44-8	2.8	13
28	Identification and characterization of "pathoadaptive mutations" of the cadBA operon in several intestinal Escherichia coli. <i>International Journal of Medical Microbiology</i> , 2006 , 296, 547-52	3.7	17
27	Sex and virulence in Escherichia coli: an evolutionary perspective. <i>Molecular Microbiology</i> , 2006 , 60, 113	6451	1426
26	Characterization of a porcine intestinal epithelial cell line for in vitro studies of microbial pathogenesis in swine. <i>Histochemistry and Cell Biology</i> , 2006 , 125, 293-305	2.4	273
25	Description of a 111-kb pathogenicity island (PAI) encoding various virulence features in the enterohemorrhagic E. coli (EHEC) strain RW1374 (O103:H2) and detection of a similar PAI in other EHEC strains of serotype 0103:H2. <i>International Journal of Medical Microbiology</i> , 2005 , 294, 417-25	3.7	22
24	Long-term clonal lineages within Campylobacter jejuni O:2 strains from different geographical regions and hosts. <i>International Journal of Medical Microbiology</i> , 2005 , 294, 521-4	3.7	7
23	Shiga toxin 2e-producing Escherichia coli isolates from humans and pigs differ in their virulence profiles and interactions with intestinal epithelial cells. <i>Applied and Environmental Microbiology</i> , 2005 , 71, 8855-63	4.8	88
22	Treponema berlinense sp. nov. and Treponema porcinum sp. nov., novel spirochaetes isolated from porcine faeces. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005 , 55, 1675-1680	2.2	30
21	Rapid detection of virulence-associated genes in avian pathogenic Escherichia coli by multiplex polymerase chain reaction. <i>Avian Diseases</i> , 2005 , 49, 269-73	1.6	113
20	Identification of genes required for avian Escherichia coli septicemia by signature-tagged mutagenesis. <i>Infection and Immunity</i> , 2005 , 73, 2818-27	3.7	97
19	Molecular epidemiology of avian pathogenic Escherichia coli (APEC) isolated from colisepticemia in poultry. <i>Veterinary Microbiology</i> , 2004 , 104, 91-101	3.3	177
18	Molecular characteristics of Escherichia coli serogroup O78 strains isolated from diarrheal cases in bovines urge further investigations on their zoonotic potential. <i>Molecular Nutrition and Food Research</i> , 2004 , 48, 504-14	5.9	12
17	Impact of the locus of enterocyte effacement pathogenicity island on the evolution of pathogenic Escherichia coli. <i>International Journal of Medical Microbiology</i> , 2004 , 294, 103-13	3.7	49
16	Verotoxin 1 from Escherichia coli affects Gb3/CD77+ bovine lymphocytes independent of interleukin-2, tumor necrosis factor-alpha, and interferon-alpha. <i>Experimental Biology and Medicine</i> , 2003, 228, 377-86	3.7	20

LIST OF PUBLICATIONS

15	Description of a novel intimin variant (type zeta) in the bovine O84:NM verotoxin-producing Escherichia coli strain 537/89 and the diagnostic value of intimin typing. <i>Experimental Biology and Medicine</i> , 2003 , 228, 370-6	3.7	24
14	National antibiotic resistance monitoring in veterinary pathogens from sick food-producing animals: the German programme and results from the 2001 pilot study. <i>International Journal of Antimicrobial Agents</i> , 2003 , 22, 420-8	14.3	27
13	Dissemination of pheU- and pheV-located genomic islands among enteropathogenic (EPEC) and enterohemorrhagic (EHEC) E. coli and their possible role in the horizontal transfer of the locus of enterocyte effacement (LEE). <i>International Journal of Medical Microbiology</i> , 2003 , 292, 463-75	3.7	27
12	STEC as a veterinary problem. Diagnostics and prophylaxis in animals. <i>Methods in Molecular Medicine</i> , 2003 , 73, 75-89		8
11	A novel locus of enterocyte effacement (LEE) pathogenicity island inserted at pheV in bovine Shiga toxin-producing Escherichia coli strain O103:H2. <i>FEMS Microbiology Letters</i> , 2001 , 204, 75-9	2.9	42
10	Naturally occurring Clostridium perfringens nontoxic alpha-toxin variant as a potential vaccine candidate against alpha-toxin-associated diseases. <i>Infection and Immunity</i> , 2001 , 69, 7194-6	3.7	19
9	Globotriaosylceramide (Gb(3)/CD77) is synthesized and surface expressed by bovine lymphocytes upon activation in vitro. <i>Veterinary Immunology and Immunopathology</i> , 2001 , 83, 19-36	2	19
8	A new Shiga toxin 2 variant (Stx2f) from Escherichia coli isolated from pigeons. <i>Applied and Environmental Microbiology</i> , 2000 , 66, 1205-8	4.8	243
7	Enterohemorrhagic Escherichia coli (EHEC) strains of serogroup O118 display three distinctive clonal groups of EHEC pathogens. <i>Journal of Clinical Microbiology</i> , 2000 , 38, 2162-9	9.7	19
6	Detection of Borrelia burgdorferi in urine specimens from dogs by a nested polymerase chain reaction. Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology, 1998, 287, 347-61		7
5	Neutralization of hemolytic and mouse lethal activities of C. perfringens alpha-toxin need simultaneous blockade of two epitopes by monoclonal antibodies. <i>Microbial Pathogenesis</i> , 1997 , 23, 1-1	o ^{3.8}	9
4	Insertion site of the locus of enterocyte effacement in enteropathogenic and enterohemorrhagic Escherichia coli differs in relation to the clonal phylogeny of the strains. <i>FEMS Microbiology Letters</i> , 1997 , 156, 49-53	2.9	38
3	The enterohemolysin phenotype of bovine Shiga-like toxin-producing Escherichia coli (SLTEC) is encoded by the EHEC-hemolysin gene. <i>Veterinary Microbiology</i> , 1996 , 52, 153-64	3.3	30
2	Characterization of Shiga-like toxin producing Escherichia coli (SLTEC) isolated from calves with and without diarrhoea. <i>Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology</i> , 1992 , 276, 243-53		43
1	One-Health-Konzept: Eine Antwort auf resistente Bakterien?		1