

Ahmed Raheem

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9272492/publications.pdf>

Version: 2024-02-01

16
papers

75
citations

1684188

5
h-index

1588992

8
g-index

18
all docs

18
docs citations

18
times ranked

161
citing authors

#	ARTICLE	IF	CITATIONS
1	Plasmodium in the bone marrow: case series from a hospital in Pakistan, 2007–2015. <i>Malaria Journal</i> , 2021, 20, 254.	2.3	8
2	Randomised controlled trial to assess the effectiveness of apnoeic oxygenation in adults using low-flow or high-flow nasal cannula with head side elevation versus usual care to prevent desaturation during endotracheal intubation in the emergency department (ApOxED): study protocol. <i>BMJ Open</i> , 2020, 10, e037964.	1.9	1
3	The Utility of Early Warning Score in Adults Presenting With Sepsis in the Emergency Department of a Low Resource Setting. <i>Cureus</i> , 2020, 12, e9030.	0.5	1
4	Plasmodium vivax Mimicking Morphologic Features of Plasmodium falciparum. <i>Cureus</i> , 2020, 12, e11406.	0.5	1
5	Correlation between Gensini Score and Duration of Diabetes in Patients Undergoing Coronary Angiography. <i>Cureus</i> , 2019, 11, e4010.	0.5	6
6	Assessment of Factors Affecting Quality of Life in Oral Squamous Cell Carcinoma Patients Using University of Washington Quality of Life Questionnaire. <i>Cureus</i> , 2019, 11, e3904.	0.5	12
7	Use of pefloxacin as a surrogate marker to detect ciprofloxacin susceptibility in <i>Salmonella enterica</i> serotypes Typhi and Paratyphi A. <i>JPMA the Journal of the Pakistan Medical Association</i> , 2019, 70, 1.	0.2	1
8	Hematological Profile and Gametocyte Carriage in Malaria Patients from Southern Pakistan. <i>Cureus</i> , 2019, 11, e4256.	0.5	6
9	Performance Evaluation of Cardiac Troponin I Assay: A Comparison Between the Point-of-care Testing Radiometer AQT90 FLEX and the Central Laboratory Siemens Advia Centaur Analyzer. <i>Cureus</i> , 2019, 11, e4231.	0.5	1
10	Frequency of Transducer-like Enhancer of Split 1 Immunohistochemical Expression in Synovial Sarcoma: An Institution-based Cross-sectional Study. <i>Cureus</i> , 2019, 11, e6357.	0.5	1
11	Prospective Comparison of Point-of-Care Device and Standard Analyzer for Monitoring of International Normalized Ratio in Outpatient Oral Anticoagulant Clinic. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2018, 24, 1153-1158.	1.7	6
12	Diagnostic Value of Gauze Filtration Technique: A Comparison with Conventional Methods in a Diagnostic Laboratory in Pakistan. <i>Cureus</i> , 2018, 10, e3615.	0.5	0
13	Frequency of G6PD Mediterranean in individuals with and without malaria in Southern Pakistan. <i>Malaria Journal</i> , 2017, 16, 426.	2.3	3
14	Use of ISTH bleeding assessment tool to predict inherited platelet dysfunction in resource constrained settings. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2016, 76, 373-378.	1.2	22
15	Impact of Mode of Curriculum on Knowledge and Attitudes of Medical Students towards Health Research. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2016, 10, LC15-9.	0.8	2
16	HIV prevalence in blood donors and recipients in Pakistan: a meta-analysis and analysis of blood-bank data. <i>WHO South-East Asia Journal of Public Health</i> , 2015, 4, 176.	0.7	4