Andre Obenaus

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/927314/andre-obenaus-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

3,003 50 112 33 h-index g-index citations papers 3,651 122 5.4 5.24 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
112	Short-term exposure to an obesogenic diet during adolescence elicits anxiety-related behavior and neuroinflammation: modulatory effects of exogenous neurogulin-1 <i>Translational Psychiatry</i> , 2022 , 12, 83	8.6	O
111	Longitudinal dynamics of microvascular recovery after acquired cortical injury <i>Acta Neuropathologica Communications</i> , 2022 , 10, 59	7.3	0
110	Neuroprotective role of nitric oxide inhalation and nitrite in a Neonatal Rat Model of Hypoxic-Ischemic Injury <i>PLoS ONE</i> , 2022 , 17, e0268282	3.7	O
109	Aberrant Maturation of the Uncinate Fasciculus Follows Exposure to Unpredictable Patterns of Maternal Signals. <i>Journal of Neuroscience</i> , 2021 , 41, 1242-1250	6.6	8
108	NAAA-regulated lipid signaling governs the transition from acute to chronic pain. <i>Science Advances</i> , 2021 , 7, eabi8834	14.3	3
107	Maternal n-3 Polyunsaturated Fatty Acid Enriched Diet Commands Fatty Acid Composition in Postnatal Brain and Protects from Neonatal Arterial Focal Stroke. <i>Translational Stroke Research</i> , 2021 , 1	7.8	1
106	Early life adversity in male mice sculpts reward circuits. <i>Neurobiology of Stress</i> , 2021 , 15, 100409	7.6	3
105	Role of the noninvasive imaging techniques in monitoring and understanding the evolution of brain edema. <i>Journal of Neuroscience Research</i> , 2021 ,	4.4	3
104	SPARC coordinates extracellular matrix remodeling and efficient recruitment to and migration of antigen-specific T cells in the brain following infection. <i>Scientific Reports</i> , 2021 , 11, 4549	4.9	2
103	Cerebrovascular phenotypes in mouse models of Alzheimerß disease. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021 , 41, 1821-1841	7.3	7
102	Viral mimetic triggers cerebral arteriopathy in juvenile brain via neutrophil elastase and NETosis. Journal of Cerebral Blood Flow and Metabolism, 2021 , 41, 3171-3186	7.3	O
101	Combined Therapy With Avastin, a PAF Receptor Antagonist and a Lipid Mediator Inhibited Glioblastoma Tumor Growth. <i>Frontiers in Pharmacology</i> , 2021 , 12, 746470	5.6	O
100	Maternal Undernutrition Modulates Neonatal Rat Cerebrovascular Structure, Function, and Vulnerability to Mild Hypoxic-Ischemic Injury via Corticosteroid-Dependent and -Independent Mechanisms. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
99	New Mechanistic Insights, Novel Treatment Paradigms, and Clinical Progress in Cerebrovascular Diseases. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 623751	5.3	9
98	Contusion Rodent Model of Traumatic Brain Injury: Controlled Cortical Impact. <i>Methods in Molecular Biology</i> , 2021 , 2193, 49-65	1.4	2
97	Acute intranasal osteopontin treatment in male rats following TBI increases the number of activated microglia but does not alter lesion characteristics. <i>Journal of Neuroscience Research</i> , 2020 , 98, 141-154	4.4	8
96	Noninvasive magnetic resonance imaging stratifies injury severity in a rodent model of male juvenile traumatic brain injury. <i>Journal of Neuroscience Research</i> , 2020 , 98, 129-140	4.4	6

(2018-2020)

95	A Biomarker for Predicting Responsiveness to Stem Cell Therapy Based on Mechanism-of-Action: Evidence from Cerebral Injury. <i>Cell Reports</i> , 2020 , 31, 107622	10.6	2
94	Multiple sensory illusions are evoked during the course of proton therapy. <i>Life Sciences in Space Research</i> , 2020 , 26, 140-148	2.4	1
93	Early cerebrovascular and long-term neurological modifications ensue following juvenile mild traumatic brain injury in male mice. <i>Neurobiology of Disease</i> , 2020 , 141, 104952	7.5	11
92	Acute Treatment With Gleevec Does Not Promote Early Vascular Recovery Following Intracerebral Hemorrhage in Adult Male Rats. <i>Frontiers in Neuroscience</i> , 2020 , 14, 46	5.1	1
91	Temporal evolution of heme oxygenase-1 expression in reactive astrocytes and microglia in response to traumatic brain injury. <i>Brain Hemorrhages</i> , 2020 , 1, 65-74	2.1	O
90	Characterization and preclinical evaluation of the cGMP grade DNA based vaccine, AV-1959D to enter the first-in-human clinical trials. <i>Neurobiology of Disease</i> , 2020 , 139, 104823	7.5	9
89	Blocking pro-inflammatory platelet-activating factor receptors and activating cell survival pathways: A novel therapeutic strategy in experimental ischemic stroke. <i>Brain Circulation</i> , 2020 , 6, 260-	268	4
88	Juvenile mild traumatic brain injury elicits distinct spatiotemporal astrocyte responses. <i>Glia</i> , 2020 , 68, 528-542	9	10
87	Astrocytic Ephrin-B1 Controls Excitatory-Inhibitory Balance in Developing Hippocampus. <i>Journal of Neuroscience</i> , 2020 , 40, 6854-6871	6.6	8
86	Prenatal metyrapone treatment modulates neonatal cerebrovascular structure, function, and vulnerability to mild hypoxic-ischemic injury. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2020 , 318, R1-R16	3.2	1
85	CX3CR1-CCR2-dependent monocyte-microglial signaling modulates neurovascular leakage and acute injury in a mouse model of childhood stroke. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019 , 39, 1919-1935	7.3	27
84	Diffusion tensor imaging identifies aspects of therapeutic estrogen receptor ligand-induced remyelination in a mouse model of multiple sclerosis. <i>Neurobiology of Disease</i> , 2019 , 130, 104501	7.5	6
83	Small Interference RNA Targeting Connexin-43 Improves Motor Function and Limits Astrogliosis After Juvenile Traumatic Brain Injury. <i>ASN Neuro</i> , 2019 , 11, 1759091419847090	5.3	4
82	Repeated isoflurane in adult male mice leads to acute and persistent motor decrements with long-term modifications in corpus callosum microstructural integrity. <i>Journal of Neuroscience Research</i> , 2019 , 97, 332-345	4.4	11
81	PDGFR-Imodulates vascular smooth muscle cell phenotype via IRF-9/SIRT-1/NF- B pathway in subarachnoid hemorrhage rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019 , 39, 1369-1380	7.3	30
80	Male and Female Mice Exhibit Divergent Responses of the Cortical Vasculature to Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2018 , 35, 1646-1658	5.4	32
79	Gliovascular changes precede white matter damage and long-term disorders in juvenile mild closed head injury. <i>Glia</i> , 2018 , 66, 1663-1677	9	22
78	Exposure to an obesogenic diet during adolescence leads to abnormal maturation of neural and behavioral substrates underpinning fear and anxiety. <i>Brain, Behavior, and Immunity</i> , 2018 , 70, 96-117	16.6	15

77	Modulating the water channel AQP4 alters miRNA expression, astrocyte connectivity and water diffusion in the rodent brain. <i>Scientific Reports</i> , 2018 , 8, 4186	4.9	12
76	Inhibition of stress fiber formation preserves blood-brain barrier after intracerebral hemorrhage in mice. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018 , 38, 87-102	7.3	25
75	Anhedonia Following Early-Life Adversity Involves Aberrant Interaction of Reward and Anxiety Circuits and Is Reversed by Partial Silencing of Amygdala Corticotropin-Releasing Hormone Gene. <i>Biological Psychiatry</i> , 2018 , 83, 137-147	7.9	85
74	A Novel Technique for Visualizing and Analyzing the Cerebral Vasculature in Rodents. <i>Translational Stroke Research</i> , 2018 , 10, 216	7.8	5
73	Corpus Callosum Vasculature Predicts White Matter Microstructure Abnormalities after Pediatric Mild Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2018 ,	5.4	13
72	Up-regulation of Wnt/Etatenin expression is accompanied with vascular repair after traumatic brain injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018 , 38, 274-289	7.3	23
71	Repeated Pediatric Concussions Evoke Long-Term Oligodendrocyte and White Matter Microstructural Dysregulation Distant from the Injury. <i>Developmental Neuroscience</i> , 2018 , 40, 358-375	2.2	11
70	Criteria to define mild, moderate, and severe traumatic brain injury in the mouse controlled cortical impact model. <i>Experimental Neurology</i> , 2018 , 310, 48-57	5.7	36
69	Epilepsy-predictive magnetic resonance imaging changes following experimental febrile status epilepticus: Are they translatable to the clinic?. <i>Epilepsia</i> , 2018 , 59, 2005-2018	6.4	9
68	Functional Consequences of Synapse Remodeling Following Astrocyte-Specific Regulation of Ephrin-B1 in the Adult Hippocampus. <i>Journal of Neuroscience</i> , 2018 , 38, 5710-5726	6.6	34
67	Docosanoids Promote Neurogenesis and Angiogenesis, Blood-Brain Barrier Integrity, Penumbra Protection, and Neurobehavioral Recovery After Experimental Ischemic Stroke. <i>Molecular Neurobiology</i> , 2018 , 55, 7090-7106	6.2	38
66	Does Anhedonia Presage Increased Risk of Posttraumatic Stress Disorder?: Adolescent Anhedonia and Posttraumatic Disorders. <i>Current Topics in Behavioral Neurosciences</i> , 2018 , 38, 249-265	3.4	16
65	Improved long-term outcome after transient cerebral ischemia in aquaporin-4 knockout mice. Journal of Cerebral Blood Flow and Metabolism, 2017 , 37, 277-290	7.3	60
64	Neuroprotectin D1 upregulates Iduna expression and provides protection in cellular uncompensated oxidative stress and in experimental ischemic stroke. <i>Cell Death and Differentiation</i> , 2017 , 24, 1091-1099	12.7	33
63	Region specific oligodendrocyte transcription factor expression in a model of neonatal hypoxic injury. <i>International Journal of Developmental Neuroscience</i> , 2017 , 61, 1-11	2.7	5
62	Response of the cerebral vasculature following traumatic brain injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017 , 37, 2320-2339	7.3	129
61	Traumatic brain injury results in acute rarefication of the vascular network. <i>Scientific Reports</i> , 2017 , 7, 239	4.9	36
60	Elovanoids are a novel class of homeostatic lipid mediators that protect neural cell integrity upon injury. <i>Science Advances</i> , 2017 , 3, e1700735	14.3	25

59	Noninvasive Imaging Techniques for Brain Edema 2017 , 51-69		Ο	
58	Role of PDGF-D and PDGFR-In neuroinflammation in experimental ICH mice model. <i>Experimental Neurology</i> , 2016 , 283, 157-64	5.7	34	
57	Differential detection of impact site versus rotational site injury by magnetic resonance imaging and microglial morphology in an unrestrained mild closed head injury model. <i>Journal of Neurochemistry</i> , 2016 , 136 Suppl 1, 18-28	6	13	
56	Recombinant Osteopontin Stabilizes Smooth Muscle Cell Phenotype via Integrin Receptor/Integrin-Linked Kinase/Rac-1 Pathway After Subarachnoid Hemorrhage in Rats. <i>Stroke</i> , 2016 , 47, 1319-27	6.7	43	
55	Fetal stress-mediated hypomethylation increases the brain susceptibility to hypoxic-ischemic injury in neonatal rats. <i>Experimental Neurology</i> , 2016 , 275 Pt 1, 1-10	5.7	10	
54	Mild Concussion, but Not Moderate Traumatic Brain Injury, Is Associated with Long-Term Depression-Like Phenotype in Mice. <i>PLoS ONE</i> , 2016 , 11, e0146886	3.7	36	
53	Western High-Fat Diet Consumption during Adolescence Increases Susceptibility to Traumatic Stress while Selectively Disrupting Hippocampal and Ventricular Volumes. <i>ENeuro</i> , 2016 , 3,	3.9	31	
52	Neuroprotective effect of hyperbaric oxygen therapy in a juvenile rat model of repetitive mild traumatic brain injury. <i>Medical Gas Research</i> , 2016 , 6, 187-193	2.2	13	
51	Reduction of Cerebral Edema via an Osmotic Transport Device Improves Functional Outcome after Traumatic Brain Injury in Mice. <i>Acta Neurochirurgica Supplementum</i> , 2016 , 121, 285-9	1.7	2	
50	Chronic cerebrovascular dysfunction after traumatic brain injury. <i>Journal of Neuroscience Research</i> , 2016 , 94, 609-22	4.4	70	
49	Imatinib attenuates cerebrovascular injury and phenotypic transformation after intracerebral hemorrhage in rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016 , 311, R1093-R1104	3.2	8	
48	Susceptibility-Weighted Imaging Identifies Iron-Oxide-Labeled Human Neural Stem Cells: Automated Computational Detection. <i>Developmental Neuroscience</i> , 2016 , 38, 445-457	2.2	4	
47	Astrocytic Ephrin-B1 Regulates Synapse Remodeling Following Traumatic Brain Injury. <i>ASN Neuro</i> , 2016 , 8, 1-18	5.3	35	
46	MRI uncovers disrupted hippocampal microstructure that underlies memory impairments after early-life adversity. <i>Hippocampus</i> , 2016 , 26, 1618-1632	3.5	59	
45	T2 relaxation time post febrile status epilepticus predicts cognitive outcome. <i>Experimental Neurology</i> , 2015 , 269, 242-52	5.7	20	
44	Rapid, Coordinate Inflammatory Responses after Experimental Febrile Status Epilepticus: Implications for Epileptogenesis. <i>ENeuro</i> , 2015 , 2,	3.9	51	
43	Iron Accumulation Is Not Homogenous among Patients with Parkinsonß Disease. <i>Parkinson</i> ß <i>Disease</i> , 2015 , 2015, 324843	2.6	27	
42	Dynamic low-level context for the detection of mild traumatic brain injury. <i>IEEE Transactions on Biomedical Engineering</i> , 2015 , 62, 145-53	5	5	

41	Automated Identification of Injury Dynamics After Neonatal Hypoxia-Ischemia. <i>Computational Biology</i> , 2015 , 77-97	0.7	
40	A Real-Time Analysis of Traumatic Brain Injury from T2 Weighted Magnetic Resonance Images Using a Symmetry-Based Algorithm. <i>Computational Biology</i> , 2015 , 99-117	0.7	
39	Automated detection of brain abnormalities in neonatal hypoxia ischemic injury from MR images. <i>Medical Image Analysis</i> , 2014 , 18, 1059-69	15.4	28
38	Docosahexaenoic acid complexed to albumin provides neuroprotection after experimental stroke in aged rats. <i>Neurobiology of Disease</i> , 2014 , 62, 1-7	7.5	35
37	A novel, noninvasive, predictive epilepsy biomarker with clinical potential. <i>Journal of Neuroscience</i> , 2014 , 34, 8672-84	6.6	82
36	Visual and Contextual Modeling for the Detection of Repeated Mild Traumatic Brain Injury. <i>IEEE Transactions on Medical Imaging</i> , 2014 , 33, 11-22	11.7	6
35	Repeated mild traumatic brain injury results in long-term white-matter disruption. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2014 , 34, 715-23	7-3	68
34	Hypothermia modulates cytokine responses after neonatal rat hypoxic-ischemic injury and reduces brain damage. <i>ASN Neuro</i> , 2014 , 6,	5.3	11
33	Reparative effects of neural stem cells in neonatal rats with hypoxic-ischemic injury are not influenced by host sex. <i>Pediatric Research</i> , 2014 , 75, 603-11	3.2	21
32	Posttraumatic reduction of edema with aquaporin-4 RNA interference improves acute and chronic functional recovery. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013 , 33, 1621-32	7.3	84
31	Tissue vulnerability is increased following repetitive mild traumatic brain injury in the rat. <i>Brain Research</i> , 2013 , 1499, 109-20	3.7	32
30	Neuroimaging biomarkers for epilepsy: advances and relevance to glial cells. <i>Neurochemistry International</i> , 2013 , 63, 712-8	4.4	7
29	Acute treatment with docosahexaenoic acid complexed to albumin reduces injury after a permanent focal cerebral ischemia in rats. <i>PLoS ONE</i> , 2013 , 8, e77237	3.7	23
28	Computational analysis reveals increased blood deposition following repeated mild traumatic brain injury. <i>NeuroImage: Clinical</i> , 2012 , 1, 18-28	5.3	27
27	Traumatic brain injury in young rats leads to progressive behavioral deficits coincident with altered tissue properties in adulthood. <i>Journal of Neurotrauma</i> , 2012 , 29, 2060-74	5.4	62
26	Neuroimaging of stroke and ischemia in animal models. <i>Translational Stroke Research</i> , 2012 , 3, 4-7	7.8	7
25	Novel aspirin-triggered neuroprotectin D1 attenuates cerebral ischemic injury after experimental stroke. <i>Experimental Neurology</i> , 2012 , 236, 122-30	5.7	81
24	Automated core-penumbra quantification in neonatal ischemic brain injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012 , 32, 2161-70	7.3	29

23	Computational Analysis: A Bridge to Translational Stroke Treatment 2012 , 881-909		5
22	Brain water mobility decreases after astrocytic aquaporin-4 inhibition using RNA interference. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011 , 31, 819-31	7.3	128
21	Docosahexaenoic Acid therapy of experimental ischemic stroke. <i>Translational Stroke Research</i> , 2011 , 2, 33-41	7.8	127
20	Hyperbaric oxygen therapy for traumatic brain injury. <i>Medical Gas Research</i> , 2011 , 1, 21	2.2	58
19	Automated ischemic lesion detection in a neonatal model of hypoxic ischemic injury. <i>Journal of Magnetic Resonance Imaging</i> , 2011 , 33, 772-81	5.6	25
18	Long-term magnetic resonance imaging of stem cells in neonatal ischemic injury. <i>Annals of Neurology</i> , 2011 , 69, 282-91	9.4	56
17	Drill hole defects: induction, imaging, and analysis in the rodent. <i>Methods in Molecular Biology</i> , 2011 , 690, 301-14	1.4	2
16	Bone marrow cell cotransplantation with islets improves their vascularization and function. <i>Transplantation</i> , 2010 , 89, 686-93	1.8	59
15	Rodent neonatal bilateral carotid artery occlusion with hypoxia mimics human hypoxic-ischemic injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009 , 29, 1305-16	7.3	28
14	Neuroimaging as a basis for rational stem cell therapy. <i>Pediatric Neurology</i> , 2009 , 40, 227-36	2.9	20
13	Meta-analysis of apparent diffusion coefficients in the newborn brain. <i>Pediatric Neurology</i> , 2009 , 41, 263-74	2.9	20
12	Magnetic resonance imaging in cerebral ischemia: focus on neonates. <i>Neuropharmacology</i> , 2008 , 55, 27	1 5 89	33
11	Comparison of two neonatal ischemic injury models using magnetic resonance imaging. <i>Pediatric Research</i> , 2007 , 61, 9-14	3.2	63
10	Magnetic resonance imaging of functional anatomy: use for small animal epilepsy models. <i>Epilepsia</i> , 2007 , 48 Suppl 4, 11-7	6.4	20
9	Experimental intracerebral hematoma in the rat: characterization by sequential magnetic resonance imaging, behavior, and histopathology. Effect of albumin therapy. <i>Brain Research</i> , 2007 , 1157, 146-55	3.7	55
8	Temporal and regional evolution of aquaporin-4 expression and magnetic resonance imaging in a rat pup model of neonatal stroke. <i>Pediatric Research</i> , 2007 , 62, 248-54	3.2	67
7	Albumin reduces blood-brain barrier permeability but does not alter infarct size in a rat model of neonatal stroke. <i>Pediatric Research</i> , 2007 , 62, 261-6	3.2	23
6	Multi-modal magnetic resonance imaging alterations in two rat models of mild neurotrauma. Journal of Neurotrauma, 2007 , 24, 1147-60	5.4	62

5	Matrix metalloproteinase inhibition attenuates brain edema in an in vivo model of surgically-induced brain injury. <i>Neurosurgery</i> , 2007 , 61, 1067-75; discussion 1075-6	3.2	65
4	High-energy high-charge (HZE) radiation exposure stimulates progressive astrogliosis in the CA1 region of the hippocampus in rats. <i>FASEB Journal</i> , 2007 , 21, A398	0.9	
3	Neuronal and glial cell populations in the piriform cortex distinguished by using an approximation of q-space imaging after status epilepticus. <i>American Journal of Neuroradiology</i> , 2004 , 25, 1225-33	4.4	15
2	OBSERVING TUMOR VASCULARITY NONINVASIVELY USING MAGNETIC RESONANCE IMAGING. <i>Image Analysis and Stereology</i> , 2002 , 21, 107	1	15
1	Osmolality-induced changes in extracellular volume alter epileptiform bursts independent of chemical synapses in the rat: importance of non-synaptic mechanisms in hippocampal epileptogenesis. Neuroscience Letters. 1990, 120, 267-70.	3.3	146