

Shengzuo Fang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9274098/shengzuo-fang-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82

papers

1,504

citations

22

h-index

35

g-index

85

ext. papers

1,923

ext. citations

3.5

avg, IF

4.74

L-index

#	Paper	IF	Citations
82	3,23-Dihydroxy-12-ene-28-ursolic Acid Isolated from <i>Alleviates</i> NLRP3 Inflammasome-Mediated Gout via PI3K-AKT-mTOR-Dependent Autophagy.. <i>Evidence-based Complementary and Alternative Medicine</i> , 2022 , 2022, 5541232	2.3	1
81	Effects of different planting configurations and clones on biomass and carbon storage of a 12-year-old poplar ecosystem in southern China. <i>Canadian Journal of Forest Research</i> , 2022 , 52, 70-78	1.9	0
80	Cyclocarya paliurus triterpenoids attenuate glomerular endothelial injury in the diabetic rats via ROCK pathway.. <i>Journal of Ethnopharmacology</i> , 2022 , 291, 115127	5	0
79	Responses of Microstructure, Ultrastructure and Antioxidant Enzyme Activity to PEG-Induced Drought Stress in Cyclocarya paliurus Seedlings. <i>Forests</i> , 2022 , 13, 836	2.8	0
78	Geographical variations of triterpenoid contents in Cyclocarya paliurus leaves and their inhibitory effects on HeLa cells. <i>Industrial Crops and Products</i> , 2021 , 162, 113314	5.9	4
77	RNA in situ hybridization and expression of related genes regulating the accumulation of triterpenoids in Cyclocarya paliurus. <i>Tree Physiology</i> , 2021 , 41, 2189-2197	4.2	1
76	GenotypeEnvironment Interactions for Tree Growth and Leaf Phytochemical Content of Cyclocarya paliurus (Batal.) Iljinskaja. <i>Forests</i> , 2021 , 12, 735	2.8	1
75	Natural variations in flavonoids and triterpenoids of Cyclocarya paliurus leaves. <i>Journal of Forestry Research</i> , 2021 , 32, 805-814	2	8
74	Assessments of growth performance, crown structure, stem form and wood property of introduced poplar clones: Results from a long-term field experiment at a lowland site. <i>Forest Ecology and Management</i> , 2021 , 479, 118586	3.9	5
73	Ecological Gradient Analysis and Environmental Interpretation of Cyclocarya paliurus Communities. <i>Forests</i> , 2021 , 12, 146	2.8	1
72	Nitrogen form and ratio impact phenolic accumulation and relative gene expression in Cyclocarya paliurus. <i>Trees - Structure and Function</i> , 2021 , 35, 685-696	2.6	2
71	Genotypic variations in 107 poplar clones grown on a short-term waterlogging site: Long-term (1992-2015) data on survival rate, growth performance and branching traits. <i>Data in Brief</i> , 2021 , 34, 106711	1.2	0
70	Integrative analysis of metabolome and transcriptome reveals molecular regulatory mechanism of flavonoid biosynthesis in Cyclocarya paliurus under salt stress. <i>Industrial Crops and Products</i> , 2021 , 170, 113823	5.9	5
69	Responses of nitrogen metabolism, photosynthetic parameter and growth to nitrogen fertilization in Cyclocarya paliurus. <i>Forest Ecology and Management</i> , 2021 , 502, 119715	3.9	2
68	Triterpenoids Biosynthesis Regulation for Leaf Coloring of Wheel Wingnut (<i>Cyclocaryapaliurus</i>). <i>Forests</i> , 2021 , 12, 1733	2.8	0
67	Nitrogen Forms Alter Triterpenoid Accumulation and Related Gene Expression in Cyclocarya paliurus (Batalin) Iljinsk. Seedlings. <i>Forests</i> , 2020 , 11, 631	2.8	3
66	Growth, Carbon Storage, and Optimal Rotation in Poplar Plantations: A Case Study on Clone and Planting Spacing Effects. <i>Forests</i> , 2020 , 11, 842	2.8	5

65	Variation in radial growth and wood density of <i>Cyclocarya paliurus</i> across its natural distribution. <i>New Forests</i> , 2020 , 51, 453-467	2.6	3
64	Predictive Modeling of Suitable Habitats for (<i>L.</i>) Presl Using Maxent Model under Climate Change in China. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	14
63	Influence of genotypes and environmental factors on leaf triterpenoid content and growth of <i>Cyclocarya paliurus</i> . <i>Journal of Forestry Research</i> , 2019 , 30, 789-798	2	16
62	Seasonal Variation in Phenolic Compounds and Antioxidant Activity in Leaves of <i>Cyclocarya paliurus</i> (Batal.) Iljinskaja. <i>Forests</i> , 2019 , 10, 624	2.8	13
61	A Comprehensive Assessment of Bioactive Metabolites, Antioxidant and Antiproliferative Activities of <i>Cyclocarya paliurus</i> (Batal.) Iljinskaja Leaves. <i>Forests</i> , 2019 , 10, 625	2.8	7
60	Localization and dynamic change of saponins in <i>Cyclocarya paliurus</i> (Batal.) Iljinskaja. <i>PLoS ONE</i> , 2019 , 14, e0223421	3.7	2
59	Morphological Characterization of Flower Buds Development and Related Gene Expression Profiling at Bud Break Stage in Heterodichogamous (Batal.) Iljinskaja. <i>Genes</i> , 2019 , 10,	4.2	6
58	Phytochemical content and antioxidant activity in aqueous extracts of leaves collected from different populations. <i>PeerJ</i> , 2019 , 7, e6492	3.1	16
57	Influence of provenance and shade on biomass production and triterpenoid accumulation in <i>Cyclocarya paliurus</i> . <i>Agroforestry Systems</i> , 2019 , 93, 483-492	2	10
56	Light quality affects flavonoid production and related gene expression in <i>Cyclocarya paliurus</i> . <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2018 , 179, 66-73	6.7	56
55	Genotypic variation in tree growth and selected flavonoids in leaves of <i>Cyclocarya paliurus</i> . <i>Southern Forests</i> , 2018 , 80, 67-74	0.6	7
54	Antidiabetic Effect of Leaves Depends on the Contents of Antihyperglycemic Flavonoids and Antihyperlipidemic Triterpenoids. <i>Molecules</i> , 2018 , 23,	4.8	31
53	Geographic variation in water-soluble polysaccharide content and antioxidant activities of <i>Cyclocarya paliurus</i> leaves. <i>Industrial Crops and Products</i> , 2018 , 121, 180-186	5.9	25
52	Planting spacing affects canopy structure, biomass production and stem roundness in poplar plantations. <i>Scandinavian Journal of Forest Research</i> , 2018 , 33, 464-474	1.7	15
51	Leaf Nitrogen and Phosphorus Stoichiometry of <i>Cyclocarya paliurus</i> across China. <i>Forests</i> , 2018 , 9, 771	2.8	5
50	Responses of Morphology, Gas Exchange, Photochemical Activity of Photosystem II, and Antioxidant Balance in to Light Spectra. <i>Frontiers in Plant Science</i> , 2018 , 9, 1704	6.2	23
49	Geographic Variation in the Chemical Composition and Antioxidant Properties of Phenolic Compounds from (Batal) Iljinskaja Leaves. <i>Molecules</i> , 2018 , 23,	4.8	16
48	Variation of soil enzyme activity and microbial biomass in poplar plantations of different genotypes and stem spacings. <i>Journal of Forestry Research</i> , 2018 , 29, 963-972	2	13

47	Photosynthetic response of poplar leaves at different developmental phases to environmental factors. <i>Journal of Forestry Research</i> , 2017 , 28, 909-915	2	2
46	Chemical Fingerprint and Multicomponent Quantitative Analysis for the Quality Evaluation of <i>Cyclocarya paliurus</i> Leaves by HPLC-Q-TOF-MS. <i>Molecules</i> , 2017 , 22,	4.8	36
45	Natural population structure and genetic differentiation for heterodigamous plant: <i>Cyclocarya paliurus</i> (Batal.) Iljinskaja (Juglandaceae). <i>Tree Genetics and Genomes</i> , 2017 , 13, 1	2.1	14
44	Influence of Container Type and Growth Medium on Seedling Growth and Root Morphology of <i>Cyclocarya paliurus</i> during Nursery Culture. <i>Forests</i> , 2017 , 8, 387	2.8	10
43	Effect of light regime and provenance on leaf characteristics, growth and flavonoid accumulation in <i>Cyclocarya paliurus</i> (Batal) Iljinskaja coppices. <i>Botanical Studies</i> , 2016 , 57, 28	2.3	29
42	Thinning Intensity Affects Soil-Atmosphere Fluxes of Greenhouse Gases and Soil Nitrogen Mineralization in a Lowland Poplar Plantation. <i>Forests</i> , 2016 , 7, 141	2.8	19
41	<i>Cyclocarya paliurus</i> prevents high fat diet induced hyperlipidemia and obesity in Sprague-Dawley rats. <i>Canadian Journal of Physiology and Pharmacology</i> , 2015 , 93, 677-86	2.4	22
40	Seasonal and genotypic variation of water-soluble polysaccharide content in leaves of <i>Cyclocarya paliurus</i> . <i>Southern Forests</i> , 2015 , 77, 231-236	0.6	15
39	Antihyperlipidemic effect of <i>Cyclocarya paliurus</i> (Batal.) Iljinskaja extract and inhibition of apolipoprotein B48 overproduction in hyperlipidemic mice. <i>Journal of Ethnopharmacology</i> , 2015 , 166, 286-96	5	46
38	Influence of Tree Spacing on Soil Nitrogen Mineralization and Availability in Hybrid Poplar Plantations. <i>Forests</i> , 2015 , 6, 636-649	2.8	13
37	Variation and stability of growth and leaf flavonoid content in <i>Cyclocarya paliurus</i> across environments. <i>Industrial Crops and Products</i> , 2015 , 76, 386-393	5.9	21
36	Seasonal and clonal variations of microbial biomass and processes in the rhizosphere of poplar plantations. <i>Applied Soil Ecology</i> , 2014 , 78, 65-72	5	9
35	Provenance variation in growth and wood properties of juvenile <i>Cyclocarya paliurus</i> . <i>New Forests</i> , 2014 , 45, 625-639	2.6	11
34	Contrasting decomposition rates and nutrient release patterns in mixed vs singular species litter in agroforestry systems. <i>Journal of Soils and Sediments</i> , 2014 , 14, 1071-1081	3.4	18
33	<i>Cyclocarya paliurus</i> extract modulates adipokine expression and improves insulin sensitivity by inhibition of inflammation in mice. <i>Journal of Ethnopharmacology</i> , 2014 , 153, 344-51	5	37
32	Non-additive effects of litter-mixing on soil carbon dioxide efflux from poplar-based agroforestry systems in the warm temperate region of China. <i>Agroforestry Systems</i> , 2014 , 88, 193-203	2	6
31	Clonal variation in growth, chemistry and calorific value of new poplar hybrids at nursery stage. <i>Biomass and Bioenergy</i> , 2013 , 54, 303-311	5.3	14
30	Antihyperglycemic, antihyperlipidemic and antioxidant effects of ethanol and aqueous extracts of <i>Cyclocarya paliurus</i> leaves in type 2 diabetic rats. <i>Journal of Ethnopharmacology</i> , 2013 , 150, 1119-27	5	77

29	Acid deposition strongly influenced element fluxes in a forested karst watershed in the upper Yangtze River region, China. <i>Forest Ecology and Management</i> , 2013 , 310, 27-36	3.9	5
28	Tree species composition influences enzyme activities and microbial biomass in the rhizosphere: a rhizobox approach. <i>PLoS ONE</i> , 2013 , 8, e61461	3.7	24
27	A strategy of Ca ²⁺ alleviating Na ⁺ toxicity in salt-treated <i>Cyclocarya paliurus</i> seedlings: photosynthetic and nutritional responses. <i>Plant Growth Regulation</i> , 2012 , 68, 351-359	3.2	3
26	Variation in rhizosphere soil microbial index of tree species on seasonal flooding land: An in situ rhizobox approach. <i>Applied Soil Ecology</i> , 2012 , 59, 1-11	5	22
25	Integrated effects of light intensity and fertilization on growth and flavonoid accumulation in <i>Cyclocarya paliurus</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 6286-92	5.7	51
24	Influence of thinning time and density on sprout development, biomass production and energy stocks of sawtooth oak stumps. <i>Forest Ecology and Management</i> , 2011 , 262, 299-306	3.9	15
23	Effects of mulching materials on nitrogen mineralization, nitrogen availability and poplar growth on degraded agricultural soil. <i>New Forests</i> , 2011 , 41, 147-162	2.6	52
22	Seasonal variation of microelement contents in leaves of <i>Cyclocarya paliurus</i> among the provenances. <i>Journal of Forestry Research</i> , 2011 , 22, 225-231	2	5
21	Sprout development, biomass accumulation and fuelwood characteristics from coppiced plantations of <i>Quercus acutissima</i> . <i>Biomass and Bioenergy</i> , 2011 , 35, 3104-3114	5.3	22
20	Provenance and temporal variations in selected flavonoids in leaves of <i>Cyclocarya paliurus</i> . <i>Food Chemistry</i> , 2011 , 124, 1382-1386	8.5	64
19	Enzymatic activity and nutrient availability in the rhizosphere of poplar plantations treated with fresh grass mulch. <i>Soil Science and Plant Nutrition</i> , 2010 , 56, 483-491	1.6	15
18	Biomass production and carbon stocks in poplar-crop intercropping systems: a case study in northwestern Jiangsu, China. <i>Agroforestry Systems</i> , 2010 , 79, 213-222	2	26
17	Effect of NaCl stress on ion distribution in roots and growth of <i>Cyclocarya paliurus</i> seedlings. <i>Frontiers of Forestry in China: Selected Publications From Chinese Universities</i> , 2009 , 4, 208-215		4
16	Effects of site conditions and methods of cultivation on growth of sawtooth oak plantations. <i>Frontiers of Forestry in China: Selected Publications From Chinese Universities</i> , 2009 , 4, 185-190		5
15	Cytochemical localization of ATPase and sub-cellular variation in mesophyll cell of <i>Cyclocarya paliurus</i> seedlings under iso-osmotic stress and calcium regulation. <i>Journal of Forestry Research</i> , 2009 , 20, 343-348	2	5
14	Cytochemical localization of H ⁺ -ATPase and sub-cellular variation in mesophyll cells of salt-treated <i>Cyclocarya paliurus</i> seedlings. <i>Frontiers of Forestry in China: Selected Publications From Chinese Universities</i> , 2009 , 4, 494-500		2
13	Soil nutrient availability, poplar growth and biomass production on degraded agricultural soil under fresh grass mulch. <i>Forest Ecology and Management</i> , 2008 , 255, 1802-1809	3.9	23
12	Decomposition and nutrient release of four potential mulching materials for poplar plantations on upland sites. <i>Agroforestry Systems</i> , 2008 , 74, 27-35	2	10

11	Biomass production and carbon sequestration potential in poplar plantations with different management patterns. <i>Journal of Environmental Management</i> , 2007 , 85, 672-9	7.9	106
10	Nitrogen dynamics and mineralization in degraded agricultural soil mulched with fresh grass. <i>Plant and Soil</i> , 2007 , 300, 269-280	4.2	26
9	Effects of Cutting Density on Growth, Yield and Quality of Poplar Clone Seedlings. <i>Frontiers of Forestry in China: Selected Publications From Chinese Universities</i> , 2006 , 1, 64-69		1
8	Methods to break seed dormancy in <i>Cyclocarya paliurus</i> (Batal)Iljinskaja. <i>Scientia Horticulturae</i> , 2006 , 110, 305-309	4.1	90
7	Clonal and Within-tree Variation in Microfibril Angle in Poplar Clones. <i>New Forests</i> , 2006 , 31, 373-383	2.6	21
6	Poplar in wetland agroforestry: a case study of ecological benefits, site productivity, and economics. <i>Wetlands Ecology and Management</i> , 2005 , 13, 93-104	2.1	15
5	Effects of agricultural production on phosphorus losses from paddy soils: a case study in the Taihu Lake Region of China. <i>Wetlands Ecology and Management</i> , 2005 , 13, 25-33	2.1	12
4	Biomass production and bark yield in the plantations of <i>Pteroceltis tatarinowii</i> . <i>Biomass and Bioenergy</i> , 2004 , 26, 319-328	5.3	9
3	Response of radiata pine forests to residue management and fertilisation across a fertility gradient in New Zealand. <i>Forest Ecology and Management</i> , 2000 , 138, 203-223	3.9	80
2	Growth dynamics and biomass production in short-rotation poplar plantations: 6-year results for three clones at four spacings. <i>Biomass and Bioenergy</i> , 1999 , 17, 415-425	5.3	75
1	Responses of radial growth, wood density and fiber traits to planting space in poplar plantations at a lowland site. <i>Journal of Forestry Research</i> , 1	2	0