

Johannes Ranke

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9274679/publications.pdf>

Version: 2024-02-01

44

papers

5,429

citations

236925

25

h-index

361022

35

g-index

51

all docs

51

docs citations

51

times ranked

4200

citing authors

#	ARTICLE	IF	CITATIONS
1	Taking Kinetic Evaluations of Degradation Data to the Next Level with Nonlinear Mixed-Effects Models. <i>Environments - MDPI</i> , 2021, 8, 71.	3.3	1
2	Error Models for the Kinetic Evaluation of Chemical Degradation Data. <i>Environments - MDPI</i> , 2019, 6, 124.	3.3	1
3	Comparison of software tools for kinetic evaluation of chemical degradation data. <i>Environmental Sciences Europe</i> , 2018, 30, 17.	5.5	15
4	Quantitative Analysis of Molecular Interaction Potentials of Ionic Liquid Anions Using Multiâ€Functionalized Stationary Phases in HPLC. <i>ChemPhysChem</i> , 2014, 15, 2351-2358.	2.1	9
5	< i>In silico</i> modelling for predicting the cationic hydrophobicity and cytotoxicity of ionic liquids towards the<i>Leukemia</i> rat cell line, <i>Vibrio fischeri</i> and<i>Scenedesmus vacuolatus</i> based on molecular interaction potentials of ions. <i>SAR and QSAR in Environmental Research</i> , 2013, 24, 863-882.	2.2	51
6	Determination of LFER Descriptors of 30 Cations of Ionic Liquidsâ€”Progress in Understanding Their Molecular Interaction Potentials. <i>ChemPhysChem</i> , 2012, 13, 780-787.	2.1	13
7	Ionic Liquids: Predictions of Physicochemical Properties with Experimental and/or DFT-Calculated LFER Parameters To Understand Molecular Interactions in Solution. <i>Journal of Physical Chemistry B</i> , 2011, 115, 6040-6050.	2.6	58
8	Explaining Ionic Liquid Water Solubility in Terms of Cation and Anion Hydrophobicity. <i>International Journal of Molecular Sciences</i> , 2009, 10, 1271-1289.	4.1	123
9	Analyzing Cytotoxic Effects of Selected Isothiazol-3-one Biocides Using the Toxic Ratio Concept and Structureâ€Activity Relationship Considerations. <i>Chemical Research in Toxicology</i> , 2009, 22, 1954-1961.	3.3	25
10	Structureâ€activity relationships for the impact of selected isothiazol-3-one biocides on glutathione metabolism and glutathione reductase of the human liver cell line Hep G2. <i>Toxicology</i> , 2008, 246, 203-212.	4.2	29
11	Micelle formation of imidazolium ionic liquids in aqueous solution. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2008, 316, 278-284.	4.7	325
12	Reconsidering environmental effects assessment of chemicals: Proposal for a dynamic testing strategy. <i>Basic and Applied Ecology</i> , 2008, 9, 356-364.	2.7	7
13	Risk assessment of biocides in roof paint. <i>Environmental Science and Pollution Research</i> , 2008, 15, 258-265.	5.3	57
14	Purity specification methods for ionic liquids. <i>Green Chemistry</i> , 2008, 10, 1152.	9.0	135
15	Qualitative and quantitative structure activity relationships for the inhibitory effects of cationic head groups, functionalised side chains and anions of ionic liquids on acetylcholinesterase. <i>Green Chemistry</i> , 2008, 10, 47-58.	9.0	178
16	Primary biodegradation of ionic liquid cations, identification of degradation products of 1-methyl-3-octylimidazolium chloride and electrochemical wastewater treatment of poorly biodegradable compounds. <i>Green Chemistry</i> , 2008, 10, 214-224.	9.0	227
17	Developing and Disseminating NOP: An Online, Open-Access, Organic Chemistry Teaching Resource To Integrate Sustainability Concepts in the Laboratory. <i>Journal of Chemical Education</i> , 2008, 85, 1000.	2.3	20
18	Effects of different head groups and functionalised side chains on the cytotoxicity of ionic liquids. <i>Green Chemistry</i> , 2007, 9, 760-767.	9.0	212

#	ARTICLE	IF	CITATIONS
19	The influence of anion species on the toxicity of 1-alkyl-3-methylimidazolium ionic liquids observed in an (eco)toxicological test battery. <i>Green Chemistry</i> , 2007, 9, 1198.	9.0	309
20	Lipophilicity parameters for ionic liquid cations and their correlation to in vitro cytotoxicity. <i>Ecotoxicology and Environmental Safety</i> , 2007, 67, 430-438.	6.0	311
21	Design of Sustainable Chemical ProductsThe Example of Ionic Liquids. <i>Chemical Reviews</i> , 2007, 107, 2183-2206.	47.7	756
22	Effects of different head groups and functionalised side chains on the aquatic toxicity of ionic liquids. <i>Green Chemistry</i> , 2007, 9, 1170.	9.0	425
23	Thinking in Structure-Activity Relationships – A Way Forward Towards Sustainable Chemistry. <i>Clean - Soil, Air, Water</i> , 2007, 35, 399-405.	1.1	20
24	Anion effects on the cytotoxicity of ionic liquids. <i>Green Chemistry</i> , 2006, 8, 621.	9.0	312
25	Sorption, cellular distribution, and cytotoxicity of imidazolium ionic liquids in mammalian cells – influence of lipophilicity. <i>Toxicological and Environmental Chemistry</i> , 2006, 88, 273-285.	1.2	35
26	Progress in evaluation of risk potential of ionic liquids – basis for an eco-design of sustainable products. <i>Green Chemistry</i> , 2005, 7, 362.	9.0	215
27	Effects of ionic liquids on the acetylcholinesterase – a structure–activity relationship consideration. <i>Green Chemistry</i> , 2004, 6, 286-290.	9.0	229
28	NOP – Ein neues organischchemisches Grundpraktikum: Nachhaltigkeit per Internet. <i>Chemie in Unserer Zeit</i> , 2004, 38, 258-266.	0.1	6
29	Structure–activity relationships of pyridinium – IPC-81 toxicity tests with the antifouling biocide zinc pyridine and structural analogs. <i>Green Chemistry</i> , 2004, 6, 259-266.	9.0	47
30	Biological effects of imidazolium ionic liquids with varying chain lengths in acute <i>Vibrio fischeri</i> and WST-1 cell viability assays. <i>Ecotoxicology and Environmental Safety</i> , 2004, 58, 396-404.	6.0	541
31	Reversed-phase liquid chromatographic method for the determination of selected room-temperature ionic liquid cations. <i>Journal of Chromatography A</i> , 2003, 993, 173-178.	3.7	111
32	How hazardous are ionic liquids? Structure–activity relationships and biological testing as important elements for sustainability evaluationThis work was presented at the Green Solvents for Catalysis Meeting held in Bruchsal, Germany, 13–16th October 2002.. <i>Green Chemistry</i> , 2003, 5, 136-142.	9.0	348
33	Persistence of Antifouling Agents in the Marine Biosphere. <i>Environmental Science & Technology</i> , 2002, 36, 1539-1545.	10.0	34
34	Influence of solution composition and column aging on the reduction of nitroaromatic compounds by zero-valent iron. <i>Chemosphere</i> , 2001, 44, 511-517.	8.2	117
35	Multidimensional risk analysis of antifouling biocides. <i>Environmental Science and Pollution Research</i> , 2000, 7, 105-114.	5.3	91
36	Risikoanalyse chemischer Produkte. , 1999, , 91-137.	0	0

#	ARTICLE	IF	CITATIONS
37	Integrierte Entwicklung chemischer Produkte. , 1999,, 229-237.		0
38	Nutzen-Risiko-Dialog mit der Gesellschaft. , 1999,, 193-204.		0
39	Risikoanalyse chemischer Prozesse. , 1999,, 139-159.		0
40	Sicherheit und Umweltschutz aus unternehmerischer Sicht. , 1999,, 45-60.		0
41	Ä-kologische und Äkonomische Bilanzierung. , 1999,, 63-89.		0
42	Thermische Prozeßsicherheit. , 1999,, 175-192.		0
43	Gesetzgebung für Sicherheit und Umweltschutz. , 1999,, 27-43.		0
44	Technik und Verantwortung. , 1999,, 9-25.		0