
Elizeu A Santos

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9274953/publications.pdf Version: 2024-02-01



FLIZELLA SANTOS

#	Article	IF	CITATIONS
1	Heparins and Heparinoids: Occurrence, Structure and Mechanism of Antithrombotic and Hemorrhagic Activities. Current Pharmaceutical Design, 2004, 10, 951-966.	1.9	85
2	CvL, a lectin from the marine sponge Cliona varians: Isolation, characterization and its effects on pathogenic bacteria and Leishmania promastigotes. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2006, 145, 517-523.	1.8	58
3	Bioinsecticidal activity of a novel Kunitz trypsin inhibitor from Catanduva (Piptadenia moniliformis) seeds. Plant Physiology and Biochemistry, 2013, 70, 61-68.	5.8	52
4	Structural and mechanistic insights into a novel non-competitive Kunitz trypsin inhibitor from Adenanthera pavonina L. seeds with double activity toward serine- and cysteine-proteinases. Journal of Molecular Graphics and Modelling, 2010, 29, 148-156.	2.4	50
5	Purification and characterization of a trypsin–papain inhibitor from Pithecelobium dumosum seeds and its in vitro effects towards digestive enzymes from insect pests. Plant Physiology and Biochemistry, 2007, 45, 858-865.	5.8	48
6	A Lactose-Binding Lectin from the Marine Sponge Cinachyrella Apion (Cal) Induces Cell Death in Human Cervical Adenocarcinoma Cells. Marine Drugs, 2012, 10, 727-743.	4.6	44
7	A lactose specific lectin from the sponge Cinachyrella apion: Purification, characterization, N-terminal sequences alignment and agglutinating activity on Leishmania promastigotes. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2010, 155, 211-216.	1.6	40
8	Digestive enzymes during development of Ceratitis capitata (Diptera:Tephritidae) and effects of SBTI on its digestive serine proteinase targets. Insect Biochemistry and Molecular Biology, 2006, 36, 561-569.	2.7	38
9	Trypsin inhibitor from tamarindus indica L. seeds reduces weight gain and food consumption and increases plasmatic cholecystokinin levels. Clinics, 2015, 70, 136-143.	1.5	37
10	Growth inhibitory activity of a novel lectin from Cliona varians against K562 human erythroleukemia cells. Cancer Chemotherapy and Pharmacology, 2009, 63, 1023-1033.	2.3	35
11	Chitosan-whey protein nanoparticles improve encapsulation efficiency and stability of a trypsin inhibitor isolated from Tamarindus indica L. Food Hydrocolloids, 2018, 84, 247-256.	10.7	35
12	Characterization and Pharmacological Properties of a Novel Multifunctional Kunitz Inhibitor from Erythrina velutina Seeds. PLoS ONE, 2013, 8, e63571.	2.5	34
13	A novel heparan sulphate with high degree of N-sulphation and high heparin cofactor-II activity from the brine shrimp Artemia franciscana. International Journal of Biological Macromolecules, 2000, 27, 49-57.	7.5	30
14	A Trypsin Inhibitor from Tamarind Reduces Food Intake and Improves Inflammatory Status in Rats with Metabolic Syndrome Regardless of Weight Loss. Nutrients, 2016, 8, 544.	4.1	30
15	Inhibitory effects of a Kunitz-type inhibitor from Pithecellobium dumosum (Benth) seeds against insect-pests' digestive proteinases. Plant Physiology and Biochemistry, 2013, 63, 70-76.	5.8	28
16	A heparin-like compound isolated from a marine crab rich in glucuronic acid 2-O-sulfate presents low anticoagulant activity. Carbohydrate Polymers, 2013, 94, 647-654.	10.2	27
17	Effects of a Chitin-Binding Vicilin fromEnterolobium contortisiliquumSeeds on Bean Bruchid Pests (Callosobruchus maculatusandZabrotes subfasciatus) and Phytopathogenic Fungi (Fusarium) Tj ETQq1 1 0.78 260-266.	4314.rgBT /	Overlock 10
18	Identification of a Kunitz-Type Proteinase Inhibitor from <i>Pithecellobium dumosum</i> Seeds with Insecticidal Properties and Double Activity. Journal of Agricultural and Food Chemistry, 2007, 55, 7342-7349.	5.2	26

Elizeu A Santos

#	Article	IF	CITATIONS
19	Appearance and fate of a β-galactanase, α,β-galactosidases, heparan sulfate and chondroitin sulfate degarding enzymes during embryoding development of the mollusc Pomacea sp. Biochimica Et Biophysica Acta - General Subjects, 1994, 1200, 241-248.	2.4	24
20	Biochemical characterisation of a Kunitz-type inhibitor from <i>Tamarindus indica</i> L. seeds and its efficacy in reducing plasma leptin in an experimental model of obesity. Journal of Enzyme Inhibition and Medicinal Chemistry, 2018, 33, 334-348.	5.2	24
21	Supplementation with a new trypsin inhibitor from peanut is associated with reduced fasting glucose, weight control, and increased plasma CCK secretion in an animal model. Journal of Enzyme Inhibition and Medicinal Chemistry, 2016, 31, 1261-1269.	5.2	23
22	Proteolytic Digestive Enzymes and Peritrophic Membranes during the Development ofPlodia interpunctella(Lepidoptera: Piralidae): Targets for the action of Soybean Trypsin Inhibitor (SBTI) and Chitin-Binding Vicilin (EvV). Journal of Agricultural and Food Chemistry, 2008, 56, 7738-7745.	5.2	22
23	<i>Holothuria grisea</i> agglutinin (<scp>HGA</scp>): the first invertebrate lectin with antiâ€inflammatory effects. Fundamental and Clinical Pharmacology, 2013, 27, 656-668.	1.9	18
24	Anti-TNF-α Agent Tamarind Kunitz Trypsin Inhibitor Improves Lipid Profile of Wistar Rats Presenting Dyslipidemia and Diet-induced Obesity Regardless of PPAR-γ Induction. Nutrients, 2019, 11, 512.	4.1	17
25	Two Kunitz-Type Inhibitors with Activity Against Trypsin and Papain from Pithecellobium dumosum Seeds: Purification, Characterization, and Activity Towards Pest Insect Digestive Enzyme. Protein and Peptide Letters, 2009, 16, 1526-1532.	0.9	15
26	Satietogenic Protein from Tamarind Seeds Decreases Food Intake, Leptin Plasma and <i>CCK-1r</i> Gene Expression in Obese Wistar Rats. Obesity Facts, 2018, 11, 440-453.	3.4	15
27	Larvicidal Effects of a Chitin-Binding Vicilin from Erythrina velutina Seeds on the Mediterranean Fruit Fly Ceratitis capitata. Journal of Agricultural and Food Chemistry, 2008, 56, 802-808.	5.2	14
28	Gastroprotective and antielastase effects of protein inhibitors from Erythrina velutina seeds in an experimental ulcer model. Biochemistry and Cell Biology, 2017, 95, 243-250.	2.0	14
29	Mast cells are present in epithelial layers of different tissues of the mollusc Anomalocardia brasiliana. In situ characterization of heparin and a correlation of heparin and histamine concentration. The Histochemical Journal, 2002, 34, 553-558.	0.6	10
30	Growth Impairment Caused by Raw Linseed Consumption: Can Trypsin Inhibitors Be Harmful for Health?. Plant Foods for Human Nutrition, 2015, 70, 338-343.	3.2	9
31	Structural insights and molecular dynamics into the inhibitory mechanism of a Kunitz-type trypsin inhibitor from <i>Tamarindus indica</i> L. Journal of Enzyme Inhibition and Medicinal Chemistry, 2021, 36, 480-490.	5.2	9
32	Vicilin from Anadenanthera colubrina Seeds: An alternative tool to combat Callosobruchus maculatus. Saudi Journal of Biological Sciences, 2021, 28, 5229-5237.	3.8	7
33	Pro-inflammatory effect in mice of CvL, a lectin from the marine sponge Cliona varians. Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2008, 147, 216-221.	2.6	6
34	Affinity Chromatography as a Key Tool to Purify Protein Protease Inhibitors from Plants. , 2012, , .		6
35	Purification and Characterization of a β-Glucuronidase Present During Embryogenesis of the Mollusk Pomacea sp Protein and Peptide Letters, 2005, 12, 695-700.	0.9	5
36	Dual Insecticidal Effects of Adenanthera pavonina Kunitz-Type Inhibitor on Plodia interpunctella is Mediated by Digestive Enzymes Inhibition and Chitin-Binding Properties. Molecules, 2019, 24, 4344.	3.8	4

Elizeu A Santos

#	Article	IF	CITATIONS
37	Catalase Inhibition Affects Glyoxylate Cycle Enzyme Expression and Cellular Redox Control during the Functional Transition of Sunflower and Safflower Seedlings. Journal of Plant Growth Regulation, 2014, 33, 272-284.	5.1	3
38	Comparative study between the effects of hyaluronic acid and acid galactan purified from eggs of the mollusk Pomacea sp in wound healing. Acta Cirurgica Brasileira, 2004, 19, 13-17.	0.7	2
39	Effects of a Chitin Binding Vicilin from Erythrina velutina Seeds on Bean Bruchid Pests (Callosobruchus maculatus and Zabrotes subfasciatus). Protein and Peptide Letters, 2008, 15, 270-274.	0.9	2
40	The Kunitz chymotrypsin inhibitor from Erythrina velutina seeds displays activity against HeLa cells through arrest in cell cycle. 3 Biotech, 2022, 12, 19.	2.2	2
41	ASSESSMENT OF THE HEMOAGLUTINANT AND DIGESTIVE ENZYME INHIBITORY ACTIVITY OF EXTRACTS OBTAINED FROM DIFFERENT PARTS OF ATEMOIA. Revista Brasileira De Fruticultura, 2018, 40, .	0.5	1
42	Characterization of novel trypsin inhibitor in raw and toasted peanuts using a simple improved isolation. Acta Chromatographica, 2019, 31, 79-84.	1.3	1
43	Evaluation of SARS-CoV-2 genomic architecture and its alteration pattern through ORF analysis/ Avaliação da arquitetura genômica do SARS-CoV-2 e seu padrão de alteração por meio de análise de ORF. Brazilian Journal of Health Review, 2021, 4, 12700-12709.	0.1	0
44	DETERMINATION OF ANTITRYPTIC ACTIVITY IN PROTEINS FROM PEANUT PRODUCTS ISOLATED BY AFFINITY CHROMATOGRAPHY. Quimica Nova, 2014, , .	0.3	0
45	From the application of active teaching methods to significant learning in Cellular and Molecular Biology: exploring possibilities with Problem Based Learning. Journal of Biochemistry Education, 2021, 19. 1-15.	0.0	0