

Andrew A Harrison

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9275013/andrew-a-harrison-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

43
papers

981
citations

16
h-index

30
g-index

44
ext. papers

1,160
ext. citations

3.7
avg, IF

3.6
L-index

#	Paper	IF	Citations
43	Understanding Fatigue-Related Disability in Rheumatoid Arthritis and Ankylosing Spondylitis: The Importance of Daily Correlates. <i>Arthritis Care and Research</i> , 2021 , 73, 1282-1289	4.7	3
42	Polygenic Risk Scores have high diagnostic capacity in ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 1168-1174	2.4	8
41	Mental health and quality of life for people with rheumatoid arthritis or ankylosing spondylitis in Aotearoa New Zealand following the COVID-19 national lockdown. <i>Rheumatology International</i> , 2021 , 41, 1763-1772	3.6	1
40	A patient-centered knowledge translation tool for treat-to-target strategy in rheumatoid arthritis: Patient and rheumatologist perspectives. <i>International Journal of Rheumatic Diseases</i> , 2021 , 24, 355-363	2.3	1
39	Fears about COVID-19 and perceived risk among people with rheumatoid arthritis or ankylosing spondylitis following the initial lockdown in Aotearoa New Zealand. <i>Musculoskeletal Care</i> , 2021 ,	1.6	1
38	Codevelopment of Patient Self-Examination Methods and Joint Count Reporting for Rheumatoid Arthritis. <i>ACR Open Rheumatology</i> , 2020 , 2, 705-709	3.5	2
37	Treat-to-target in rheumatoid arthritis: Evaluating the patient perspective using the Patient Opinion Real-Time Anonymous Liaison system: The RA T2T PORTAL study. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 874-879	2.3	8
36	2018 update of the APLAR recommendations for treatment of rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 357-375	2.3	60
35	A survey of the New Zealand rheumatology workforce. <i>New Zealand Medical Journal</i> , 2019 , 132, 70-76	0.8	4
34	Association of Crohn's disease-related chromosome 1q32 with ankylosing spondylitis is independent of bowel symptoms and faecal calprotectin. <i>PeerJ</i> , 2018 , 6, e5088	3.1	2
33	PTPN22 R620W minor allele is a genetic risk factor for giant cell arteritis. <i>RMD Open</i> , 2016 , 2, e000246	5.9	6
32	Inpatient management of gout in a New Zealand hospital: a retrospective audit. <i>International Journal of Rheumatic Diseases</i> , 2016 , 19, 205-10	2.3	7
31	Exome-wide study of ankylosing spondylitis demonstrates additional shared genetic background with inflammatory bowel disease. <i>Npj Genomic Medicine</i> , 2016 , 1, 16008	6.2	21
30	Replication of association of the apolipoprotein A1-C3-A4 gene cluster with the risk of gout. <i>Rheumatology</i> , 2016 , 55, 1421-30	3.9	13
29	APLAR rheumatoid arthritis treatment recommendations. <i>International Journal of Rheumatic Diseases</i> , 2015 , 18, 685-713	2.3	93
28	A human leukocyte antigen locus haplotype confers risk for allopurinol-related adverse effects in Caucasian patients with gout. <i>Pharmacogenetics and Genomics</i> , 2015 , 25, 412-5	1.9	7
27	Frequency of CYP2C9 polymorphisms in Polynesian people and potential relevance to management of gout with benzbromarone. <i>Joint Bone Spine</i> , 2014 , 81, 160-3	2.9	6

26	Sugar-sweetened beverage consumption: a risk factor for prevalent gout with SLC2A9 genotype-specific effects on serum urate and risk of gout. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 2101-6	2.4	65
25	Comparison of rates of referral and diagnosis of axial spondyloarthritis before and after an ankylosing spondylitis public awareness campaign. <i>Clinical Rheumatology</i> , 2014 , 33, 963-8	3.9	11
24	Patient age, ethnicity and waiting times determine the likelihood of non-attendance at a first specialist rheumatology assessment. <i>International Journal of Rheumatic Diseases</i> , 2014 , 17, 19-25	2.3	14
23	Fréquence des polymorphismes du CYP2C9 chez les Polynésiens et pertinence potentielle concernant le traitement de la goutte par benzbromarone. <i>Revue Du Rhumatisme (Edition Française)</i> , 2014 , 81, 159-163	0.1	
22	Prevalence of HLA-B27 in the New Zealand population: effect of age and ethnicity. <i>Arthritis Research and Therapy</i> , 2013 , 15, R158	5.7	18
21	Hyperuricaemia elevates circulating CCL2 levels and primes monocyte trafficking in subjects with inter-critical gout. <i>Rheumatology</i> , 2013 , 52, 1018-21	3.9	45
20	The renal urate transporter SLC17A1 locus: confirmation of association with gout. <i>Arthritis Research and Therapy</i> , 2012 , 14, R92	5.7	44
19	Does a joint count calibration exercise make a difference? Implications for clinical trials and training. <i>Journal of Rheumatology</i> , 2012 , 39, 877-8	4.1	3
18	No evidence for association of Chr 9p21 variant rs1333049 with gout in New Zealand case-control sample sets. <i>Rheumatology</i> , 2012 , 51, 1129-30	3.9	3
17	Replication of association of the interleukin 23 receptor rs1343151 variant with rheumatoid arthritis in Caucasian sample sets. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 155-7	2.4	12
16	The SLC2A9 nonsynonymous Arg265His variant and gout: evidence for a population-specific effect on severity. <i>Arthritis Research and Therapy</i> , 2011 , 13, R85	5.7	29
15	Raynaud's phenomenon in medical laboratory workers who work with solvents. <i>Journal of Rheumatology</i> , 2011 , 38, 1940-6	4.1	14
14	Analysis of association of DNASE2 promoter variation with rheumatoid arthritis in European Caucasians. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1512-4	2.4	2
13	The PTPN22 locus and rheumatoid arthritis: no evidence for an effect on risk independent of Arg620Trp. <i>PLoS ONE</i> , 2010 , 5, e13544	3.7	11
12	Association of variation in Fcγ receptor 3B gene copy number with rheumatoid arthritis in Caucasian samples. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1711-6	2.4	56
11	A strong role for the ABCG2 gene in susceptibility to gout in New Zealand Pacific Island and Caucasian, but not Māori, case and control sample sets. <i>Human Molecular Genetics</i> , 2010 , 19, 4813-9	5.6	84
10	Differences in MSU-induced superoxide responses by neutrophils from gout subjects compared to healthy controls and a role for environmental inflammatory cytokines and hyperuricemia in neutrophil function and survival. <i>Journal of Rheumatology</i> , 2010 , 37, 1228-35	4.1	22
9	A genetic association study of serum acute-phase C-reactive protein levels in rheumatoid arthritis: implications for clinical interpretation. <i>PLoS Medicine</i> , 2010 , 7, e1000341	11.6	44

8	Only one independent genetic association with rheumatoid arthritis within the KIAA1109-TENR-IL2-IL21 locus in Caucasian sample sets: confirmation of association of rs6822844 with rheumatoid arthritis at a genome-wide level of significance. <i>Arthritis Research and Therapy</i> , 2010 , 12, R116	5.7	30
7	No evidence for association of the systemic lupus erythematosus-associated ITGAM variant, R77H, with rheumatoid arthritis in the Caucasian population. <i>Rheumatology</i> , 2009 , 48, 1614-5	3.9	7
6	Role of the urate transporter SLC2A9 gene in susceptibility to gout in New Zealand Māori, Pacific Island, and Caucasian case-control sample sets. <i>Arthritis and Rheumatism</i> , 2009 , 60, 3485-92		77
5	The ITGAV rs3738919 variant and susceptibility to rheumatoid arthritis in four Caucasian sample sets. <i>Arthritis Research and Therapy</i> , 2009 , 11, R152	5.7	12
4	Prenatal transfer of anticardiolipin antibodies associated with fatal neonatal aortic thrombosis. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2005 , 45, 175-6	1.7	6
3	Association of the PTPN22 locus with rheumatoid arthritis in a New Zealand Caucasian cohort. <i>Arthritis and Rheumatism</i> , 2005 , 52, 2222-5		65
2	Could the Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) be a valid measure of disease activity in patients with psoriatic arthritis?. <i>Arthritis and Rheumatism</i> , 2004 , 51, 311-5		62
1	The deleted in colorectal carcinoma (DCC) gene 201 R --> G polymorphism: no evidence for genetic association with autoimmune disease. <i>European Journal of Human Genetics</i> , 2003 , 11, 840-4	5.3	2