

Adam Trzupék

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/927607/publications.pdf>

Version: 2024-02-01

629
papers

32,893
citations

4146
87
h-index

8630
146
g-index

658
all docs

658
docs citations

658
times ranked

10542
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Performance of the ATLAS Level-1 topological trigger in RunA2. European Physical Journal C, 2022, 82, 1. | 3.9 | 6 |
| 2 | Measurement of the c-jet mistagging efficiency in $\text{tar}\{t\}$ events using pp collision data at $\sqrt{s} = 13 \text{ TeV}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, . | 3.9 | 14 |
| 3 | Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1. | 4.7 | 2 |
| 4 | Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1. | 3.9 | 8 |
| 5 | Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1. | 4.7 | 10 |
| 6 | AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1. | 2.9 | 23 |
| 7 | Measurement of the energy response of the ATLAS calorimeter to charged pions from W^{\pm} events in RunA2 data. European Physical Journal C, 2022, 82, 1. | 3.9 | 4 |
| 8 | The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1. | 3.9 | 5 |
| 9 | Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, . | 3.9 | 7 |
| 10 | Measurement of the energy asymmetry in $t\bar{t}$ production at 13 TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, . | 3.9 | 2 |
| 11 | Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV . European Physical Journal C, 2022, 82, 1. | 3.9 | 12 |
| 12 | Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 4 |
| 13 | Recent ATLAS measurements of correlations in pp and $p+Pb$ collisions. , 2021, . | 0 | |
| 14 | Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 37 |
| 15 | Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1. | 3.9 | 12 |
| 16 | Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 38 |
| 17 | Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 18 |
| 18 | Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb^{-1} of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 19 |
| 20 | Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 6 |
| 21 | Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 14 |
| 22 | Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 22 |
| 23 | Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton+proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1. | 3.9 | 18 |
| 24 | Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton+proton collisions. <i>European Physical Journal C</i> , 2021, 81, 1. | 3.9 | 15 |
| 25 | Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^-e^+e^-$ and $e^+e^-u\bar{u}$ final states using 139 fb^{-1} of proton+proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1. | 3.9 | 40 |
| 26 | Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 18 |
| 27 | Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the e^+e^-bb and e^+e^-WW final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1. | 3.9 | 26 |
| 28 | Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 23 |
| 29 | Measurements of $W+W^+$ 1 jet production cross-sections in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 8 |
| 30 | Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 46 |
| 31 | Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 1. | 3.9 | 14 |
| 32 | Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a \tilde{l} -lepton in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 27 |
| 33 | Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 12 |
| 34 | Determination of the parton distribution functions of the proton from ATLAS measurements of differential W^\pm and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 10 |
| 35 | Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 8 |
| 36 | A search for the decays of stopped long-lived particles at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1. | 4.7 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2021, 81, 1. | 3.9 | 82 |
| 38 | Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 13 |
| 39 | Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 3 |
| 40 | Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 64 |
| 41 | Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 12 |
| 42 | Search for dark matter produced in association with a single top quark in proton-proton collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 9 |
| 43 | Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13\text{TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 14 |
| 44 | Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1. | 3.9 | 5 |
| 45 | Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 12 |
| 46 | Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using proton-proton collision data. European Physical Journal C, 2021, 81, 1. | 3.9 | 7 |
| 47 | Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 10 |
| 48 | Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 10 |
| 49 | Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 4 |
| 50 | Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13\text{TeV}$ using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 4 |
| 51 | Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 28 |
| 52 | Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1. | 3.9 | 7 |
| 53 | Measurement of b-quark fragmentation properties in jets using the decay $B^\pm \rightarrow J/\psi K^\pm$ in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 3 |
| 54 | Measurements of inclusive and differential cross-sections of combined $t\bar{t}\gamma$ and tW^3 production in the $e^{\pm}e^{\mp}$ channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1. | 4.7 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. | 4.7 | 17 |
| 56 | Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. | 4.7 | 24 |
| 57 | Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4ℓ decay channel at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2020, 80, 1. | 3.9 | 32 |
| 58 | Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. | 4.7 | 28 |
| 59 | Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1. | 3.9 | 34 |
| 60 | Measurement of differential cross sections for single diffractive dissociation in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. | 4.7 | 8 |
| 61 | Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. | 4.7 | 3 |
| 62 | Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. | 4.7 | 11 |
| 63 | Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. | 4.7 | 17 |
| 64 | Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. | 4.7 | 12 |
| 65 | Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1. | 3.9 | 28 |
| 66 | Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. | 4.7 | 4 |
| 67 | Measurements of top-quark pair spin correlations in the $\ell\mu$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1. | 3.9 | 22 |
| 68 | Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 13$ TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. | 4.7 | 12 |
| 69 | Higgs boson production cross-section measurements and their EFT interpretation in the 4ℓ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1. | 3.9 | 41 |
| 70 | Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. | 4.7 | 36 |
| 71 | Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb $^{-1}$ of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. | 4.7 | 19 |
| 72 | Search for dijet resonances in events with an isolated charged lepton using proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. | 4.7 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Measurement of the $Z(\rightarrow e^+e^-)$ production cross-section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. | 4.7 | 9 |
| 74 | Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s}=8$ and 13 TeV. <i>European Physical Journal C</i> , 2020, 80, 1. | 3.9 | 5 |
| 75 | Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s}_{\text{NN}}=8.16$ TeV p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1. | 3.9 | 12 |
| 76 | Measurement of J/ψ production in association with a $W\pm$ boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. | 4.7 | 10 |
| 77 | Search for new resonances in mass distributions of jet pairs using 139 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. | 4.7 | 68 |
| 78 | Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. | 4.7 | 14 |
| 79 | Reconstruction and identification of boosted di-jet systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. | 4.7 | 8 |
| 80 | Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020, 80, 1. | 3.9 | 93 |
| 81 | Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1. | 3.9 | 124 |
| 82 | Search for top squarks in events with a Higgs or Z boson using 139 fb^{-1} of pp collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1. | 3.9 | 4 |
| 83 | Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1. | 3.9 | 30 |
| 84 | Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1. | 3.9 | 29 |
| 85 | Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13$ TeV and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1. | 3.9 | 21 |
| 86 | Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1. | 3.9 | 36 |
| 87 | Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , 2020, 80, 1. | 3.9 | 12 |
| 88 | Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1. | 3.9 | 15 |
| 89 | Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1. | 4.7 | 49 |
| 90 | Search for long-lived neutral particles in pp collisions at $\sqrt{s}=13$ TeV that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , 2019, 79, 1. | 3.9 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1. | 4.7 | 21 |
| 92 | Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1. | 4.7 | 8 |
| 93 | Measurement of $W^{\pm}Z$ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1. | 3.9 | 41 |
| 94 | Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1. | 4.7 | 30 |
| 95 | Search for scalar resonances decaying into $t\bar{t} + b\bar{b}$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1. | 4.7 | 15 |
| 96 | Search for diboson resonances in hadronic final states in 139 fb^{-1} of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1. | 4.7 | 20 |
| 97 | Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} \sim 13 \text{ TeV}$ with the ATLAS experiment at the LHC. <i>European Physical Journal C</i> , 2019, 79, . | 3.9 | 4 |
| 98 | Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13 TeV . <i>European Physical Journal C</i> , 2019, 79, . | 3.9 | 21 |
| 99 | Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1. | 3.9 | 24 |
| 100 | Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1. | 4.7 | 13 |
| 101 | Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2019, 79, 1. | 3.9 | 77 |
| 102 | Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1. | 3.9 | 3 |
| 103 | Searches for scalar leptoquarks and differential cross-section measurements in dilepton-dijet events in proton-proton collisions at a centre-of-mass energy of $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1. | 3.9 | 22 |
| 104 | Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1. | 4.7 | 27 |
| 105 | Search for top-quark decays $t \rightarrow b\bar{b}$ with 36 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1. | 4.7 | 19 |
| 106 | Measurement of VH , $H\overline{b}b$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1. | 4.7 | 14 |
| 107 | Measurements of W and Z boson production in pp collisions at $\sqrt{s}=5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1. | 3.9 | 17 |
| 108 | Performance of top-quark and W -boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019, 79, 1. | 3.9 | 42 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Measurements of inclusive and differential fiducial cross-sections of γ production in leptonic final states at $\sqrt{s} = 13 \text{ TeV}$ in ATLAS. European Physical Journal C, 2019, 79, 1. | 3.9 | 14 |
| 110 | Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017. | 1.2 | 37 |
| 111 | Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58. | 3.9 | 61 |
| 112 | Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 39 |
| 113 | In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1. | 3.9 | 28 |
| 114 | Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1. | 3.9 | 46 |
| 115 | Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 6 |
| 116 | Measurement of the top quark mass in the $t \rightarrow t \bar{t} \gamma$. European Physical Journal C, 2019, 79, 1. | 3.9 | 47 |
| 117 | Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 55 |
| 118 | A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1. | 3.9 | 25 |
| 119 | Measurement of the top-quark mass in $t\bar{t}$ + 1-jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 27 |
| 120 | Measurement of fiducial and differential W^+W^- production cross-sections at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1. | 3.9 | 24 |
| 121 | Measurement of ZZ production in the $\gamma\gamma$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 6 |
| 122 | Measurement of W^{\pm} -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1. | 3.9 | 8 |
| 123 | Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1. | 3.9 | 9 |
| 124 | Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 50 |
| 125 | Measurement of W^{\pm} boson production in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1. | 3.9 | 17 |
| 126 | ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 1. | 3.9 | 130 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Measurement of flow harmonics correlations with mean transverse momentum in leadâ€“lead and protonâ€“lead collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1. | 3.9 | 36 |
| 128 | Measurements of top-quark pair differential and double-differential cross-sections in the \$ell+jets channel with pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2019, 79, 1. | 3.9 | 34 |
| 129 | Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 14 |
| 130 | Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using 36 fbâ˜1 of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 5 |
| 131 | Recent Results on Flow and Correlations from the ATLAS Experiment. Acta Physica Polonica B, Proceedings Supplement, 2019, 12, 411. | 0.1 | 0 |
| 132 | Measurement of K_S^0 and Λ^0 production in $t \bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1. | 3.9 | 4 |
| 133 | Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fbâ˜1 of pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 116 |
| 134 | Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13 \text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 17 |
| 135 | Measurement of the W-boson mass in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 110. | 3.9 | 218 |
| 136 | Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2018, 78, 102. | 3.9 | 13 |
| 137 | Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154. | 3.9 | 52 |
| 138 | Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ s NN} = 2.76$ and 5.0. European Physical Journal C, 2018, 78, 142. | 3.9 | 59 |
| 139 | Measurement of quarkonium production in protonâ€“lead and protonâ€“proton collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 171. | 3.9 | 75 |
| 140 | Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13 \text{ TeV}$ with ATLAS. European Physical Journal C, 2018, 78, 186. | 3.9 | 20 |
| 141 | Search for heavy ZZ resonances in the $Z Z \rightarrow e^+ e^- \rightarrow e^+ e^- \rightarrow \nu \bar{\nu}$ final states using protonâ€“proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 293. | 3.9 | 101 |
| 142 | A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 250. | 3.9 | 66 |
| 143 | Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fbâ˜1 of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 40 |
| 144 | Search for heavy resonances decaying into WW in the $e \mu \nu \tau$ final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 24. | 3.9 | 108 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Direct top-quark decay width measurement in the $\mathbf{t\bar{t}}$ lepton+jets channel at $\sqrt{s}=8$ TeV with the ATLAS experiment. European Physical Journal C, 2018, 78, 129. | 3.9 | 17 |
| 146 | Search for $W\bar{W}/WZ$ resonance production in $t\bar{t}q\bar{q}$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 31 |
| 147 | Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 46 |
| 148 | Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow a\bar{a} \rightarrow 4b$ channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 28 |
| 149 | Recent ATLAS measurements of azimuthal anisotropies in pp and p+Pb collisions. EPJ Web of Conferences, 2018, 172, 05003. | 0.3 | 0 |
| 150 | Measurement of the $Z\gamma$ production cross section in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 10 |
| 151 | Prompt and non-prompt J/ψ elliptic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 784. | 3.9 | 19 |
| 152 | Search for Higgs boson pair production in the $\gamma\gamma WW \rightarrow l^+l^-WW \rightarrow l^+l^-l^+l^-$ channel using pp collision data recorded at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007. | 3.9 | 53 |
| 153 | Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 847. | 3.9 | 16 |
| 154 | Angular analysis of $B_0 \rightarrow K^+ \pi^- \eta'/\eta$ decays in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 76 |
| 155 | Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb^{-1} of pp collisions at. European Physical Journal C, 2018, 78, 401. | 3.9 | 50 |
| 156 | Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 29 |
| 157 | Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 9 |
| 158 | Search for Higgs boson pair production in the $\gamma\gamma \gamma\gamma$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 38 |
| 159 | Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 30 |
| 160 | Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{NN}} = 5.02$ TeV Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997. | 3.9 | 51 |
| 161 | Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 903. | 3.9 | 181 |
| 162 | Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995. | 3.9 | 125 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 56 |
| 164 | Operation and performance of the ATLAS Tile Calorimeter in RunA1. <i>European Physical Journal C</i> , 2018, 78, 987. | 3.9 | 25 |
| 165 | Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 37 |
| 166 | Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 22 |
| 167 | Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb^{-1} of $\sqrt{s}=13 \text{ TeV}$ pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 48 |
| 168 | Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 67 |
| 169 | Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 15 |
| 170 | Search for charged Higgs bosons decaying via $H^\pm \rightarrow l^\pm \bar{l}, H^\pm \rightarrow l^+ l^-$, in the $l^+ + \text{jets}$ and $l^- + \text{lepton}$ final states with 36 fb^{-1} of pp collision data recorded at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 59 |
| 171 | Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 762. | 3.9 | 61 |
| 172 | Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 31 |
| 173 | Search for exclusive Higgs and Z boson decays to $l^+ l^+$ and $l^+ l^-$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 16 |
| 174 | Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 40 |
| 175 | Search for flavour-changing neutral current top-quark decays $t \rightarrow t^0 q Z$ in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 17 |
| 176 | Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the. <i>European Physical Journal C</i> , 2018, 78, 487. | 3.9 | 10 |
| 177 | Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 565. | 3.9 | 79 |
| 178 | Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 625. | 3.9 | 27 |
| 179 | Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 136 |
| 180 | Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18. | 3.9 | 60 |
| 182 | Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 199. | 3.9 | 132 |
| 183 | Measurement of Z/γ polarization in $Z \rightarrow e^+e^-$ and $Z \rightarrow \mu^+\mu^-$ decays. European Physical Journal C, 2018, 78, 163. | 3.9 | 7 |
| 184 | Searches for heavy ZZ and ZW resonances in the $q\bar{q}$, $t\bar{t}$, $b\bar{b}$ and $\tilde{t}_1\tilde{t}_1$ final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 29 |
| 185 | Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 33 |
| 186 | Measurement of differential cross sections and $W+W^\pm$ cross-section ratios for W boson production in association with jets at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 16 |
| 187 | Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 1. | 1 | |
| 188 | Measurement of the W-boson mass in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 1. | 1 | |
| 189 | Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 1. | 1 | |
| 190 | New results on soft particle production in heavy-ion collisions with ATLAS. European Physical Journal C, 2018, 78, 1. | 0 | |
| 191 | Measurement of the $t\bar{t}Z$ and $t\bar{t}W$ production cross sections in multilepton final states using 3.2 fb $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 40. | 3.9 | 41 |
| 192 | A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26. | 3.9 | 29 |
| 193 | Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 29 |
| 194 | Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 220. | 3.9 | 11 |
| 195 | Measurement of the W boson polarisation in $t\bar{t}\gamma$ events from pp collisions at $\sqrt{s} = 8 \text{ TeV}$ in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264. | 3.9 | 37 |
| 196 | Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195. | 3.9 | 87 |
| 197 | Measurements of top-quark pair differential cross-sections in the $e\mu$ channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 292. | 3.9 | 27 |
| 198 | Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241. | 3.9 | 61 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Measurement of the prompt J/ψ pair production cross-section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 76. | 3.9 | 81 |
| 200 | Search for triboson $W^{pm} W^{pm} W^{mp}$ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 141. | 3.9 | 25 |
| 201 | Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490. | 3.9 | 325 |
| 202 | Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531. | 3.9 | 56 |
| 203 | Measurements of electroweak W_{jj} production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474. | 3.9 | 26 |
| 204 | Revealing long-range multiparticle collectivity in small collision systems via subevent cumulants. Physical Review C, 2017, 96, | 2.9 | 64 |
| 205 | Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466. | 3.9 | 145 |
| 206 | Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428. | 3.9 | 86 |
| 207 | Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 31 |
| 208 | Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$. European Physical Journal C, 2017, 77, 804. | 3.9 | 28 |
| 209 | Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 9 |
| 210 | Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 9 |
| 211 | Two- and Multi-particle Azimuthal Correlations in Small Collision Systems with the ATLAS Detector. Nuclear Physics A, 2017, 967, 349-352. | 1.5 | 0 |
| 212 | Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673. | 3.9 | 75 |
| 213 | Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144. | 3.9 | 12 |
| 214 | Measurement of the $Z Z$ production cross section in proton-proton collisions at $s = 8 \text{ TeV}$ using the $Z Z \rightarrow 4\ell$ and $Z Z \rightarrow 2\ell 2\nu$ decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 10 |
| 215 | Probing the $W tb$ vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 17 |
| 216 | Measurements of $\chi(2S)$ and $X(3872) \rightarrow J/\psi + \pi^+$ production in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 13 |
| 218 | Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 70. | 3.9 | 79 |
| 219 | Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017, 77, 317. | 3.9 | 489 |
| 220 | Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , 2017, 77, 332. | 3.9 | 71 |
| 221 | Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 361. | 3.9 | 47 |
| 222 | Precision measurement and interpretation of inclusive $W^+ + W^-$ production. <i>European Physical Journal C</i> , 2017, 77, 367. | 3.9 | 145 |
| 223 | Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 379. | 3.9 | 51 |
| 224 | Search for dark matter at $\sqrt{s} = 13 \text{ TeV}$ in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 393. | 3.9 | 80 |
| 225 | Measurement of charged-particle distributions sensitive to the underlying event in $s = 13 \text{ TeV}$ proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 14 |
| 226 | Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 898. | 3.9 | 50 |
| 227 | Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 8 |
| 228 | Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 765. | 3.9 | 19 |
| 229 | Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 8 |
| 230 | Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 17 |
| 231 | Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 23 |
| 232 | Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 38 |
| 233 | Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 580. | 3.9 | 35 |
| 234 | Measurement of WW/WZ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , 2017, 77, 563. | 3.9 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13 \text{ TeV}$ proton-proton collision data. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 12 |
| 236 | Searches for the $Z \rightarrow l^+l^-$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 30 |
| 237 | Studies of $Z \rightarrow l^+l^-$ production in association with a high-mass dijet system in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 14 |
| 238 | Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 16 |
| 239 | Search for top quark decays $t \rightarrow t' qH$, with $H \rightarrow l^+l^-$, in $s = 13 \text{ TeV}$ pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 18 |
| 240 | Study of $WW\gamma$ and $WZ\gamma$. <i>European Physical Journal C</i> , 2017, 77, 646. | 3.9 | 30 |
| 241 | Measurements of top quark spin observables in $t\bar{t} \rightarrow l^+l^-$ events using dilepton final states in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 20 |
| 242 | Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 11 |
| 243 | Top-quark mass measurement in the all-hadronic $t\bar{t} \rightarrow l^+l^-$ decay channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 16 |
| 244 | Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 28 |
| 245 | Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 45 |
| 246 | Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb^{-1} of $s = 13 \text{ TeV}$ pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 31 |
| 247 | Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 36 |
| 248 | Measurement of the k_t splitting scales in $Z \rightarrow l^+l^-$ events in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 3 |
| 249 | Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t -channel at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 8 |
| 250 | Evidence for the $H \rightarrow b\bar{b} \rightarrow b\bar{b} H$ decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 64 |
| 251 | Search for new high-mass phenomena in the dilepton final state using 36 fb^{-1} of proton-proton collision data at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 168 |
| 252 | Determination of the strong coupling constant α_s from transverse energy correlations in multijet events at $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 872. | 3.9 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 30 |
| 254 | Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 10 |
| 255 | Measurement of event-shape observables in $Z \rightarrow e^+ e^-$ and $Z \rightarrow \tau^+ \tau^-$ events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 375. | 3.9 | 15 |
| 256 | Charged-particle distributions in pp interactions at $\sqrt{s} = 8 \text{ TeV}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 403. | 3.9 | 30 |
| 257 | Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 502. | 3.9 | 61 |
| 258 | Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 547. | 3.9 | 37 |
| 259 | Search for minimal supersymmetric standard model Higgs Bosons H_A and for a Z' boson in the $t\bar{t}, b\bar{b}$ final state produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 585. | 3.9 | 51 |
| 260 | Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , 2016, 76, 666. | 3.9 | 73 |
| 261 | Measurement of the $b\bar{b} \rightarrow b\bar{b} \gamma\gamma$ dijet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 670. | 3.9 | 12 |
| 262 | The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016, 76, 526. | 3.9 | 21 |
| 263 | Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 541. | 3.9 | 23 |
| 264 | Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 605. | 3.9 | 24 |
| 265 | Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 292. | 3.9 | 453 |
| 266 | Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 658. | 3.9 | 48 |
| 267 | Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 565. | 3.9 | 31 |
| 268 | Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 44 |
| 269 | Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 71 |
| 270 | Search for flavour-changing neutral current top-quark decays to $q\bar{q} Z$ in $p\bar{p}$ collision data collected with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 12. | 3.9 | 39 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 87. | 3.9 | 39 |
| 272 | Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 81. | 3.9 | 10 |
| 273 | Search for charged Higgs bosons in the $H \rightarrow t\bar{t}$ decay channel in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 43 |
| 274 | Study of the rare decays of $B^0 \rightarrow D^- \pi^+$ and $B^0 \rightarrow D^0 \pi^0$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513. | 3.9 | 46 |
| 275 | Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions. European Physical Journal C, 2016, 76, 517. | 3.9 | 24 |
| 276 | Search for resonances in diphoton events at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 70 |
| 277 | Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 442. | 3.9 | 43 |
| 278 | Measurement of the relative width difference of the $B^0 \rightarrow D^- \pi^+$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 8 |
| 279 | Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295. | 3.9 | 50 |
| 280 | Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 581. | 3.9 | 298 |
| 281 | Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322. | 3.9 | 51 |
| 282 | Measurement of jet activity in top quark events using the $e^{1/4}$ final state with two b-tagged jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 4 |
| 283 | Measurement of the transverse momentum and ϕ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 291. | 3.9 | 154 |
| 284 | Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^{\pm} \mu^{\mp} \nu \bar{\nu}$ with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 15 |
| 285 | Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 20 |
| 286 | A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 14 |
| 287 | Identification of high transverse momentum top quarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 17 |
| 288 | A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021. | 2.9 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 289 | Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016, 11, P05013-P05013. | 1.2 | 11 |
| 290 | Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8\text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 538. | 3.9 | 115 |
| 291 | Participant and spectator scaling of spectator fragments in Au + Au and Cu + Cu collisions at $s_{NN}=19.6\text{ and }22.4\text{ GeV}$. <i>Physical Review C</i> , 2016, 94, . | 2.9 | 6 |
| 292 | Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7\text{ and }8\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 283. | 3.9 | 63 |
| 293 | Luminosity determination in pp collisions at $\sqrt{s} = 8\text{ TeV}$ using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 653. | 3.9 | 279 |
| 294 | Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 683. | 3.9 | 11 |
| 295 | Addendum to "Measurement of the $t\bar{t}$ production cross-section using $e\mu$ events with b-tagged jets in pp collisions at $\sqrt{s} = 7\text{ and }8\text{ TeV}$ with the ATLAS detector". <i>European Physical Journal C</i> , 2016, 76, 1. | 3.9 | 19 |
| 296 | Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 33 |
| 297 | Searches for heavy diboson resonances in pp collisions at $s = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 25 |
| 298 | Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8\text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 16 |
| 299 | Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s = 8\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 21 |
| 300 | Measurement of the CP-violating phase δ_s and the $B_s \rightarrow D_s^+ \nu \bar{\nu}$ decay width difference with $B_s \rightarrow D_s^+ \nu \bar{\nu}$ decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 13 |
| 301 | Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 392. | 3.9 | 73 |
| 302 | Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s = 8\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 38 |
| 303 | A search for prompt lepton-jets in pp collisions at $s = 8\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 31 |
| 304 | Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 13 |
| 305 | Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{NN}} = 5.02\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 199. | 3.9 | 60 |
| 306 | Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 19 |
| 308 | Search for strong gravity in multijet final states produced in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 15 |
| 309 | Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 154. | 3.9 | 62 |
| 310 | Search for new phenomena in events with at least three photons collected in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 210. | 3.9 | 95 |
| 311 | Probing lepton flavour violation via neutrinoless $\vartheta_{\mu e}$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 232. | 3.9 | 19 |
| 312 | A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 238. | 3.9 | 9 |
| 313 | Search for supersymmetry at $s = 13 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 259. | 3.9 | 72 |
| 314 | Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 49 |
| 315 | Search for anomalous couplings in the $W tb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1-46. | 4.7 | 13 |
| 316 | Searches for scalar leptoquarks in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 5. | 3.9 | 109 |
| 317 | Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $s = 7 \text{ and } 8 \text{ TeV}$ in the ATLAS experiment. <i>European Physical Journal C</i> , 2016, 76, 6. | 3.9 | 274 |
| 318 | Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 11. | 3.9 | 54 |
| 319 | Study of the $B_c \rightarrow J/\psi D_s^+$ and $B_c \rightarrow J/\psi D_s^-$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 4. | 3.9 | 40 |
| 320 | Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ \rightarrow 2l^+2l^-$ decay channel at $s = 8 \text{ TeV}$ in pp collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 45. | 3.9 | 197 |
| 321 | Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 55. | 3.9 | 43 |
| 322 | Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s}) = 8 \text{ TeV}$ with the ATLAS detector. <i>Nucleon-gold collisions at cm</i> , 2016, 76, 1. | 1 | |
| 323 | <i>xmlNs:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>200</mml:mi><mml:mo>*</mml:mo><mml:math>GeV</mml:math> using tagged</mml:math></i> <i>xmlNs:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>d</mml:mi><mml:mo>*</mml:mo><mml:mo>*</mml:mo><mml:mo>*</mml:mo><mml:math>^{2.9} \text{ fm}</mml:math> interactions in the PHOBOS detector. <i>Physical Review C</i>, 2015, 92,</i> | | |
| 324 | Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 325 | A search for high-mass resonances decaying to $t\bar{t}, b\bar{b}, \tau^+\tau^-$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 23 |
| 326 | Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 55 |
| 327 | Search for lepton-flavour-violating $H \rightarrow l^+l^-$ decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 52 |
| 328 | Measurement of four-jet differential cross sections in $s = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-76. | 4.7 | 11 |
| 329 | A search for $t t \bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 66 |
| 330 | Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 28 |
| 331 | Measurement of charged-particle spectra in Pb+Pb collisions at $s_{NN} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 67 |
| 332 | Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 33 |
| 333 | Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 108 |
| 334 | Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-39. | 4.7 | 78 |
| 335 | Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s = 7 \text{ TeV}$ in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 40 |
| 336 | Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 84 |
| 337 | Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 71 |
| 338 | Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 20 |
| 339 | Summary of the searches for squarks and gluinos using $s = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 60 |
| 340 | Determination of the top-quark pole mass using $t t \bar{t}$ + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 25 |
| 341 | Measurement of the $t t \bar{t} W$ and $t t \bar{t} Z$ production cross sections in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 22 |
| 342 | Search for flavour-changing neutral current top quark decays $t \rightarrow b H$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-65. | 4.7 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 343 | Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 36 |
| 344 | Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 42 |
| 345 | Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 116 |
| 346 | Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 17 |
| 347 | Search for $W' \rightarrow tb \rightarrow q\bar{q}bb$ decays in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 165. | 3.9 | 35 |
| 348 | Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $s = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 158. | 3.9 | 17 |
| 349 | Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 208. | 3.9 | 67 |
| 350 | Study of $(W/Z)H$ production and Higgs boson couplings using $H \rightarrow WW^*$ decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 22 |
| 351 | Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS experiment. <i>European Physical Journal C</i> , 2015, 75, 407. | 3.9 | 27 |
| 352 | Measurement of the production and lepton charge asymmetry of WW bosons in Pb+Pb collisions at $s = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 23. | 3.9 | 41 |
| 353 | Jet energy measurement and its systematic uncertainty in proton-proton collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 17. | 3.9 | 268 |
| 354 | Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 79. | 3.9 | 30 |
| 355 | Search for resonant diboson production in the $q\bar{q} \rightarrow q\bar{q}WW$ final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 69. | 3.9 | 74 |
| 356 | Measurements of the WW production cross sections in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 82. | 3.9 | 92 |
| 357 | Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 92. | 3.9 | 77 |
| 358 | Measurement of the $t\bar{t} \rightarrow t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 30 |
| 359 | Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $s = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 27 |
| 360 | Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 361 | Search for the $b\bar{b}$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 89 |
| 362 | Measurement of the inclusive jet cross-section in proton-proton collisions at $s = 7 \text{ TeV}$ using 4.5 fb^{-1} of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 35 |
| 363 | Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $s = 8 \text{ TeV}$ pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 60 |
| 364 | Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \tau^-$, $\tau^\pm \nu_\tau$ in fully hadronic final states using pp collision data at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 69 |
| 365 | Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 209. | 3.9 | 79 |
| 366 | Performance of the ATLAS muon trigger in pp collisions at $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 120. | 3.9 | 62 |
| 367 | Search for Higgs boson pair production in the $b\bar{b} b\bar{b}$ final state from pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 412. | 3.9 | 90 |
| 368 | Determination of spin and parity of the Higgs boson in the $WW \rightarrow e\mu \nu \nu$ decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 231. | 3.9 | 21 |
| 369 | Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 299. | 3.9 | 238 |
| 370 | Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $e\bar{e} \rightarrow W\bar{W} \rightarrow \tau^+\tau^-$ decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 263. | 3.9 | 60 |
| 371 | Measurement of three-jet production cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 228. | 3.9 | 23 |
| 372 | Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 335. | 3.9 | 95 |
| 373 | Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 303. | 3.9 | 70 |
| 374 | Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 476. | 3.9 | 174 |
| 375 | Observation and measurements of the production of prompt and non-prompt J/ψ mesons in association with a Z boson in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 229. | 3.9 | 64 |
| 376 | Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 349. | 3.9 | 123 |
| 377 | Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 318. | 3.9 | 56 |
| 378 | Search for heavy long-lived multi-charged particles in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 362. | 3.9 | 36 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 379 | Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466. | 3.9 | 42 |
| 380 | Measurement of the top quark mass in the $t \rightarrow l + jets$ and $t \bar{t} \rightarrow l + jets$ channels using $\sqrt{s} = 7$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330. | 3.9 | 52 |
| 381 | ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510. | 3.9 | 138 |
| 382 | Measurement of the inclusive jet cross-section in proton-proton collisions at $(\sqrt{s}) = 7$ TeV using 4.5 fb^{-1} of data with the ATLAS detector. , 2015, 2015, 1. | | 3 |
| 383 | Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector., 2015, 75, 1. | | 1 |
| 384 | Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector., 2015, 75, 1. | | 2 |
| 385 | Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 82 |
| 386 | Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130. | 3.9 | 213 |
| 387 | Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117. | 3.9 | 40 |
| 388 | A measurement of the ratio of the production cross sections for W and Z bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168. | 3.9 | 23 |
| 389 | Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s = 8$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 45 |
| 390 | Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb^{-1} of $\sqrt{s} = 8$ TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 12 |
| 391 | Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s = 8$ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 128 |
| 392 | Measurement of the $t \bar{t}$ production cross-section using $e \bar{e}$ events with b-tagged jets in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109. | 3.9 | 143 |
| 393 | Measurement of Hard Probes in p-Pb and Pb-Pb Collisions with the ATLAS Detector. Acta Physica Polonica B, 2014, 45, 1619. | 0.8 | 0 |
| 394 | Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 66 |
| 395 | Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s} = 7$ TeV in 2010. European Physical Journal C, 2014, 74, 3034. | 3.9 | 58 |
| 396 | Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1. | 3.9 | 172 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 397 | Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3134. | 3.9 | 48 |
| 398 | Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3157. | 3.9 | 68 |
| 399 | Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3195. | 3.9 | 46 |
| 400 | Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 41 |
| 401 | Measurement of the production cross-section of $t\bar{t}(2S) \rightarrow t\bar{t}(\ell^+\ell^- + \nu\bar{\nu})$ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ at ATLAS. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 21 |
| 402 | Measurement of the Z/ℓ^3 boson transverse momentum distribution in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 131 |
| 403 | Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 38 |
| 404 | Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 45 |
| 405 | Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 47 |
| 406 | Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 35 |
| 407 | Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 42 |
| 408 | Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 40 |
| 409 | The differential production cross section of the $\phi(1020)$ meson in pp collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895. | 3.9 | 13 |
| 410 | Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 2941. | 3.9 | 204 |
| 411 | Measurement of the underlying event in jet events from $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1. | 3.9 | 23 |
| 412 | Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 2982. | 3.9 | 22 |
| 413 | Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3023. | 3.9 | 77 |
| 414 | Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 415 | Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 88 |
| 416 | Measurement of the production cross section of prompt J/ψ mesons in association with a $W \pm$ boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 35 |
| 417 | Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 36 |
| 418 | Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 59 |
| 419 | Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 145 |
| 420 | Search for supersymmetry at $\sqrt{s} = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 45 |
| 421 | Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 25 |
| 422 | Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 59 |
| 423 | Measurement of $t\bar{t}$ c1 and $t\bar{t}$ c2 production with $\sqrt{s} = 7$ TeV pp collisions at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 32 |
| 424 | Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 10 |
| 425 | Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1. | 4.7 | 45 |
| 426 | Search for direct top squark pair production in events with a Z boson, b -jets and missing transverse momentum in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2883. | 3.9 | 55 |
| 427 | Recent ATLAS results on flow measurements in lead-lead and proton-lead collisions. <i>Journal of Physics: Conference Series</i> , 2014, 509, 012030. | 0.4 | 0 |
| 428 | Measurement of the ($t\bar{t}$) production cross-section using (emu) events with (b)-tagged jets in (pp) collisions at ($\sqrt{s}=7$) and 8 TeV with the ATLAS detector. , 2014, 74, 1. | 2 | |
| 429 | Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 73 |
| 430 | Measurement of the cross-section for W boson production in association with b -jets in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 53 |
| 431 | Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 32 |
| 432 | Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 137 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 433 | Measurement of ZZ production in pp collisions at $\sqrt{s}=7$ TeV and limits on anomalous ZZZ and ZZ \tilde{l}^3 couplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 61 |
| 434 | Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s}=7$ TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 19 |
| 435 | Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 52 |
| 436 | Measurement of k T splitting scales in $W\tilde{t}\tilde{t}$ events at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2432. | 3.9 | 19 |
| 437 | Search for a light charged Higgs boson in the decay channel $H^{\pm} \rightarrow car(s)$ in $t\bar{t}$ events using pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2465. | 3.9 | 119 |
| 438 | Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 102 |
| 439 | Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s}=8$ TeV proton-proton collisions using the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 71 |
| 440 | Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s}=7$ TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 31 |
| 441 | Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 52 |
| 442 | Improved luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 2518. | 3.9 | 362 |
| 443 | Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s}=2.76$ TeV and comparison to the inclusive jet cross-section at $\sqrt{s} = 7$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2509. | 3.9 | 105 |
| 444 | Multi-channel search for squarks and gluinos in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 2362. | 3.9 | 34 |
| 445 | | | |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 451 | Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s}=7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 59 |
| 452 | Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 15 |
| 453 | <small>xmns:xocs= http://www.elsevier.com/xml/xocs/dtd xmns:xs= http://www.w3.org/2001/XMLSchema xmns xsi="http://www.w3.org/2001/XMLSchema-instance" xmns="http://www.elsevier.com/xml/ja/dtd" xmns:ja="http://www.elsevier.com/xml/ja/dtd" xmns:mml="http://www.w3.org/1998/Math/MathML" xmns:tb="http://www.elsevier.com/xml/common/table/dtd" xmns:is="http://www.elsevier.com/xml/common/structlib/dtd" xmns:inside="http://www.. Nuclear Physi</small> | 1.5 | 0 |
| 454 | Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2013, 73, 1. | 3.9 | 61 |
| 455 | Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2013, 73, 1. | 3.9 | 45 |
| 456 | Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 1. | 3.9 | 15 |
| 457 | Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 1. | 3.9 | 45 |
| 458 | Jet energy resolution in proton-proton collisions at $\sqrt{\text{mathrm{s}}}=7 \text{ TeV}$ recorded in 2010 with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2306. | 3.9 | 209 |
| 459 | Measurement of the τ production cross section in the tau + jets channel using the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2328. | 3.9 | 45 |
| 460 | Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , 2013, 15, 043009. | 2.9 | 15 |
| 461 | Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = \{7, \text{ext}\{\text{TeV}\}\}$ with the ATLAS detector using final states with two high-p T leptons. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 45 |
| 462 | Jet mass and substructure of inclusive jets in $\sqrt{s} = 7; \text{ext}\{\text{TeV}\}$ pp collisions with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 88 |
| 463 | Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 12 |
| 464 | Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb^{-1} of $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 53 |
| 465 | A search for $t\bar{t}$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 40 |
| 466 | Search for the Standard Model Higgs boson in the $H \rightarrow t\bar{t} \rightarrow l^+l^-$ decay mode in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with ATLAS. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 43 |
| 467 | A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s}=7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 34 |
| 468 | Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ with ATLAS. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 469 | Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 54 |
| 470 | Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 54 |
| 471 | Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 17 |
| 472 | Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s} = 7 \text{ TeV}$ pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 48 |
| 473 | Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 13 |
| 474 | Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2012, 72, 1. | 3.9 | 248 |
| 475 | Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2012, 72, 1. | 3.9 | 100 |
| 476 | Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2012, 72, 1. | 3.9 | 13 |
| 477 | Measurement of $\star t$ production with a veto on additional central jet activity in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 2043. | 3.9 | 109 |
| 478 | A search for $\star t$ resonances with the ATLAS detector in 2.05 fb^{-1} of proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2012, 72, 2083. | 3.9 | 25 |
| 479 | Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1. | 3.9 | 37 |
| 480 | Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1. | 3.9 | 16 |
| 481 | Measurement of $W \pm Z$ production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1. | 3.9 | 59 |
| 482 | Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1. | 3.9 | 25 |
| 483 | Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2012, 72, 1. | 3.9 | 22 |
| 484 | Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1. | 3.9 | 13 |
| 485 | Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions. <i>European Physical Journal C</i> , 2012, 72, 1. | 3.9 | 31 |
| 486 | ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2012, 72, 1. | 3.9 | 36 |



| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 505 | Luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1. | 3.9 | 179 |
| 506 | Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s}=900 \text{ GeV}$ and $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1. | 3.9 | 31 |
| 507 | Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s}=7 \text{ TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1. | 3.9 | 18 |
| 508 | Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s}=7 \text{ TeV}$ proton-proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1. | 3.9 | 41 |
| 509 | Limits on the production of the standard model Higgs boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1. | 3.9 | 40 |
| 510 | Search for diphoton events with large missing transverse energy with 36 pb^{-1} of 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2011, 71, 1. | 3.9 | 15 |
| 511 | Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1. | 3.9 | 60 |
| 512 | Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1. | 3.9 | 56 |
| 513 | Search for a heavy neutral particle decaying into an electron and a muon using 1 fb^{-1} of ATLAS data. European Physical Journal C, 2011, 71, 1. | 3.9 | 14 |
| 514 | Search for massive colored scalars in four-jet final states in $\sqrt{s}=7 \text{ TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1. | 3.9 | 39 |
| 515 | Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1. | 3.9 | 73 |
| 516 | Measurement of W^3 and Z^3 production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1. | 4.7 | 11 |
| 517 | Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1. | 4.7 | 33 |
| 518 | Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1. | 4.7 | 65 |
| 519 | Measurement of elliptic flow and higher order flow harmonics from the event plane and two-particle correlation methods in $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ Pb+Pb collisions with the ATLAS detector at the LHC. Journal of Physics G: Nuclear and Particle Physics, 2011, 38, 124163. | 3.6 | 4 |
| 520 | Readiness of the ATLAS liquid argon calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 723-753. | 3.9 | 61 |
| 521 | The ATLAS Inner Detector commissioning and calibration. European Physical Journal C, 2010, 70, 787-821. | 3.9 | 95 |
| 522 | Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. European Physical Journal C, 2010, 70, 755-785. | 3.9 | 51 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 523 | Commissioning of the ATLAS Muon Spectrometer with Cosmic Rays. European Physical Journal C, 2010, 70, 875-916. | 3.9 | 23 |
| 524 | The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874. | 3.9 | 1,187 |
| 525 | Readiness of the ATLAS Tile Calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 1193-1236. | 3.9 | 121 |
| 526 | Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1. | 4.7 | 18 |
| 527 | Measurement of the $W \rightarrow l^+l^-$ and $Z \rightarrow l^+l^-$ production cross sections in proton-proton collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1. Event-by-Event Fluctuations of Azimuthal Particle Anisotropy in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{inline}" > \langle \text{mml:mi} \rangle A_u \langle / \text{mml:mi} \rangle \langle \text{mml:mo} + \rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle A_u \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle \text{Collisions}$ | 4.7 | 64 |
| 528 | at $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{inline}" > \langle \text{mml:msqrt} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mi} s \langle / \text{mml:mi} \rangle \langle \text{mml:mi} N \langle / \text{mml:mi} \rangle \langle / \text{mml:msub} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} = \rangle \langle / \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{inline}" > \langle \text{mml:mi} \rangle A_u \langle / \text{mml:mi} \rangle \langle \text{mml:mo} + \rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle A_u \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle \text{Collisions}$ | 7.8 | 56 |
| 529 | at $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ Non-flow correlations and elliptic flow fluctuations in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{inline}" > \langle \text{mml:mrow} \rangle \langle \text{mml:mi} N \langle / \text{mml:mi} \rangle \langle \text{mml:mi} N \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{mathvariant} = \text{"normal"} \rangle A_u \langle / \text{mml:mi} \rangle \langle \text{mml:mo} + \rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle$ $\text{mathvariant} = \text{"normal"} \rangle A_u \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:math} \rangle \text{collisions at } \langle \text{mml:math}$ | 7.8 | 167 |
| 530 | $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{inline}" > \langle \text{mml:mrow} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mi} s \langle / \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle$ $\text{mathvariant} = \text{"normal"} \rangle Cu \langle / \text{mml:mi} \rangle \langle \text{mml:mo} + \rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle$ $\text{mathvariant} = \text{"normal"} \rangle Cu \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:math} \rangle \text{and } \langle \text{mml:math}$ | 2.9 | 65 |
| 531 | $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{inline}" > \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:math} \rangle$ $\text{mathvariant} = \text{"normal"} \rangle Cu \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:math} \rangle$ $\text{mathvariant} = \text{"normal"} \rangle Cu \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:math} \rangle$ | 2.9 | 81 |
| 532 | Scaling properties in bulk and $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{inline}" > \langle \text{mml:mrow} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mi} p \langle / \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} T \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msub} \rangle \langle / \text{mml:math} \rangle$ particle production near midrapidity in relativistic heavy ion collisions. Physical Review C, 2009, 80, . | 7.8 | 43 |
| 533 | System Size, Energy, and Centrality Dependence of Pseudorapidity Distributions of Charged Particles in Relativistic Heavy-Ion Collisions. Physical Review Letters, 2009, 102, 142301. | 7.8 | 43 |
| 534 | The PHOBOS Collaboration. Nuclear Physics A, 2009, 830, 967c. | 1.5 | 5 |
| 535 | Recent results from PHOBOS on particle production at high p T. European Physical Journal C, 2009, 61, 575-582. | 3.9 | 0 |
| 536 | Importance of correlations and fluctuations on the initial source eccentricity in high-energy nucleus-nucleus collisions. Physical Review C, 2008, 77, . | 2.9 | 196 |
| 537 | Identified charged antiproton to particle ratios near midrapidity in Cu+Cu collisions at $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{inline}" > \langle \text{mml:mrow} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mi} s \langle / \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle$ $\text{mathvariant} = \text{"italic"} \rangle NN \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msub} \rangle \langle / \text{mml:math} \rangle$ 200 GeV. Physical Review C, 2008, 77, . | 2.9 | 10 |
| 538 | Recent Results from Phobos. AIP Conference Proceedings, 2007, , . | 0.4 | 0 |
| 539 | Cluster properties from two-particle angular correlations in p+p collisions at $s=200$ and 410 GeV. Physical Review C, 2007, 75, . | 2.9 | 46 |
| 540 | System Size, Energy, Pseudorapidity, and Centrality Dependence of Elliptic Flow. Physical Review Letters, 2007, 98, 242302. | 7.8 | 303 |

| # | ARTICLE | | IF | CITATIONS |
|-----|---|--|-----|-----------|
| 541 | Identified hadron transverse momentum spectra in Au+Au collisions at $s_{NN}=62.4\text{GeV}$. Physical Review C, 2007, 75, . | | 2.9 | 29 |
| 542 | PHOBOS Overview. Journal of Physics: Conference Series, 2006, 50, 34-41. | | 0.4 | 0 |
| 543 | Particle production in nuclear collisions over a broad centrality range from the PHOBOS experiment. European Physical Journal D, 2006, 56, A39-A52. | | 0.4 | 1 |
| 544 | Particle production at very low and intermediate transverse momenta in d+Au and Au+Au collisions. Nuclear Physics A, 2006, 774, 469-472. | | 1.5 | 2 |
| 545 | PHOBOS Collaboration. Nuclear Physics A, 2006, 774, 954. | | 1.5 | 0 |
| 546 | New PHOBOS results on event-by-event fluctuations. AIP Conference Proceedings, 2006, , . | | 0.4 | 2 |
| 547 | Strangeness measurements with the PHOBOS experiment. Journal of Physics G: Nuclear and Particle Physics, 2006, 32, S69-S76. | | 3.6 | 0 |
| 548 | System Size and Centrality Dependence of Charged Hadron Transverse Momentum Spectra in Au+Au and Cu+Cu Collisions at $s_{NN}=62.4$ and 200GeV . Physical Review Letters, 2006, 96, 212301. | | 7.8 | 47 |
| 549 | Energy Dependence of Directed Flow over a Wide Range of Pseudorapidity in Au+Au Collisions at the BNL Relativistic Heavy Ion Collider. Physical Review Letters, 2006, 97, 012301. | | 7.8 | 62 |
| 550 | Charged-particle pseudorapidity distributions in Au+Au collisions at $s_{NN}=62.4\text{GeV}$. Physical Review C, 2006, 74, . | | 2.9 | 83 |
| 551 | Transverse momentum and rapidity dependence of Hanbury-Brown-Twiss correlations in Au+Au collisions at $s_{NN}=62.4$ and 200 GeV . Physical Review C, 2006, 73, . | | 2.9 | 28 |
| 552 | Forward-backward multiplicity correlations in $s_{NN}=200\text{GeV}$ Au+Au collisions. Physical Review C, 2006, 74, . | | 2.9 | 54 |
| 553 | Centrality and energy dependence of charged-particle multiplicities in heavy ion collisions in the context of elementary reactions. Physical Review C, 2006, 74, . | | 2.9 | 41 |
| 554 | CHARGED PARTICLE MULTIPLICITIES IN ULTRA-RELATIVISTIC AU+AU AND CU+CU COLLISIONS. , 2006, , . | | | 0 |
| 555 | Using multiplicity as a fractional cross-section estimation for centrality in PHOBOS. Journal of Physics: Conference Series, 2005, 5, 46-54. | | 0.4 | 5 |
| 556 | Measuring mid-rapidity multiplicity in PHOBOS. Journal of Physics: Conference Series, 2005, 5, 97-104. | | 0.4 | 0 |
| 557 | Analysis of dynamic multiplicity fluctuations at PHOBOS. Journal of Physics: Conference Series, 2005, 27, 128-133. | | 0.4 | 17 |
| 558 | The PHOBOS perspective on discoveries at RHIC. Nuclear Physics A, 2005, 757, 28-101. | | 1.5 | 1,881 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 559 | Scaling of charged particle production in d+Au collisions at $\sqrt{s_{NN}}=200\text{GeV}$. Physical Review C, 2005, 72, . | 2.9 | 96 |
| 560 | Charged antiproton to particle ratios near midrapidity in p+p collisions at $\sqrt{s_{NN}}=200\text{GeV}$. Physical Review C, 2005, 71, . | 2.9 | 20 |
| 561 | Centrality and pseudorapidity dependence of elliptic flow for charged hadrons in Au+Au collisions at $\sqrt{s_{NN}}=200\text{GeV}$. Physical Review C, 2005, 72, . | 2.9 | 176 |
| 562 | Energy Dependence of Elliptic Flow over a Large Pseudorapidity Range in Au+Au Collisions at the BNL Relativistic Heavy Ion Collider. Physical Review Letters, 2005, 94, 122303. | 7.8 | 107 |
| 563 | Centrality Dependence of Charged Hadron Transverse Momentum Spectra in Au+Au Collisions from $\sqrt{s_{NN}}=62.4$ to 200GeV . Physical Review Letters, 2005, 94, 082304. | 7.8 | 59 |
| 564 | Ultra-relativistic Au+Au and d+Au collisions: Experimental studies by PHOBOS. International Journal of Modern Physics A, 2005, 20, 4405-4411. | 1.5 | 0 |
| 565 | Elliptic flow in Au+Au collisions at RHIC. Journal of Physics G: Nuclear and Particle Physics, 2005, 31, S41-S47. | 3.6 | 2 |
| 566 | Recent results from PHOBOS at RHIC. Brazilian Journal of Physics, 2004, 34, 829-832. | 1.4 | 3 |
| 567 | The landscape of particle production: results from PHOBOS. Journal of Physics G: Nuclear and Particle Physics, 2004, 30, S683-S691. | 3.6 | 4 |
| 568 | Identified hadron spectra from PHOBOS. Journal of Physics G: Nuclear and Particle Physics, 2004, 30, S1143-S1147. | 3.6 | 8 |
| 569 | Strange hadron production at low transverse momenta. Journal of Physics G: Nuclear and Particle Physics, 2004, 30, S93-S102. | 3.6 | 6 |
| 570 | Rapidity and k_T dependence of HBT correlations in Au+Au collisions at 200 GeV with PHOBOS. Journal of Physics G: Nuclear and Particle Physics, 2004, 30, S1049-S1052. | 3.6 | 4 |
| 571 | Pseudorapidity distributions of charged particles in d+Au and p+p collisions at. Journal of Physics G: Nuclear and Particle Physics, 2004, 30, S1133-S1137. | 3.6 | 47 |
| 572 | Flow in Au+Au collisions at RHIC. Journal of Physics G: Nuclear and Particle Physics, 2004, 30, S1243-S1246. | 3.6 | 25 |
| 573 | Charged particle multiplicity fluctuations in Au+Au collisions at. Journal of Physics G: Nuclear and Particle Physics, 2004, 30, S1377-S1380. | 3.6 | 11 |
| 574 | First results on d+Au collisions from PHOBOS. AIP Conference Proceedings, 2004, , . | 0.4 | 0 |
| 575 | Pseudorapidity Distribution of Charged Particles in d+Au Collisions at $\sqrt{s_{NN}}=200\text{GeV}$. Physical Review Letters, 2004, 93, 082301. | 7.8 | 95 |
| 576 | Collision geometry scaling of Au+Au pseudorapidity density from $\sqrt{s_{NN}}=19.6$ to 200GeV . Physical Review C, 2004, 70, . | 2.9 | 106 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 577 | Particle production at very low transverse momenta in Au+Au collisions at $s_{NN}=200\text{GeV}$. Physical Review C, 2004, 70, . | 2.9 | 22 |
| 578 | Centrality dependence of charged antiparticle to particle ratios near midrapidity in d+Au collisions at $s_{NN}=200\text{GeV}$. Physical Review C, 2004, 70, . | 2.9 | 15 |
| 579 | Pseudorapidity dependence of charged hadron transverse momentum spectra in d+Au collisions at $s_{NN}=200\text{GeV}$. Physical Review C, 2004, 70, . | 2.9 | 34 |
| 580 | Low-p T spectra of identified charged particles in $\sqrt{s_{NN}} = 200\text{GeV}$ Au+Au collisions from PHOBOS experiment at RHIC. European Physical Journal C, 2004, 33, s600-s602. | 3.9 | 0 |
| 581 | Evidence of final-state suppression of high-p $\langle m_T \rangle$ hadrons in Au+Au collisions using d+Au measurements at RHIC. European Physical Journal C, 2004, 33, s606-s608. | 3.9 | 2 |
| 582 | Charged hadron transverse momentum distributions in Au+Au collisions at $s_{NN}=200\text{GeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2004, 578, 297-303. | 4.1 | 140 |
| 583 | Results from the PHOBOS experiment at RHIC. Nuclear Physics A, 2004, 734, 61-64. | 1.5 | 1 |
| 584 | PHOBOS at RHIC: Some global observations. Pramana - Journal of Physics, 2003, 61, 865-876. | 1.8 | 0 |
| 585 | A first look at Au+Au collisions at RHIC energies using the PHOBOS detector. Pramana - Journal of Physics, 2003, 60, 921-931. | 1.8 | 1 |
| 586 | The PHOBOS detector at RHIC. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2003, 499, 603-623. | 1.6 | 92 |
| 587 | Global observations from PHOBOS. Nuclear Physics A, 2003, 715, 65c-74c. | 1.5 | 14 |
| 588 | Charged hadron transverse momentum distributions in Au+Au collisions at GeV. Nuclear Physics A, 2003, 715, 745c-748c. | 1.5 | 8 |
| 589 | Universal behavior of charged particle production in heavy ion collisions. Nuclear Physics A, 2003, 715, 490c-493c. | 1.5 | 12 |
| 590 | Identified particles in Au+Au collisions at GeV. Nuclear Physics A, 2003, 715, 510c-513c. | 1.5 | 13 |
| 591 | Flow and bose-einstein correlations in Au-Au collisions at RHIC. Nuclear Physics A, 2003, 715, 611c-614c. | 1.5 | 38 |
| 592 | Recent results from PHOBOS at RHIC. Nuclear Physics A, 2003, 721, C227-C230. | 1.5 | 0 |
| 593 | Ratios of charged antiparticles to particles near midrapidity in Au+Au collisions at $s_{NN}=200\text{GeV}$. Physical Review C, 2003, 67, . | 2.9 | 22 |
| 594 | Significance of the Fragmentation Region in Ultrarelativistic Heavy-Ion Collisions. Physical Review Letters, 2003, 91, 052303. | 7.8 | 268 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 595 | Centrality Dependence of Charged-Hadron Transverse-Momentum Spectra in+AuCollisions atsNN=200GeV. Physical Review Letters, 2003, 91, 072302. | 7.8 | 201 |
| 596 | Centrality dependence of charged particle multiplicity at midrapidity in Au+Au collisions atsNN=130GeV. Physical Review C, 2002, 65, . | 2.9 | 77 |
| 597 | Pseudorapidity and Centrality Dependence of the Collective Flow of Charged Particles inAu+AuCollisions atsNN=130GeV. Physical Review Letters, 2002, 89, 222301. | 7.8 | 114 |
| 598 | Centrality dependence of the charged particle multiplicity near midrapidity inAu+Au collisions atsNN=130and 200 GeV. Physical Review C, 2002, 65, . | 2.9 | 152 |
| 599 | Overview of results from PHOBOS experiment at RHIC. Journal of Physics G: Nuclear and Particle Physics, 2002, 28, 1801-1807. | 3.6 | 4 |
| 600 | Performance of the PHOBOS silicon sensors. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 478, 299-302. | 1.6 | 0 |
| 601 | First results from the PHOBOS experiment at RHIC. AIP Conference Proceedings, 2001, , . | 0.4 | 0 |
| 602 | Fragmentation of nuclei as a function of centrality of collision in interactions of gold projectiles at 10.6 A GeV. Nuclear Physics A, 2001, 693, 777-786. | 1.5 | 7 |
| 603 | First performance results of the Phobos silicon detectors. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2001, 473, 197-204. | 1.6 | 5 |
| 604 | FIRST RESULTS FROM THE PHOBOS EXPERIMENT AT THE RHIC COLLIDER. International Journal of Modern Physics A, 2001, 16, 1265-1267. | 1.5 | 0 |
| 605 | How strange is PHOBOS? First RHIC physics results and future prospects. Journal of Physics G: Nuclear and Particle Physics, 2001, 27, 659-669. | 3.6 | 2 |
| 606 | Charged-Particle Pseudorapidity Density Distributions fromAu+AuCollisions atsNN=130GeV. Physical Review Letters, 2001, 87, 102303. | 7.8 | 163 |
| 607 | Energy Dependence of Particle Multiplicities in CentralAu+AuCollisions. Physical Review Letters, 2001, 88, 022302. | 7.8 | 108 |
| 608 | Ratios of Charged Antiparticles-to-Particles near Mid-Rapidity inAu+AuCollisions atsNN=130GeV. Physical Review Letters, 2001, 87, 102301. | 7.8 | 50 |
| 609 | Charged-Particle Multiplicity near Midrapidity in CentralAu+AuCollisions atsNN=56and130GeV. Physical Review Letters, 2000, 85, 3100-3104. | 7.8 | 240 |
| 610 | Charged particle production in the Pb+Pb system at 158GeV/cper nucleon. Physical Review C, 2000, 62, . | 2.9 | 18 |
| 611 | The PHOBOS experiment at the RHIC collider. Nuclear Physics A, 1999, 661, 690-693. | 1.5 | 7 |
| 612 | Measurement of charge of heavy ions in emulsion using a CCD camera. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1999, 431, 252-263. | 1.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 613 | Comparison of particle production in collisions with the VENUS and FRITIOF models. Nuclear Physics A, 1998, 633, 357-372. | 1.5 | 4 |
| 614 | Fragmentation and particle production in interactions of 10.6 GeV/N gold nuclei with hydrogen, light and heavy targets. European Physical Journal C, 1998, 5, 641-650. | 3.9 | 10 |
| 615 | Fragmentation and particle production in interactions of 10.6 GeV/N gold nuclei with hydrogen, light and heavy targets. European Physical Journal C, 1998, 5, 641. | 3.9 | 4 |
| 616 | Multiplicities and angular distributions of nucleus-nucleus interactions at SPS energies: Protons to lead., 1997, ,. | 0 | |
| 617 | Transverse momenta of helium fragments in gold fragmentation at 10.6 GeV/nucleon. Zeitschrift FÃ¼r Physik C-Particles and Fields, 1997, 73, 449-454. | 1.5 | 3 |
| 618 | High-multiplicity lead-lead interactions at 158 GeV/c per nucleon. Physical Review C, 1996, 53, 3044-3050. | 2.9 | 12 |
| 619 | Phase space dependence of the correlations among particles produced in high energy nuclear collisions. Zeitschrift FÃ¼r Physik C-Particles and Fields, 1995, 68, 65-71. | 1.5 | 1 |
| 620 | Evidence for a nuclear phase transition in target nuclei after relativistic nuclear interactions. Zeitschrift FÃ¼r Physik C-Particles and Fields, 1993, 59, 399-403. | 1.5 | 8 |
| 621 | Particle production in interactions of 200 GeV/nucleon oxygen and sulfur nuclei in nuclear emulsion. Physical Review D, 1993, 47, 1751-1761. | 4.7 | 24 |
| 622 | Multifractal analysis of nucleus-nucleus interactions. Physical Review D, 1993, 48, 3174-3181. | 4.7 | 8 |
| 623 | The secondary gamma composition from hadronic and electromagnetic extensive air showers at 10, 100, 1000, and 10000 TeV. Journal of Physics G: Nuclear and Particle Physics, 1992, 18, 1849-1861. | 3.6 | 1 |
| 624 | Grand particle identification. AIP Conference Proceedings, 1991, ,. | 0.4 | 0 |
| 625 | Identification of particles in air showers using tracking chambers and a thin absorber. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1991, 302, 368-375. | 1.6 | 5 |
| 626 | The angular distributions of charged secondaries in electromagnetic and hadronic extensive air showers at 10, 100, 1000 and 10000 TeV. Journal of Physics G: Nuclear and Particle Physics, 1991, 17, L19-L26. | 3.6 | 2 |
| 627 | Monte Carlo simulation of extensive air showers initiated by gamma rays and protons. Journal of Physics G: Nuclear and Particle Physics, 1991, 17, 1303-1315. | 3.6 | 13 |
| 628 | One- and two-dimensional analysis of the factorial moments in 200 GeV/nucleon p,O16, and S32 interactions with Ag and Br nuclei. Physical Review C, 1989, 40, R2449-R2453. | 2.9 | 79 |
| 629 | Chiral symmetry at finite baryonic density. Physical Review D, 1986, 33, 3753-3761. | 4.7 | 2 |