
Lane C Sander

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9276094/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Separations by Shape: Molecular Shape Recognition in Liquid Chromatography. Chromatographia, 2022, 85, 299-305.	1.3	1
2	Characterization of triacontyl (C-30) liquid chromatographic columns. Journal of Chromatography A, 2020, 1614, 460732.	3.7	10
3	Development of a Reversed-Phase Liquid Chromatography and Fluorescence Method with Multichannel Selective Wavelength Detection for the Determination of Benzo[a]pyrene and Six of Its Isomers. Chromatographia, 2019, 82, 499-508.	1.3	12
4	Revisiting shape selectivity in liquid chromatography for polycyclic aromatic hydrocarbons (PAHs) – six-ring and seven-ring Cata-condensed PAH isomers of molecular mass 328ÂDa and 378ÂDa. Analytical and Bioanalytical Chemistry, 2018, 410, 885-896.	3.7	10
5	Development of a Cigarette Tobacco Filler Standard Reference Material. Analytical Chemistry, 2017, 89, 10461-10467.	6.5	4
6	Environmental analysis: Persistent organic pollutants. , 2017, , 401-449.		3
7	Analytical Methods for Determination of Polycyclic Aromatic Hydrocarbons (PAHs) — A Historical Perspective on the 16ÂU.S. EPA Priority Pollutant PAHs. Polycyclic Aromatic Compounds, 2015, 35, 187-247.	2.6	81
8	Development of botanical and fish oil standard reference materials for fatty acids. Analytical and Bioanalytical Chemistry, 2013, 405, 4531-4538.	3.7	16
9	Role of chromatography in the development of Standard Reference Materials for organic analysis. Journal of Chromatography A, 2012, 1261, 3-22.	3.7	22
10	Dietary Supplement Laboratory Quality Assurance Program: The First Five Exercises. Journal of AOAC INTERNATIONAL, 2011, 94, 803-814.	1.5	8
11	Preparation and Characterization of Standard Reference Material 1849 Infant/Adult Nutritional Formula. Journal of AOAC INTERNATIONAL, 2010, 93, 1262-1274.	1.5	24
12	Standard Reference Materials to support measurement of fatty acids. Lipid Technology, 2009, 21, 7-12.	0.3	10
13	Shape selectivity in embedded polar group stationary phases for liquid chromatography. Analytical and Bioanalytical Chemistry, 2009, 394, 285-291.	3.7	24
14	Architecture and Dynamics of C18 Bonded Interphases with Small Molecule Spacers. Analytical Chemistry, 2009, 81, 10136-10142.	6.5	14
15	New Developments in Standard Reference Materials (SRMs) for Environmental Forensics. Environmental Forensics, 2007, 8, 181-191.	2.6	8
16	Mass Spectrometric Determination of the Predominant Adrenergic Protoalkaloids in Bitter Orange (Citrus aurantium). Journal of Agricultural and Food Chemistry, 2007, 55, 9769-9775.	5.2	61
17	Determination of Bitter Orange alkaloids in dietary supplements standard reference materials by liquid chromatography with ultraviolet absorbance and fluorescence detection. Journal of Chromatography A, 2007, 1156, 304-311.	3.7	32
18	Standard reference materials for foods and dietary supplements. Analytical and Bioanalytical Chemistry, 2007, 389, 171-178.	3.7	39

#	Article	IF	CITATIONS
19	Characterization of a suite of ginkgo-containing standard reference materials. Analytical and Bioanalytical Chemistry, 2007, 389, 179-196.	3.7	28
20	Determination of bitter orange alkaloids in dietary supplement Standard Reference Materials by liquid chromatography with atmospheric-pressure ionization mass spectrometry. Analytical and Bioanalytical Chemistry, 2007, 389, 197-205.	3.7	28
21	Shape Selectivity in Reversed-Phase Liquid Chromatography Advances in Chromatography, 2007, 46, 235-303.	1.0	2
22	Dietary supplement Standard Reference Materials. Life Sciences, 2006, 78, 2044-2048.	4.3	20
23	Preparation and Characterization of a Suite of Ephedra-Containing Standard Reference Materials. Journal of AOAC INTERNATIONAL, 2006, 89, 1483-1495.	1.5	19
24	Identification of isolated cavity features within molecular dynamics simulated chromatographic surfaces. Journal of Chromatography A, 2006, 1128, 79-89.	3.7	19
25	Conformational temperature dependence of a poly(ethylene-co-acrylic acid) stationary phase investigated by nuclear magnetic resonance spectroscopy and liquid chromatography. Journal of Separation Science, 2006, 29, 820-828.	2.5	8
26	Determination of ephedrine alkaloid stereoisomers in dietary supplements by capillary electrophoresis. Journal of Chromatography A, 2005, 1077, 90-97.	3.7	53
27	Selectivity of long chain stationary phases in reversed phase liquid chromatography. Analytical and Bioanalytical Chemistry, 2005, 382, 698-707.	3.7	46
28	Effect of surface coverage on the conformation and mobility of C18-modified silica gels. Analytical and Bioanalytical Chemistry, 2005, 384, 514-524.	3.7	20
29	Order and disorder in alkyl stationary phases. Analytical and Bioanalytical Chemistry, 2005, 382, 646-668.	3.7	91
30	Molecular Dynamics Simulations of Alkylsilane Stationary-Phase Order and Disorder. 2. Effects of Temperature and Chain Length. Analytical Chemistry, 2005, 77, 7862-7871.	6.5	48
31	Determination of Ephedrine Alkaloids in Dietary Supplement Standard Reference Materials. Analytical Chemistry, 2005, 77, 3101-3112.	6.5	54
32	Molecular Dynamics Simulations of Alkylsilane Stationary-Phase Order and Disorder. 1. Effects of Surface Coverage and Bonding Chemistry. Analytical Chemistry, 2005, 77, 7852-7861.	6.5	57
33	Standard Reference Materials to support US regulations for nutrients and contaminants in food and dietary supplements. Accreditation and Quality Assurance, 2004, 9, 543.	0.8	7
34	FTIR Studies of C30Self-Assembled Monolayers on Silica, Titania, and Zirconia. Langmuir, 2004, 20, 1746-1752.	3.5	41
35	A new standard reference material for column evaluation in reversed-phase liquid chromatography. Journal of Separation Science, 2003, 26, 283-294.	2.5	64
36	Synthesis and characterization of C13 to C18 stationary phases by monomeric, solution polymerized, and surface polymerized approaches. Journal of Chromatography A, 2003, 1007, 11-20.	3.7	17

#	Article	IF	CITATIONS
37	Structureâ^'Function Relationships in High-Density Octadecylsilane Stationary Phases by Raman Spectroscopy. 4. Effects of Neutral and Basic Aromatic Compounds. Analytical Chemistry, 2003, 75, 3369-3375.	6.5	15
38	Structureâ^'Function Relationships in High-Density Octadecylsilane Stationary Phases by Raman Spectroscopy. 3. Effects of Self-Associating Solvents. Analytical Chemistry, 2003, 75, 3360-3368.	6.5	23
39	Determination of Methyl-Substituted Polycyclic Aromatic Hydrocarbons in Diesel Particulate-Related Standard Reference Materials. Polycyclic Aromatic Compounds, 2003, 23, 113-139.	2.6	23
40	Development and Analysis of Three Diesel Particulate-Related Standard Reference Materials for the Determination of Chemical, Physical, and Biological Characteristics. Polycyclic Aromatic Compounds, 2003, 23, 141-191.	2.6	27
41	Structureâ^'Function Relationships in High-Density Octadecylsilane Stationary Phases by Raman Spectroscopy. 2. Effect of Common Mobile-Phase Solvents. Analytical Chemistry, 2002, 74, 5585-5592.	6.5	42
42	Structureâ^'Function Relationships in High-Density Octadecylsilane Stationary Phases by Raman Spectroscopy. 1. Effects of Temperature, Surface Coverage, and Preparation Procedure. Analytical Chemistry, 2002, 74, 5576-5584.	6.5	51
43	Poly(ethylene-co-acrylic acid) Stationary Phases for the Separation of Shape-Constrained Isomers. Analytical Chemistry, 2001, 73, 1814-1820.	6.5	30
44	Recent Developments in NIST Standard Reference Materials for Polycyclic Aromatic Hydrocarbons in Environmental Matrices. Polycyclic Aromatic Compounds, 2001, 19, 297-313.	2.6	11
45	Immobilization of the restriction enzymesHaeIII andHindIII on porous silica particles via a glutaraldehyde linkage for the micro-digestion of dsDNA with analysis by capillary electrophoresis. Journal of Separation Science, 2001, 24, 10-16.	2.5	4
46	The influence of column temperature on selectivity in reversed-phase liquid chromatography for shape-constrained solutes. Journal of Separation Science, 2001, 24, 910-920.	2.5	50
47	C30 Stationary phases for the analysis of food by liquid chromatography. Journal of Chromatography A, 2000, 880, 189-202.	3.7	166
48	Recertification of Standard Reference Material (SRM) 1649, Urban Dust, for the Determination of Polycyclic Aromatic Hydrocarbons (PAHs). Polycyclic Aromatic Compounds, 2000, 13, 419-456.	2.6	33
49	C30 Self-Assembled Monolayers on Silica, Titania, and Zirconia:  HPLC Performance, Atomic Force Microscopy, Ellipsometry, and NMR Studies of Molecular Dynamics and Uniformity of Coverage. Journal of the American Chemical Society, 2000, 122, 6997-7011.	13.7	60
50	Certification of a Diesel Particulate Related Standard Reference Material (SRM 1975) for PAHs. Polycyclic Aromatic Compounds, 1999, 14, 23-31.	2.6	8
51	Shape Selectivity for Constrained Solutes in Reversed-Phase Liquid Chromatography. Analytical Chemistry, 1999, 71, 4821-4830.	6.5	148
52	Peer Reviewed: Understanding Reversed-Phase LC with solid-state NMR. Analytical Chemistry, 1999, 71, 733A-741A.	6.5	57
53	Architecture and Dynamics of C22Bonded Interphases. Journal of the American Chemical Society, 1999, 121, 3201-3213.	13.7	61
54	Coupled Achiral/Chiral Column Techniques in Subcritical Fluid Chromatography for the Separation of Chiral and Nonchiral Compounds. Analytical Chemistry, 1998, 70, 2331-2335.	6.5	64

#	Article	IF	CITATIONS
55	Certification of morphine-3-β-D-glucuronide in a human urine standard reference material. Fresenius' Journal of Analytical Chemistry, 1997, 357, 373-378.	1.5	4
56	Certification of a Frozen Mussel Tissue Standard Reference Material (SRM 1974a) for Trace Organic Constituents. Fresenius' Journal of Analytical Chemistry, 1997, 358, 431-440.	1.5	28
57	Capillary liquid chromatography/electrospray mass spectrometry for the separation and detection of catechins in green tea and human plasma. Rapid Communications in Mass Spectrometry, 1997, 11, 1753-1756.	1.5	39
58	Temperature dependence of carotenoids on C18, C30 and C34 bonded stationary phases. Journal of Chromatography A, 1997, 757, 29-39.	3.7	64
59	Chain Order and Mobility of High-Density C18Phases by Solid-State NMR Spectroscopy and Liquid Chromatography. Analytical Chemistry, 1996, 68, 4107-4113.	6.5	115
60	Use of a naphthylethylcarbamoylated-?-cyclodextrin chiral stationary phase for the separation of drug enantiomers and related compounds by sub- and supercritical fluid chromatography. Chirality, 1996, 8, 325-331.	2.6	35
61	Synthesis and characterization of extended length alkyl stationary phases for liquid chromatography with application to the separation of carotenoid isomers. Journal of Chromatography A, 1996, 753, 37-45.	3.7	26
62	Certification of Polycyclic Aromatic Hydrocarbons in Mussel Tissue and Air Particulate Standard Reference Materials (SRMs). Polycyclic Aromatic Compounds, 1996, 9, 209-216.	2.6	12
63	Selectivity trends in packed column supercritical fluid chromatography with C18 stationary phases. Journal of High Resolution Chromatography, 1995, 18, 477-482.	1.4	5
64	Influence of Stationary Phase Chemistry on Shape Recognition in Liquid Chromatography. Analytical Chemistry, 1995, 67, 3284-3292.	6.5	163
65	Development of Engineered Stationary Phases for the Separation of Carotenoid Isomers. Analytical Chemistry, 1994, 66, 1667-1674.	6.5	356
66	Determination of 3-Quinuclidinyl Benzilate (QNB) and Its Major Metabolites in Urine by Isotope Dilution Gas Chromatography/Mass Spectrometry. Journal of Analytical Toxicology, 1992, 16, 182-187.	2.8	26
67	Shape discrimination in liquid chromatography using charge-transfer phases. Analytical Chemistry, 1991, 63, 2589-2597.	6.5	66
68	Determination of bonded phase thickness in liquid chromatography by small angle neutron scattering. Analytical Chemistry, 1990, 62, 1099-1101.	6.5	53
69	Device for subambient temperature control in liquid chromatography. Analytical Chemistry, 1990, 62, 1545-1547.	6.5	23
70	Subambient temperature modification of selectivity in reversed-phase liquid chromatography. Analytical Chemistry, 1989, 61, 1749-1754.	6.5	160
71	Evaluation of Column Performance in Liquid Chromatography. Journal of Chromatographic Science, 1988, 26, 380-387.	1.4	57
72	Effect of phase length on column selectivity for the separation of polycyclic aromatic hydrocarbons by reversed-phase liquid chromatography. Analytical Chemistry, 1987, 59, 2309-2313.	6.5	198

#	Article	IF	CITATIONS
73	Recent Advances in Bonded Phases for Liquid Chromatography. Critical Reviews in Analytical Chemistry, 1987, 18, 299-415.	3.5	191
74	Influence of substrate parameters on column selectivity with alkyl bonded-phase sorbents. Journal of Chromatography A, 1984, 316, 163-181.	3.7	129
75	Synthesis and characterization of polymeric C18 stationary phases for liquid chromatography. Analytical Chemistry, 1984, 56, 504-510.	6.5	358
76	Fourier transform infrared spectrometric determination of alkyl chain conformation on chemically bonded reversed-phase liquid chromatography packings. Analytical Chemistry, 1983, 55, 1068-1075.	6.5	220