

Raymond Kai-yu Tong

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9276605/raymond-kai-yu-tong-publications-by-citations.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

166
papers

3,879
citations

32
h-index

57
g-index

185
ext. papers

4,729
ext. citations

3.4
avg, IF

5.77
L-index

#	Paper	IF	Citations
166	A practical gait analysis system using gyroscopes. <i>Medical Engineering and Physics</i> , 1999 , 21, 87-94	2.4	313
165	The effects of voluntary, involuntary, and forced exercises on brain-derived neurotrophic factor and motor function recovery: a rat brain ischemia model. <i>PLoS ONE</i> , 2011 , 6, e16643	3.7	190
164	An EMG-driven exoskeleton hand robotic training device on chronic stroke subjects: task training system for stroke rehabilitation. <i>IEEE International Conference on Rehabilitation Robotics</i> , 2011 , 2011, 5975340	1.3	150
163	A comparison between electromyography-driven robot and passive motion device on wrist rehabilitation for chronic stroke. <i>Neurorehabilitation and Neural Repair</i> , 2009 , 23, 837-46	4.7	131
162	Assistive control system using continuous myoelectric signal in robot-aided arm training for patients after stroke. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2008 , 16, 371-9 ^{4.8}	4.8	130
161	Effectiveness of gait training using an electromechanical gait trainer, with and without functional electric stimulation, in subacute stroke: a randomized controlled trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006 , 87, 1298-304	2.8	127
160	The reliability of using accelerometer and gyroscope for gait event identification on persons with dropped foot. <i>Gait and Posture</i> , 2008 , 27, 248-57	2.6	122
159	A pilot study of randomized clinical controlled trial of gait training in subacute stroke patients with partial body-weight support electromechanical gait trainer and functional electrical stimulation: six-month follow-up. <i>Stroke</i> , 2008 , 39, 154-60	6.7	117
158	Evaluation of the Microsoft Kinect as a clinical assessment tool of body sway. <i>Gait and Posture</i> , 2014 , 40, 532-8	2.6	92
157	A minimal set of electrodes for motor imagery BCI to control an assistive device in chronic stroke subjects: a multi-session study. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2011 , 19, 617-27	4.8	79
156	Quantitative evaluation of motor functional recovery process in chronic stroke patients during robot-assisted wrist training. <i>Journal of Electromyography and Kinesiology</i> , 2009 , 19, 639-50	2.5	79
155	The effects of post-stroke upper-limb training with an electromyography (EMG)-driven hand robot. <i>Journal of Electromyography and Kinesiology</i> , 2013 , 23, 1065-74	2.5	76
154	Bilateral upper limb training with functional electric stimulation in patients with chronic stroke. <i>Neurorehabilitation and Neural Repair</i> , 2009 , 23, 357-65	4.7	75
153	Support vector machine for classification of walking conditions using miniature kinematic sensors. <i>Medical and Biological Engineering and Computing</i> , 2008 , 46, 563-73	3.1	74
152	The effect of poststroke impairments on brachialis muscle architecture as measured by ultrasound. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007 , 88, 243-50	2.8	69
151	An intention driven hand functions task training robotic system. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2010 , 2010, 3406-9	0.9	68
150	Relationship of serum brain-derived neurotrophic factor (BDNF) and health-related lifestyle in healthy human subjects. <i>Neuroscience Letters</i> , 2008 , 447, 124-8	3.3	67

149	Efficacy of robot-assisted fingers training in chronic stroke survivors: a pilot randomized-controlled trial. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2015 , 12, 42	5.3	66
148	Using recurrent artificial neural network model to estimate voluntary elbow torque in dynamic situations. <i>Medical and Biological Engineering and Computing</i> , 2005 , 43, 473-80	3.1	65
147	Support vector machine for classification of walking conditions of persons after stroke with dropped foot. <i>Human Movement Science</i> , 2009 , 28, 504-14	2.4	64
146	Variation of muscle coactivation patterns in chronic stroke during robot-assisted elbow training. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007 , 88, 1022-9	2.8	63
145	Myoelectrically controlled wrist robot for stroke rehabilitation. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2013 , 10, 52	5.3	59
144	Wrist Rehabilitation Assisted by an Electromyography-Driven Neuromuscular Electrical Stimulation Robot After Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2015 , 29, 767-76	4.7	55
143	Robotic Glove with Soft-Elastic Composite Actuators for Assisting Activities of Daily Living. <i>Soft Robotics</i> , 2019 , 6, 289-304	9.2	49
142	The responsiveness and correlation between Fugl-Meyer Assessment, Motor Status Scale, and the Action Research Arm Test in chronic stroke with upper-extremity rehabilitation robotic training. <i>International Journal of Rehabilitation Research</i> , 2011 , 34, 349-56	1.8	45
141	Real-Time Control of an Exoskeleton Hand Robot with Myoelectric Pattern Recognition. <i>International Journal of Neural Systems</i> , 2017 , 27, 1750009	6.2	43
140	Gait training of patients after stroke using an electromechanical gait trainer combined with simultaneous functional electrical stimulation. <i>Physical Therapy</i> , 2006 , 86, 1282-94	3.3	43
139	Selective Feature Aggregation Network with Area-Boundary Constraints for Polyp Segmentation. <i>Lecture Notes in Computer Science</i> , 2019 , 302-310	0.9	42
138	Complexity analysis of EMG signals for patients after stroke during robot-aided rehabilitation training using fuzzy approximate entropy. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2014 , 22, 1013-9	4.8	41
137	Randomized controlled trial of robot-assisted gait training with dorsiflexion assistance on chronic stroke patients wearing ankle-foot-orthosis. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2018 , 15, 51	5.3	38
136	Myoelectric Pattern Recognition for Controlling a Robotic Hand: A Feasibility Study in Stroke. <i>IEEE Transactions on Biomedical Engineering</i> , 2019 , 66, 365-372	5	38
135	Does acupuncture therapy alter activation of neural pathway for pain perception in irritable bowel syndrome?: a comparative study of true and sham acupuncture using functional magnetic resonance imaging. <i>Journal of Neurogastroenterology and Motility</i> , 2012 , 18, 305-16	4.4	36
134	Firing properties of motor units during fatigue in subjects after stroke. <i>Journal of Electromyography and Kinesiology</i> , 2006 , 16, 469-76	2.5	32
133	The effects of electromechanical wrist robot assistive system with neuromuscular electrical stimulation for stroke rehabilitation. <i>Journal of Electromyography and Kinesiology</i> , 2012 , 22, 431-9	2.5	30
132	Virtual artificial sensor technique for functional electrical stimulation. <i>Medical Engineering and Physics</i> , 1998 , 20, 458-68	2.4	30

131	Development of a circuit for functional electrical stimulation. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2004 , 12, 43-7	4.8	30
130	Incorporating ultrasound-measured musculotendon parameters to subject-specific EMG-driven model to simulate voluntary elbow flexion for persons after stroke. <i>Clinical Biomechanics</i> , 2009 , 24, 101-9 ²	2.2	28
129	The mechanomyography of persons after stroke during isometric voluntary contractions. <i>Journal of Electromyography and Kinesiology</i> , 2007 , 17, 473-83	2.5	28
128	Comparison of strategies and performance of functional electrical stimulation cycling in spinal cord injury pilots for competition in the first ever CYBATHLON. <i>European Journal of Translational Myology</i> , 2017 , 27, 7219	2.1	27
127	Gradually increased training intensity benefits rehabilitation outcome after stroke by BDNF upregulation and stress suppression. <i>BioMed Research International</i> , 2014 , 2014, 925762	3	27
126	Joint-angle-dependent neuromuscular dysfunctions at the wrist in persons after stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006 , 87, 671-9	2.8	25
125	Characterization of stroke- and aging-related changes in the complexity of EMG signals during tracking tasks. <i>Annals of Biomedical Engineering</i> , 2015 , 43, 990-1002	4.7	24
124	Effects of electromyography-driven robot-aided hand training with neuromuscular electrical stimulation on hand control performance after chronic stroke. <i>Disability and Rehabilitation: Assistive Technology</i> , 2015 , 10, 149-59	1.8	24
123	Cerebral plasticity after subcortical stroke as revealed by cortico-muscular coherence. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2009 , 17, 234-43	4.8	24
122	Neurochemical effects of exercise and neuromuscular electrical stimulation on brain after stroke: a microdialysis study using rat model. <i>Neuroscience Letters</i> , 2006 , 397, 135-9	3.3	24
121	A longitudinal study of hand motor recovery after sub-acute stroke: a study combined FMRI with diffusion tensor imaging. <i>PLoS ONE</i> , 2013 , 8, e64154	3.7	24
120	Design of an exoskeleton ankle robot for robot-assisted gait training of stroke patients. <i>IEEE International Conference on Rehabilitation Robotics</i> , 2017 , 2017, 211-215	1.3	23
119	Gait control system for functional electrical stimulation using neural networks. <i>Medical and Biological Engineering and Computing</i> , 1999 , 37, 35-41	3.1	23
118	Impact of Coronavirus Disease 2019 (COVID-19) Outbreak Quarantine, Isolation, and Lockdown Policies on Mental Health and Suicide. <i>Frontiers in Psychiatry</i> , 2021 , 12, 565190	5	23
117	Study on connectivity between coherent central rhythm and electromyographic activities. <i>Journal of Neural Engineering</i> , 2008 , 5, 324-32	5	22
116	EEG patterns from acute to chronic stroke phases in focal cerebral ischemic rats: correlations with functional recovery. <i>Physiological Measurement</i> , 2013 , 34, 423-35	2.9	21
115	Rewiring the Lesioned Brain: Electrical Stimulation for Post-Stroke Motor Restoration. <i>Journal of Stroke</i> , 2020 , 22, 47-63	5.6	21
114	Advanced Myoelectric Control for Robotic Hand-Assisted Training: Outcome from a Stroke Patient. <i>Frontiers in Neurology</i> , 2017 , 8, 107	4.1	20

113	Changes in Electroencephalography Complexity using a Brain Computer Interface-Motor Observation Training in Chronic Stroke Patients: A Fuzzy Approximate Entropy Analysis. <i>Frontiers in Human Neuroscience</i> , 2017 , 11, 444	3.3	20
112	Command control for functional electrical stimulation hand grasp systems using miniature accelerometers and gyroscopes. <i>Medical and Biological Engineering and Computing</i> , 2003 , 41, 710-7	3.1	20
111	Model-based online learning and adaptive control for a human-wearable soft robot Integrated system. <i>International Journal of Robotics Research</i> , 2021 , 40, 256-276	5.7	20
110	Sensorimotor control of tracking movements at various speeds for stroke patients as well as age-matched and young healthy subjects. <i>PLoS ONE</i> , 2015 , 10, e0128328	3.7	19
109	Effects of camera viewing angles on tracking kinematic gait patterns using Azure Kinect, Kinect v2 and Orbbec Astra Pro v2. <i>Gait and Posture</i> , 2021 , 87, 19-26	2.6	18
108	Soft Rehabilitation Actuator With Integrated Post-stroke Finger Spasticity Evaluation. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020 , 8, 111	5.8	16
107	Robust Single Accelerometer-Based Activity Recognition Using Modified Recurrence Plot. <i>IEEE Sensors Journal</i> , 2019 , 19, 6317-6324	4	15
106	Fine finger motor skill training with exoskeleton robotic hand in chronic stroke: stroke rehabilitation. <i>IEEE International Conference on Rehabilitation Robotics</i> , 2013 , 2013, 6650392	1.3	15
105	BCI-FES training system design and implementation for rehabilitation of stroke patients 2008 ,		15
104	Is maximum isometric muscle stress the same among prime elbow flexors?. <i>Clinical Biomechanics</i> , 2007 , 22, 874-83	2.2	15
103	Synchronization lag in post stroke: relation to motor function and structural connectivity. <i>Network Neuroscience</i> , 2019 , 3, 1121-1140	5.6	14
102	Combined Electromyography(EMG)-driven system with functional electrical stimulation (FES) for poststroke rehabilitation 2008 ,		12
101	Differentiated Effects of Robot Hand Training With and Without Neural Guidance on Neuroplasticity Patterns in Chronic Stroke. <i>Frontiers in Neurology</i> , 2018 , 9, 810	4.1	12
100	The Effectiveness of Functional Electrical Stimulation (FES) in On-Off Mode for Enhancing the Cycling Performance of Team Phoenix at 2016 Cybathlon. <i>European Journal of Translational Myology</i> , 2017 , 27, 7132	2.1	11
99	EMG and kinematic analysis of sensorimotor control for patients after stroke using cyclic voluntary movement with visual feedback. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2013 , 10, 18	5.3	11
98	Evaluation of cerebral blood flow changes in focal cerebral ischemia rats by using transcranial Doppler ultrasonography. <i>Ultrasound in Medicine and Biology</i> , 2010 , 36, 595-603	3.5	11
97	Development of an EOG (Electro-Oculography) Based Human-Computer Interface. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2005 , 2005, 6829-31		11
96	Ambient assisted living technologies for older adults with cognitive and physical impairments: a review. <i>European Review for Medical and Pharmacological Sciences</i> , 2019 , 23, 10470-10481	2.9	11

95	Design of a 3D Printed Soft Robotic Hand for Stroke Rehabilitation and Daily Activities Assistance. <i>IEEE International Conference on Rehabilitation Robotics</i> , 2019 , 2019, 65-70	1.3	10
94	Muscle activation changes during body weight support treadmill training after focal cortical ischemia: A rat hindlimb model. <i>Journal of Electromyography and Kinesiology</i> , 2011 , 21, 318-26	2.5	10
93	Reliability of neural-network functional electrical stimulation gait-control system. <i>Medical and Biological Engineering and Computing</i> , 1999 , 37, 633-8	3.1	10
92	Cortico-Muscular Coherence Modulated by High-Definition Transcranial Direct Current Stimulation in People With Chronic Stroke. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2019 , 27, 304-313	4.8	10
91	Computerized Cognitive Screen (CoCoSc): A Self-Administered Computerized Test for Screening for Cognitive Impairment in Community Social Centers. <i>Journal of Alzheimeris Disease</i> , 2017 , 59, 1299-1306	4.3	9
90	Neural correlates of motor impairment during motor imagery and motor execution in sub-cortical stroke. <i>Brain Injury</i> , 2013 , 27, 651-63	2.1	9
89	Robotic Hand-Assisted Training for Spinal Cord Injury Driven by Myoelectric Pattern Recognition: A Case Report. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2017 , 96, S146-S149	2.6	9
88	The effects of voluntary, involuntary, and forced exercises on motor recovery in a stroke rat model. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2011 , 2011, 8223-6	0.9	9
87	Implanted FNS system in closed-circle may become a way for the restoration of eye blinking and closing function for facial paralysis patient. <i>Medical Hypotheses</i> , 2008 , 70, 1068-9	3.8	9
86	Myoelectrically Controlled Robotic System That Provide Voluntary Mechanical Help for Persons after Stroke 2007 ,		9
85	Development of computer-based environment for simulating the voluntary upper-limb movements of persons with disability. <i>Medical and Biological Engineering and Computing</i> , 2001 , 39, 414-21	3.1	9
84	A hybrid network for automatic hepatocellular carcinoma segmentation in H&E-stained whole slide images. <i>Medical Image Analysis</i> , 2021 , 68, 101914	15.4	9
83	A Probabilistic Model-Based Online Learning Optimal Control Algorithm for Soft Pneumatic Actuators. <i>IEEE Robotics and Automation Letters</i> , 2020 , 5, 1437-1444	4.2	8
82	A Novel Iterative Learning Model Predictive Control Method for Soft Bending Actuators 2019 ,		8
81	The effects of training intensities on motor recovery and gait symmetry in a rat model of ischemia. <i>Brain Injury</i> , 2013 , 27, 408-16	2.1	8
80	Post-stroke wrist rehabilitation assisted with an intention-driven functional electrical stimulation (FES)-robot system. <i>IEEE International Conference on Rehabilitation Robotics</i> , 2011 , 2011, 5975424	1.3	8
79	Effectiveness of functional electrical stimulation (FES)-robot assisted wrist training on persons after stroke. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2010 , 2010, 5819-22	0.9	8
78	FNS therapy for the functional restoration of the paralysed eyelid. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2009 , 62, e622-4	1.7	8

77	Interhemispheric Functional Reorganization and its Structural Base After BCI-Guided Upper-Limb Training in Chronic Stroke. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2020 , 28, 2525-2536	4.8	8
76	BCI Training Effects on Chronic Stroke Correlate with Functional Reorganization in Motor-Related Regions: A Concurrent EEG and fMRI Study. <i>Brain Sciences</i> , 2021 , 11,	3.4	8
75	Hand exoskeleton robot for assessing hand and finger motor impairment after stroke. <i>HKIE Transactions</i> , 2015 , 22, 78-87	2.9	7
74	2012 ,		7
73	2009 ,		7
72	Adapting to the Mechanical Properties and Active Force of an Exoskeleton by Altering Muscle Synergies in Chronic Stroke Survivors. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2020 , 28, 2203-2213	4.8	7
71	Effects of wearable ankle robotics for stair and over-ground training on sub-acute stroke: a randomized controlled trial. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2021 , 18, 19	5.3	7
70	Effects of a Soft Robotic Hand for Hand Rehabilitation in Chronic Stroke Survivors. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021 , 30, 105812	2.8	7
69	Bis(propyl)-cognitin potentiates rehabilitation of treadmill exercise after a transient focal cerebral ischemia, possibly via inhibiting NMDA receptor and regulating VEGF expression. <i>Neurochemistry International</i> , 2019 , 128, 143-153	4.4	6
68	Arm-eye coordination test to objectively quantify motor performance and muscles activation in persons after stroke undergoing robot-aided rehabilitation training: a pilot study. <i>Experimental Brain Research</i> , 2013 , 229, 373-82	2.3	6
67	Evaluation of velocity-dependent performance of the spastic elbow during voluntary movements. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008 , 89, 1140-5	2.8	6
66	Interface Engineering of Flexible Piezoresistive Sensors via Near-Field Electrospinning Processed Spacer Layers.. <i>Small Methods</i> , 2021 , 5, e2000842	12.8	6
65	How to prepare a person with complete spinal cord injury to use surface electrodes for FES trike cycling. <i>IEEE International Conference on Rehabilitation Robotics</i> , 2017 , 2017, 801-805	1.3	5
64	Coordinated upper limb training assisted with an electromyography (EMG)-driven hand robot after stroke. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2013 , 2013, 5903-6	0.9	5
63	Anodal Transcranial Direct Current Stimulation of Anterior Cingulate Cortex Modulates Subcortical Brain Regions Resulting in Cognitive Enhancement. <i>Frontiers in Human Neuroscience</i> , 2020 , 14, 584136	3.3	5
62	The Effects of 10 Hz and 20 Hz tACS in Network Integration and Segregation in Chronic Stroke: A Graph Theoretical fMRI Study. <i>Brain Sciences</i> , 2021 , 11,	3.4	5
61	Pathway-specific modulatory effects of neuromuscular electrical stimulation during pedaling in chronic stroke survivors. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2019 , 16, 143	5.3	5
60	What Kind of Brain Structural Connectivity Remodeling Can Relate to Residual Motor Function After Stroke?. <i>Frontiers in Neurology</i> , 2019 , 10, 1111	4.1	4

59	Performance of common spatial pattern under a smaller set of EEG electrodes in brain-computer interface on chronic stroke patients: a multi-session dataset study. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2011 , 2011, 6344-7	0.9	4
58	A randomized controlled trial on the recovery process of wrist rehabilitation assisted by Electromyography (EMG)-Driven robot for chronic stroke 2009 ,		4
57	2008 ,		4
56	Effects of consecutive slips in nerve signals recorded by implanted cuff electrode. <i>Medical Engineering and Physics</i> , 2008 , 30, 460-5	2.4	4
55	Interactive robot-assisted training system using continuous EMG signals for stroke rehabilitation 2009 ,		4
54	Postural Stability in Obese Preoperative Bariatric Patients Using Static and Dynamic Evaluation. <i>Obesity Facts</i> , 2020 , 13, 499-513	5.1	4
53	Artificial-Intelligence-Enabled Reagent-Free Imaging Hematology Analyzer. <i>Advanced Intelligent Systems</i> , 2021 , 3, 2000277	6	4
52	Speed-adaptive control of functional electrical stimulation for dropfoot correction. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2018 , 15, 98	5.3	4
51	Wearable Technology in Medicine and Health Care: Introduction 2018 , 1-5		3
50	Evaluation of transcranial Doppler flow velocity changes in intracerebral hemorrhage rats using ultrasonography. <i>Journal of Neuroscience Methods</i> , 2012 , 210, 272-80	3	3
49	The therapeutic effects of myoelectrically controlled robotic system for persons after stroke--a pilot study. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2006 , 2006, 4945-8		3
48	Oscillations in the power spectra of motor unit signals caused by refractoriness variations. <i>Journal of Neural Engineering</i> , 2004 , 1, 174-85	5	3
47	Kinect-based rapid movement training to improve balance recovery for stroke fall prevention: a randomized controlled trial. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2021 , 18, 150	5.3	3
46	. <i>IEEE Sensors Journal</i> , 2020 , 1-1	4	3
45	Modulation of Functional Connectivity and Low-Frequency Fluctuations After Brain-Computer Interface-Guided Robot Hand Training in Chronic Stroke: A 6-Month Follow-Up Study. <i>Frontiers in Human Neuroscience</i> , 2020 , 14, 611064	3.3	3
44	Real-time Electromyography-driven Functional Electrical Stimulation Cycling System for Chronic Stroke Rehabilitation. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2018 , 2018, 2515-2518	0.9	3
43	A Novel Soft Robotic Glove for Daily Life Assistance 2018 ,		3
42	Impact of COVID-19 pandemic lockdown on occupational therapy practice and use of telerehabilitation - A cross sectional study. <i>European Review for Medical and Pharmacological Sciences</i> , 2021 , 25, 3614-3622	2.9	3

41	Cortical Contribution during Active and Passive Pedaling: A Preliminary Study 2019 ,		2
40	Lower Limb Exoskeleton Robot to Facilitate the Gait of Stroke Patients 2018 , 91-111		2
39	Assisted technology for daily living. <i>SpringerPlus</i> , 2014 , 3, K2		2
38	A pilot studies in dynamic profile of multi parameters of EEG in a rat model of transient middle cerebral artery occlusion. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2006 , 2006, 1181-4		2
37	Musculotendon parameters estimation by ultrasound measurement and geometric modeling: application on brachialis muscle. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2005 , 2005, 4974-7		2
36	How Many Muscles? Optimal Muscles Set Search for Optimizing Myocontrol Performance. <i>Frontiers in Computational Neuroscience</i> , 2021 , 15, 668579	3.5	2
35	Combined Ultrasound Imaging and Biomechanical Modeling to Estimate Triceps Brachii Musculotendon Changes in Stroke Survivors. <i>BioMed Research International</i> , 2016 , 2016, 5275768	3	2
34	Changes in electroencephalography complexity and functional magnetic resonance imaging connectivity following robotic hand training in chronic stroke. <i>Topics in Stroke Rehabilitation</i> , 2021 , 28, 276-288	2.6	2
33	Probabilistic Model-based Learning Control of a Soft Pneumatic Glove for Hand Rehabilitation. <i>IEEE Transactions on Biomedical Engineering</i> , 2021 , PP,	5	2
32	All-Around Real Label Supervision: Cyclic Prototype Consistency Learning for Semi-supervised Medical Image Segmentation.. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2022 , PP,	7.2	2
31	Verification of Finger Joint Stiffness Estimation Method With Soft Robotic Actuator. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020 , 8, 592637	5.8	1
30	Ethical perspectives on advances in biogerontology. <i>Aging Medicine (Milton (N S W))</i> , 2019 , 2, 99-103	3.5	1
29	KineLabs 3D motion software platform using Kinect 2012 ,		1
28	Design of rehabilitation robot hand for fingers CPM training 2008 ,		1
27	Coactivations of elbow and shoulder muscles in hemiplegic persons with chronic stroke during robot-assisted training. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2006 , 2006, 4933-5		1
26	Muscle Synergies in Chronic Stroke during a Robot-Assisted Wrist Training 2007 ,		1
25	Control for FES hand grasp systems using accelerometers and gyroscopes		1
24	Disrupted cortico-peripheral interactions in motor disorders. <i>Clinical Neurophysiology</i> , 2021 , 132, 3136-3151		1

23	Muscle endurance time estimation during isometric training using electromyogram and supervised learning. <i>Journal of Electromyography and Kinesiology</i> , 2020 , 50, 102376	2.5	1
22	Investigating muscle synergies changes after rehabilitation robotics training on stroke survivors: a pilot study. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2020 , 2020, 3731-3734	0.9	1
21	Wavelet coherence analysis of muscle coupling during reaching movement in stroke. <i>Computers in Biology and Medicine</i> , 2021 , 131, 104263	7	1
20	Neural Correlates of Motor Recovery after Robot-Assisted Training in Chronic Stroke: A Multimodal Neuroimaging Study. <i>Neural Plasticity</i> , 2021 , 2021, 8866613	3.3	1
19	Excitation Comparison between Multi-site Stimulation using Network-based tDCS and Focal Stimulation using High-definition tDCS. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2019 , 2019, 6884-6887	0.9	1
18	Dynamic Influence of Ongoing Brain Stimulation on Resting State fMRI Connectivity: A Concurrent tDCS-fMRI Study. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2018 , 2018, 1007-1010	0.9	1
17	Development and Evaluation of a Kinect-based Rapid Movement Therapy Training Platform for Balance Rehabilitation. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2018 , 2018, 2345-2348	0.9	1
16	Suffer together, bond together: Brain-to-brain synchronization and mutual affective empathy when sharing painful experiences. <i>NeuroImage</i> , 2021 , 238, 118249	7.9	1
15	Cortico-muscular interaction to monitor the effects of neuromuscular electrical stimulation pedaling training in chronic stroke. <i>Computers in Biology and Medicine</i> , 2021 , 137, 104801	7	1
14	Artificial Neural Network Control on Functional Electrical Stimulation Assisted Gait for Persons with Spinal Cord Injury. <i>Perspectives in Neural Computing</i> , 2000 , 181-193		1
13	Anti-interference from Noisy Labels: Mean-Teacher-assisted Confident Learning for Medical Image Segmentation. <i>IEEE Transactions on Medical Imaging</i> , 2022 , 1-1	11.7	1
12	Bionic robotics for post polio walking 2020 , 83-109		0
11	Infrared Thermal Imaging for Evaluation of Clubfoot After the Ponseti Casting Method-An Exploratory Study. <i>Frontiers in Pediatrics</i> , 2021 , 9, 595506	3.4	0
10	Hyperconnection and hyperperfusion of overlapping brain regions in patients with menstrual-related migraine: a multimodal neuroimaging study. <i>Neuroradiology</i> , 2021 , 63, 741-749	3.2	0
9	Low Gamma Band Cortico-muscular Coherence Inter-Hemisphere Difference following Chronic Stroke. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2018 , 2018, 247-250	0.9	0
8	Muscle Electrical Impedance Properties and Activation Alteration After Functional Electrical Stimulation-Assisted Cycling Training for Chronic Stroke Survivors: A Longitudinal Pilot Study.. <i>Frontiers in Neurology</i> , 2021 , 12, 746263	4.1	0
7	Commentary to: including upper extremity robotic therapy during early inpatient stroke rehabilitation may not lead to better outcomes than conventional treatment. <i>Journal of Physiotherapy</i> , 2014 , 60, 166	2.9	
6	Channel selection in chronic stroke rehabilitation. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2013 , 46, 339-344		

- | | | |
|---|---|-----|
| 5 | Muscle activation improvement during treadmill training at ischemia rat. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2010, 2010, 4926-9</i> | 0.9 |
| 4 | Abnormal EEG Complexity and Alpha Oscillation of Resting State in Chronic Stroke Patients. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2021, 2021, 6053-6057</i> | 0.9 |
| 3 | Exploratory Study on the Clinical use of EEG for the People with Chronic Stroke and Their Correlation with the Neuropsychological Outcome.. <i>Clinical EEG and Neuroscience, 2022, 15500594221074858</i> | 2.3 |
| 2 | Artificial-Intelligence-Enabled Reagent-Free Imaging Hematology Analyzer. <i>Advanced Intelligent Systems, 2021, 3, 2170060</i> | 6 |
| 1 | Factors predictive of Ponseti casting for treating clubfoot: analysis of Bayesian Poisson regression model.. <i>European Review for Medical and Pharmacological Sciences, 2022, 26, 1868-1875</i> | 2.9 |