

Shigeki Matsubara

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9277817/publications.pdf>

Version: 2024-02-01

568
papers

6,368
citations

101496

36
h-index

133188

59
g-index

583
all docs

583
docs citations

583
times ranked

5465
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Human Villous Trophoblasts Express and Secrete Placenta-Specific MicroRNAs into Maternal Circulation via Exosomes ¹ . <i>Biology of Reproduction</i> , 2009, 81, 717-729. | 1.2 | 430 |
| 2 | Guidelines for obstetrical practice in Japan: Japan Society of Obstetrics and Gynecology (JSOG) and Japan Association of Obstetricians and Gynecologists (JAOG) 2014 edition. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014, 40, 1469-1499. | 0.6 | 307 |
| 3 | <i>Hydroxysteroid (17β) Dehydrogenase 1</i> Is Dysregulated by <i>Mir-210</i> and <i>Mir-518c</i> That Are Aberrantly Expressed in Preeclamptic Placentas. <i>Hypertension</i> , 2012, 59, 265-273. | 1.3 | 166 |
| 4 | Important surgical measures and techniques at cesarean hysterectomy for placenta previa accreta. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 372-377. | 1.3 | 135 |
| 5 | Guidelines for obstetrical practice in Japan: Japan Society of Obstetrics and Gynecology (JSOG) and Japan Association of Obstetricians and Gynecologists (JAOG) 2011 edition. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011, 37, 1174-1197. | 0.6 | 132 |
| 6 | Uterine compression sutures for postpartum hemorrhage: an overview. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 378-385. | 1.3 | 116 |
| 7 | Evaluation of a new and automated electrochemiluminescence immunoassay for plasma sFlt-1 and PlGF levels in women with preeclampsia. <i>Hypertension Research</i> , 2010, 33, 422-427. | 1.5 | 81 |
| 8 | Effect of Recombinant Placental Growth Factor 2 on Hypertension Induced by Full-Length Mouse Soluble fms-Like Tyrosine Kinase 1 Adenoviral Vector in Pregnant Mice. <i>Hypertension</i> , 2009, 54, 1129-1135. | 1.3 | 79 |
| 9 | Alterations in Placental Growth Factor Levels before and after the Onset of Preeclampsia Are More Pronounced in Women with Early Onset Severe Preeclampsia. <i>Hypertension Research</i> , 2007, 30, 151-159. | 1.5 | 78 |
| 10 | Structure of a retinoic acid-responsive gene, MK, which is transiently activated during the differentiation of embryonal carcinoma cells and the mid-gestation period of mouse embryogenesis. <i>Journal of Biological Chemistry</i> , 1990, 265, 9441-3. | 1.6 | 76 |
| 11 | Human Exosomal Placenta-Associated miR-517a-3p Modulates the Expression of PRKG1 mRNA in Jurkat Cells ¹ . <i>Biology of Reproduction</i> , 2014, 91, 129. | 1.2 | 72 |
| 12 | Effect of maternal age on blood loss during parturition: a retrospective multivariate analysis of 10,053 cases. <i>Journal of Perinatal Medicine</i> , 2003, 31, 209-15. | 0.6 | 63 |
| 13 | Palmitic acid induces interleukin-1 β secretion via NLRP3 inflammasomes and inflammatory responses through ROS production in human placental cells. <i>Journal of Reproductive Immunology</i> , 2016, 116, 104-112. | 0.8 | 63 |
| 14 | CRISPR/Cas9-mediated cervical cancer treatment targeting human papillomavirus E6. <i>Oncology Letters</i> , 2019, 17, 2197-2206. | 0.8 | 56 |
| 15 | Lower risks of adverse outcome in twins conceived by artificial reproductive techniques compared with spontaneously conceived twins. <i>Human Reproduction</i> , 1998, 13, 2005-2008. | 0.4 | 55 |
| 16 | Decrease in cytochrome c oxidase activity detected cytochemically in the placental trophoblast of patients with pre-eclampsia. <i>Placenta</i> , 1997, 18, 255-259. | 0.7 | 54 |
| 17 | Identification, Cloning, and Initial Characterization of a Novel Mouse Testicular Germ Cell-Specific Antigen ¹ . <i>Biology of Reproduction</i> , 2001, 64, 935-945. | 1.2 | 54 |
| 18 | Normal and High-Normal Blood Pressures, but Not Body Mass Index, Are Risk Factors for the Subsequent Occurrence of Both Preeclampsia and Gestational Hypertension: A Retrospective Cohort Study. <i>Hypertension Research</i> , 2006, 29, 161-167. | 1.5 | 52 |

| # | ARTICLE | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Anterior placentation as a risk factor for massive hemorrhage during cesarean section in patients with placenta previa. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014, 40, 1243-1248. | 0.6 | 52 |
| 20 | Establishing Reference Values for Both Total Soluble Fms-Like Tyrosine Kinase 1 and Free Placental Growth Factor in Pregnant Women. <i>Hypertension Research</i> , 2005, 28, 727-732. | 1.5 | 51 |
| 21 | Uterine artery pseudoaneurysm: not a rare condition occurring after non-traumatic delivery or non-traumatic abortion. <i>Archives of Gynecology and Obstetrics</i> , 2014, 290, 435-440. | 0.8 | 50 |
| 22 | The Cytotrophoblast Layer of Human Chorionic Villi Becomes Thinner but Maintains Its Structural Integrity During Gestation1. <i>Biology of Reproduction</i> , 2007, 76, 164-172. | 1.2 | 47 |
| 23 | Mapping and Characterization of a Retinoic Acid-Responsive Enhancer of Midkine, a Novel Heparin-Binding Growth/Differentiation Factor with Neurotrophic Activity1. <i>Journal of Biochemistry</i> , 1994, 115, 1088-1096. | 0.9 | 46 |
| 24 | Vaginal lactobacilli and preterm birth. <i>Journal of Perinatal Medicine</i> , 2002, 30, 458-66. | 0.6 | 45 |
| 25 | Endogenous and exogenous miR-520c-3p modulates CD44-mediated extravillous trophoblast invasion. <i>Placenta</i> , 2017, 50, 25-31. | 0.7 | 45 |
| 26 | Ultracytochemical localizations of adenylate cyclase, guanylate cyclase and cyclic 3',5'-nucleotide phosphodiesterase activity on the trophoblast in the human placenta. <i>Histochemistry</i> , 1987, 87, 505-509. | 1.9 | 42 |
| 27 | Alteration of Serum Soluble Endoglin Levels after the Onset of Preeclampsia Is More Pronounced in Women with Early-Onset. <i>Hypertension Research</i> , 2008, 31, 1541-1548. | 1.5 | 42 |
| 28 | Uterine artery pseudoaneurysm: its occurrence after non-traumatic events, and possibility of "without embolization" strategy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 205, 72-78. | 0.5 | 41 |
| 29 | Association of a decrease in antithrombin III activity with a perinatal elevation in aspartate aminotransferase in women with twin pregnancies: relevance to the HELLP syndrome. <i>Journal of Hepatology</i> , 1999, 30, 603-611. | 1.8 | 40 |
| 30 | Meconium-stained amniotic fluid exhibits chemotactic activity for polymorphonuclear leukocytes in vitro. <i>Journal of Reproductive Immunology</i> , 2000, 46, 21-30. | 0.8 | 40 |
| 31 | Uterine compression suture against impending recurrence of uterine inversion immediately after laparotomy repositioning. <i>Journal of Obstetrics and Gynaecology Research</i> , 2009, 35, 819-823. | 0.6 | 40 |
| 32 | Threshold of Soluble Fms-Like Tyrosine Kinase 1/Placental Growth Factor Ratio for the Imminent Onset of Preeclampsia. <i>Hypertension</i> , 2011, 58, 859-866. | 1.3 | 40 |
| 33 | <sc>AGE</sc>s and <sc>HMGB</sc>1 Increase Inflammatory Cytokine Production from Human Placental Cells, Resulting in an Enhancement of Monocyte Migration. <i>American Journal of Reproductive Immunology</i> , 2016, 75, 557-568. | 1.2 | 40 |
| 34 | Enzyme histochemically detectable NAD(P)H oxidase in human placental trophoblasts: normal, preeclamptic, and fetal growth restriction-complicated pregnancy. <i>Histochemistry and Cell Biology</i> , 2001, 116, 1-7. | 0.8 | 39 |
| 35 | Onset threshold of the plasma levels of soluble fms-like tyrosine kinase 1/placental growth factor ratio for predicting the imminent onset of preeclampsia within 4 weeks after blood sampling at 19-31 weeks of gestation. <i>Hypertension Research</i> , 2013, 36, 1073-1080. | 1.5 | 39 |
| 36 | Sexually Dimorphic Expression of the Novel Germ Cell Antigen TEX101 During Mouse Gonad Development. <i>Biology of Reproduction</i> , 2005, 72, 1315-1323. | 1.2 | 38 |

| # | ARTICLE | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Asymptomatic uterine artery pseudoaneurysm after cesarean section. <i>Journal of Obstetrics and Gynaecology Research</i> , 2010, 36, 405-410. | 0.6 | 38 |
| 38 | Plasma level of hydroxysteroid (17- β) dehydrogenase 1 in the second trimester is an independent risk factor for predicting preeclampsia after adjusting for the effects of mean blood pressure, bilateral notching and plasma level of soluble fms-like tyrosine kinase 1/placental growth factor ratio. <i>Hypertension Research</i> , 2012, 35, 1152-1158. | 1.5 | 38 |
| 39 | Opening the bladder for cesarean hysterectomy for placenta previa percreta with bladder invasion. <i>Journal of Obstetrics and Gynaecology Research</i> , 2009, 35, 359-363. | 0.6 | 37 |
| 40 | Standard curves of placental weight and fetal/placental weight ratio in Japanese population: difference according to the delivery mode, fetal sex, or maternal parity. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 206, 225-231. | 0.5 | 36 |
| 41 | Antithrombin III activity and platelet count are more likely to decrease in twin pregnancies than in singleton pregnancies. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2002, 81, 840-845. | 1.3 | 34 |
| 42 | Combination of Plasma Exchange and Continuous Hemofiltration as Temporary Metabolic Support for Patients with Acute Liver Failure. <i>Artificial Organs</i> , 1994, 18, 363-366. | 1.0 | 32 |
| 43 | Fetal Presentation of Long QT Syndrome – Evaluation of Prenatal Risk Factors: A Systematic Review. <i>Fetal Diagnosis and Therapy</i> , 2013, 33, 1-7. | 0.6 | 32 |
| 44 | Fc gamma receptor IIb participates in maternal IgG trafficking of human placental endothelial cells. <i>International Journal of Molecular Medicine</i> , 2015, 35, 1273-1289. | 1.8 | 32 |
| 45 | Uterine Leiomyoma in Pregnancy: Its Influence on Obstetric Performance. <i>Journal of Obstetrics and Gynaecology Research</i> , 1999, 25, 309-313. | 0.6 | 31 |
| 46 | Prediction and prevention of hypertensive disorders of pregnancy. <i>Hypertension Research</i> , 2017, 40, 5-14. | 1.5 | 31 |
| 47 | Ultracytochemical localizations of adenosine nucleotidase activities in the human term placenta, with special reference to 5'-nucleotidase activity.. <i>Acta Histochemica Et Cytochemica</i> , 1987, 20, 409-419. | 0.8 | 30 |
| 48 | Relation between Gestational Thrombocytopenia and the Syndrome of Hemolysis, Elevated Liver Enzymes, and Low Platelet Count (HELLP Syndrome). <i>Gynecologic and Obstetric Investigation</i> , 1998, 46, 41-45. | 0.7 | 30 |
| 49 | TEX101 is shed from the surface of sperm located in the caput epididymidis of the mouse. <i>Zygote</i> , 2005, 13, 325-333. | 0.5 | 30 |
| 50 | Decidualization of Ovarian Endometriosis during Pregnancy Mimicking Malignancy: Report of Three Cases with a Literature Review. <i>Gynecologic and Obstetric Investigation</i> , 2008, 66, 241-247. | 0.7 | 30 |
| 51 | Femur fracture during abdominal breech delivery. <i>Archives of Gynecology and Obstetrics</i> , 2008, 278, 195-197. | 0.8 | 29 |
| 52 | The new world of placenta accreta spectrum disorders. <i>International Journal of Gynecology and Obstetrics</i> , 2018, 140, 259-260. | 1.0 | 29 |
| 53 | Emergency Cervical Cerclage: Relation between Its Success, Preoperative Serum Level of C-Reactive Protein and WBC Count, and Degree of Cervical Dilatation. <i>Gynecologic and Obstetric Investigation</i> , 1999, 47, 157-161. | 0.7 | 28 |
| 54 | Recurrence Risk of Preterm Birth due to Preeclampsia. <i>Gynecologic and Obstetric Investigation</i> , 2002, 53, 22-27. | 0.7 | 28 |

| # | ARTICLE | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Endothelial Expression of Fc Gamma Receptor IIb in the Full-term Human Placenta. <i>Placenta</i> , 2007, 28, 170-174. | 0.7 | 28 |
| 56 | Gestational hypertension as a subclinical preeclampsia in view of serum levels of angiogenesis-related factors. <i>Hypertension Research</i> , 2011, 34, 212-217. | 1.5 | 28 |
| 57 | Rectocele, but not cystocele, may predict unsuccessful pessary fitting. <i>Journal of Obstetrics and Gynaecology</i> , 2011, 31, 441-442. | 0.4 | 27 |
| 58 | “Stained-glass” sign for placental mesenchymal dysplasia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 43, 355-355. | 0.9 | 26 |
| 59 | Preventing a Bakri balloon from sliding out during “holding the cervix” “fishing for the balloon shaft”-technique (Matsubara). <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 910-911. | 1.3 | 26 |
| 60 | Ultracytochemical localizations of alkaline phosphatase and acid phosphatase activities in the human term placenta.. <i>Acta Histochemica Et Cytochemica</i> , 1987, 20, 283-294. | 0.8 | 25 |
| 61 | Experimental allergic myositis in SJL/J mice immunized with rabbit myosin B fraction: immunohistochemical analysis and transfer. <i>Acta Neuropathologica</i> , 1993, 85, 138-44. | 3.9 | 25 |
| 62 | Glucose-6-phosphatase is Present in Normal and Pre-eclamptic Placental Trophoblasts: Ultrastructural Enzyme-histochemical Evidence. <i>Placenta</i> , 1999, 20, 81-85. | 0.7 | 25 |
| 63 | Fetal heart rate pattern reflecting the severity of placental abruption. <i>Archives of Gynecology and Obstetrics</i> , 2008, 277, 249-253. | 0.8 | 25 |
| 64 | Serum sFlt1:PIGF Ratio, PIGF, and Soluble Endoglin Levels in Gestational Proteinuria. <i>Hypertension in Pregnancy</i> , 2009, 28, 95-108. | 0.5 | 25 |
| 65 | A novel method for evaluating uterine cervical consistency using vaginal ultrasound gray-level histogram. <i>Journal of Perinatal Medicine</i> , 2010, 38, 491-4. | 0.6 | 25 |
| 66 | A novel “uterine sandwich” for haemorrhage at caesarean section for placenta praevia. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2014, 54, 283-286. | 0.4 | 25 |
| 67 | Matsubara’s “Takahashi cervix”-holding technique for massive postpartum hemorrhage in patients with placenta previa with or without placenta accreta spectrum disorders. <i>International Journal of Gynecology and Obstetrics</i> , 2018, 140, 357-364. | 1.0 | 25 |
| 68 | The Risk of Birth Defects in Dichorionic Twins Conceived by Assisted Reproductive Technology. <i>Twin Research and Human Genetics</i> , 2004, 7, 223-227. | 1.3 | 25 |
| 69 | Glucose-6-phosphate dehydrogenase cytochemistry using a copper ferrocyanide method and its application to rapidly frozen cells. <i>Histochemistry and Cell Biology</i> , 1999, 112, 221-232. | 0.8 | 24 |
| 70 | Polymorphonuclear Leukocytes in the Fetal Membranes are Activated in Patients with Preterm Delivery: Ultrastructural and Enzyme-histochemical Evidence. <i>Placenta</i> , 1999, 20, 185-188. | 0.7 | 24 |
| 71 | Extravillous trophoblast cell invasion is promoted by the CD44 “hyaluronic acid interaction. <i>Placenta</i> , 2014, 35, 163-170. | 0.7 | 24 |
| 72 | Expression of β -catenin in β -catenin “deficient cells increases resistance to sphingosine-induced apoptosis. <i>Journal of Cell Biology</i> , 2001, 154, 573-584. | 2.3 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | Relationship between blood pressure level in early pregnancy and subsequent changes in blood pressure during pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2002, 81, 918-925. | 1.3 | 23 |
| 74 | Uterine rupture during pregnancy soon after a laparoscopic adenomyomectomy. <i>Reproductive Medicine and Biology</i> , 2007, 6, 175-177. | 1.0 | 23 |
| 75 | Forceps holding the cervix for postpartum haemorrhage. <i>Journal of Obstetrics and Gynaecology</i> , 2011, 31, 509-509. | 0.4 | 23 |
| 76 | Uterine artery pseudoaneurysm manifesting as postpartum hemorrhage after uneventful second-trimester pregnancy termination. <i>Journal of Obstetrics and Gynaecology Research</i> , 2010, 36, 856-860. | 0.6 | 22 |
| 77 | Maternal peripheral blood natural killer cells incorporate placenta-associated microRNAs during pregnancy. <i>International Journal of Molecular Medicine</i> , 2015, 35, 1511-1524. | 1.8 | 22 |
| 78 | Umbilical Cord Pseudocyst in a Fetus with Trisomy 18. <i>Fetal Diagnosis and Therapy</i> , 2003, 18, 8-11. | 0.6 | 21 |
| 79 | Moderate Hypoxia Down-Regulates Interleukin-6 Secretion and TLR4 Expression in Human Sw.71 Placental Cells. <i>Cellular Physiology and Biochemistry</i> , 2015, 36, 2149-2160. | 1.1 | 21 |
| 80 | Ambulatory BP monitoring and clinic BP in predicting small-for-gestational-age infants during pregnancy. <i>Journal of Human Hypertension</i> , 2016, 30, 62-67. | 1.0 | 21 |
| 81 | Advanced glycation end products regulate interleukin-1 β production in human placenta. <i>Journal of Reproduction and Development</i> , 2017, 63, 401-408. | 0.5 | 21 |
| 82 | Establishing a reference value for the frequency of fetal movements using modified \hat{a} count to 10 \hat{a} ™ method. <i>Journal of Obstetrics and Gynaecology Research</i> , 2008, 34, 318-323. | 0.6 | 20 |
| 83 | Holding the uterine cervix may induce uterine contractions in atonic bleeding. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011, 90, 1454-1455. | 1.3 | 20 |
| 84 | Fetal/Placental Weight Ratio in Term Japanese Pregnancy: Its Difference Among Gender, Parity, and Infant Growth. <i>International Journal of Medical Sciences</i> , 2015, 12, 301-305. | 1.1 | 20 |
| 85 | Targeting human vasohibin \hat{a} 2 by a neutralizing monoclonal antibody for anti \hat{a} cancer treatment. <i>Cancer Science</i> , 2017, 108, 512-519. | 1.7 | 20 |
| 86 | Immuno-electron Microscopic Localization of Endothelial Nitric Oxide Synthase in Human Placental Terminal Villous Trophoblasts \hat{a} Normal and Pre-eclamptic Pregnancy. <i>Placenta</i> , 2001, 22, 782-786. | 0.7 | 19 |
| 87 | Blood loss in low-lying placenta: placental edge to cervical internal os distance of less vs. more than 2 \hat{a} cm. <i>Journal of Perinatal Medicine</i> , 2008, 36, 507-12. | 0.6 | 19 |
| 88 | Calculating probability of requiring allogeneic blood transfusion using three preoperative risk factors on cesarean section for placenta previa. <i>Archives of Gynecology and Obstetrics</i> , 2015, 291, 281-285. | 0.8 | 19 |
| 89 | Spontaneous resolution of post \hat{a} delivery or post \hat{a} abortion uterine artery pseudoaneurysm: A report of three cases. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016, 42, 730-733. | 0.6 | 19 |
| 90 | Establishing reference values for mean notch depth index, pulsatility index and resistance index in the uterine artery at 16 \hat{a} 23 \hat{a} fweeks' gestation. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012, 38, 1275-1285. | 0.6 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91 | A novel three-step approach for predicting the imminent onset of preeclampsia within 4 weeks after blood sampling at 19–31 weeks of gestation. <i>Hypertension Research</i> , 2014, 37, 519-525. | 1.5 | 18 |
| 92 | The angiogenesis regulator vasohibin-1 inhibits ovarian cancer growth and peritoneal dissemination and prolongs host survival. <i>International Journal of Oncology</i> , 2015, 47, 2057-2063. | 1.4 | 18 |
| 93 | Oxygen concentration modulates cellular senescence and autophagy in human trophoblast cells. <i>American Journal of Reproductive Immunology</i> , 2018, 79, e12826. | 1.2 | 18 |
| 94 | Impact of placental weight and fetal/placental weight ratio Z score on fetal growth and the perinatal outcome. <i>International Journal of Medical Sciences</i> , 2018, 15, 484-491. | 1.1 | 18 |
| 95 | Influence of chorioamnionitis on survival and morbidity in singletons live-born at < 32 weeks of gestation. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2000, 79, 861-5. | 1.3 | 18 |
| 96 | Pseudoaneurysm: a chameleon in obstetrical emergency practice. <i>Archives of Gynecology and Obstetrics</i> , 2011, 283, 669-670. | 0.8 | 17 |
| 97 | Intestinal adhesion due to previous uterine surgery as a risk factor for delayed diagnosis of uterine rupture: a case report. <i>Journal of Medical Case Reports</i> , 2011, 5, 523. | 0.4 | 17 |
| 98 | The hepatocyte growth factor antagonist NK4 inhibits indoleamine-2,3-dioxygenase expression via the c-Met-phosphatidylinositol 3-kinase-AKT signaling pathway. <i>International Journal of Oncology</i> , 2016, 48, 2303-2309. | 1.4 | 17 |
| 99 | Matsubara–Yano suture: a simple uterine compression suture for postpartum hemorrhage during cesarean section. <i>Archives of Gynecology and Obstetrics</i> , 2019, 299, 113-121. | 0.8 | 17 |
| 100 | Changes in Activity of Plasma Thrombin Activatable Fibrinolysis Inhibitor in Pregnancy. <i>Gynecologic and Obstetric Investigation</i> , 2004, 58, 19-21. | 0.7 | 16 |
| 101 | Galectin-1 as a novel risk factor for both gestational hypertension and preeclampsia, specifically its expression at a low level in the second trimester and a high level after onset. <i>Hypertension Research</i> , 2018, 41, 45-52. | 1.5 | 16 |
| 102 | Changes in Polymorphonuclear Leukocytes in the Vagina of Patients with Preterm Labor. <i>Gynecologic and Obstetric Investigation</i> , 1998, 45, 32-34. | 0.7 | 15 |
| 103 | Influence of chorioamnionitis on survival and morbidity in singletons live-born at <32 weeks of gestation. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2000, 79, 861-865. | 1.3 | 15 |
| 104 | Phagocytosis of Chorion Laeve Trophoblasts in Patients with Chorioamnionitis-associated Preterm Delivery: Ultrastructural and Enzyme-histochemical Observations. <i>Placenta</i> , 2000, 21, 273-279. | 0.7 | 15 |
| 105 | Guglielmi detachable coil embolization for ruptured lower-midbasilar trunk aneurysms - a report of five cases. <i>Neuroradiology</i> , 2001, 43, 884-890. | 1.1 | 15 |
| 106 | Hemostatic effect of intrauterine balloon for postpartum hemorrhage with special reference to concomitant use of ‘‘holding the cervix’’ procedure (Matsubara). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 210, 281-285. | 0.5 | 15 |
| 107 | Successful management of pregnancy in a patient with Segawa disease: Case report and literature review. <i>Journal of Obstetrics and Gynaecology Research</i> , 2009, 35, 562-564. | 0.6 | 14 |
| 108 | Can a ring pessary have a lasting effect to reverse uterine prolapse even after its removal?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2010, 36, 459-461. | 0.6 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 109 | Manual separation followed by local cleanliness for pediatric labial adhesion. <i>Journal of Obstetrics and Gynaecology Research</i> , 2010, 36, 667-670. | 0.6 | 14 |
| 110 | Vaginal artery embolization with a permanent embolic agent for intractable postpartum hemorrhage. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011, 37, 377-378. | 0.6 | 14 |
| 111 | Risk Factors of Eclampsia Other Than Hypertension: Pregnancy-Induced Antithrombin Deficiency and Extraordinary Weight Gain. <i>Hypertension in Pregnancy</i> , 2012, 31, 268-277. | 0.5 | 14 |
| 112 | New prophylaxis methods for adverse events of uterine compression sutures: removing compression threads. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014, 93, 1069-1070. | 1.3 | 14 |
| 113 | Combination of an intrauterine balloon and the "holding the cervix" technique for hemostasis of postpartum hemorrhage and for prophylaxis of acute recurrent uterine inversion. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014, 93, 314-315. | 1.3 | 14 |
| 114 | Uterine artery pseudoaneurysm: a master of deception. <i>Archives of Gynecology and Obstetrics</i> , 2014, 289, 469-470. | 0.8 | 14 |
| 115 | An easy insertion procedure of Bakri balloon during cesarean section for placenta previa: use of Nelaton rubber catheter. <i>Archives of Gynecology and Obstetrics</i> , 2014, 290, 613-614. | 0.8 | 14 |
| 116 | Vaginal <i>Ureaplasma</i> species increase chorioamnionitis in very preterm infants with preterm premature rupture of the membranes at < 28 weeks of gestation. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2018, 37, 2371-2380. | 1.3 | 14 |
| 117 | Temporary hypertension and white coat hypertension in the first trimester as risk factors for preeclampsia. <i>Hypertension Research</i> , 2019, 42, 2002-2012. | 1.5 | 14 |
| 118 | Conservative management of retained products of conception in the normal placental position: A retrospective observational study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 240, 87-92. | 0.5 | 14 |
| 119 | National survey of uterine rupture in Japan: Annual report of Perinatology Committee, Japan Society of Obstetrics and Gynecology, 2018. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019, 45, 763-765. | 0.6 | 14 |
| 120 | Effect of labor on maternal dehydration, starvation, coagulation, and fibrinolysis. <i>Journal of Perinatal Medicine</i> , 2001, 29, 528-34. | 0.6 | 13 |
| 121 | Increase in Systolic Blood Pressure of ≥ 30 mm Hg and/or Diastolic Blood Pressure of ≥ 15 mm Hg During Pregnancy: Is It Pathologic?. <i>Hypertension in Pregnancy</i> , 2003, 22, 275-285. | 0.5 | 13 |
| 122 | Fetus with heart failure due to congenital atrioventricular block treated by maternally administered ritodrine. <i>Archives of Gynecology and Obstetrics</i> , 2008, 278, 85-88. | 0.8 | 13 |
| 123 | Prolonged activated partial thromboplastin time in thromboprophylaxis with unfractionated heparin in patients undergoing cesarean section. <i>Journal of Obstetrics and Gynaecology Research</i> , 2010, 36, 58-63. | 0.6 | 13 |
| 124 | Thin anterior uterine wall with incomplete uterine rupture in a primigravida detected by palpation and ultrasound: a case report. <i>Journal of Medical Case Reports</i> , 2011, 5, 14. | 0.4 | 13 |
| 125 | Uterine incision for anterior placenta previa without placenta accreta. <i>Archives of Gynecology and Obstetrics</i> , 2012, 285, 557-558. | 0.8 | 13 |
| 126 | MY (Matsubara-Yano) uterine compression suture to prevent acute recurrence of uterine inversion. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 734-735. | 1.3 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 127 | Two nursing mothers treated with zonisamide: Should breast-feeding be avoided?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014, 40, 275-278. | 0.6 | 13 |
| 128 | Impact of the number of removed lymph nodes on recurrence-free survival in stage I ovarian clear cell carcinoma. <i>International Journal of Clinical Oncology</i> , 2018, 23, 930-935. | 1.0 | 13 |
| 129 | Portal Venous Pressure following Splenectomy in Patients with Portal Hypertension of Differing Etiology. <i>European Surgical Research</i> , 1992, 24, 372-377. | 0.6 | 12 |
| 130 | Granulocyte-colony stimulating factor for the treatment of ritodrine-induced neutropenia. <i>Journal of Obstetrics and Gynaecology Research</i> , 2008, 34, 286-290. | 0.6 | 12 |
| 131 | Should mortality be informed for cesarean hysterectomy for placenta accreta?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013, 39, 466-467. | 0.6 | 12 |
| 132 | Adenomyomectomy, curettage, and then uterine artery pseudoaneurysm occupying the entire uterine cavity. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013, 39, 1103-1106. | 0.6 | 12 |
| 133 | Caesarean hysterectomy for placenta praevia accreta: Filling the bladder technique to identify an appropriate bladder separation site. <i>Journal of Obstetrics and Gynaecology</i> , 2013, 33, 163-164. | 0.4 | 12 |
| 134 | Practical consideration of inserting intrauterine balloon during cesarean section for placenta previa. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014, 93, 120-121. | 1.3 | 12 |
| 135 | Uterine artery pseudoaneurysm after dilation and curettage in a woman with multiple hepatic and pulmonary cavernous hemangiomas. <i>International Journal of Gynecology and Obstetrics</i> , 2014, 125, 84-85. | 1.0 | 12 |
| 136 | Selection and concentration of obstetric facilities in Japan: Longitudinal study based on national census data. <i>Journal of Obstetrics and Gynaecology Research</i> , 2015, 41, 919-925. | 0.6 | 12 |
| 137 | Vasohibin expression inhibits advancement of ovarian cancer producing various angiogenic factors. <i>Cancer Science</i> , 2016, 107, 629-637. | 1.7 | 12 |
| 138 | Markedly higher sFlt-1/PlGF ratio in a woman with acute fatty liver of pregnancy compared with HELLP syndrome. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019, 45, 96-103. | 0.6 | 12 |
| 139 | Clinical usefulness of serum levels of soluble fms-like tyrosine kinase 1/placental growth factor ratio to rule out preeclampsia in women with new-onset lupus nephritis during pregnancy. <i>CEN Case Reports</i> , 2019, 8, 95-100. | 0.5 | 12 |
| 140 | LncRNA H19-Derived miR-675-5p Accelerates the Invasion of Extravillous Trophoblast Cells by Inhibiting GATA2 and Subsequently Activating Matrix Metalloproteinases. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1237. | 1.8 | 12 |
| 141 | Glucose-6-phosphate Dehydrogenase is Present in Normal and Pre-eclamptic Placental Trophoblasts: Ultrastructural Enzyme-histochemical Evidence. <i>Placenta</i> , 2001, 22, 90-95. | 0.7 | 11 |
| 142 | Hofbauer Cell Activation and its increased Glucose-6-Phosphate Dehydrogenase Activity in Second Trimester-spontaneous Abortion: an Ultrastructural Dual Staining Enzyme-cytochemical Study. <i>American Journal of Reproductive Immunology</i> , 2003, 49, 202-209. | 1.2 | 11 |
| 143 | Pregnancy complicated with Alport syndrome: A good obstetric outcome and failure to diagnose an infant born to a mother with Alport syndrome by umbilical cord immunofluorescence staining. <i>Journal of Obstetrics and Gynaecology Research</i> , 2009, 35, 1109-1114. | 0.6 | 11 |
| 144 | Spontaneous spinal epidural hematoma at the 16th week of a twin pregnancy. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011, 37, 1466-1469. | 0.6 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 145 | The "mangrove sign"™ for velamentous umbilical cord insertion. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 241-242. | 0.9 | 11 |
| 146 | The ovarian artery: An unusual feeding artery of uterine artery pseudoaneurysm necessitating repetitive transarterial embolisation. <i>Journal of Obstetrics and Gynaecology</i> , 2015, 35, 656-657. | 0.4 | 11 |
| 147 | Factors Contributing to Massive Blood Loss on Peripartum Hysterectomy for Abnormally Invasive Placenta: Who Bleeds More?. <i>Obstetrics and Gynecology International</i> , 2016, 2016, 1-7. | 0.5 | 11 |
| 148 | Maintaining the position of a Bakri balloon after caesarean section for placenta previa using an abdominal traction stitch. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 198, 177-178. | 0.5 | 11 |
| 149 | Effect of urine creatinine level during pregnancy on dipstick test. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017, 43, 967-973. | 0.6 | 11 |
| 150 | Stimulated Polymorphonuclear Leukocytes in Vaginal Secretions from Patients with Preterm Labor. <i>Gynecologic and Obstetric Investigation</i> , 1998, 45, 35-40. | 0.7 | 10 |
| 151 | Chemotactic Activity for Polymorphonuclear Leukocytes: Meconium Versus Meconium-Stained Amniotic Fluid. <i>American Journal of Reproductive Immunology</i> , 2000, 44, 275-278. | 1.2 | 10 |
| 152 | Morphology of the mitochondria and endoplasmic reticula of chorion laeve cytotrophoblasts: their resemblance to villous syncytiotrophoblasts rather than villous cytotrophoblasts. <i>Histochemistry and Cell Biology</i> , 2001, 116, 9-15. | 0.8 | 10 |
| 153 | Cytochemically Detectable Glucose-6-phosphate Dehydrogenase is Present in Human Fetal Membrane Chorion Laeve Trophoblasts. <i>Placenta</i> , 2001, 22, 613-616. | 0.7 | 10 |
| 154 | Enzyme-cytochemically Detectable Glucose-6-phosphate Dehydrogenase in Human Villous Macrophages (Hofbauer Cells). <i>Placenta</i> , 2001, 22, 882-885. | 0.7 | 10 |
| 155 | Changes in the Number of Polymorphonuclear Leukocytes and Concentrations of IL-8 and Granulocyte Elastase in the Vaginas of Normal Pregnant Women. <i>American Journal of Reproductive Immunology</i> , 2002, 47, 98-103. | 1.2 | 10 |
| 156 | Human amniotic epithelial cells are morphologically homogeneous: enzyme histochemical, tracer, and freeze-substitution fixation study. <i>European Journal of Histochemistry</i> , 2003, 47, 223. | 0.6 | 10 |
| 157 | Decreased fetal movement prompts investigation of prenatal/neonatal nemaline myopathy: The possible merit of fetal movement count. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011, 37, 921-925. | 0.6 | 10 |
| 158 | Planned Caesarean Hysterectomy Versus "Conserving" Caesarean Section in Patients With Placenta Accreta. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2012, 34, 317-318. | 0.3 | 10 |
| 159 | Measures for peripartum hysterectomy for placenta previa accreta: avoiding uterotonic agents and "double distal edge pickup" mass ligation. <i>Archives of Gynecology and Obstetrics</i> , 2012, 285, 1765-1767. | 0.8 | 10 |
| 160 | Good obstetric outcome of consecutive pregnancies in a woman with Alport syndrome. <i>Archives of Gynecology and Obstetrics</i> , 2012, 286, 261-262. | 0.8 | 10 |
| 161 | Connection between hyperemesis gravidarum, jaundice or liver dysfunction, and biliary sludge. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012, 38, 446-448. | 0.6 | 10 |
| 162 | A new compression suture to prevent "uterine sandwich"™ from sliding off. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012, 91, 638-639. | 1.3 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 163 | Differential Expression of ADAM (a Disintegrin and Metalloproteinase) Genes between Human First Trimester Villous and Extravillous Trophoblast Cells. <i>Journal of Nippon Medical School</i> , 2014, 81, 122-129. | 0.3 | 10 |
| 164 | Effects of campaign for postpartum vaccination on seronegative rate against rubella among Japanese women. <i>BMC Infectious Diseases</i> , 2014, 14, 152. | 1.3 | 10 |
| 165 | Inserting the Bakri balloon during cesarean section in patients with a narrow cervix: Nelaton method (Matsubara). <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 1147-1148. | 1.3 | 10 |
| 166 | Cesarean hysterectomy: amputation-first technique (Matsubara). <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 552-553. | 1.3 | 10 |
| 167 | Vaccination during the 2013-2014 influenza season in pregnant Japanese women. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2015, 34, 543-548. | 1.3 | 10 |
| 168 | Congenital mesoblastic nephroma: Its diverse clinical features - A literature review with a case report. <i>Journal of Obstetrics and Gynaecology</i> , 2016, 36, 340-344. | 0.4 | 10 |
| 169 | Re: Moving from intrapartum to prenatal diagnosis of placenta accreta: a quarter of a century in the making but still a long way to go. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 1287-1288. | 1.1 | 10 |
| 170 | Handling aberrant vessels located in the posterior bladder wall in surgery for abnormally invasive placenta: a non/less-touch technique. <i>Archives of Gynecology and Obstetrics</i> , 2017, 296, 851-853. | 0.8 | 10 |
| 171 | Magnetic resonance imaging for diagnosis of placenta accreta spectrum disorders: still useful for Areal-world practice. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 219, 312-313. | 0.7 | 10 |
| 172 | Triplet Pregnancy Complicated by a Gradual Decline in Antithrombin Activity and HELLP Syndrome: A Case Report. <i>Journal of Obstetrics and Gynaecology Research</i> , 1998, 24, 275-279. | 0.6 | 9 |
| 173 | Stimulated Hofbauer Cells in the Placental Villi from Patients with Second-Trimester Abortions.. <i>Acta Histochemica Et Cytochemica</i> , 1998, 31, 447-452. | 0.8 | 9 |
| 174 | Enzyme histochemistry on human placental trophoblasts: the effect of fixation delay on enzyme activity. <i>Histochemistry and Cell Biology</i> , 2000, 113, 287-292. | 0.8 | 9 |
| 175 | NAD(P)H oxidase in human fetal membrane chorion laeve trophoblasts with or without chorioamnionitis: ultrastructural enzyme histochemical study. <i>Molecular Human Reproduction</i> , 2001, 7, 779-785. | 1.3 | 9 |
| 176 | Glucose-6-phosphate dehydrogenase and mouse Kupffer cell activation: an ultrastructural dual staining enzyme-cytochemical study. <i>Histochemistry and Cell Biology</i> , 2002, 118, 345-350. | 0.8 | 9 |
| 177 | Ehlers-Danlos type IV in pregnancy with a history of myocardial infarction. <i>Journal of Obstetrics and Gynaecology Research</i> , 2009, 35, 797-800. | 0.6 | 9 |
| 178 | Uterine compression suture may be useful not only for hemostasis in postpartum hemorrhage but also for prophylaxis of acute recurrence of uterine inversion. <i>Archives of Gynecology and Obstetrics</i> , 2010, 281, 1081-1082. | 0.8 | 9 |
| 179 | Bladder-opening technique for hysterectomy for placenta previa percreta. <i>Archives of Gynecology and Obstetrics</i> , 2011, 283, 1427-1428. | 0.8 | 9 |
| 180 | Initial dose of vancomycin based on body weight and creatinine clearance to minimize inadequate trough levels in Japanese adults. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2012, 31, 2537-2543. | 1.3 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 181 | Biophysical interaction between blood pressure and uterine artery Doppler for the occurrence of early-onset preeclampsia: A prospective cohort study. <i>Pregnancy Hypertension</i> , 2013, 3, 270-277. | 0.6 | 9 |
| 182 | “Holding the cervix” technique for postpartum hemorrhage for achieving hemostasis as well as preventing prolapse of an intrauterine balloon. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013, 39, 1116-1117. | 0.6 | 9 |
| 183 | Uterine artery pseudoaneurysm hidden behind septic abortion: Pseudoaneurysm without preceding procedure. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014, 40, 586-589. | 0.6 | 9 |
| 184 | Ovary hyperstimulation syndrome accompanying molar pregnancy: case report and review of the literature. <i>Archives of Gynecology and Obstetrics</i> , 2014, 290, 803-806. | 0.8 | 9 |
| 185 | Which type of placenta previa requires blood transfusion more frequently? A new concept of indiscernible edge total previa. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016, 42, 1502-1508. | 0.6 | 9 |
| 186 | Placenta accreta spectrum disorders: A new standardized terminology better defining the condition. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018, 44, 1338-1339. | 0.6 | 9 |
| 187 | Placenta of Idiopathic Fetal Growth Restriction: Cytochemically Detectable Enzyme Activities do not Change at a Subcellular Level. <i>Placenta</i> , 2000, 21, 257-262. | 0.7 | 8 |
| 188 | Letter to the Editor: Glucose production and glucose-6-phosphatase in the human placenta. <i>Placenta</i> , 2000, 21, 591-593. | 0.7 | 8 |
| 189 | Acupuncture for premenstrual dysphoric disorder. <i>Archives of Gynecology and Obstetrics</i> , 2009, 280, 877-881. | 0.8 | 8 |
| 190 | Irregular peak-to-peak intervals between ascending aortic flows during fetal ventricular tachycardia in long QT syndrome. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 33, 118-120. | 0.9 | 8 |
| 191 | Non-traumatic rupture of the left upper urinary tract during pregnancy without discernable underlying disorders. <i>Archives of Gynecology and Obstetrics</i> , 2010, 282, 111-113. | 0.8 | 8 |
| 192 | “Masked uterine rupture” key to diagnosis. <i>Archives of Gynecology and Obstetrics</i> , 2012, 286, 1075-1076. | 0.8 | 8 |
| 193 | Maternal manifestation of <i>Bell's</i> syndrome occurring concomitantly with the development of fetal congenital mesoblastic nephroma. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014, 40, 1114-1117. | 0.6 | 8 |
| 194 | Establishing measurements of subcutaneous and visceral fat area ratio in the early second trimester by magnetic resonance imaging in obese pregnant women. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014, 40, 1304-1307. | 0.6 | 8 |
| 195 | Ovarian nongestational choriocarcinoma and associated adenocarcinoma with the same germ cell origin determined by a molecular genetic approach: A case report. <i>Pathology International</i> , 2016, 66, 529-534. | 0.6 | 8 |
| 196 | Ritodrine-induced rhabdomyolysis, infantile myotonic dystrophy, and maternal myotonic dystrophy unveiled. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017, 43, 403-407. | 0.6 | 8 |
| 197 | Increased serum levels of sFlt-1/PlGF ratio in preeclamptic women with onset at 32 weeks compared with 32 weeks. <i>Pregnancy Hypertension</i> , 2018, 12, 96-103. | 0.6 | 8 |
| 198 | Intentional placental removal on suspicious placenta accreta spectrum: still prohibited?. <i>Archives of Gynecology and Obstetrics</i> , 2018, 297, 1-2. | 0.8 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 199 | Perinatal outcome of pregnancy after adenomyomectomy: summary of 10 cases with a brief literature review. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 4145-4149. | 0.7 | 8 |
| 200 | Maternal rib fracture after manual uterine fundal pressure. <i>Rural and Remote Health</i> , 2012, 12, 2062. | 0.4 | 8 |
| 201 | Ultrastructural localization and cytochemical characteristics of human placental ADP-degrading activity in normal and preeclamptic pregnancy. <i>Placenta</i> , 1997, 18, 121-129. | 0.7 | 7 |
| 202 | Role of tissue interaction between pineal primordium and neighboring tissues in avian pineal morphogenesis studied by intraocular transplantation. <i>Development Genes and Evolution</i> , 2002, 212, 319-329. | 0.4 | 7 |
| 203 | Changes in plasma levels of hepatocyte growth factor and its associated factors during pregnancy. <i>Journal of Obstetrics and Gynaecology Research</i> , 2006, 32, 10-14. | 0.6 | 7 |
| 204 | Hydrocephalus after Intraventricular Hemorrhage in Eclamptic Woman with HELLP Syndrome. <i>Hypertension in Pregnancy</i> , 2006, 25, 255-257. | 0.5 | 7 |
| 205 | Mirror Syndrome Associated with Hydropic Acardius in Triplet Pregnancy. <i>Fetal Diagnosis and Therapy</i> , 2008, 24, 429-433. | 0.6 | 7 |
| 206 | Glucose-6-phosphate dehydrogenase in rat lung alveolar epithelial cells. An ultrastructural enzyme-cytochemical study. <i>European Journal of Histochemistry</i> , 2010, 46, 243. | 0.6 | 7 |
| 207 | Adenosine for Maternal Supraventricular Tachycardia and Preterm Delivery. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2011, 33, 794-795. | 0.3 | 7 |
| 208 | Jaundice as the first manifestation of primary biliary cirrhosis during pregnancy: Measurement of portal vein blood flow. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011, 37, 963-964. | 0.6 | 7 |
| 209 | Uterine compression suture for acute recurrence of puerperal uterine inversion: Hayman suture?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012, 38, 1272-1273. | 0.6 | 7 |
| 210 | Mass ligation: M cross double ligation with the edge picked up. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012, 91, 155-156. | 1.3 | 7 |
| 211 | Pregnant woman with an extremely small uterus due to pelvic irradiation in childhood. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012, 38, 559-561. | 0.6 | 7 |
| 212 | Reply: Cesarean hysterectomy for placenta previa accreta; extrapolating measures may have merits for ordinary obstetricians. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 1431-1432. | 1.3 | 7 |
| 213 | Changes in expression of vascular endothelial growth factor <sc>D</sc>-related genes in placental mesenchymal dysplasia. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014, 40, 1145-1149. | 0.6 | 7 |
| 214 | Additive effects of mean blood pressure and bilateral notching in the second trimester on subsequent angiogenesis-related factors. <i>Hypertension Research</i> , 2014, 37, 76-81. | 1.5 | 7 |
| 215 | Drainage failure of Bakri balloon: no drainage does not indicate no bleeding. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 336-336. | 1.3 | 7 |
| 216 | Intraoperative Hemorrhage in a Pregnant Woman with Hyperemesis Gravidarum: Vitamin K Deficiency as a Possible Cause. <i>Case Reports in Obstetrics and Gynecology</i> , 2016, 2016, 1-3. | 0.2 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 217 | Influenza 2014â€“2015 among pregnant Japanese women: primiparous vs multiparous women. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2016, 35, 665-671. | 1.3 | 7 |
| 218 | Response to and toxicity of gemcitabine for recurrent ovarian cancer according to number of previous chemotherapy regimens. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017, 43, 358-364. | 0.6 | 7 |
| 219 | Magnetic resonance imaging of degeneration of uterine adenomyosis during pregnancy and postâ€“partum period. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018, 44, 1169-1173. | 0.6 | 7 |
| 220 | â€œFilling the bladderâ€“at Cesarean Hysterectomy for Placenta Percreta. <i>Geburtshilfe Und Frauenheilkunde</i> , 2018, 78, 715-716. | 0.8 | 7 |
| 221 | Extravillous trophoblast invasion accelerated by WNT3A, 5A, and 10B via CD44. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, 34, 3377-3385. | 0.7 | 7 |
| 222 | Prophylactic aortic balloon occlusion for placenta accreta spectrum disorders: Occlusion where?. <i>Archives of Gynecology and Obstetrics</i> , 2020, 302, 1553-1554. | 0.8 | 7 |
| 223 | Autoamputation of fetal/neonatal ovarian tumor suspected by a "side change" of the tumor. <i>Journal of reproductive medicine, The</i> , 2011, 56, 91-2. | 0.2 | 7 |
| 224 | Ultracytochemical localization of 5'-nucleotidase activity in human ejaculated spermatozoa. <i>Journal of Developmental and Physical Disabilities</i> , 2000, 23, 106-108. | 3.6 | 6 |
| 225 | Chorion laeve trophoblasts of preeclamptic fetal membranes: histochemically detectable enzyme activities do not change at a subcellular level. <i>European Journal of Histochemistry</i> , 2009, 45, 211. | 0.6 | 6 |
| 226 | Cavernous Lymphangiomas Involving Bilateral Labia Minora. <i>Obstetrics and Gynecology</i> , 2010, 116, 510-512. | 1.2 | 6 |
| 227 | 3D color Doppler of monoamniotic twin cord entanglement. <i>Archives of Gynecology and Obstetrics</i> , 2010, 281, 973-974. | 0.8 | 6 |
| 228 | Simultaneous demonstration of acid phosphatase and glucose-6-phosphate dehydrogenase in mouse hepatocytes. A novel electron-microscopic dual staining enzyme-cytochemistry. <i>European Journal of Histochemistry</i> , 2010, 46, 237. | 0.6 | 6 |
| 229 | A simpler alternative to the Sengstakenâ€“Blakemore tube: Cervixâ€“holding by forceps to control hemorrhage after cesarean section for placenta previa. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012, 38, 903-904. | 0.6 | 6 |
| 230 | Perimortem cesarean section or perimortem cesarean supracervical hysterectomy?. <i>Archives of Gynecology and Obstetrics</i> , 2013, 287, 389-390. | 0.8 | 6 |
| 231 | Labial adhesion causing voiding but not sexual problems in a married woman. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013, 39, 415-419. | 0.6 | 6 |
| 232 | â€œHolding the cervixâ€“technique: prophylaxis for acute recurrent uterine inversion. <i>Archives of Gynecology and Obstetrics</i> , 2013, 288, 463-465. | 0.8 | 6 |
| 233 | Uterine artery pseudoaneurysm after nonâ€“traumatic vaginal delivery as a cause of postpartum hemorrhage: determination of its mechanism is urgently needed. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 788-789. | 1.3 | 6 |
| 234 | The Frequency of Peripheral Blood CD4+FoxP3+Regulatory T Cells in Women With Pre-eclampsia and Those With High-risk Factors for Pre-eclampsia. <i>Hypertension in Pregnancy</i> , 2015, 34, 443-455. | 0.5 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 235 | Incidence of human papillomavirus contamination of transvaginal probes in Japan and possible contamination prevention strategy. <i>Journal of Medical Ultrasonics</i> (2001), 2016, 43, 505-508. | 0.6 | 6 |
| 236 | Prognosis of endometrial cancer patients with and without symptoms at recurrence. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016, 42, 1814-1821. | 0.6 | 6 |
| 237 | Video images: How to insert a Bakri balloon and hold the cervix. <i>Hypertension Research in Pregnancy</i> , 2016, 4, 108-110. | 0.1 | 6 |
| 238 | Serum soluble LIGHT in the early third trimester as a novel biomarker for predicting late-onset preeclampsia. <i>Pregnancy Hypertension</i> , 2018, 14, 174-176. | 0.6 | 6 |
| 239 | Takotsubo syndrome occurring concomitantly with pre-eclampsia: A case report. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019, 45, 1071-1075. | 0.6 | 6 |
| 240 | Magnetic resonance imaging of the human placental cotyledon: Proposal of a novel cotyledon appearance score. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 232, 82-86. | 0.5 | 6 |
| 241 | Laterally-positioned placenta in placenta previa. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 2642-2648. | 0.7 | 6 |
| 242 | Salpingectomy for tubal sterilization at cesarean section: no extra time and no extra bleeding compared with tubal ligation. <i>Clinical and Experimental Obstetrics and Gynecology</i> , 2017, 44, 879-881. | 0.1 | 6 |
| 243 | Enzyme-histochemically detectable glucose-6-phosphatase is present in chorion laeve trophoblasts of human fetal membranes. <i>Histochemistry and Cell Biology</i> , 2000, 113, 363-368. | 0.8 | 5 |
| 244 | Plasma Adenosine Levels and P-Selectin Expression on Platelets in Preeclampsia. <i>Obstetrics and Gynecology</i> , 2001, 98, 354. | 1.2 | 5 |
| 245 | Discordant Twin: Marked Vascular Communication Between Separated Dichorionic Diamniotic Placentas. <i>Twin Research and Human Genetics</i> , 2003, 6, 267-269. | 1.3 | 5 |
| 246 | Acute promyelocytic leukemia: an unusual cause showing prolonged disseminated intravascular coagulation after placental abruption. <i>Archives of Gynecology and Obstetrics</i> , 2008, 277, 267-270. | 0.8 | 5 |
| 247 | Future recovery of the normal menstrual cycle in adolescent patients with secondary amenorrhea. <i>Journal of Obstetrics and Gynaecology Research</i> , 2009, 35, 545-550. | 0.6 | 5 |
| 248 | Headache in late pregnancy: a symptom for Vogt-Koyanagi-Harada disease. <i>Archives of Gynecology and Obstetrics</i> , 2011, 283, 1423-1425. | 0.8 | 5 |
| 249 | C-reactive protein levels at pre-/post-indicated cervical cerclage predict very preterm birth. <i>Journal of Perinatal Medicine</i> , 2011, 39, 151-5. | 0.6 | 5 |
| 250 | Severe liver dysfunction during nausea and vomiting of pregnancy: Folic acid supplement as a suggested culprit. <i>Journal of Obstetrics and Gynaecology</i> , 2012, 32, 701-702. | 0.4 | 5 |
| 251 | Brain damage of surviving co-twin following single fetal death in monochorionic diamniotic twin pregnancy at 8-9 weeks' gestation. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014, 93, 1336-1336. | 1.3 | 5 |
| 252 | Placenta percreta: Multidisciplinary team may not be enough. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2014, 54, 291-291. | 0.4 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 253 | Uterine artery pseudoaneurysm manifesting at the time of evacuation for abortion: pseudoaneurysm without preceding events. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2014, 93, 723-724. | 1.3 | 5 |
| 254 | A trio of risk factors for the onset of preeclampsia in the second and early third trimesters. <i>Pregnancy Hypertension</i> , 2014, 4, 224-230. | 0.6 | 5 |
| 255 | Cesarean incision in case of placenta previa: does the transplacental approach cause fetal anemia?. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2015, 94, 226-227. | 1.3 | 5 |
| 256 | Postpartum hemorrhage: is angiographically detectable "cesac" mandatory for diagnosis of ruptured pseudoaneurysm?. <i>Archives of Gynecology and Obstetrics</i> , 2016, 293, 1361-1362. | 0.8 | 5 |
| 257 | Obstetric surgeries: Specific features different from surgeries in other surgical fields. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 226, 75-76. | 0.5 | 5 |
| 258 | Placenta accreta spectrum and post-traumatic stress disorder: Is disclosing mortality risk to patients merit or demerit?. <i>Placenta</i> , 2019, 85, 78-79. | 0.7 | 5 |
| 259 | Cumulative incidence of Kawasaki disease with cardiac sequelae in Japan. <i>Pediatrics International</i> , 2020, 62, 444-450. | 0.2 | 5 |
| 260 | Maternal death in placenta accreta spectrum: Three possible factors preventing patients'™ transfer. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2021, 100, 1534-1535. | 1.3 | 5 |
| 261 | Cellular and Subcellular Localization of Nicotinamide Adenine Dinucleotide Phosphate Diaphorase Activity in the Human Placenta. <i>Journal of Obstetrics and Gynaecology Research</i> , 1997, 23, 133-138. | 0.6 | 4 |
| 262 | Relation between viability of vaginal polymorphonuclear leukocytes and presence of histologic chorioamnionitis. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2000, 79, 818-823. | 1.3 | 4 |
| 263 | Glucose-6-phosphate dehydrogenase in rat hepatic stellate cells: an ultrastructural enzyme-cytochemical study. <i>Hepatology Research</i> , 2002, 24, 300-304. | 1.8 | 4 |
| 264 | Woman with postpartum ventricular tachycardia and hypomagnesemia. <i>Journal of Obstetrics and Gynaecology Research</i> , 2003, 29, 92-95. | 0.6 | 4 |
| 265 | Golgi Apparatus and Mitochondria of Human Amniotic Epithelial Cells. <i>Acta Histochemica Et Cytochemica</i> , 2004, 37, 407-409. | 0.8 | 4 |
| 266 | Studies on the Permeability and Enzyme "Cytochemistry of the Mouse Hemotrichorial Placenta". <i>Asia-Oceania Journal of Obstetrics and Gynaecology</i> , 1993, 19, 441-447. | 0.0 | 4 |
| 267 | Enzyme "Cytochemistry of Human Chorion Laeve at Term: Enzyme Localization on the Chorionic Trophoblast. <i>Asia-Oceania Journal of Obstetrics and Gynaecology</i> , 1994, 20, 217-222. | 0.0 | 4 |
| 268 | Letter to the Editor. <i>Journal of Minimally Invasive Gynecology</i> , 2011, 18, 411-412. | 0.3 | 4 |
| 269 | Retained products of conception with marked vascularity: Pseudoaneurysm hidden behind it. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011, 37, 965-965. | 0.6 | 4 |
| 270 | A long curved needle with a large radius for uterine compression suture. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2013, 92, 988-989. | 1.3 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 271 | Intrauterine balloon occlusion during cesarean hysterectomy for placenta previa accreta: the internal or common iliac artery?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014, 93, 122-123. | 1.3 | 4 |
| 272 | Immune status among Japanese during nationwide rubella outbreak in Japan 2012-2013. <i>Journal of Infection</i> , 2014, 68, 300-302. | 1.7 | 4 |
| 273 | Diagnosis of placental mesenchymal dysplasia: Magnetic resonance imaging or color Doppler?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2015, 41, 488-488. | 0.6 | 4 |
| 274 | Re: Abnormally invasive placenta - prevalence, risk factors and antenatal suspicion: results from a large population-based pregnancy cohort study in the Nordic countries. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 1031-1032. | 1.1 | 4 |
| 275 | Vasa previa: Another ultrasound sign and caution at cesarean section. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 1139-1140. | 0.7 | 4 |
| 276 | Attempted placental separation for suspected placenta accreta: experience may matter. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 201, 220-221. | 0.5 | 4 |
| 277 | Letter to the Editor on the article - Clinical evaluation of balloon occlusion of the lower abdominal aorta in patients with placenta previa and previous cesarean section: A retrospective study on 43 cases. The drier the surgical field, the better?. <i>International Journal of Surgery</i> , 2017, 39, 148-149. | 1.1 | 4 |
| 278 | Color vision abnormality as the sole manifestation of posterior reversible encephalopathy due to postpartum HELLP syndrome. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017, 43, 592-594. | 0.6 | 4 |
| 279 | Independent risk factors for a small placenta and a small-for-gestational-age infant at 35-41 weeks of gestation: An association with circulating angiogenesis-related factor levels at 19-31 weeks of gestation. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017, 43, 1285-1292. | 0.6 | 4 |
| 280 | Conservative management of abnormally invasive placenta: an untold factor to consider. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 253-253. | 1.3 | 4 |
| 281 | Intrauterine ritodrine exposure and childhood asthma: Is ritodrine a real culprit?. <i>Pediatric Allergy and Immunology</i> , 2018, 29, 332-333. | 1.1 | 4 |
| 282 | Hysterectomy: All obstetrician-gynecologists should learn to perform it. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 813-813. | 1.3 | 4 |
| 283 | The Japanese experience and pharmacokinetics of antenatal maternal high-dose immunoglobulin treatment as a prophylaxis for neonatal hemochromatosis in siblings. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 142-148. | 0.7 | 4 |
| 284 | Placenta accreta spectrum: -placenta accreta- is still used. <i>Archives of Gynecology and Obstetrics</i> , 2021, 303, 1629-1630. | 0.8 | 4 |
| 285 | Spontaneous spinal epidural hematoma during pregnancy. <i>Arquivos De Neuro-Psiquiatria</i> , 2012, 70, 81-81. | 0.3 | 4 |
| 286 | Good obstetric outcome in a patient with Segawa disease. <i>Arquivos De Neuro-Psiquiatria</i> , 2012, 70, 559-560. | 0.3 | 4 |
| 287 | Supporting rural remote physicians to conduct a study and write a paper: experience of Clinical Research Support Team (CRST)-Jichi. <i>Rural and Remote Health</i> , 2014, 14, 2883. | 0.4 | 4 |
| 288 | Adducted thumb may not be mandatory for prenatal diagnosis of X-linked hydrocephalus in early second trimester. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2022, 61, 353-355. | 0.5 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 289 | Bleeding-related outcomes of low-risk total placenta previa are equivalent to those of partial/marginal placenta previa. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2022, 61, 447-452. | 0.5 | 4 |
| 290 | Dose distribution of neutron beam and chromosome analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 1988, 14, 503-509. | 0.4 | 3 |
| 291 | Effect of Daily Vaginal Disinfection on Duration of Gestation after Premature Rupture of the Membranes and on Infant Outcome. <i>Journal of Obstetrics and Gynaecology Research</i> , 1998, 24, 285-290. | 0.6 | 3 |
| 292 | Placenta of discordant twins: lack of change in histochemically detectable enzyme activities. <i>Twin Research and Human Genetics</i> , 2000, 3, 123-128. | 1.3 | 3 |
| 293 | Demonstration of glucose-6-phosphate dehydrogenase in rat Kupffer cells by a newly-developed ultrastructural enzyme-cytochemistry. <i>European Journal of Histochemistry</i> , 2003, 47, 173. | 0.6 | 3 |
| 294 | Serious adverse drug reaction in a woman with hyperemesis gravidarum after first exposure to vitamin B complex containing vitamins B1, B6 and B12. <i>Journal of Obstetrics and Gynaecology Research</i> , 2009, 35, 790-793. | 0.6 | 3 |
| 295 | Bullae In Pediatric Henoch SchÅ¼nlein Purpura: Why Some Patients Develop Them?. <i>Pediatric Dermatology</i> , 2010, 27, 680-680. | 0.5 | 3 |
| 296 | No bleeding before, more bleeding later: The relationship between the presence of warning bleeding and the amount of bleeding during caesarean section in placenta praevia. <i>Journal of Obstetrics and Gynaecology</i> , 2010, 30, 836-836. | 0.4 | 3 |
| 297 | No increase in hemorrhagic complications with thromboprophylaxis using lowâ€molecularâ€weight heparin soon after cesarean section. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011, 37, 1208-1211. | 0.6 | 3 |
| 298 | Massive subchorionic thrombohematoma: termination should not be discouraged by antenatal diagnosis. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011, 90, 927-928. | 1.3 | 3 |
| 299 | Large vasa previa mimicking a small forebag. <i>Journal of Clinical Ultrasound</i> , 2011, 39, 274-275. | 0.4 | 3 |
| 300 | Occluded uterine rupture: Preventing catastrophe, preventing early diagnosis. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012, 38, 350-350. | 0.6 | 3 |
| 301 | Fetal movement count may prevent fetal death as early as 26Âweeks. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 1426-1426. | 1.3 | 3 |
| 302 | Prolapse of the Small Intestine from the Uterine Perforation at Dilatation and Curettage. <i>Case Reports in Obstetrics and Gynecology</i> , 2014, 2014, 1-4. | 0.2 | 3 |
| 303 | Good obstetric outcome after embolisation of pulmonary arteriovenous malformation in hereditary haemorrhagic telangiectasia: Planned pregnancy may also be important in this condition. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2014, 54, 191-191. | 0.4 | 3 |
| 304 | Some clarification and concerns regarding a novel <sc>VV</sc> uterine compression suture. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014, 40, 1165-1166. | 0.6 | 3 |
| 305 | Ureteral Catheter is useful to Prevent Ureteral Injuries not only for Gynecologic Surgery but also for Cesarean Hysterectomy for Placenta Previa Accreta: The Obstetrician's Opinion. <i>Urologia</i> , 2014, 81, 187-188. | 0.3 | 3 |
| 306 | Thrombus just beneath a retrievable inferior vena cava filter in a pregnant woman with deep vein thrombosis: Its removal requiring catheter thrombus fragmentation with fibrinolysis. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014, 40, 590-594. | 0.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 307 | A new approach for the Bakri balloon for placenta previa. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014, 182, 262-263. | 0.5 | 3 |
| 308 | Need for systematic classification of various uterine compression sutures. <i>Journal of Obstetrics and Gynaecology Research</i> , 2015, 41, 1676-1676. | 0.6 | 3 |
| 309 | Pancytopenia in the first trimester: An indicator of hidden hyperthyroidism. <i>Journal of Obstetrics and Gynaecology Research</i> , 2015, 41, 1991-1994. | 0.6 | 3 |
| 310 | Re: The prevention and treatment of postpartum haemorrhage: what do we know, and where do we go to next?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015, 122, 1846-1846. | 1.1 | 3 |
| 311 | Re: Removable uterine compression sutures for postpartum haemorrhage. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015, 122, 755-756. | 1.1 | 3 |
| 312 | Letter to â€ˆCervical varix complicated by placenta previa: A case report and literature reviewâ€™: A novel simple abdominal traction stitch (Matsubara) to hold the Bakri balloon. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016, 42, 1203-1204. | 0.6 | 3 |
| 313 | Antenatal immunoglobulin for prevention of neonatal hemochromatosis. <i>Pediatrics International</i> , 2016, 58, 1059-1061. | 0.2 | 3 |
| 314 | Inserting and holding the Bakri balloon in the uterus in a patient with cervical cerclage already placed: some techniques. <i>Archives of Gynecology and Obstetrics</i> , 2016, 294, 669-670. | 0.8 | 3 |
| 315 | Urinary proteinâ€ˆtoâ€™creatinine ratio indicative of significant proteinuria in normotensive pregnant women. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016, 42, 784-788. | 0.6 | 3 |
| 316 | Cesarean hysterectomy for placenta previa accreta in dichorionic twin: a surgery that remains challenging. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 3151-3152. | 0.7 | 3 |
| 317 | Prophylactic Uterine Artery Embolization in Mid-trimester Pregnancy Termination for Placenta Previa: Required for All Patients?. <i>CardioVascular and Interventional Radiology</i> , 2017, 40, 474-475. | 0.9 | 3 |
| 318 | Novel ultrasound finding of a fetus with Hirschsprungâ€™s disease: A caliber change sign. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 215, 259-260. | 0.5 | 3 |
| 319 | The â€ˆœmorbidly adherent placentaâ€™-team: recognition and respect are needed. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 217, 101-102. | 0.7 | 3 |
| 320 | Re: Serious maternal complications in relation to severe preâ€™eclampsia: a retrospective cohort study of the impact of hospital volume; Severe maternal morbidity requires regionalisation of obstetric critical care; Guilt, blame and litigation: can an overenthusiastic â€™safety cultureâ€™ cause harm?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 1621-1622. | 1.1 | 3 |
| 321 | Retained placenta accreta with marked vascularity, uterine artery pseudoaneurysm, and placental polyp: overlapping clinical entities?. <i>Archives of Gynecology and Obstetrics</i> , 2018, 297, 269-270. | 0.8 | 3 |
| 322 | Placenta Previa Accreta and Previous Cesarean Section. <i>Chinese Medical Journal</i> , 2018, 131, 1504-1505. | 0.9 | 3 |
| 323 | Psychological burden on obstetricians caused by patientsâ€™ deaths. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 1405-1405. | 1.3 | 3 |
| 324 | Bakri balloon for placenta accreta spectrum disorder: an alternative to caesarean hysterectomy?. <i>Journal of Obstetrics and Gynaecology</i> , 2018, 38, 1186-1186. | 0.4 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 325 | Successful laparotomy tumor resection and levonorgestrel-releasing intrauterine system for atypical polypoid adenomyoma. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019, 45, 230-234. | 0.6 | 3 |
| 326 | Nausea suture for placenta accreta spectrum: further studies are needed. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019, 126, 418-418. | 1.1 | 3 |
| 327 | Decreased circulating levels of plasmacytoid dendritic cells in women with early-onset preeclampsia. <i>Journal of Reproductive Immunology</i> , 2020, 141, 103170. | 0.8 | 3 |
| 328 | Clinical predictors of gangrenous appendicitis: elevated total bilirubin level and computed tomography scan findings. <i>Acute Medicine & Surgery</i> , 2021, 8, e620. | 0.5 | 3 |
| 329 | Placenta of discordant twins: lack of change in histochemically detectable enzyme activities. <i>Twin Research and Human Genetics</i> , 2000, 3, 123-128. | 1.3 | 3 |
| 330 | Hemostatic effect of combined procedures for placenta previa: cervix-holding, intrauterine balloon, and uterine compression suture. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 8710-8716. | 0.7 | 3 |
| 331 | Meconium-stained amniotic fluid activates polymorphonuclear leukocytes ultrastructural and enzyme-cytochemical evidence. <i>European Journal of Histochemistry</i> , 1999, 43, 205-10. | 0.6 | 3 |
| 332 | Plasma adenosine levels and P-selectin expression on platelets in preeclampsia. <i>Obstetrics and Gynecology</i> , 2001, 98, 354. | 1.2 | 2 |
| 333 | Perioperative Changes in Plasma Antithrombin Activity and Platelet Counts in Patients Undergoing Gynecologic Surgery. <i>Seminars in Thrombosis and Hemostasis</i> , 2002, 28, 519-524. | 1.5 | 2 |
| 334 | Urinary ascites in a fetus with posterior urethral valve: Antenatal diagnosis. <i>Pediatrics International</i> , 2011, 53, 281-282. | 0.2 | 2 |
| 335 | Misquoting Page's classification for placental abruption in Japan?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011, 37, 481-481. | 0.6 | 2 |
| 336 | Another "double bubble" sign or "double bladder" sign: fetal intra-abdominal umbilical vein varix. <i>Journal of Medical Ultrasonics (2001)</i> , 2011, 38, 243-245. | 0.6 | 2 |
| 337 | Obstetric hysterectomy: Three technical measures. <i>Journal of Obstetrics and Gynaecology</i> , 2012, 32, 154-155. | 0.4 | 2 |
| 338 | Trephination for Acute Epidural Hematoma Using Stainless Wire on a Remote Island. <i>Journal of Emergency Medicine</i> , 2012, 43, e489-e490. | 0.3 | 2 |
| 339 | Is it time to classify various uterine compression suture techniques?. <i>Archives of Gynecology and Obstetrics</i> , 2013, 288, 1195-1196. | 0.8 | 2 |
| 340 | Biliary sludge during hyperemesis gravidarum and later occurrence of gallstones. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013, 39, 617-617. | 0.6 | 2 |
| 341 | Uterine necrosis after B-Lynch suture in a classical cesarean section. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013, 53, 595-596. | 0.4 | 2 |
| 342 | Reduced fetal movements at 27 weeks: An alarm for maternal "fetal listeriosis". <i>Journal of Obstetrics and Gynaecology</i> , 2014, 34, 740-740. | 0.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 343 | Uterine fundal pressure: Is it really a culprit of poor maternal and neonatal outcome?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014, 40, 1956-1956. | 0.6 | 2 |
| 344 | An untold factor that may influence the rate of cesarean section. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014, 93, 218-218. | 1.3 | 2 |
| 345 | Uterine Artery Pseudoaneurysm Rupture as a Culprit of Postpartum Hemorrhage: Not Always after Cesarean Section. <i>Journal of Emergency Medicine</i> , 2014, 46, e97-e98. | 0.3 | 2 |
| 346 | Respiratory Arrest in an Obese Pregnant Woman with Hyperemesis Gravidarum. <i>Case Reports in Obstetrics and Gynecology</i> , 2015, 2015, 1-4. | 0.2 | 2 |
| 347 | A Commentary on: "A New Removable Uterine Compression by a Brace Suture in the Management of Severe Postpartum Hemorrhage". <i>Frontiers in Surgery</i> , 2015, 2, 17. | 0.6 | 2 |
| 348 | Idiopathic mitral valve chordae rupture in an infant: Importance of rapid diagnosis and surgery. <i>Pediatrics International</i> , 2015, 57, e65-8. | 0.2 | 2 |
| 349 | Caesarean hysterectomy for placenta accreta: paracervix should be divided sequentially, not en masse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 201, 227-228. | 0.5 | 2 |
| 350 | Ultrasound findings of a fetus with osteogenesis imperfecta type I. <i>Archives of Gynecology and Obstetrics</i> , 2016, 294, 213-214. | 0.8 | 2 |
| 351 | Pelvic packing after peripartum hysterectomy: some concerns and additions. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 206, 245-246. | 0.5 | 2 |
| 352 | Changes in standing body sway of pregnant women after long-term bed rest. <i>Journal of Obstetrics and Gynaecology</i> , 2016, 36, 479-482. | 0.4 | 2 |
| 353 | Supporting less experienced physicians to write a paper: A proposal to introduce such a system on an academic society basis. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016, 42, 1891-1892. | 0.6 | 2 |
| 354 | Wnt5a and preeclampsia: is Wnt5a really a causative factor of preeclampsia?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017, 30, 1087-1088. | 0.7 | 2 |
| 355 | Timing of surgery for placenta previa with suspected abnormally invasive placentation: a test of team competency?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 1029-1029. | 1.3 | 2 |
| 356 | Letter to "Silent uterine rupture occluded by intestinal adhesions following laparoscopic myomectomy: A case report": Do some remain permanently silent?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017, 43, 1887-1888. | 0.6 | 2 |
| 357 | Letter to "Uterine artery pseudoaneurysm bleeding one decade after caesarean section: A case report": Pseudoaneurysm anywhere and anytime. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017, 43, 1660-1661. | 0.6 | 2 |
| 358 | Cesarean hysterectomy for abnormally invasive placenta: is urologists' participation in the surgery always necessary?. <i>Scandinavian Journal of Urology</i> , 2017, 51, 496-497. | 0.6 | 2 |
| 359 | Re: Intrauterine balloon tamponade for management of severe postpartum haemorrhage in a perinatal network: a prospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 1792-1793. | 1.1 | 2 |
| 360 | Aortic Balloon Occlusion for Placenta Previa Accreta: Surgical Details are Important. <i>CardioVascular and Interventional Radiology</i> , 2017, 40, 478-479. | 0.9 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 361 | Letter to "Placental mesenchymal dysplasia with severe fetal growth restriction in one placenta of a dichorionic diamniotic twin pregnancy": Study on twin placenta as a natural experiment. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018, 44, 1336-1337. | 0.6 | 2 |
| 362 | Placenta previa and hemorrhage: the placental location may be an important determinant of the bleeding amount. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 1390-1391. | 0.7 | 2 |
| 363 | Local uterine resection for placenta percreta: technical details are important. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 2338-2339. | 0.7 | 2 |
| 364 | Posterior Reversible Encephalopathy Syndrome with Stroke in Puerperal Woman with High Titer of Anti-Phospholipid IgM Antibody. <i>Case Reports in Obstetrics and Gynecology</i> , 2018, 2018, 1-5. | 0.2 | 2 |
| 365 | Vaginal examination and fear of childbirth. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2018, 58, E24-E25. | 0.4 | 2 |
| 366 | How to reverse the decline in the number of Japanese obstetricians and gynecologists. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018, 44, 1864-1864. | 0.6 | 2 |
| 367 | A Potentially Useful Addition to Predict Spontaneous Resolution of Uterine Artery Pseudoaneurysm: Absence of Diastolic Flow. <i>Case Reports in Obstetrics and Gynecology</i> , 2018, 2018, 1-3. | 0.2 | 2 |
| 368 | Comment on "Discussion on the Timing of Balloon Occlusion of the Abdominal Aorta during a Caesarean Section in Patients with Pernicious Placenta Previa Complicated with Placenta Accreta". <i>BioMed Research International</i> , 2018, 2018, 1-2. | 0.9 | 2 |
| 369 | Placental thickness measurement is difficult in some cases. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 264-265. | 1.3 | 2 |
| 370 | Modified hysterectomy for placenta increta and percreta: modifications of what?. <i>Archives of Gynecology and Obstetrics</i> , 2019, 299, 1751-1752. | 0.8 | 2 |
| 371 | Some suggestions to non-specialized centers still managing placenta accreta spectrum disorders. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 538-538. | 1.3 | 2 |
| 372 | Recurrent uterine fundal rupture: another viewpoint. <i>Journal of Obstetrics and Gynaecology</i> , 2020, 40, 589-589. | 0.4 | 2 |
| 373 | Preventing intrauterine balloon from descending: Some suggestions. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 290-291. | 1.3 | 2 |
| 374 | Cervix clamping for postpartum hemorrhage: Effective and safe, but is it new?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 244, 198-199. | 0.5 | 2 |
| 375 | A novel uterine stent for preventing intrauterine adhesion: not only gynecologic but also obstetric significance. <i>Annals of Translational Medicine</i> , 2020, 8, 614-614. | 0.7 | 2 |
| 376 | Cerebral Aneurysm Rupture during Pregnancy Resulting in Subdural Hematoma without Subarachnoid Hemorrhage. <i>Tohoku Journal of Experimental Medicine</i> , 2021, 253, 199-202. | 0.5 | 2 |
| 377 | Some concerns regarding aortic cross-clamping in caesarean hysterectomy for placenta accreta spectrum (Re: Vascular control by infrarenal aortic cross-clamping in placenta accreta spectrum) <i>Tj ETQq1 1 0.784314 rgBT₂/Overlook</i> <i>International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 1556-1557. | 1.1 | 2 |
| 378 | Quality of life after placenta accreta spectrum: Should women be informed of mortality risk?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2021, 61, E24. | 0.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 379 | Pregnancy outcomes in Japanese pregnant women with either chronic hypertension or white coat hypertension (JP-WCH): protocol for a prospective multicenter cohort study. <i>Hypertension Research in Pregnancy</i> , 2018, 6, 7-10. | 0.1 | 2 |
| 380 | Video image: Matsubara's Nelaton and Fishing methods for easier Bakri balloon insertion and avoiding its prolapse during cesarean section. <i>Hypertension Research in Pregnancy</i> , 2018, 6, 73-75. | 0.1 | 2 |
| 381 | Careful clinical observation is essential for diagnosis of Huntington's disease. <i>Arquivos De Neuro-Psiquiatria</i> , 2012, 70, 646-646. | 0.3 | 2 |
| 382 | Prognostic significance of the number of removed lymph nodes according to FIGO stage in ovarian clear cell carcinoma. <i>Molecular and Clinical Oncology</i> , 2021, 15, 263. | 0.4 | 2 |
| 383 | A Nationwide Survey of Obstetric Care Status on Japan's Islands, with Special Reference to Maternal Transport to the Mainland. <i>Tohoku Journal of Experimental Medicine</i> , 2020, 250, 25-29. | 0.5 | 2 |
| 384 | Bilateral ovarian vein thrombosis without underlying conditions: A case report. <i>Journal of Obstetrics and Gynaecology Research</i> , 2022, 48, 1046-1049. | 0.6 | 2 |
| 385 | Uterine-fundal hypoechoic mass: a possible ultrasound sign for cesarean scar pregnancy. <i>Clinical and Experimental Obstetrics and Gynecology</i> , 2017, 44, 88-92. | 0.1 | 2 |
| 386 | An intrauterine balloon for puerperal uterine inversion is not only for hemostasis but also for prophylaxis against reinversion: A letter to the editor. <i>International Journal of Surgery Case Reports</i> , 2022, 97, 107397. | 0.2 | 2 |
| 387 | Difference in outcome of twins between early and delayed referrals. <i>Journal of Perinatal Medicine</i> , 1998, 26, 302-307. | 0.6 | 1 |
| 388 | Statistical model predicting a short duration to birth in women with preterm labor at 22-35 weeks' gestation: the importance of large vaginal Gram-positive rods. <i>Journal of Perinatal Medicine</i> , 2009, 37, 244-50. | 0.6 | 1 |
| 389 | Rhabdomyolysis caused by tocolytic therapy with oral ritodrine hydrochloride in a pregnant woman with placenta previa: Is this a rare case with a latent predisposing condition?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011, 37, 672-672. | 0.6 | 1 |
| 390 | Failure of mid-trimester pregnancy termination: Ruptured rudimentary uterine horn pregnancy. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011, 37, 967-968. | 0.6 | 1 |
| 391 | Resumption of sinus rhythm from fetal complete atrioventricular block after maternally administered ritodrine. <i>Archives of Gynecology and Obstetrics</i> , 2011, 283, 135-137. | 0.8 | 1 |
| 392 | Is it true that placenta previa per se is not a risk factor for perinatal mortality?. <i>Archives of Gynecology and Obstetrics</i> , 2011, 284, 1047-1048. | 0.8 | 1 |
| 393 | "Side change" of a fetal ovarian cyst: Key to diagnosis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 2143-2143. | 0.7 | 1 |
| 394 | Rare coexistence of placenta previa accreta and peritoneal adhesion: three-decade clinical observation. <i>Archives of Gynecology and Obstetrics</i> , 2012, 286, 1603-1604. | 0.8 | 1 |
| 395 | Do neonates conceived after assisted reproductive technology require neonatal surgery more frequently? A 5-year single-center experience. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013, 39, 974-978. | 0.6 | 1 |
| 396 | Birth injury after cesarean section at 24 weeks of gestation: a large scalp laceration. <i>Archives of Gynecology and Obstetrics</i> , 2013, 287, 617-618. | 0.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 397 | Uterine compression suture combined with holding the cervix technique: a measure to achieve hemostasis for atonic bleeding during or after cesarean section. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 1234-1235. | 1.3 | 1 |
| 398 | Maternal Perception of Decreased Fetal Movement in One Twin: A Clue Leading to the Early Detection of Absent Variability due to Acute Twin-to-Twin Transfusion Syndrome. <i>Case Reports in Obstetrics and Gynecology</i> , 2013, 2013, 1-3. | 0.2 | 1 |
| 399 | Uterine compression suture: Not yet complete. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013, 53, 505-506. | 0.4 | 1 |
| 400 | Increased antiangiogenic factors in severe proteinuria without hypertension in pregnancy: is kidney biopsy necessary?. <i>CEN Case Reports</i> , 2014, 3, 86-89. | 0.5 | 1 |
| 401 | Intrauterine hypoechoic mass cephalad to cesarean scar pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 670-671. | 1.3 | 1 |
| 402 | Retinal detachment in hemolysis, elevated liver enzymes, and low platelet count (HELLP) syndrome: Color vision abnormality as the first and predominant manifestation. <i>Journal of Obstetrics and Gynaecology Research</i> , 2015, 41, 1835-1838. | 0.6 | 1 |
| 403 | Transverse uterine fundal incision for placenta praevia with accreta: concern regarding its "overuse". <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015, 122, 448-448. | 1.1 | 1 |
| 404 | A stepwise cesarean section for placenta percreta: effective only for "separable" placenta percreta?. <i>Archives of Gynecology and Obstetrics</i> , 2015, 291, 243-244. | 0.8 | 1 |
| 405 | Perimortem cesarean section: three possible procedures to overcome atonic bleeding after successful resuscitation. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 121-121. | 1.3 | 1 |
| 406 | Purse-string double-layer closure for cesarean incision (Turan technique): Some concerns. <i>Journal of Obstetrics and Gynaecology Research</i> , 2015, 41, 828-829. | 0.6 | 1 |
| 407 | "Right for publication": another strategy to promote publications by novice authors. <i>Australian Health Review</i> , 2016, 40, 716. | 0.5 | 1 |
| 408 | Letter to "Postpartum hemoperitoneum: Do not miss false aneurysm as a cause of bleeding." Extrauterine pseudoaneurysm. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016, 42, 752-752. | 0.6 | 1 |
| 409 | Surgical management of abnormally invasive placenta: is decreased blood loss due to participation of gynecologic oncologists?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 119-119. | 1.3 | 1 |
| 410 | Bakri balloon vs. B-Lynch suture as hemostatic procedures for atonic bleeding: clarification and concerns. <i>Archives of Gynecology and Obstetrics</i> , 2016, 293, 1147-1148. | 0.8 | 1 |
| 411 | Re: Uterine Artery Embolization before Delivery to Prevent Postpartum Hemorrhage. <i>Journal of Vascular and Interventional Radiology</i> , 2016, 27, 1101-1102. | 0.2 | 1 |
| 412 | Recurrent postpartum haemorrhage following transcatheter arterial permanent embolisation using N-butyl cyanoacrylate requiring repeat embolisation with transient gelatine sponge: Lessons for clinical practice. <i>Journal of Obstetrics and Gynaecology</i> , 2016, 36, 999-1001. | 0.4 | 1 |
| 413 | On-site hemostatic suturing for placenta previa: concerns and clarifications. <i>Archives of Gynecology and Obstetrics</i> , 2016, 293, 223-224. | 0.8 | 1 |
| 414 | Hysterectomy for cesarean scar pregnancy: no or minimal bladder separation technique. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 898-899. | 1.3 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 415 | Aortic balloon occlusion and placenta percreta: Some concerns and clarifications. <i>Journal of Trauma and Acute Care Surgery</i> , 2017, 83, 1213-1214. | 1.1 | 1 |
| 416 | Aortic balloon occlusion: Justifiable for placenta previa without accreta?. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2017, 56, 578-579. | 0.5 | 1 |
| 417 | Delivery or previous cesarean? A comment on "Antepartum hemorrhage from previous-cesarean-sectioned uterus as a potential sign of uterine artery pseudoaneurysm". <i>Journal of Zhejiang University: Science B</i> , 2017, 18, 723-724. | 1.3 | 1 |
| 418 | Letter to "Successful treatment of uterine artery pseudoaneurysm with laparoscopic temporary clamping of bilateral uterine arteries, followed by hysteroscopic surgery": Pseudoaneurysm and vascular involution. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017, 43, 1890-1891. | 0.6 | 1 |
| 419 | Response to Dr Sabour: "Prediction and prevention of hypertensive disorders of pregnancy: a methodological mistake". <i>Hypertension Research</i> , 2017, 40, 791-791. | 1.5 | 1 |
| 420 | Identifying the vaginal fornix in cesarean hysterectomy for an abnormally invasive placenta: an alternative technique. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 217, 493-494. | 0.7 | 1 |
| 421 | Uneventful vaginal delivery after spontaneous resolution of uterine artery pseudoaneurysm. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 128-129. | 1.3 | 1 |
| 422 | Asymptomatic uterine rupture detected at cesarean section: Some different viewpoints. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2017, 56, 870-871. | 0.5 | 1 |
| 423 | German words: still used by Japanese obstetrics and gynecology doctors. <i>Archives of Gynecology and Obstetrics</i> , 2018, 297, 555-557. | 0.8 | 1 |
| 424 | Pre-pregnancy cardiovascular indices and birth outcomes of subsequent pregnancies: a "sequential stress test" revealing hidden cardiovascular weakness?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 1135-1135. | 1.1 | 1 |
| 425 | Re: Peripartum hysterectomy: an economic analysis of direct healthcare costs using routinely collected data. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 905-906. | 1.1 | 1 |
| 426 | Re: Respectful care during childbirth in health facilities globally: a qualitative evidence synthesis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 1038-1038. | 1.1 | 1 |
| 427 | Letter to "Scoring model to predict massive postpartum bleeding in pregnancies with placenta previa: A retrospective cohort study": The best scoring model may depend on the situation. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018, 44, 1186-1187. | 0.6 | 1 |
| 428 | Perceived fetal movement count as a traditional but essential tool for evaluating fetal health: some additions and Japanese obstetricians' and pediatricians' view. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 251-252. | 0.7 | 1 |
| 429 | Informed consent and informed decision in maternal fetal neonatal medicine: do they go hand in hand?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 2930-2931. | 0.7 | 1 |
| 430 | Predelivery uterine artery embolization for placental anomalies: some clarifications. <i>Radiologia Medica</i> , 2018, 123, 79-80. | 4.7 | 1 |
| 431 | Abortion, Termination of Pregnancy, or Unterbrechung? A Non-English-native Obstetrician's View on Obstetric English Terminology. <i>Geburtshilfe Und Frauenheilkunde</i> , 2018, 78, 1217-1218. | 0.8 | 1 |
| 432 | Is an obstetrician/gynecologist a worker, artist, or scholar? Anxiety of an old professor. <i>Archives of Gynecology and Obstetrics</i> , 2018, 298, 857-858. | 0.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 433 | Comments on: Segmental Uterine Wall Resection for Placenta Accreta Spectrum Disorder: For what Purpose?. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2018, 40, 652-653. | 0.3 | 1 |
| 434 | Severe growth restriction undelivered at term and ultrasound examination: Some clarifications. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2018, 58, E14-E15. | 0.4 | 1 |
| 435 | Letter to "Ring compression suture for controlling postpartum hemorrhage during cesarean section": Some additions. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018, 44, 2016-2017. | 0.6 | 1 |
| 436 | Re: We should stop using incorrect Latin to describe parity and use plain English instead. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 1631-1631. | 1.1 | 1 |
| 437 | Temporary intra-arterial balloon occlusion for placenta accreta spectrum disorders: always inflate?. <i>Archives of Gynecology and Obstetrics</i> , 2018, 298, 449-450. | 0.8 | 1 |
| 438 | Letter to "Retrospective analysis: Conservative treatment of placenta increta with methotrexate": Some clarifications. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018, 44, 1499-1500. | 0.6 | 1 |
| 439 | Racial difference in postpartum hemorrhage outcome: pathophysiologic, clinical, and social significance?. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 219, 515-516. | 0.7 | 1 |
| 440 | Intrauterine balloon tamponade and bilateral hydronephrosis: do they really have a cause-effect relationship?. <i>Journal of Obstetrics and Gynaecology</i> , 2018, 38, 587-587. | 0.4 | 1 |
| 441 | Absent Ductus Venosus Associated with Partial Liver Defect. <i>Case Reports in Obstetrics and Gynecology</i> , 2018, 2018, 1-4. | 0.2 | 1 |
| 442 | Burnout and devastated feeling on patient's death: Universal to clinicians. <i>Australian Critical Care</i> , 2019, 32, 275-276. | 0.6 | 1 |
| 443 | Hypocalcemia and surgery for placenta accreta spectrum: Some concerns and considerations. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 1357-1357. | 1.3 | 1 |
| 444 | Fetal seizure: A video recording and possible etiology. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019, 45, 1619-1625. | 0.6 | 1 |
| 445 | Prophylactic use of Bakri balloon for placenta previa surgery: A simple procedure to prevent balloon prolapse. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2019, 58, 438-439. | 0.5 | 1 |
| 446 | Rapid Growth of Pelvic Cyst during Pregnancy: A Case Report. <i>Case Reports in Obstetrics and Gynecology</i> , 2019, 2019, 1-5. | 0.2 | 1 |
| 447 | Another merit of fetal MRI in prenatal diagnosis of right aortic arch. <i>Archives of Gynecology and Obstetrics</i> , 2019, 300, 235-236. | 0.8 | 1 |
| 448 | Comments on: Modified Pereira Suture as an Effective Option to Treat Postpartum Hemorrhage Due to Uterine Atony. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2019, 41, 206-207. | 0.3 | 1 |
| 449 | Additional procedures for pelvic gauze packing for obstetric haemorrhage. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2019, 59, E5. | 0.4 | 1 |
| 450 | Need for registration and classification of uterine compression sutures. <i>International Journal of Gynecology and Obstetrics</i> , 2019, 145, 244-244. | 1.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 451 | Balloon Uterine Tamponade Device After Peripartum Hysterectomy for Morbidly Adherent Placenta. <i>Obstetrics and Gynecology</i> , 2019, 133, 188-188. | 1.2 | 1 |
| 452 | Letter to "Intermittent aortic balloon occlusion combined with cesarean section for the treatment of patients with placenta previa complicated by placenta accreta: A retrospective study": Some concerns. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019, 45, 240-241. | 0.6 | 1 |
| 453 | Parallel vertical compression suture to the lower uterine segment for placenta previa: is conducting bladder separation first safe for abnormally invasive placenta?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019, 32, 1913-1914. | 0.7 | 1 |
| 454 | Re: The effectiveness and safety of introducing condom catheter uterine balloon tamponade for postpartum haemorrhage at secondary level hospitals in Uganda, Egypt and Senegal: a stepped wedge, cluster randomised trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020, 127, 425-425. | 1.1 | 1 |
| 455 | Letter to "Complete rupture of unscarred uterus with delayed symptoms: Case report and possible mechanism" Masked uterine rupture. <i>Journal of Obstetrics and Gynaecology Research</i> , 2020, 46, 1927-1927. | 0.6 | 1 |
| 456 | Interstitial Pregnancy in the Third Trimester with Severe Preeclampsia: A Case Report and Literature Review. <i>Case Reports in Obstetrics and Gynecology</i> , 2020, 2020, 1-5. | 0.2 | 1 |
| 457 | Methotrexate for placenta accreta spectrum disorders: Is it needed?. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2020, 45, 399-400. | 0.7 | 1 |
| 458 | Hayman suture versus Bakri balloon: some concerns and clarifications. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, 34, 1844-1845. | 0.7 | 1 |
| 459 | Low placental growth factor levels and high soluble endoglin levels at 26-31 weeks of gestation precede light placenta with and without relatively heavy infant, respectively: A retrospective cohort study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021, 47, 1040-1051. | 0.6 | 1 |
| 460 | Uterine irrigation for pyometra. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021, 47, 1205-1206. | 0.6 | 1 |
| 461 | Letter to "removable retropubic uterine compression suture for controlling postpartum hemorrhage": The latest, the best?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021, 47, 2798-2799. | 0.6 | 1 |
| 462 | Long-term outcome of fetus with ameliorated cystic hygroma. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2021, 60, 874-877. | 0.5 | 1 |
| 463 | Aortic balloon occlusion at surgery for placenta accreta spectrum: is the occlusion at the level of the renal artery necessary?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 8407-8408. | 0.7 | 1 |
| 464 | The Risk of Birth Defects in Dichorionic Twins Conceived by Assisted Reproductive Technology. <i>Twin Research and Human Genetics</i> , 2004, 7, 223-227. | 1.3 | 1 |
| 465 | Live surgery "at home" is as safe as non-live surgery when performed by a surgeon who can do it safely under such conditions. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 2303. | 1.3 | 1 |
| 466 | Survey of the use of anticoagulation and anesthesia during cesarean section in patients with severe Pregnancy induced Hypertension (PIH) between 2010 and 2011 in Japan. <i>Hypertension Research in Pregnancy</i> , 2013, 1, 13-22. | 0.1 | 1 |
| 467 | Be cautious in claiming "new" in paper writing. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021, 47, 1204-1204. | 0.6 | 1 |
| 468 | A modified transabdominal cervicoisthmic cerclage with the monofilament thread: Its efficacy and safety for women with extremely short cervix due to cervical conization. <i>Journal of Obstetrics and Gynaecology Research</i> , 2022, 48, 366-372. | 0.6 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 469 | Chromosome aberration frequencies produced by a 70-MeV proton beam. <i>Radiation Research</i> , 1990, 123, 182-91. | 0.7 | 1 |
| 470 | Ultracytochemical localization of ADP-degrading enzyme activity in the human term placenta--direct cytochemical evidence. <i>Nihon Sanka Fujinka Gakkai Zasshi</i> , 1987, 39, 2195-6. | 0.0 | 1 |
| 471 | Enzyme-cytochemically detectable NADPH-diaphorase activity is present in the endoplasmic reticulum and nuclear envelope of the syncytiotrophoblast of the human placenta. <i>European Journal of Histochemistry</i> , 1999, 43, 247-51. | 0.6 | 1 |
| 472 | A novel hemostatic technique during cesarean section for placenta previa: combining "cervical inversion" and "holding the cervix". <i>Minerva Ginecologica</i> , 2015, 67, 488-9. | 0.8 | 1 |
| 473 | Cesarean scar pregnancy and uterine artery pseudoaneurysm: preceding or coexisting?. <i>Clinical and Experimental Obstetrics and Gynecology</i> , 2018, 45, 72-74. | 0.1 | 1 |
| 474 | Leukocyte Migration through the Basement Membrane: Ultrastructural-Cytochemical Observation of the Human Fetal Membrane in Women with Chorioamnionitis-Related Preterm Delivery. <i>Acta Histochemica Et Cytochemica</i> , 2005, 38, 339-341. | 0.8 | 0 |
| 475 | A new three-dimensional automatic bodymarker system for transvaginal ultrasonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005, 25, 586-591. | 0.9 | 0 |
| 476 | Effectiveness of bromocriptine treatment in a patient with peripartum cardiomyopathy. <i>Journal of Cardiology Cases</i> , 2010, 2, e28-e31. | 0.2 | 0 |
| 477 | Non-surgical management of post-cesarean uterine infection with marked myometrial gas formation. <i>Journal of Obstetrics and Gynaecology Research</i> , 2010, 36, 1240-1244. | 0.6 | 0 |
| 478 | Enzyme-Cytochemistry of Human Chorion Laeve at Term: Enzyme Localization on the Chorionic Trophoblast. <i>Asia-Oceania Journal of Obstetrics and Gynaecology</i> , 1994, 20, 217-222. | 0.0 | 0 |
| 479 | Comment on "Menstrual Disorders in Adolescent School Girls in Enugu, Nigeria" by Nwankwo et al: Does Adolescent Dysmenorrhea Ameliorate After Age 20?. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2011, 24, e101-e102. | 0.3 | 0 |
| 480 | A pregnant woman with clinical and radiological findings compatible with posterior reversible encephalopathy syndrome in early pregnancy without discernable underlying disorders: Atypical type of this syndrome?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011, 37, 1137-1140. | 0.6 | 0 |
| 481 | Factors influencing long-term pessary use: comment. <i>International Urogynecology Journal</i> , 2011, 22, 1045-1045. | 0.7 | 0 |
| 482 | Prior caesarean section involving the uterine body, cerclage, pre-term labour contraction and uterine rupture. <i>Journal of Obstetrics and Gynaecology</i> , 2011, 31, 665-665. | 0.4 | 0 |
| 483 | Three-dimensional echocardiographic assessment of rhabdomyoma in a newborn: the merit of three dimension over two dimension. <i>Cardiology in the Young</i> , 2011, 21, 718-718. | 0.4 | 0 |
| 484 | Delayed Laparoscopic Management of Placenta Increta. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2012, 34, 617-618. | 0.3 | 0 |
| 485 | From the first cry to development of the study of reproductive health in Japan: A tribute to Sei-ichi Matsumoto. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012, 38, 1392-1394. | 0.6 | 0 |
| 486 | Reply to Ngene et al. (2013): Uterotonic agents should be avoided during cesarean hysterectomy for placenta previa accreta until evidence is forthcoming. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 1339-1339. | 1.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 487 | Web-Based Education for Placental Complications of Pregnancy. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2013, 35, 881-882. | 0.3 | 0 |
| 488 | Cervical tourniquet for anterior placenta previa: Clarification and concern. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014, 40, 2086-2087. | 0.6 | 0 |
| 489 | Is anterior placentation per se a risk for cesarean section-related morbidity in placenta previa?. <i>Journal of Perinatology</i> , 2014, 34, 649-649. | 0.9 | 0 |
| 490 | The expression of ADAM (a Disintegrin and Metalloproteinase) genes in human first-trimester villous and extravillous trophoblast cells. <i>Placenta</i> , 2015, 36, A22. | 0.7 | 0 |
| 491 | Re: The Hayman uterine compression suture. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015, 122, 1715-1716. | 1.1 | 0 |
| 492 | Comment on "Alternate Sequential Suture Tightening: A Novel Technique for Uncontrolled Postpartum Hemorrhage". <i>Obstetrics and Gynecology International</i> , 2015, 2015, 1-3. | 0.5 | 0 |
| 493 | Authors' reply: No vaginal bleeding does not indicate no bleeding: still valid for Bakri balloon and also for "holding the cervix". <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015, 94, 557-557. | 1.3 | 0 |
| 494 | Intra-abdominal adhesions: vaginal or abdominal delivery?. <i>Archives of Gynecology and Obstetrics</i> , 2015, 292, 953-954. | 0.8 | 0 |
| 495 | Mismatch between estimated blood loss and shock index in transferred women with postpartum hemorrhage. <i>Hypertension Research in Pregnancy</i> , 2016, 4, 88-96. | 0.1 | 0 |
| 496 | Re: Caesarean hysterectomy for placenta praevia/accreta using an approach via the pouch of Douglas. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 1404-1405. | 1.1 | 0 |
| 497 | Effect of Resident Participation on Outcomes in High-Order Cesarean Deliveries. <i>Obstetrics and Gynecology</i> , 2016, 127, 164-165. | 1.2 | 0 |
| 498 | Pseudoaneurysm Hidden Behind Secondary Postpartum Hemorrhage. <i>Birth</i> , 2016, 43, 184-185. | 1.1 | 0 |
| 499 | No immediate increase in morbidity of infants delivered by term cesarean section for placenta previa: some concerns. <i>Archives of Gynecology and Obstetrics</i> , 2016, 293, 1363-1364. | 0.8 | 0 |
| 500 | Recurrent uterine artery pseudoaneurysm. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016, 42, 1629-1630. | 0.6 | 0 |
| 501 | Letter to "Application effect of sterile normal saline ice for postpartum hemorrhage at the time of cesarean delivery: A retrospective review". Is it safe?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016, 42, 1409-1410. | 0.6 | 0 |
| 502 | Eclampsia and hypertension: difficult to predict based solely on blood pressure monitoring. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 1448-1448. | 1.3 | 0 |
| 503 | Pseudoaneurysm: Some Differences in its Character Between the Mesenteric vs. Uterine Artery Highlighting the Unique Feature of This Vascular Disorder. <i>CardioVascular and Interventional Radiology</i> , 2016, 39, 1662-1663. | 0.9 | 0 |
| 504 | Letter to "Tardive intermittent massive vaginal bleeding from abnormal blood vessels within cesarean scar: Two more new cases should bring our attention to a new entity". Really, a new entity?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016, 42, 1412-1413. | 0.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 505 | Insertion of the Bakri balloon: The earlier, the better?. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2016, 56, 117-117. | 0.4 | 0 |
| 506 | Hidden, but possibly significant, cause of secondary postpartum hemorrhage: Uterine artery pseudoaneurysm. Journal of Obstetrics and Gynaecology Research, 2016, 42, 905-905. | 0.6 | 0 |
| 507 | Uterine artery pseudoaneurysm caused by non-obstetric pelvic surgery, manifesting as haemoperitoneum after vaginal delivery: Some clarifications. Journal of Obstetrics and Gynaecology, 2017, 37, 403-403. | 0.4 | 0 |
| 508 | Puerperal uterine inversion from two viewpoints: Its recurrence at the next pregnancy and "unavoidable" procedure-associated inversion. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2017, 214, 199-200. | 0.5 | 0 |
| 509 | Intrauterine hemostatic balloon placement: is < 12 hours really better?. American Journal of Obstetrics and Gynecology, 2017, 216, 537-538. | 0.7 | 0 |
| 510 | Exploratory analysis of textual data from the Mother and Child Handbook using a text mining method (II): Monthly changes in the words recorded by mothers. Journal of Obstetrics and Gynaecology Research, 2017, 43, 100-105. | 0.6 | 0 |
| 511 | Uterine wall resection strategy for abnormally invasive placenta: extirpative approach for control patients justifiable?. Archives of Gynecology and Obstetrics, 2017, 296, 1039-1040. | 0.8 | 0 |
| 512 | Sclerotherapy for placenta accreta: Some concerns. Taiwanese Journal of Obstetrics and Gynecology, 2017, 56, 270. | 0.5 | 0 |
| 513 | Prophylactic use of Bakri balloon for reduction of hemorrhage at cesarean for placenta previa: addition and clarification. Archives of Gynecology and Obstetrics, 2017, 296, 613-614. | 0.8 | 0 |
| 514 | Pseudoaneurysm: really a placenta-associated vascular regression abnormality?. Journal of Obstetrics and Gynaecology, 2017, 37, 973-973. | 0.4 | 0 |
| 515 | Predicting massive transfusion in placenta previa. Journal of Anesthesia, 2017, 31, 642-642. | 0.7 | 0 |
| 516 | Letter to "Novel approach to uterine artery pseudoaneurysm embolization for delayed postpartum hemorrhage": Thrombin really necessary?. Journal of Obstetrics and Gynaecology Research, 2017, 43, 1511-1511. | 0.6 | 0 |
| 517 | 3D imaging of full-term human placental villi by serial block face-scanning electron microscopy. Placenta, 2017, 59, 175-176. | 0.7 | 0 |
| 518 | Pregnancy-related thromboembolism and contributing risk factors: From 10 years of experience at a Japanese tertiary obstetrics institute. Hypertension Research in Pregnancy, 2017, 5, 59-64. | 0.1 | 0 |
| 519 | A Clinically Useful Sign for Auto-Amputation of the Ovary. Journal of Pediatric and Adolescent Gynecology, 2017, 30, 266. | 0.3 | 0 |
| 520 | MicroRNA. Comprehensive Gynecology and Obstetrics, 2018, , 209-224. | 0.0 | 0 |
| 521 | Segmental resection of the uterine wall for placenta previa percreta: some clarifications. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 2506-2507. | 0.7 | 0 |
| 522 | Tydeman tube for impacted foetal head at caesarean section: Some concerns and suggestions. Journal of Obstetrics and Gynaecology, 2018, 38, 146-147. | 0.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 523 | Night-time delivery and obstetricians: Some suggestion. Journal of Obstetrics and Gynaecology Research, 2018, 44, 1341-1341. | 0.6 | 0 |
| 524 | Mode of delivery of triplet pregnancy: hidden factors that should be considered. Archives of Gynecology and Obstetrics, 2018, 298, 459-460. | 0.8 | 0 |
| 525 | Prior cesarean section and placenta accreta spectrum disorders: some clarifications. Archives of Gynecology and Obstetrics, 2018, 298, 447-448. | 0.8 | 0 |
| 526 | Re: methotrexate infusion followed by uterine artery embolisation for the management of placental adhesive disorders: a case series. Clinical Radiology, 2019, 74, 645-646. | 0.5 | 0 |
| 527 | Who should be trained to perform special procedures in obstetrics and gynecology? " With hysterectomy as an example. Journal of Obstetrics and Gynaecology Research, 2019, 45, 1961-1962. | 0.6 | 0 |
| 528 | Strict workhour regulations: For whom?. Journal of Obstetrics and Gynaecology Research, 2019, 45, 1429-1430. | 0.6 | 0 |
| 529 | Uterine artery pseudoaneurysm: importance of interventional radiology in obstetric surgery. Journal of Obstetrics and Gynaecology, 2019, 39, 730-730. | 0.4 | 0 |
| 530 | Letter to "Scientific publication in obstetrics and gynecology from Mainland China and other top-ranking countries: A 10-year survey of the literature": Another viewpoint. Journal of Obstetrics and Gynaecology Research, 2019, 45, 1085-1086. | 0.6 | 0 |
| 531 | Double B-lynch suture: technical concerns. Journal of Obstetrics and Gynaecology, 2019, 39, 586-586. | 0.4 | 0 |
| 532 | Author's reply re: Nausicaa suture for placenta accreta spectrum: further studies are needed. BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, 427-428. | 1.1 | 0 |
| 533 | Intrauterine sutures in cesarean section for placenta previa: some concerns. Archives of Gynecology and Obstetrics, 2019, 299, 593-594. | 0.8 | 0 |
| 534 | Informed consent for end-of-life chemotherapy in cancer patients: To what extent should we inform patients of our personal opinion?. Journal of Oncology Pharmacy Practice, 2019, 25, 250-251. | 0.5 | 0 |
| 535 | Definite conclusion on the treatment for an abnormally invasive placenta: a long way to go. Journal of Maternal-Fetal and Neonatal Medicine, 2019, 32, 524-525. | 0.7 | 0 |
| 536 | Random placenta margin incision in cesarean section for placenta previa: some clarifications. Journal of Maternal-Fetal and Neonatal Medicine, 2019, 32, 3889-3890. | 0.7 | 0 |
| 537 | Two important techniques in cesarean hysterectomy for placenta accreta spectrum disorders. Journal of Maternal-Fetal and Neonatal Medicine, 2020, 33, 3546-3547. | 0.7 | 0 |
| 538 | A Uterus-Preserving Treatment for Uncontrollable Postpartum Hemorrhage: Esike's Technique. Obstetrics and Gynecology, 2020, 136, 1065-1066. | 1.2 | 0 |
| 539 | Letter to "Clinical update on COVID-19 in pregnancy: A review article": Obstetric or Gynecologic papers on COVID-19 should have an informative title. Journal of Obstetrics and Gynaecology Research, 2020, 46, 2455-2455. | 0.6 | 0 |
| 540 | Acute gastric pain after eating sashimi. BMJ, The, 2020, , m3730. | 3.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 541 | Uterine compression sutures: Removable and thus prophylactic. Journal of Obstetrics and Gynaecology Research, 2020, 46, 801-801. | 0.6 | 0 |
| 542 | Uterine Artery Pseudoaneurysm: Some Practical Considerations. Journal of Emergency Medicine, 2020, 58, 127-128. | 0.3 | 0 |
| 543 | Mobile applications for fetal movement: Only decreased movement matters?. Women and Birth, 2020, 33, e574-e575. | 0.9 | 0 |
| 544 | Usefulness of dynamic computed tomography for diagnosing and evaluating uterine artery pseudoaneurysms in women with late postpartum hemorrhage not complicated by retained products of conception. Journal of Obstetrics and Gynaecology Research, 2020, 46, 249-255. | 0.6 | 0 |
| 545 | Menstrual molimina: Japan specific?. Journal of Obstetrics and Gynaecology Research, 2021, 47, 463-463. | 0.6 | 0 |
| 546 | Zhukovsky double balloon for obstetric hysterectomy: what is its true significance?. Journal of Maternal-Fetal and Neonatal Medicine, 2021, 34, 311-312. | 0.7 | 0 |
| 547 | A proposal for hemostatic procedure at cervical punch biopsy. Archives of Gynecology and Obstetrics, 2021, 303, 605-606. | 0.8 | 0 |
| 548 | Filling the bladder technique at cesarean hysterectomy for placenta accreta spectrum disorders: not solely to avoid bladder injury. Journal of Maternal-Fetal and Neonatal Medicine, 2021, , 1-2. | 0.7 | 0 |
| 549 | Obstetric outcome in major vs minor placenta praevia. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2021, 61, E19-E20. | 0.4 | 0 |
| 550 | Total vs. supracervical hysterectomy for placenta accreta spectrum disorders. Journal of Maternal-Fetal and Neonatal Medicine, 2021, , 1-2. | 0.7 | 0 |
| 551 | Creating a good research question, with hemostasis of uterine bleeding as an example. Journal of Obstetrics and Gynaecology Research, 2021, 47, 1924-1924. | 0.6 | 0 |
| 552 | Procedural contrivances for cesarean hysterectomy for placenta accreta spectrum: To perform or not to perform hysterectomy for percreta with parametrial invasion. Journal of Obstetrics and Gynaecology Research, 2021, 47, 2796-2797. | 0.6 | 0 |
| 553 | Looking too much at the dark side of paper writing?. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, , . | 1.1 | 0 |
| 554 | A randomized phase II study of gemcitabine (GEM) plus S-1 combination chemotherapy versus GEM monotherapy in patients (pts) with advanced biliary tract cancer (BTC).. Journal of Clinical Oncology, 2011, 29, 250-250. | 0.8 | 0 |
| 555 | Ante-partum bleeding: Is determination of its risk factors clinically significant?. Nigerian Journal of Clinical Practice, 2013, 16, 405. | 0.2 | 0 |
| 556 | Uterine Sandwich Suture: The Concept of "Role Sharing" Is Important. Cureus, 2020, 12, e11492. | 0.2 | 0 |
| 557 | Ultracytochemical localization of NAD(P)H oxidase activity in the human placenta. Nihon Sanka Fujinka Gakkai Zasshi, 1991, 43, 117-21. | 0.0 | 0 |
| 558 | Ultracytochemical study on the permeability of the human amniotic epithelium. Nihon Sanka Fujinka Gakkai Zasshi, 1991, 43, 641-6. | 0.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 559 | Presence of nerve fibers in the human umbilical cord—an electron microscopical histochemical proof. <i>Nihon Sanka Fujinka Gakkai Zasshi</i> , 1988, 40, 1775-6. | 0.0 | 0 |
| 560 | Enzyme-cytochemistry of human chorion laeve at term: enzyme localization on the chorionic trophoblast. <i>Asia-Oceania Journal of Obstetrics and Gynaecology</i> , 1994, 20, 217-22. | 0.0 | 0 |
| 561 | Enzyme-cytochemistry of human chorion laeve at term: enzyme localization on the chorionic trophoblast. <i>Asia-Oceania Journal of Obstetrics and Gynaecology</i> , 1994, 20, 217-22. | 0.0 | 0 |
| 562 | The effect of iodine-based contrast agents on the levels of radiation-induced chromosomal aberrations. <i>Radiation Research</i> , 1997, 147, 263-8. | 0.7 | 0 |
| 563 | An effective addition of uterine balloon tamponade (condom-balloon) in rural settings. <i>Rural and Remote Health</i> , 2016, 16, 3903. | 0.4 | 0 |
| 564 | Prognosis and Prognostic Factors of Patients with Emergent Cerclage: A Japanese Single-Center Study. <i>Obstetrics and Gynecology International</i> , 2021, 2021, 1-7. | 0.5 | 0 |
| 565 | The cervical clamping for postpartum haemorrhage: some concerns. <i>Journal of Obstetrics and Gynaecology</i> , 2022, , 1-1. | 0.4 | 0 |
| 566 | Maternal beta2-sympathomimetic administration for fetal atrioventricular block: some additions and concerns. <i>Clinical and Experimental Obstetrics and Gynecology</i> , 2018, 45, 7-8. | 0.1 | 0 |
| 567 | Aorta clamp for placenta accreta spectrum: No dissection or local dissection?. <i>International Journal of Gynecology and Obstetrics</i> , 2022, 158, 491-491. | 1.0 | 0 |
| 568 | Aortic balloon occlusion for placenta accreta spectrum: the higher, the better?. <i>Archives of Gynecology and Obstetrics</i> , 0, , . | 0.8 | 0 |