

Shigeki Matsubara

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9277817/shigeki-matsubara-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

555
papers

5,023
citations

33
h-index

53
g-index

583
ext. papers

5,644
ext. citations

2.5
avg, IF

5.78
L-index

#	Paper	IF	Citations
555	Human villous trophoblasts express and secrete placenta-specific microRNAs into maternal circulation via exosomes. <i>Biology of Reproduction</i> , 2009 , 81, 717-29	3.9	373
554	Guidelines for obstetrical practice in Japan: Japan Society of Obstetrics and Gynecology (JSOG) and Japan Association of Obstetricians and Gynecologists (JAOG) 2014 edition. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014 , 40, 1469-99	1.9	220
553	Hydroxysteroid (17- β)dehydrogenase 1 is dysregulated by miR-210 and miR-518c that are aberrantly expressed in preeclamptic placentas: a novel marker for predicting preeclampsia. <i>Hypertension</i> , 2012 , 59, 265-73	8.5	135
552	Important surgical measures and techniques at cesarean hysterectomy for placenta previa accreta. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013 , 92, 372-7	3.8	107
551	Guidelines for obstetrical practice in Japan: Japan Society of Obstetrics and Gynecology (JSOG) and Japan Association of Obstetricians and Gynecologists (JAOG) 2011 edition. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011 , 37, 1174-97	1.9	96
550	Uterine compression sutures for postpartum hemorrhage: an overview. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013 , 92, 378-85	3.8	81
549	Alterations in placental growth factor levels before and after the onset of preeclampsia are more pronounced in women with early onset severe preeclampsia. <i>Hypertension Research</i> , 2007 , 30, 151-9	4.7	73
548	Evaluation of a new and automated electrochemiluminescence immunoassay for plasma sFlt-1 and PlGF levels in women with preeclampsia. <i>Hypertension Research</i> , 2010 , 33, 422-7	4.7	71
547	Effect of recombinant placental growth factor 2 on hypertension induced by full-length mouse soluble fms-like tyrosine kinase 1 adenoviral vector in pregnant mice. <i>Hypertension</i> , 2009 , 54, 1129-35	8.5	71
546	Structure of a retinoic acid-responsive gene, MK, which is transiently activated during the differentiation of embryonal carcinoma cells and the mid-gestation period of mouse embryogenesis. <i>Journal of Biological Chemistry</i> , 1990 , 265, 9441-3	5.4	71
545	Lower risks of adverse outcome in twins conceived by artificial reproductive techniques compared with spontaneously conceived twins. <i>Human Reproduction</i> , 1998 , 13, 2005-8	5.7	50
544	Human exosomal placenta-associated miR-517a-3p modulates the expression of PRKG1 mRNA in Jurkat cells. <i>Biology of Reproduction</i> , 2014 , 91, 129	3.9	48
543	Effect of maternal age on blood loss during parturition: a retrospective multivariate analysis of 10,053 cases. <i>Journal of Perinatal Medicine</i> , 2003 , 31, 209-15	2.7	48
542	Decrease in cytochrome c oxidase activity detected cytochemically in the placental trophoblast of patients with pre-eclampsia. <i>Placenta</i> , 1997 , 18, 255-9	3.4	47
541	Palmitic acid induces interleukin-1 β secretion via NLRP3 inflammasomes and inflammatory responses through ROS production in human placental cells. <i>Journal of Reproductive Immunology</i> , 2016 , 116, 104-12	4.2	46
540	Identification, cloning, and initial characterization of a novel mouse testicular germ cell-specific antigen. <i>Biology of Reproduction</i> , 2001 , 64, 935-45	3.9	45
539	Mapping and characterization of a retinoic acid-responsive enhancer of midkine, a novel heparin-binding growth/differentiation factor with neurotrophic activity. <i>Journal of Biochemistry</i> , 1994 , 115, 1088-96	3.1	45

538	Uterine artery pseudoaneurysm: not a rare condition occurring after non-traumatic delivery or non-traumatic abortion. <i>Archives of Gynecology and Obstetrics</i> , 2014 , 290, 435-40	2.5	43
537	Normal and high-normal blood pressures, but not body mass index, are risk factors for the subsequent occurrence of both preeclampsia and gestational hypertension: a retrospective cohort study. <i>Hypertension Research</i> , 2006 , 29, 161-7	4.7	42
536	Anterior placentation as a risk factor for massive hemorrhage during cesarean section in patients with placenta previa. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014 , 40, 1243-8	1.9	40
535	Onset threshold of the plasma levels of soluble fms-like tyrosine kinase 1/placental growth factor ratio for predicting the imminent onset of preeclampsia within 4 weeks after blood sampling at 19-31 weeks of gestation. <i>Hypertension Research</i> , 2013 , 36, 1073-80	4.7	39
534	Establishing reference values for both total soluble Fms-like tyrosine kinase 1 and free placental growth factor in pregnant women. <i>Hypertension Research</i> , 2005 , 28, 727-32	4.7	38
533	Vaginal lactobacilli and preterm birth. <i>Journal of Perinatal Medicine</i> , 2002 , 30, 458-66	2.7	38
532	Uterine artery pseudoaneurysm: its occurrence after non-traumatic events, and possibility of "without embolization" strategy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016 , 205, 72-8	2.4	38
531	CRISPR/Cas9-mediated cervical cancer treatment targeting human papillomavirus E6. <i>Oncology Letters</i> , 2019 , 17, 2197-2206	2.6	38
530	Alteration of serum soluble endoglin levels after the onset of preeclampsia is more pronounced in women with early-onset. <i>Hypertension Research</i> , 2008 , 31, 1541-8	4.7	37
529	Association of a decrease in antithrombin III activity with a perinatal elevation in aspartate aminotransferase in women with twin pregnancies: relevance to the HELLP syndrome. <i>Journal of Hepatology</i> , 1999 , 30, 603-11	13.4	37
528	Threshold of soluble fms-like tyrosine kinase 1/placental growth factor ratio for the imminent onset of preeclampsia. <i>Hypertension</i> , 2011 , 58, 859-66	8.5	36
527	Ultracytochemical localizations of adenylate cyclase, guanylate cyclase and cyclic 3',5'-nucleotide phosphodiesterase activity on the trophoblast in the human placenta. Direct histochemical evidence. <i>Histochemistry</i> , 1987 , 87, 505-9		36
526	The cytotrophoblast layer of human chorionic villi becomes thinner but maintains its structural integrity during gestation. <i>Biology of Reproduction</i> , 2007 , 76, 164-72	3.9	35
525	Enzyme histochemically detectable NAD(P)H oxidase in human placental trophoblasts: normal, preeclamptic, and fetal growth restriction-complicated pregnancy. <i>Histochemistry and Cell Biology</i> , 2001 , 116, 1-7	2.4	34
524	Meconium-stained amniotic fluid exhibits chemotactic activity for polymorphonuclear leukocytes in vitro. <i>Journal of Reproductive Immunology</i> , 2000 , 46, 21-30	4.2	34
523	Opening the bladder for cesarean hysterectomy for placenta previa percreta with bladder invasion. <i>Journal of Obstetrics and Gynaecology Research</i> , 2009 , 35, 359-63		33
522	Sexually dimorphic expression of the novel germ cell antigen TEX101 during mouse gonad development. <i>Biology of Reproduction</i> , 2005 , 72, 1315-23	3.9	32
521	Endogenous and exogenous miR-520c-3p modulates CD44-mediated extravillous trophoblast invasion. <i>Placenta</i> , 2017 , 50, 25-31	3.4	30

520	Asymptomatic uterine artery pseudoaneurysm after cesarean section. <i>Journal of Obstetrics and Gynaecology Research</i> , 2010 , 36, 405-10	1.9	30
519	Uterine compression suture against impending recurrence of uterine inversion immediately after laparotomy repositioning. <i>Journal of Obstetrics and Gynaecology Research</i> , 2009 , 35, 819-23		30
518	Antithrombin III activity and platelet count are more likely to decrease in twin pregnancies than in singleton pregnancies. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2002 , 81, 840-5	3.8	30
517	AGEs and HMGB1 Increase Inflammatory Cytokine Production From Human Placental Cells, Resulting in an Enhancement of Monocyte Migration. <i>American Journal of Reproductive Immunology</i> , 2016 , 75, 557-68	3.8	28
516	TEX101 is shed from the surface of sperm located in the caput epididymidis of the mouse. <i>Zygote</i> , 2005 , 13, 325-33	1.6	27
515	Gestational hypertension as a subclinical preeclampsia in view of serum levels of angiogenesis-related factors. <i>Hypertension Research</i> , 2011 , 34, 212-7	4.7	26
514	Combination of plasma exchange and continuous hemofiltration as temporary metabolic support for patients with acute liver failure. <i>Artificial Organs</i> , 1994 , 18, 363-6	2.6	26
513	Fc gamma receptor IIb participates in maternal IgG trafficking of human placental endothelial cells. <i>International Journal of Molecular Medicine</i> , 2015 , 35, 1273-89	4.4	25
512	Decidualization of ovarian endometriosis during pregnancy mimicking malignancy: report of three cases with a literature review. <i>Gynecologic and Obstetric Investigation</i> , 2008 , 66, 241-7	2.5	25
511	Femur fracture during abdominal breech delivery. <i>Archives of Gynecology and Obstetrics</i> , 2008 , 278, 195-2.5		25
510	Relation between gestational thrombocytopenia and the syndrome of hemolysis, elevated liver enzymes, and low platelet count (HELLP syndrome). <i>Gynecologic and Obstetric Investigation</i> , 1998 , 46, 41-5	2.5	25
509	Uterine leiomyoma in pregnancy: its influence on obstetric performance. <i>Journal of Obstetrics and Gynaecology Research</i> , 1999 , 25, 309-13		25
508	Serum sFlt1:PlGF ratio, PlGF, and soluble endoglin levels in gestational proteinuria. <i>Hypertension in Pregnancy</i> , 2009 , 28, 95-108	2	24
507	Experimental allergic myositis in SJL/J mice immunized with rabbit myosin B fraction: immunohistochemical analysis and transfer. <i>Acta Neuropathologica</i> , 1993 , 85, 138-44	14.3	24
506	Prediction and prevention of hypertensive disorders of pregnancy. <i>Hypertension Research</i> , 2017 , 40, 5-14.7		23
505	Preventing a Bakri balloon from sliding out during "holding the cervix": "fishing for the balloon shaft" technique (Matsubara). <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015 , 94, 910-1	3.8	23
504	Rectocoele, but not cystocoele, may predict unsuccessful pessary fitting. <i>Journal of Obstetrics and Gynaecology</i> , 2011 , 31, 441-2	1.3	23
503	Expression of alpha-catenin in alpha-catenin-deficient cells increases resistance to sphingosine-induced apoptosis. <i>Journal of Cell Biology</i> , 2001 , 154, 573-84	7.3	23

502	Recurrence risk of preterm birth due to preeclampsia. <i>Gynecologic and Obstetric Investigation</i> , 2002 , 53, 22-7	2.5	23
501	Emergency cervical cerclage: relation between its success, preoperative serum level of C-reactive protein and WBC count, and degree of cervical dilatation. <i>Gynecologic and Obstetric Investigation</i> , 1999 , 47, 157-61	2.5	23
500	Glucose-6-phosphate dehydrogenase cytochemistry using a copper ferrocyanide method and its application to rapidly frozen cells. <i>Histochemistry and Cell Biology</i> , 1999 , 112, 221-32	2.4	23
499	Fetal presentation of long QT syndrome--evaluation of prenatal risk factors: a systematic review. <i>Fetal Diagnosis and Therapy</i> , 2013 , 33, 1-7	2.4	22
498	Relationship between blood pressure level in early pregnancy and subsequent changes in blood pressure during pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2002 , 81, 918-25	3.8	22
497	Standard curves of placental weight and fetal/placental weight ratio in Japanese population: difference according to the delivery mode, fetal sex, or maternal parity. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016 , 206, 225-231	2.4	22
496	'Stained-glass' sign for placental mesenchymal dysplasia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014 , 43, 355	5.8	21
495	Endothelial expression of Fc gamma receptor IIb in the full-term human placenta. <i>Placenta</i> , 2007 , 28, 170-4	3.4	21
494	Glucose-6-phosphatase is present in normal and pre-eclamptic placental trophoblasts: ultrastructural enzyme-histochemical evidence. <i>Placenta</i> , 1999 , 20, 81-5	3.4	21
493	Polymorphonuclear leukocytes in the fetal membranes are activated in patients with preterm delivery: ultrastructural and enzyme-histochemical evidence. <i>Placenta</i> , 1999 , 20, 185-8	3.4	21
492	Ultracytochemical localizations of adenosine nucleotidase activities in the human term placenta, with special reference to 5'-nucleotidase activity.. <i>Acta Histochemica Et Cytochemica</i> , 1987 , 20, 409-419	1.9	21
491	A novel 'uterine sandwich' for haemorrhage at caesarean section for placenta praevia. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2014 , 54, 283-6	1.7	20
490	Uterine artery pseudoaneurysm manifesting as postpartum hemorrhage after uneventful second-trimester pregnancy termination. <i>Journal of Obstetrics and Gynaecology Research</i> , 2010 , 36, 856-60	1.9	20
489	Forceps holding the cervix for postpartum haemorrhage. <i>Journal of Obstetrics and Gynaecology</i> , 2011 , 31, 509	1.3	20
488	Plasma level of hydroxysteroid (17- β)dehydrogenase 1 in the second trimester is an independent risk factor for predicting preeclampsia after adjusting for the effects of mean blood pressure, bilateral notching and plasma level of soluble fms-like tyrosine kinase 1/placental growth factor ratio. <i>Hypertension Research</i> , 2012 , 35, 1152-8	4.7	20
487	Establishing a reference value for the frequency of fetal movements using modified 'count to 10' method. <i>Journal of Obstetrics and Gynaecology Research</i> , 2008 , 34, 318-23		19
486	Matsubara-Takahashi cervix-holding technique for massive postpartum hemorrhage in patients with placenta previa with or without placenta accreta spectrum disorders. <i>International Journal of Gynecology and Obstetrics</i> , 2018 , 140, 357-364	4	19
485	Calculating probability of requiring allogeneic blood transfusion using three preoperative risk factors on cesarean section for placenta previa. <i>Archives of Gynecology and Obstetrics</i> , 2015 , 291, 281-5	2.5	18

484	Advanced glycation end products regulate interleukin-1 β production in human placenta. <i>Journal of Reproduction and Development</i> , 2017 , 63, 401-408	2.1	18
483	Establishing reference values for mean notch depth index, pulsatility index and resistance index in the uterine artery at 16-23 weeks' gestation. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012 , 38, 1275-85	1.9	18
482	A novel method for evaluating uterine cervical consistency using vaginal ultrasound gray-level histogram. <i>Journal of Perinatal Medicine</i> , 2010 , 38, 491-4	2.7	18
481	Fetal heart rate pattern reflecting the severity of placental abruption. <i>Archives of Gynecology and Obstetrics</i> , 2008 , 277, 249-53	2.5	18
480	Immuno-electron microscopic localization of endothelial nitric oxide synthase in human placental terminal villous trophoblasts-normal and pre-eclamptic pregnancy. <i>Placenta</i> , 2001 , 22, 782-6	3.4	18
479	The risk of birth defects in dichorionic twins conceived by assisted reproductive technology. <i>Twin Research and Human Genetics</i> , 2004 , 7, 223-7		18
478	Extravillous trophoblast cell invasion is promoted by the CD44-hyaluronic acid interaction. <i>Placenta</i> , 2014 , 35, 163-70	3.4	17
477	Pseudoaneurysm: a chameleon in obstetrical emergency practice. <i>Archives of Gynecology and Obstetrics</i> , 2011 , 283, 669-70	2.5	17
476	Moderate Hypoxia Down-Regulates Interleukin-6 Secretion and TLR4 Expression in Human Sw.71 Placental Cells. <i>Cellular Physiology and Biochemistry</i> , 2015 , 36, 2149-60	3.9	16
475	Spontaneous resolution of post-delivery or post-abortion uterine artery pseudoaneurysm: A report of three cases. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016 , 42, 730-733	1.9	16
474	Fetal/Placental weight ratio in term Japanese pregnancy: its difference among gender, parity, and infant growth. <i>International Journal of Medical Sciences</i> , 2015 , 12, 301-5	3.7	16
473	A novel three-step approach for predicting the imminent onset of preeclampsia within 4 weeks after blood sampling at 19-31 weeks of gestation. <i>Hypertension Research</i> , 2014 , 37, 519-25	4.7	16
472	Holding the uterine cervix may induce uterine contractions in atonic bleeding. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011 , 90, 1454-5	3.8	16
471	Blood loss in low-lying placenta: placental edge to cervical internal os distance of less vs. more than 2 cm. <i>Journal of Perinatal Medicine</i> , 2008 , 36, 507-12	2.7	16
470	Changes in activity of plasma thrombin activatable fibrinolysis inhibitor in pregnancy. <i>Gynecologic and Obstetric Investigation</i> , 2004 , 58, 19-21	2.5	16
469	Influence of chorioamnionitis on survival and morbidity in singletons live-born at Acta Obstetrica Et Gynecologica Scandinavica, 2000 , 79, 861-5	3.8	16
468	Targeting human vasohibin-2 by a neutralizing monoclonal antibody for anti-cancer treatment. <i>Cancer Science</i> , 2017 , 108, 512-519	6.9	15
467	Maternal peripheral blood natural killer cells incorporate placenta-associated microRNAs during pregnancy. <i>International Journal of Molecular Medicine</i> , 2015 , 35, 1511-24	4.4	15

466	The angiogenesis regulator vasohibin-1 inhibits ovarian cancer growth and peritoneal dissemination and prolongs host survival. <i>International Journal of Oncology</i> , 2015 , 47, 2057-63	4.4	15
465	Uterine rupture during pregnancy soon after a laparoscopic adenomyomectomy. <i>Reproductive Medicine and Biology</i> , 2007 , 6, 175-177	4.1	15
464	Intestinal adhesion due to previous uterine surgery as a risk factor for delayed diagnosis of uterine rupture: a case report. <i>Journal of Medical Case Reports</i> , 2011 , 5, 523	1.2	14
463	Risk factors of eclampsia other than hypertension: pregnancy-induced antithrombin deficiency and extraordinary weight gain. <i>Hypertension in Pregnancy</i> , 2012 , 31, 268-77	2	14
462	Umbilical cord pseudocyst in a fetus with trisomy 18. <i>Fetal Diagnosis and Therapy</i> , 2003 , 18, 8-11	2.4	14
461	Guglielmi detachable coil embolization for ruptured lower-midbasilar trunk aneurysms--a report of five cases. <i>Neuroradiology</i> , 2001 , 43, 884-90	3.2	14
460	Phagocytosis of chorion laeve trophoblasts in patients with chorioamnionitis-associated preterm delivery: ultrastructural and enzyme-histochemical observations. <i>Placenta</i> , 2000 , 21, 273-9	3.4	14
459	Ultracytochemical localizations of alkaline phosphatase and acid phosphatase activities in the human term placenta.. <i>Acta Histochemica Et Cytochemica</i> , 1987 , 20, 283-294	1.9	14
458	Hemostatic effect of intrauterine balloon for postpartum hemorrhage with special reference to concomitant use of "holding the cervix" procedure (Matsubara). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017 , 210, 281-285	2.4	13
457	Oxygen concentration modulates cellular senescence and autophagy in human trophoblast cells. <i>American Journal of Reproductive Immunology</i> , 2018 , 79, e12826	3.8	13
456	An easy insertion procedure of Bakri balloon during cesarean section for placenta previa: use of Nelaton rubber catheter. <i>Archives of Gynecology and Obstetrics</i> , 2014 , 290, 613-4	2.5	13
455	Uterine incision for anterior placenta previa without placenta accreta. <i>Archives of Gynecology and Obstetrics</i> , 2012 , 285, 557-8	2.5	13
454	Uterine artery pseudoaneurysm: a master of deception. <i>Archives of Gynecology and Obstetrics</i> , 2014 , 289, 469-70	2.5	13
453	Vaginal Ureaplasma species increase chorioamnionitis in very preterm infants with preterm premature rupture of the membranes at European Journal of Clinical Microbiology and Infectious Diseases, 2018 , 37, 2371-2380	5.3	13
452	Galectin-1 as a novel risk factor for both gestational hypertension and preeclampsia, specially its expression at a low level in the second trimester and a high level after onset. <i>Hypertension Research</i> , 2018 , 41, 45-52	4.7	12
451	Ambulatory BP monitoring and clinic BP in predicting small-for-gestational-age infants during pregnancy. <i>Journal of Human Hypertension</i> , 2016 , 30, 62-7	2.6	12
450	Vaginal artery embolization with a permanent embolic agent for intractable postpartum hemorrhage. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011 , 37, 377-8	1.9	12
449	Maintaining the position of a Bakri balloon after caesarean section for placenta previa using an abdominal traction stitch. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016 , 198, 177-178	2.4	11

448	The ovarian artery: an unusual feeding artery of uterine artery pseudoaneurysm necessitating repetitive transarterial embolisation. <i>Journal of Obstetrics and Gynaecology</i> , 2015 , 35, 656-7	1.3	11
447	New prophylaxis methods for adverse events of uterine compression sutures: removing compression threads. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014 , 93, 1069-70	3.8	11
446	Adenomyomectomy, curettage, and then uterine artery pseudoaneurysm occupying the entire uterine cavity. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013 , 39, 1103-6	1.9	11
445	MY (Matsubara-Yano) uterine compression suture to prevent acute recurrence of uterine inversion. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013 , 92, 734-5	3.8	11
444	Caesarean hysterectomy for placenta praevia accreta: filling the bladder technique to identify an appropriate bladder separation site. <i>Journal of Obstetrics and Gynaecology</i> , 2013 , 33, 163-4	1.3	11
443	Thin anterior uterine wall with incomplete uterine rupture in a primigravida detected by palpation and ultrasound: a case report. <i>Journal of Medical Case Reports</i> , 2011 , 5, 14	1.2	11
442	Successful management of pregnancy in a patient with Segawa disease: case report and literature review. <i>Journal of Obstetrics and Gynaecology Research</i> , 2009 , 35, 562-4		11
441	Granulocyte-colony stimulating factor for the treatment of ritodrine-induced neutropenia. <i>Journal of Obstetrics and Gynaecology Research</i> , 2008 , 34, 286-90		11
440	Glucose-6-phosphate dehydrogenase is present in normal and pre-eclamptic placental trophoblasts: ultrastructural enzyme-histochemical evidence. <i>Placenta</i> , 2001 , 22, 90-5	3.4	11
439	Changes in polymorphonuclear leukocytes in the vagina of patients with preterm labor. <i>Gynecologic and Obstetric Investigation</i> , 1998 , 45, 32-4	2.5	11
438	Cesarean hysterectomy: amputation-first technique (Matsubara). <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015 , 94, 552-3	3.8	10
437	Uterine artery pseudoaneurysm after dilation and curettage in a woman with multiple hepatic and pulmonary cavernous hemangiomas. <i>International Journal of Gynecology and Obstetrics</i> , 2014 , 125, 84-5	4	10
436	The 'mangrove sign' for velamentous umbilical cord insertion. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012 , 40, 241-2	5.8	10
435	Prolonged activated partial thromboplastin time in thromboprophylaxis with unfractionated heparin in patients undergoing cesarean section. <i>Journal of Obstetrics and Gynaecology Research</i> , 2010 , 36, 58-63	1.9	10
434	Pregnancy complicated with Alport syndrome: a good obstetric outcome and failure to diagnose an infant born to a mother with Alport syndrome by umbilical cord immunofluorescence staining. <i>Journal of Obstetrics and Gynaecology Research</i> , 2009 , 35, 1109-14	1.9	10
433	Fetus with heart failure due to congenital atrioventricular block treated by maternally administered ritodrine. <i>Archives of Gynecology and Obstetrics</i> , 2008 , 278, 85-8	2.5	10
432	Increase in systolic blood pressure of > or = 30 mm Hg and/or diastolic blood pressure of > or = 15 mm Hg during pregnancy: is it pathologic?. <i>Hypertension in Pregnancy</i> , 2003 , 22, 275-85	2	10
431	Enzyme-cytochemically detectable glucose-6-phosphate dehydrogenase in human villous macrophages (Hofbauer cells). <i>Placenta</i> , 2001 , 22, 882-5	3.4	10

430	Effect of labor on maternal dehydration, starvation, coagulation, and fibrinolysis. <i>Journal of Perinatal Medicine</i> , 2001 , 29, 528-34	2.7	10
429	Portal venous pressure following splenectomy in patients with portal hypertension of differing etiology. <i>European Surgical Research</i> , 1992 , 24, 372-7	1.1	10
428	The hepatocyte growth factor antagonist NK4 inhibits indoleamine-2,3-dioxygenase expression via the c-Met-phosphatidylinositol 3-kinase-AKT signaling pathway. <i>International Journal of Oncology</i> , 2016 , 48, 2303-9	4.4	10
427	Impact of placental weight and fetal/placental weight ratio Z score on fetal growth and the perinatal outcome. <i>International Journal of Medical Sciences</i> , 2018 , 15, 484-491	3.7	10
426	Re: Moving from intrapartum to prenatal diagnosis of placenta accreta: a quarter of a century in the making but still a long way to go: Obstetricians' intra-surgical 'eyes' keep on shining. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017 , 124, 1287-1288	3.7	9
425	Markedly higher sFlt-1/PLGF ratio in a woman with acute fatty liver of pregnancy compared with HELLP syndrome. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019 , 45, 96-103	1.9	9
424	Biophysical interaction between blood pressure and uterine artery Doppler for the occurrence of early-onset preeclampsia: A prospective cohort study. <i>Pregnancy Hypertension</i> , 2013 , 3, 270-7	2.6	9
423	Inserting the Bakri balloon during cesarean section in patients with a narrow cervix: Nelaton method (Matsubara). <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015 , 94, 1147-8	3.8	9
422	Can a ring pessary have a lasting effect to reverse uterine prolapse even after its removal?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2010 , 36, 459-61	1.9	9
421	Manual separation followed by local cleanliness for pediatric labial adhesion. <i>Journal of Obstetrics and Gynaecology Research</i> , 2010 , 36, 667-70	1.9	9
420	Planned caesarean hysterectomy versus "conserving" caesarean section in patients with placenta accreta. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2012 , 34, 317-318	1.3	9
419	Triplet pregnancy complicated by a gradual decline in antithrombin-III activity and HELLP syndrome: a case report. <i>Journal of Obstetrics and Gynaecology Research</i> , 1998 , 24, 275-9		9
418	Human amniotic epithelial cells are morphologically homogeneous: enzyme histochemical, tracer, and freeze-substitution fixation study. <i>European Journal of Histochemistry</i> , 2003 , 47, 223-32	2.1	9
417	Changes in the number of polymorphonuclear leukocytes and concentrations of IL-8 and granulocyte elastase in the vaginas of normal pregnant women. <i>American Journal of Reproductive Immunology</i> , 2002 , 47, 98-103	3.8	9
416	Hofbauer cell activation and its increased glucose-6-phosphate dehydrogenase activity in second trimester-spontaneous abortion: an ultrastructural dual staining enzyme-cytochemical study. <i>American Journal of Reproductive Immunology</i> , 2003 , 49, 202-9	3.8	9
415	Morphology of the mitochondria and endoplasmic reticula of chorion laeve cytotrophoblasts: their resemblance to villous syncytiotrophoblasts rather than villous cytotrophoblasts. <i>Histochemistry and Cell Biology</i> , 2001 , 116, 9-15	2.4	9
414	Cytochemically detectable glucose-6-phosphate dehydrogenase is present in human fetal membrane chorion laeve trophoblasts. <i>Placenta</i> , 2001 , 22, 613-6	3.4	9
413	Enzyme histochemistry on human placental trophoblasts: the effect of fixation delay on enzyme activity. <i>Histochemistry and Cell Biology</i> , 2000 , 113, 287-92	2.4	9

412	Vasohibin-1 expression inhibits advancement of ovarian cancer producing various angiogenic factors. <i>Cancer Science</i> , 2016 , 107, 629-37	6.9	9
411	Matsubara-Yano suture: a simple uterine compression suture for postpartum hemorrhage during cesarean section. <i>Archives of Gynecology and Obstetrics</i> , 2019 , 299, 113-121	2.5	9
410	Effect of urine creatinine level during pregnancy on dipstick test. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017 , 43, 967-973	1.9	8
409	Impact of the number of removed lymph nodes on recurrence-free survival in stage I ovarian clear cell carcinoma. <i>International Journal of Clinical Oncology</i> , 2018 , 23, 930-935	4.2	8
408	Handling aberrant vessels located in the posterior bladder wall in surgery for abnormally invasive placenta: a non/less-touch technique. <i>Archives of Gynecology and Obstetrics</i> , 2017 , 296, 851-853	2.5	8
407	Combination of an intrauterine balloon and the "holding the cervix" technique for hemostasis of postpartum hemorrhage and for prophylaxis of acute recurrent uterine inversion. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014 , 93, 314-5	3.8	8
406	Uterine artery pseudoaneurysm hidden behind septic abortion: pseudoaneurysm without preceding procedure. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014 , 40, 586-9	1.9	8
405	Good obstetric outcome of consecutive pregnancies in a woman with Alport syndrome. <i>Archives of Gynecology and Obstetrics</i> , 2012 , 286, 261-2	2.5	8
404	Decreased fetal movement prompts investigation of prenatal/neonatal nemaline myopathy: the possible merit of fetal movement count. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011 , 37, 921-5 ^{1.9}	1.9	8
403	Spontaneous spinal epidural hematoma at the 16th week of a twin pregnancy. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011 , 37, 1466-9	1.9	8
402	Bladder-opening technique for hysterectomy for placenta previa percreta. <i>Archives of Gynecology and Obstetrics</i> , 2011 , 283, 1427-8	2.5	8
401	Non-traumatic rupture of the left upper urinary tract during pregnancy without discernable underlying disorders. <i>Archives of Gynecology and Obstetrics</i> , 2010 , 282, 111-3	2.5	8
400	Uterine compression suture may be useful not only for hemostasis in postpartum hemorrhage but also for prophylaxis of acute recurrence of uterine inversion. <i>Archives of Gynecology and Obstetrics</i> , 2010 , 281, 1081-2	2.5	8
399	Glucose-6-phosphate dehydrogenase and mouse Kupffer cell activation: an ultrastructural dual staining enzyme-cytochemical study. <i>Histochemistry and Cell Biology</i> , 2002 , 118, 345-50	2.4	8
398	Chemotactic activity for polymorphonuclear leukocytes: meconium versus meconium-stained amniotic fluid. <i>American Journal of Reproductive Immunology</i> , 2000 , 44, 275-8	3.8	8
397	Factors Contributing to Massive Blood Loss on Peripartum Hysterectomy for Abnormally Invasive Placenta: Who Bleeds More?. <i>Obstetrics and Gynecology International</i> , 2016 , 2016, 5349063	2	8
396	Temporary hypertension and white coat hypertension in the first trimester as risk factors for preeclampsia. <i>Hypertension Research</i> , 2019 , 42, 2002-2012	4.7	7
395	National survey of uterine rupture in Japan: Annual report of Perinatology Committee, Japan Society of Obstetrics and Gynecology, 2018. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019 , 45, 763-765	1.9	7

394	Vaccination during the 2013-2014 influenza season in pregnant Japanese women. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2015 , 34, 543-8	5.3	7
393	Which type of placenta previa requires blood transfusion more frequently? A new concept of indiscernible edge total previa. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016 , 42, 1502-1508	1.9	7
392	Magnetic resonance imaging for diagnosis of placenta accreta spectrum disorders: still useful for real-world practice. <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 219, 312-313	6.4	7
391	Ovary hyperstimulation syndrome accompanying molar pregnancy: case report and review of the literature. <i>Archives of Gynecology and Obstetrics</i> , 2014 , 290, 803-6	2.5	7
390	Additive effects of mean blood pressure and bilateral notching in the second trimester on subsequent angiogenesis-related factors. <i>Hypertension Research</i> , 2014 , 37, 76-81	4.7	7
389	Effects of campaign for postpartum vaccination on seronegative rate against rubella among Japanese women. <i>BMC Infectious Diseases</i> , 2014 , 14, 152	4	7
388	A new compression suture to prevent 'uterine sandwich' from sliding off. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012 , 91, 638-9	3.8	7
387	Should mortality be informed for cesarean hysterectomy for placenta accreta?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013 , 39, 466-7	1.9	7
386	Practical consideration of inserting intrauterine balloon during cesarean section for placenta previa. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014 , 93, 120-1	3.8	7
385	Establishing measurements of subcutaneous and visceral fat area ratio in the early second trimester by magnetic resonance imaging in obese pregnant women. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014 , 40, 1304-7	1.9	7
384	Initial dose of vancomycin based on body weight and creatinine clearance to minimize inadequate trough levels in Japanese adults. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2012 , 31, 2537-43	5.3	7
383	"Masked uterine rupture": key to diagnosis. <i>Archives of Gynecology and Obstetrics</i> , 2012 , 286, 1075-6	2.5	7
382	Measures for peripartum hysterectomy for placenta previa accreta: avoiding uterotonic agents and "double distal edge pickup" mass ligation. <i>Archives of Gynecology and Obstetrics</i> , 2012 , 285, 1765-7	2.5	7
381	Connection between hyperemesis gravidarum, jaundice or liver dysfunction, and biliary sludge. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012 , 38, 446-8	1.9	7
380	'Holding the cervix' technique for post-partum hemorrhage for achieving hemostasis as well as preventing prolapse of an intrauterine balloon. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013 , 39, 1116-7	1.9	7
379	Acupuncture for premenstrual dysphoric disorder. <i>Archives of Gynecology and Obstetrics</i> , 2009 , 280, 877-83	2.5	7
378	Irregular peak-to-peak intervals between ascending aortic flows during fetal ventricular tachycardia in long QT syndrome. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 33, 118-20	5.8	7
377	Hydrocephalus after intraventricular hemorrhage in eclamptic woman with HELLP syndrome. <i>Hypertension in Pregnancy</i> , 2006 , 25, 255-7	2	7

376	Placenta of idiopathic fetal growth restriction: cytochemically detectable enzyme activities do not change at a subcellular level. <i>Placenta</i> , 2000 , 21, 257-62	3.4	7
375	Intraperitoneal Hemorrhage in a Pregnant Woman with Hyperemesis Gravidarum: Vitamin K Deficiency as a Possible Cause. <i>Case Reports in Obstetrics and Gynecology</i> , 2016 , 2016, 5384943	0.8	7
374	Clinical usefulness of serum levels of soluble fms-like tyrosine kinase 1/placental growth factor ratio to rule out preeclampsia in women with new-onset lupus nephritis during pregnancy. <i>CEN Case Reports</i> , 2019 , 8, 95-100	1	7
373	Autoamputation of fetal/neonatal ovarian tumor suspected by a "side change" of the tumor. <i>Journal of reproductive medicine, The</i> , 2011 , 56, 91-2		7
372	Maternal rib fracture after manual uterine fundal pressure. <i>Rural and Remote Health</i> , 2012 , 12, 2062	1.3	7
371	Conservative management of retained products of conception in the normal placental position: A retrospective observational study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019 , 240, 87-92	2.4	6
370	Increased serum levels of sFlt-1/PlGF ratio in preeclamptic women with onset at . <i>Pregnancy Hypertension</i> , 2018 , 12, 96-103	2.6	6
369	Placenta accreta spectrum disorders: A new standardized terminology better defining the condition. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018 , 44, 1338-1339	1.9	6
368	Influenza 2014-2015 among pregnant Japanese women: primiparous vs multiparous women. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2016 , 35, 665-71	5.3	6
367	Congenital mesoblastic nephroma: Its diverse clinical features - A literature review with a case report. <i>Journal of Obstetrics and Gynaecology</i> , 2016 , 36, 340-4	1.3	6
366	A simpler alternative to the Sengstaken-Blakemore tube: cervix-holding by forceps to control hemorrhage after cesarean section for placenta previa. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012 , 38, 903-4	1.9	6
365	"Holding the cervix" technique: prophylaxis for acute recurrent uterine inversion. <i>Archives of Gynecology and Obstetrics</i> , 2013 , 288, 463-5	2.5	6
364	Selection and concentration of obstetric facilities in Japan: Longitudinal study based on national census data. <i>Journal of Obstetrics and Gynaecology Research</i> , 2015 , 41, 919-25	1.9	6
363	The Frequency of Peripheral Blood CD4FoxP3 Regulatory T Cells in Women With Pre-eclampsia and Those With High-risk Factors for Pre-eclampsia. <i>Hypertension in Pregnancy</i> , 2015 , 34, 443-455	2	6
362	Differential expression of ADAM (a disintegrin and metalloproteinase) genes between human first trimester villous and extravillous trophoblast cells. <i>Journal of Nippon Medical School</i> , 2014 , 81, 122-9	1.3	6
361	Maternal manifestation of Ballantyne's syndrome occurring concomitantly with the development of fetal congenital mesoblastic nephroma. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014 , 40, 1114-7	1.9	6
360	Uterine compression suture for acute recurrence of puerperal uterine inversion: Hayman suture?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012 , 38, 1272-3	1.9	6
359	Mass ligation: M cross double ligation with the edge picked up. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2012 , 91, 155-6	3.8	6

358	Jaundice as the first manifestation of primary biliary cirrhosis during pregnancy: measurement of portal vein blood flow. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011 , 37, 963-4	1.9	6
357	Cavernous lymphangiomas involving bilateral labia minora. <i>Obstetrics and Gynecology</i> , 2010 , 116 Suppl 2, 510-512	4.9	6
356	Changes in plasma levels of hepatocyte growth factor and its associated factors during pregnancy. <i>Journal of Obstetrics and Gynaecology Research</i> , 2006 , 32, 10-4		6
355	Role of tissue interaction between pineal primordium and neighboring tissues in avian pineal morphogenesis studied by intraocular transplantation. <i>Development Genes and Evolution</i> , 2002 , 212, 319-29	1.8	6
354	Ultracytochemical localization of 5'-nucleotidase activity in human ejaculated spermatozoa. <i>Journal of Developmental and Physical Disabilities</i> , 2000 , 23, 106-8		6
353	Glucose production and glucose-6-phosphatase in the human placenta. <i>Placenta</i> , 2000 , 21, 591-3	3.4	6
352	Intentional placental removal on suspicious placenta accreta spectrum: still prohibited?. <i>Archives of Gynecology and Obstetrics</i> , 2018 , 297, 1-2	2.5	6
351	Response to and toxicity of gemcitabine for recurrent ovarian cancer according to number of previous chemotherapy regimens. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017 , 43, 358-364	1.9	5
350	Ritodrine-induced rhabdomyolysis, infantile myotonic dystrophy, and maternal myotonic dystrophy unveiled. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017 , 43, 403-407	1.9	5
349	Drainage failure of Bakri balloon: no drainage does not indicate no bleeding. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015 , 94, 336	3.8	5
348	Cesarean incision in case of placenta previa: does the transplacental approach cause fetal anemia?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015 , 94, 226-7	3.8	5
347	Prophylactic aortic balloon occlusion for placenta accreta spectrum disorders: Occlusion where?. <i>Archives of Gynecology and Obstetrics</i> , 2020 , 302, 1553-1554	2.5	5
346	Video images: How to insert a Bakri balloon and hold the cervix. <i>Hypertension Research in Pregnancy</i> , 2016 , 4, 108-110	0.7	5
345	Postpartum hemorrhage: is angiographically detectable "sac" mandatory for diagnosis of ruptured pseudoaneurysm?. <i>Archives of Gynecology and Obstetrics</i> , 2016 , 293, 1361-2	2.5	5
344	A trio of risk factors for the onset of preeclampsia in the second and early third trimesters. <i>Pregnancy Hypertension</i> , 2014 , 4, 224-30	2.6	5
343	Labial adhesion causing voiding but not sexual problems in a married woman. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013 , 39, 415-9	1.9	5
342	Uterine artery pseudoaneurysm after non-traumatic vaginal delivery as a cause of postpartum hemorrhage: determination of its mechanism is urgently needed. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015 , 94, 788-789	3.8	5
341	Changes in expression of vascular endothelial growth factor D-related genes in placental mesenchymal dysplasia. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014 , 40, 1145-9	1.9	5

340	Two nursing mothers treated with zonisamide: Should breast-feeding be avoided?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014 , 40, 275-8	1.9	5
339	Adenosine for maternal supraventricular tachycardia and preterm delivery. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2011 , 33, 794-795	1.3	5
338	Ehlers-Danlos type IV in pregnancy with a history of myocardial infarction. <i>Journal of Obstetrics and Gynaecology Research</i> , 2009 , 35, 797-800		5
337	3D color Doppler of monoamniotic twin cord entanglement. <i>Archives of Gynecology and Obstetrics</i> , 2010 , 281, 973-4	2.5	5
336	NAD(P)H oxidase in human fetal membrane chorion laeve trophoblasts with or without chorioamnionitis: ultrastructural enzyme histochemical study. <i>Molecular Human Reproduction</i> , 2001 , 7, 779-85	4.4	5
335	Influence of chorioamnionitis on survival and morbidity in singletons live-born at . <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2000 , 79, 861-865	3.8	5
334	Enzyme-histochemically detectable glucose-6-phosphatase is present in chorion laeve trophoblasts of human fetal membranes. <i>Histochemistry and Cell Biology</i> , 2000 , 113, 363-8	2.4	5
333	Stimulated Hofbauer Cells in the Placental Villi from Patients with Second-Trimester Abortions.. <i>Acta Histochemica Et Cytochemica</i> , 1998 , 31, 447-452	1.9	5
332	Stimulated polymorphonuclear leukocytes in vaginal secretions from patients with preterm labor. <i>Gynecologic and Obstetric Investigation</i> , 1998 , 45, 35-40	2.5	5
331	Ovarian nongestational choriocarcinoma and associated adenocarcinoma with the same germ cell origin determined by a molecular genetic approach: A case report. <i>Pathology International</i> , 2016 , 66, 529-34	1.8	5
330	"Filling the bladder" at Cesarean Hysterectomy for Placenta Percreta. <i>Geburtshilfe Und Frauenheilkunde</i> , 2018 , 78, 715-716	2	5
329	Obstetric surgeries: Specific features different from surgeries in other surgical fields. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018 , 226, 75-76	2.4	5
328	Salpingectomy for tubal sterilization at cesarean section: no extra time and no extra bleeding compared with tubal ligation. <i>Clinical and Experimental Obstetrics and Gynecology</i> , 2017 , 44, 879-881	1.2	5
327	Hysterectomy: All obstetrician-gynecologists should learn to perform it. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2019 , 98, 813	3.8	4
326	Incidence of human papillomavirus contamination of transvaginal probes in Japan and possible contamination prevention strategy. <i>Journal of Medical Ultrasonics (2001)</i> , 2016 , 43, 505-8	1.4	4
325	Prognosis of endometrial cancer patients with and without symptoms at recurrence. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016 , 42, 1814-1821	1.9	4
324	Pregnant woman with an extremely small uterus due to pelvic irradiation in childhood. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012 , 38, 559-61	1.9	4
323	Perimortem cesarean section or perimortem cesarean supracervical hysterectomy?. <i>Archives of Gynecology and Obstetrics</i> , 2013 , 287, 389-90	2.5	4

322	Brain damage of surviving co-twin following single fetal death in monochorionic diamniotic twin pregnancy at 8-9 weeks' gestation. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014 , 93, 1336	3.8	4
321	Placenta percreta: multidisciplinary team may not be enough. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2014 , 54, 291	1.7	4
320	Uterine artery pseudoaneurysm manifesting at the time of evacuation for abortion: pseudoaneurysm without preceding events. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014 , 93, 723-4	3.8	4
319	Reply: Cesarean hysterectomy for placenta previa accreta; extrapolating measures may have merits for ordinary obstetricians. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013 , 92, 1431-2	3.8	4
318	A long curved needle with a large radius for uterine compression suture. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013 , 92, 988-9	3.8	4
317	Retained products of conception with marked vascularity: pseudoaneurysm hidden behind it. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011 , 37, 965; author reply 966	1.9	4
316	Glucose-6-phosphate dehydrogenase in rat lung alveolar epithelial cells. An ultrastructural enzyme-cytochemical study. <i>European Journal of Histochemistry</i> , 2002 , 46, 243-8	2.1	4
315	Studies on the permeability and enzyme-cytochemistry of the mouse hemotrichorial placenta. <i>Asia-Oceania Journal of Obstetrics and Gynaecology</i> , 1993 , 19, 441-7		4
314	Uterine artery pseudoaneurysm after cesarean section: case report and literature review. <i>Journal of Minimally Invasive Gynecology</i> , 2011 , 18, 411-2; author reply 412	2.2	4
313	C-reactive protein levels at pre-/post-indicated cervical cerclage predict very preterm birth. <i>Journal of Perinatal Medicine</i> , 2011 , 39, 151-5	2.7	4
312	Discordant twin: marked vascular communication between separated dichorionic diamniotic placentas. <i>Twin Research and Human Genetics</i> , 2003 , 6, 267-9		4
311	Golgi Apparatus and Mitochondria of Human Amniotic Epithelial Cells. <i>Acta Histochemica Et Cytochemica</i> , 2004 , 37, 407-409	1.9	4
310	Good obstetric outcome in a patient with Segawa disease. <i>Arquivos De Neuro-Psiquiatria</i> , 2012 , 70, 559-60	6	4
309	Re: Abnormally invasive placenta - prevalence, risk factors and antenatal suspicion: results from a large population-based pregnancy cohort study in the Nordic countries. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123, 1031-2	3.7	4
308	Laterally-positioned placenta in placenta previa. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020 , 33, 2642-2648	2	4
307	Serum soluble LIGHT in the early third trimester as a novel biomarker for predicting late-onset preeclampsia. <i>Pregnancy Hypertension</i> , 2018 , 14, 174-176	2.6	4
306	LncRNA -Derived Accelerates the Invasion of Extravillous Trophoblast Cells by Inhibiting and Subsequently Activating Matrix Metalloproteinases. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	4
305	Supporting rural remote physicians to conduct a study and write a paper: experience of Clinical Research Support Team (CRST)-Jichi. <i>Rural and Remote Health</i> , 2014 , 14, 2883	1.3	4

304	Letter to the Editor on the article "Clinical evaluation of balloon occlusion of the lower abdominal aorta in patients with placenta previa and previous cesarean section: A retrospective study on 43 cases.": The drier the surgical field, the better?. <i>International Journal of Surgery</i> , 2017 , 39, 148-149	7.5	3
303	Color vision abnormality as the sole manifestation of posterior reversible encephalopathy due to post-partum HELLP syndrome. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017 , 43, 592-594	1.9	3
302	The "morbidly adherent placenta" team: recognition and respect are needed. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 217, 101-102	6.4	3
301	Placenta accreta spectrum and post-traumatic stress disorder: Is disclosing mortality risk to patients merit or demerit?. <i>Placenta</i> , 2019 , 85, 78-79	3.4	3
300	Re: removable uterine compression sutures for postpartum haemorrhage. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015 , 122, 755-6	3.7	3
299	Diagnosis of placental mesenchymal dysplasia: magnetic resonance imaging or color Doppler?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2015 , 41, 488	1.9	3
298	Magnetic resonance imaging of degeneration of uterine adenomyosis during pregnancy and post-partum period. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018 , 44, 1169-1173	1.9	3
297	Inserting and holding the Bakri balloon in the uterus in a patient with cervical cerclage already placed: some techniques. <i>Archives of Gynecology and Obstetrics</i> , 2016 , 294, 669-70	2.5	3
296	Urinary protein-to-creatinine ratio indicative of significant proteinuria in normotensive pregnant women. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016 , 42, 784-8	1.9	3
295	Vasa previa: Another ultrasound sign and caution at cesarean section. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016 , 29, 1139-40	2	3
294	Attempted placental separation for suspected placenta accreta: experience may matter. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016 , 201, 220-1	2.4	3
293	Nauseaa suture for placenta accreta spectrum: further studies are needed. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 418	3.7	3
292	Immune status among Japanese during nationwide rubella outbreak in Japan 2012-2013. <i>Journal of Infection</i> , 2014 , 68, 300-2	18.9	3
291	A new approach for the Bakri balloon for placenta previa. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014 , 182, 262-3	2.4	3
290	Re: Serious maternal complications in relation to severe pre-eclampsia: a retrospective cohort study of the impact of hospital volume; Severe maternal morbidity requires regionalisation of obstetric critical care; Guilt, blame and litigation: can an overenthusiastic 'safety culture' cause harm?: Maternal mortality: the heavy psychological burden on centre obstetricians. <i>BJOG: an</i>	3.7	3
289	Conservative management of abnormally invasive placenta: an untold factor to consider. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2017 , 96, 253	3.8	3
288	Need for systematic classification of various uterine compression sutures. <i>Journal of Obstetrics and Gynaecology Research</i> , 2015 , 41, 1676	1.9	3
287	Pancytopenia in the first trimester: An indicator of hidden hyperthyroidism. <i>Journal of Obstetrics and Gynaecology Research</i> , 2015 , 41, 1991-4	1.9	3

286	Re: The prevention and treatment of postpartum haemorrhage: what do we know, and where do we go to next?: The treatment of postpartum haemorrhage: holding the intrauterine balloon 'there'. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015 , 122, 1846	3.7	3
285	Intrauterine balloon occlusion during cesarean hysterectomy for placenta previa accreta: the internal or common iliac artery?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014 , 93, 122-3	3.8	3
284	Occluded uterine rupture: preventing catastrophe, preventing early diagnosis. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012 , 38, 350	1.9	3
283	Fetal movement count may prevent fetal death as early as 26 weeks. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013 , 92, 1426	3.8	3
282	No increase in hemorrhagic complications with thromboprophylaxis using low-molecular-weight heparin soon after cesarean section. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011 , 37, 1208-11	1.9	3
281	Headache in late pregnancy: a symptom for Vogt-Koyanagi-Harada disease. <i>Archives of Gynecology and Obstetrics</i> , 2011 , 283, 1423-5	2.5	3
280	Large vasa previa mimicking a small forebag. <i>Journal of Clinical Ultrasound</i> , 2011 , 39, 274-5	1	3
279	Simultaneous demonstration of acid phosphatase and glucose-6-phosphate dehydrogenase in mouse hepatocytes. A novel electron-microscopic dual staining enzyme-cytochemistry. <i>European Journal of Histochemistry</i> , 2002 , 46, 237-42	2.1	3
278	Enzyme-Cytochemistry of Human Chorion Laeve at Term: Enzyme Localization on the Chorionic Trophoblast. <i>Asia-Oceania Journal of Obstetrics and Gynaecology</i> , 2010 , 20, 217-222		3
277	Chorion laeve trophoblasts of preeclamptic fetal membranes: histochemically detectable enzyme activities do not change at a subcellular level. <i>European Journal of Histochemistry</i> , 2001 , 45, 211-7	2.1	3
276	Serious adverse drug reaction in a woman with hyperemesis gravidarum after first exposure to vitamin B complex containing vitamins B1, B6 and B12. <i>Journal of Obstetrics and Gynaecology Research</i> , 2009 , 35, 790-3		3
275	Mirror syndrome associated with hydropic acardius in triplet pregnancy. <i>Fetal Diagnosis and Therapy</i> , 2008 , 24, 429-33	2.4	3
274	Acute promyelocytic leukemia: an unusual cause showing prolonged disseminated intravascular coagulation after placental abruption. <i>Archives of Gynecology and Obstetrics</i> , 2008 , 277, 267-70	2.5	3
273	Demonstration of glucose-6-phosphate dehydrogenase in rat Kupffer cells by a newly-developed ultrastructural enzyme-cytochemistry. <i>European Journal of Histochemistry</i> , 2003 , 47, 173-6	2.1	3
272	Glucose-6-phosphate dehydrogenase in rat hepatic stellate cells: an ultrastructural enzyme-cytochemical study. <i>Hepatology Research</i> , 2002 , 24, 300	5.1	3
271	Woman with postpartum ventricular tachycardia and hypomagnesemia. <i>Journal of Obstetrics and Gynaecology Research</i> , 2003 , 29, 92-5		3
270	Plasma Adenosine Levels and P-Selectin Expression on Platelets in Preeclampsia. <i>Obstetrics and Gynecology</i> , 2001 , 98, 354	4.9	3
269	Dose distribution of neutron beam and chromosome analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 1988 , 14, 503-9	4	3

- 268 Spontaneous spinal epidural hematoma during pregnancy. *Arquivos De Neuro-Psiquiatria*, **2012**, 70, 81 1.6 3
- 267 Letter to 'Cervical varix complicated by placenta previa: A case report and literature review': A novel simple abdominal traction stitch (Matsubara) to hold the Bakri balloon. *Journal of Obstetrics and Gynaecology Research*, **2016**, 42, 1203-4 1.9 3
- 266 Extravillous trophoblast invasion accelerated by WNT3A, 5A, and 10B via CD44. *Journal of Maternal-Fetal and Neonatal Medicine*, **2021**, 34, 3377-3385 2 3
- 265 Retained placenta accreta with marked vascularity, uterine artery pseudoaneurysm, and placental polyp: overlapping clinical entities?. *Archives of Gynecology and Obstetrics*, **2018**, 297, 269-270 2.5 3
- 264 Placenta Previa Accreta and Previous Cesarean Section: Some Clarifications. *Chinese Medical Journal*, **2018**, 131, 1504-1505 2.9 3
- 263 Meconium-stained amniotic fluid activates polymorphonuclear leukocytes ultrastructural and enzyme-cytochemical evidence. *European Journal of Histochemistry*, **1999**, 43, 205-10 2.1 3
- 262 Wnt5a and preeclampsia: is Wnt5a really a causative factor of preeclampsia?. *Journal of Maternal-Fetal and Neonatal Medicine*, **2017**, 30, 1087-1088 2 2
- 261 Prophylactic Uterine Artery Embolization in Mid-trimester Pregnancy Termination for Placenta Previa: Required for All Patients?. *CardioVascular and Interventional Radiology*, **2017**, 40, 474-475 2.7 2
- 260 Independent risk factors for a small placenta and a small-for-gestational-age infant at 35-41 weeks of gestation: An association with circulating angiogenesis-related factor levels at 19-31 weeks of gestation. *Journal of Obstetrics and Gynaecology Research*, **2017**, 43, 1285-1292 1.9 2
- 259 Takotsubo syndrome occurring concomitantly with pre-eclampsia: A case report. *Journal of Obstetrics and Gynaecology Research*, **2019**, 45, 1071-1075 1.9 2
- 258 Idiopathic mitral valve chordae rupture in an infant: importance of rapid diagnosis and surgery. *Pediatrics International*, **2015**, 57, e65-8 1.2 2
- 257 Intrauterine ritodrine exposure and childhood asthma: Is ritodrine a real culprit?. *Pediatric Allergy and Immunology*, **2018**, 29, 332-333 4.2 2
- 256 Placenta previa and hemorrhage: the placental location may be an important determinant of the bleeding amount. *Journal of Maternal-Fetal and Neonatal Medicine*, **2018**, 31, 1390-1391 2 2
- 255 Antenatal immunoglobulin for prevention of neonatal hemochromatosis. *Pediatrics International*, **2016**, 58, 1059-1061 1.2 2
- 254 Cesarean hysterectomy for placenta previa accreta in dichorionic twin: a surgery that remains challenging. *Journal of Maternal-Fetal and Neonatal Medicine*, **2016**, 29, 3151-2 2 2
- 253 Comment on "Discussion on the Timing of Balloon Occlusion of the Abdominal Aorta during a Caesarean Section in Patients with Pernicious Placenta Previa Complicated with Placenta Accreta". *BioMed Research International*, **2018**, 2018, 9493878 3 2
- 252 Bakri balloon for placenta accreta spectrum disorder: an alternative to caesarean hysterectomy?. *Journal of Obstetrics and Gynaecology*, **2018**, 38, 1186 1.3 2
- 251 Thrombus just beneath a retrievable inferior vena cava filter in a pregnant woman with deep vein thrombosis: its removal requiring catheter thrombus fragmentation with fibrinolysis. *Journal of Obstetrics and Gynaecology Research*, **2014**, 40, 590-4 1.9 2

250	Uterine artery pseudoaneurysm rupture as a culprit of postpartum hemorrhage: not always after cesarean section. <i>Journal of Emergency Medicine</i> , 2014 , 46, e97-8	1.5	2
249	Biliary sludge during hyperemesis gravidarum and later occurrence of gallstones. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013 , 39, 617	1.9	2
248	Letter to 'Silent uterine rupture occluded by intestinal adhesions following laparoscopic myomectomy: A case report': Do some remain permanently silent?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017 , 43, 1887-1888	1.9	2
247	Re: Intrauterine balloon tamponade for management of severe postpartum haemorrhage in a perinatal network: a prospective cohort study: Exclusion criteria?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017 , 124, 1792-1793	3.7	2
246	Aortic Balloon Occlusion for Placenta Previa Accreta: Surgical Details are Important. <i>CardioVascular and Interventional Radiology</i> , 2017 , 40, 478-479	2.7	2
245	Respiratory Arrest in an Obese Pregnant Woman with Hyperemesis Gravidarum. <i>Case Reports in Obstetrics and Gynecology</i> , 2015 , 2015, 278391	0.8	2
244	Prolapse of the small intestine from the uterine perforation at dilatation and curettage. <i>Case Reports in Obstetrics and Gynecology</i> , 2014 , 2014, 164356	0.8	2
243	Reduced fetal movements at 27 weeks: an alarm for maternal-fetal listeriosis?. <i>Journal of Obstetrics and Gynaecology</i> , 2014 , 34, 740	1.3	2
242	Uterine fundal pressure: is it really a culprit of poor maternal and neonatal outcome?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014 , 40, 1956	1.9	2
241	Good obstetric outcome after embolisation of pulmonary arteriovenous malformation in hereditary haemorrhagic telangiectasia: planned pregnancy may also be important in this condition. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2014 , 54, 191	1.7	2
240	Ureteral catheter is useful to prevent ureteral injuries not only for gynecologic surgery but also for cesarean hysterectomy for placenta previa accreta: the obstetrician's opinion. <i>Urologia</i> , 2014 , 81, 187-8	1.2	2
239	Obstetric hysterectomy: three technical measures. <i>Journal of Obstetrics and Gynaecology</i> , 2012 , 32, 154-5	5.3	2
238	Uterine necrosis after B-Lynch suture in a classical caesarean section. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013 , 53, 595-6	1.7	2
237	Urinary ascites in a fetus with posterior urethral valve: antenatal diagnosis. <i>Pediatrics International</i> , 2011 , 53, 281-2	1.2	2
236	Another "double bubble" sign or "double bladder" sign: fetal intra-abdominal umbilical vein varix. <i>Journal of Medical Ultrasonics (2001)</i> , 2011 , 38, 243	1.4	2
235	No bleeding before, more bleeding later: the relationship between the presence of warning bleeding and the amount of bleeding during caesarean section in placenta praevia. <i>Journal of Obstetrics and Gynaecology</i> , 2010 , 30, 836	1.3	2
234	Future recovery of the normal menstrual cycle in adolescent patients with secondary amenorrhea. <i>Journal of Obstetrics and Gynaecology Research</i> , 2009 , 35, 545-50		2
233	Severe liver dysfunction during nausea and vomiting of pregnancy: folic acid supplement as a suggested culprit. <i>Journal of Obstetrics and Gynaecology</i> , 2012 , 32, 701-2	1.3	2

232	Bullae in pediatric Henoch Schölein purpura: why some patients develop them?. <i>Pediatric Dermatology</i> , 2010 , 27, 680	1.9	2
231	Cellular and subcellular localization of nicotinamide adenine dinucleotide phosphate diaphorase activity. <i>Journal of Obstetrics and Gynaecology Research</i> , 1997 , 23, 133-8		2
230	Perioperative changes in plasma antithrombin activity and platelet counts in patients undergoing gynecologic surgery. <i>Seminars in Thrombosis and Hemostasis</i> , 2002 , 28, 519-24	5.3	2
229	Placenta of discordant twins: lack of change in histochemically detectable enzyme activities. <i>Twin Research and Human Genetics</i> , 2000 , 3, 123-8		2
228	Video image: Matsubara's Nelaton and Fishing methods for easier Bakri balloon insertion and avoiding its prolapse during cesarean section. <i>Hypertension Research in Pregnancy</i> , 2018 , 6, 73-75	0.7	2
227	Cervix clamping for postpartum hemorrhage: Effective and safe, but is it new?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020 , 244, 198-199	2.4	2
226	Some concerns regarding aortic cross-clamping in caesarean hysterectomy for placenta accreta spectrum (Re: Vascular control by infrarenal aortic cross-clamping in placenta accreta spectrum disorders: description of technique; Something old, something new & something borrowed). <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 128, 1556-1557	3.7	2
225	Maternal death in placenta accreta spectrum: Three possible factors preventing patients' transfer. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021 , 100, 1534-1535	3.8	2
224	Ultrasound findings of a fetus with osteogenesis imperfecta type I. <i>Archives of Gynecology and Obstetrics</i> , 2016 , 294, 213-4	2.5	2
223	Pelvic packing after peripartum hysterectomy: some concerns and additions. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016 , 206, 245-246	2.4	2
222	Magnetic resonance imaging of the human placental cotyledon: Proposal of a novel cotyledon appearance score. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019 , 232, 82-86	2.4	2
221	The Japanese experience and pharmacokinetics of antenatal maternal high-dose immunoglobulin treatment as a prophylaxis for neonatal hemochromatosis in siblings. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020 , 33, 142-148	2	2
220	Recurrent uterine fundal rupture: another viewpoint. <i>Journal of Obstetrics and Gynaecology</i> , 2020 , 40, 589	1.3	2
219	Vaginal examination and fear of childbirth. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2018 , 58, E24-E25	1.7	2
218	A Potentially Useful Addition to Predict Spontaneous Resolution of Uterine Artery Pseudoaneurysm: Absence of Diastolic Flow. <i>Case Reports in Obstetrics and Gynecology</i> , 2018 , 2018, 2158248	0.8	2
217	Psychological burden on obstetricians caused by patients' deaths. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018 , 97, 1405	3.8	2
216	Timing of surgery for placenta previa with suspected abnormally invasive placentation: a test of team competency?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017 , 96, 1029	3.8	1
215	Novel ultrasound finding of a fetus with Hirschsprung's disease: A caliber change sign. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017 , 215, 259-260	2.4	1

214	Hysterectomy for cesarean scar pregnancy: no or minimal bladder separation technique. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017 , 96, 898-899	3.8	1
213	Hypocalcemia and surgery for placenta accreta spectrum: Some concerns and considerations. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019 , 98, 1357	3.8	1
212	Fetal seizure: A video recording and possible etiology. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019 , 45, 1619-1625	1.9	1
211	Prophylactic use of Bakri balloon for placenta previa surgery: A simple procedure to prevent balloon prolapse. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2019 , 58, 438-439	1.6	1
210	Another merit of fetal MRI in prenatal diagnosis of right aortic arch. <i>Archives of Gynecology and Obstetrics</i> , 2019 , 300, 235-236	2.5	1
209	Comments on: Modified Pereira Suture as an Effective Option to Treat Postpartum Hemorrhage Due to Uterine Atony. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2019 , 41, 206-207	1.1	1
208	Modified hysterectomy for placenta increta and percreta: modifications of what?. <i>Archives of Gynecology and Obstetrics</i> , 2019 , 299, 1751-1752	2.5	1
207	Additional procedures for pelvic gauze packing for obstetric haemorrhage. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2019 , 59, E5	1.7	1
206	Transverse uterine fundal incision for placenta praevia with accreta: concern regarding its 'overuse'. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015 , 122, 448	3.7	1
205	A stepwise cesarean section for placenta percreta: effective only for "separable" placenta percreta?. <i>Archives of Gynecology and Obstetrics</i> , 2015 , 291, 243-4	2.5	1
204	Perimortem cesarean section: three possible procedures to overcome atonic bleeding after successful resuscitation. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015 , 94, 121	3.8	1
203	Purse-string double-layer closure for cesarean incision (Turan technique): Some concerns. <i>Journal of Obstetrics and Gynaecology Research</i> , 2015 , 41, 828-9	1.9	1
202	Interstitial Pregnancy in the Third Trimester with Severe Preeclampsia: A Case Report and Literature Review. <i>Case Reports in Obstetrics and Gynecology</i> , 2020 , 2020, 9408501	0.8	1
201	Methotrexate for placenta accreta spectrum disorders: Is it needed?. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2020 , 45, 399-400	2.2	1
200	Cumulative incidence of Kawasaki disease with cardiac sequelae in Japan. <i>Pediatrics International</i> , 2020 , 62, 444-450	1.2	1
199	German words: still used by Japanese obstetrics and gynecology doctors. <i>Archives of Gynecology and Obstetrics</i> , 2018 , 297, 555-557	2.5	1
198	Pre-pregnancy cardiovascular indices and birth outcomes of subsequent pregnancies: a 'sequential stress test' revealing hidden cardiovascular weakness?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018 , 125, 1135	3.7	1
197	Re: Peripartum hysterectomy: an economic analysis of direct healthcare costs using routinely collected data: Some concerns from obstetricians' viewpoint. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018 , 125, 905-906	3.7	1

196	Re: Respectful care during childbirth in health facilities globally: a qualitative evidence synthesis: Informed consent from parents based on 'accurate' information: what is 'accurate'?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018 , 125, 1038	3.7	1
195	Local uterine resection for placenta percreta: technical details are important. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018 , 31, 2338-2339	2	1
194	Informed consent and informed decision in maternal fetal neonatal medicine: do they go hand in hand?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018 , 31, 2930-2931	2	1
193	Predelivery uterine artery embolization for placental anomalies: some clarifications. <i>Radiologia Medica</i> , 2018 , 123, 79-80	6.5	1
192	Re: Uterine Artery Embolization before Delivery to Prevent Postpartum Hemorrhage. <i>Journal of Vascular and Interventional Radiology</i> , 2016 , 27, 1101-2	2.4	1
191	On-site hemostatic suturing for placenta previa: concerns and clarifications. <i>Archives of Gynecology and Obstetrics</i> , 2016 , 293, 223-224	2.5	1
190	Racial difference in postpartum hemorrhage outcome: pathophysiologic, clinical, and social significance?. <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 219, 515-516	6.4	1
189	Intrauterine balloon tamponade and bilateral hydronephrosis: do they really have a cause-effect relationship?. <i>Journal of Obstetrics and Gynaecology</i> , 2018 , 38, 587	1.3	1
188	Absent Ductus Venosus Associated with Partial Liver Defect. <i>Case Reports in Obstetrics and Gynecology</i> , 2018 , 2018, 6591025	0.8	1
187	Placental thickness measurement is difficult in some cases. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019 , 98, 264-265	3.8	1
186	Successful laparotomy tumor resection and levonorgestrel-releasing intrauterine system for atypical polypoid adenomyoma. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019 , 45, 230-234	1.9	1
185	Increased antiangiogenic factors in severe proteinuria without hypertension in pregnancy: is kidney biopsy necessary?. <i>CEN Case Reports</i> , 2014 , 3, 86-89	1	1
184	Is it time to classify various uterine compression suture techniques?. <i>Archives of Gynecology and Obstetrics</i> , 2013 , 288, 1195-6	2.5	1
183	Aortic balloon occlusion and placenta percreta: Some concerns and clarifications. <i>Journal of Trauma and Acute Care Surgery</i> , 2017 , 83, 1213-1214	3.3	1
182	Letter to 'Uterine artery pseudoaneurysm bleeding one decade after caesarean section: A case report': Pseudoaneurysm anywhere and anytime. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017 , 43, 1660-1661	1.9	1
181	Aortic balloon occlusion: Justifiable for placenta previa without accreta?. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2017 , 56, 578-579	1.6	1
180	Delivery or previous cesarean? A comment on "Antepartum hemorrhage from previous-cesarean-sectioned uterus as a potential sign of uterine artery pseudoaneurysm". <i>Journal of Zhejiang University: Science B</i> , 2017 , 18, 723-724	4.5	1
179	Cesarean hysterectomy for abnormally invasive placenta: is urologists' participation in the surgery always necessary?. <i>Scandinavian Journal of Urology</i> , 2017 , 51, 496-497	1.6	1

178	Letter to 'Successful treatment of uterine artery pseudoaneurysm with laparoscopic temporary clamping of bilateral uterine arteries, followed by hysteroscopic surgery': Pseudoaneurysm and vascular involution. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017 , 43, 1890-1891	1.9	1
177	Response to Dr Sabour: 'Prediction and prevention of hypertensive disorders of pregnancy: a methodological mistake'. <i>Hypertension Research</i> , 2017 , 40, 791	4.7	1
176	Identifying the vaginal fornix in cesarean hysterectomy for an abnormally invasive placenta: an alternative technique. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 217, 493-494	6.4	1
175	Uneventful vaginal delivery after spontaneous resolution of uterine artery pseudoaneurysm. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017 , 96, 128-129	3.8	1
174	Asymptomatic uterine rupture detected at cesarean section: Some different viewpoints. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2017 , 56, 870-871	1.6	1
173	Intrauterine hypoechoic mass cephalad to cesarean scar pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015 , 94, 670-1	3.8	1
172	A Commentary on: "A New Removable Uterine Compression by a Brace Suture in the Management of Severe Postpartum Hemorrhage". <i>Frontiers in Surgery</i> , 2015 , 2, 17	2.3	1
171	An untold factor that may influence the rate of cesarean section. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014 , 93, 218	3.8	1
170	Some clarification and concerns regarding a novel VV uterine compression suture. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014 , 40, 1165-6	1.9	1
169	Rare coexistence of placenta previa accreta and peritoneal adhesion: three-decade clinical observation. <i>Archives of Gynecology and Obstetrics</i> , 2012 , 286, 1603-4	2.5	1
168	Maternal Perception of Decreased Fetal Movement in One Twin: A Clue Leading to the Early Detection of Absent Variability due to Acute Twin-to-Twin Transfusion Syndrome. <i>Case Reports in Obstetrics and Gynecology</i> , 2013 , 2013, 345808	0.8	1
167	Uterine compression suture: not yet complete. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013 , 53, 505-6	1.7	1
166	Rhabdomyolysis caused by tocolytic therapy with oral ritodrine hydrochloride in a pregnant woman with placenta previa: Is this a rare case with a latent predisposing condition?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011 , 37, 672	1.9	1
165	Failure of mid-trimester pregnancy termination: ruptured rudimentary uterine horn pregnancy. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011 , 37, 967-8	1.9	1
164	Massive subchorionic thrombohematoma: termination should not be discouraged by antenatal diagnosis. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011 , 90, 927-8; author reply 928-9	3.8	1
163	Resumption of sinus rhythm from fetal complete atrioventricular block after maternally administered ritodrine. <i>Archives of Gynecology and Obstetrics</i> , 2011 , 283, 135-7	2.5	1
162	Is it true that placenta previa per se is not a risk factor for perinatal mortality?. <i>Archives of Gynecology and Obstetrics</i> , 2011 , 284, 1047-8; author reply 1049	2.5	1
161	Statistical model predicting a short duration to birth in women with preterm labor at 22-35 weeks' gestation: the importance of large vaginal Gram-positive rods. <i>Journal of Perinatal Medicine</i> , 2009 , 37, 244-50	2.7	1

160	"Side change" of a fetal ovarian cyst: key to diagnosis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 2143	2	1
159	Effect of daily vaginal disinfection on duration of gestation after premature rupture of the membranes and on infant outcome. <i>Journal of Obstetrics and Gynaecology Research</i> , 1998 , 24, 285-90		1
158	Placenta of discordant twins: lack of change in histochemically detectable enzyme activities. <i>Twin Research and Human Genetics</i> , 2000 , 3, 123-128		1
157	Difference in outcome of twins between early and delayed referrals. <i>Journal of Perinatal Medicine</i> , 1998 , 26, 302-7	2.7	1
156	Chromosome aberration frequencies produced by a 70-MeV proton beam. <i>Radiation Research</i> , 1990 , 123, 182-91	3.1	1
155	Ultracytochemical localization of ADP-degrading enzyme activity in the human term placenta--direct cytochemical evidence. <i>Nihon Sanka Fujinka Gakkai Zasshi</i> , 1987 , 39, 2195-6		1
154	The Risk of Birth Defects in Dichorionic Twins Conceived by Assisted Reproductive Technology		1
153	Pregnancy outcomes in Japanese pregnant women with either chronic hypertension or white coat hypertension (JP-WCH): protocol for a prospective multicenter cohort study. <i>Hypertension Research in Pregnancy</i> , 2018 , 6, 7-10	0.7	1
152	A Nationwide Survey of Obstetric Care Status on Japan's Islands, with Special Reference to Maternal Transport to the Mainland. <i>Tohoku Journal of Experimental Medicine</i> , 2020 , 250, 25-29	2.4	1
151	Live surgery "at home" is as safe as non-live surgery when performed by a surgeon who can do it safely under such conditions. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2021 , 100, 2303	3.8	1
150	Survey of the use of anticoagulation and anesthesia during cesarean section in patients with severe Pregnancy induced Hypertension (PIH) between 2010 and 2011 in Japan. <i>Hypertension Research in Pregnancy</i> , 2013 , 1, 13-22	0.7	1
149	Preventing intrauterine balloon from descending: Some suggestions. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2020 , 99, 290-291	3.8	1
148	Re: The effectiveness and safety of introducing condom-catheter uterine balloon tamponade for postpartum haemorrhage at secondary level hospitals in Uganda, Egypt and Senegal: a stepped wedge, cluster-randomised trial: Difficulty evaluating the efficacy of introducing the condom-catheter. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020 , 127, 425	3.7	1
147	Decreased circulating levels of plasmacytoid dendritic cells in women with early-onset preeclampsia. <i>Journal of Reproductive Immunology</i> , 2020 , 141, 103170	4.2	1
146	Letter to "removable retropubic uterine compression suture for controlling postpartum hemorrhage": The latest, the best?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021 , 47, 2798-2799 ^{1.9}		1
145	'Right for publication': another strategy to promote publications by novice authors. <i>Australian Health Review</i> , 2016 , 40, 716	1.8	1
144	Letter to "Post-partum hemoperitoneum: Do not miss false aneurysm as a cause of bleeding." Extrauterine pseudoaneurysm. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016 , 42, 752	1.9	1
143	Surgical management of abnormally invasive placenta: is decreased blood loss due to participation of gynecologic oncologists?. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2016 , 95, 119	3.8	1

142	Caesarean hysterectomy for placenta accreta: paracervix should be divided sequentially, not en masse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016 , 201, 227-8	2.4	1
141	Bakri balloon vs. B-Lynch suture as hemostatic procedures for atonic bleeding: clarification and concerns. <i>Archives of Gynecology and Obstetrics</i> , 2016 , 293, 1147-8	2.5	1
140	Balloon Uterine Tamponade Device After Peripartum Hysterectomy for Morbidly Adherent Placenta. <i>Obstetrics and Gynecology</i> , 2019 , 133, 188	4.9	1
139	Some suggestions to non-specialized centers still managing placenta accreta spectrum disorders. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019 , 98, 538	3.8	1
138	Parallel vertical compression suture to the lower uterine segment for placenta previa: is conducting bladder separation first safe for abnormally invasive placenta?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 1913-1914	2	1
137	Perinatal outcome of pregnancy after adenomyomectomy: summary of 10 cases with a brief literature review. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020 , 33, 4145-4149	2	1
136	Hayman suture versus Bakri balloon: some concerns and clarifications. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 34, 1844-1845	2	1
135	Placenta accreta spectrum: "placenta accreta" is still used. <i>Archives of Gynecology and Obstetrics</i> , 2021 , 303, 1629-1630	2.5	1
134	Abortion, Termination of Pregnancy, or Unterbrechung? A Non-English-native Obstetrician's View on Obstetric English Terminology. <i>Geburtshilfe Und Frauenheilkunde</i> , 2018 , 78, 1217-1218	2	1
133	Posterior Reversible Encephalopathy Syndrome with Stroke in Puerperal Woman with High Titer of Anti-Phospholipid IgM Antibody. <i>Case Reports in Obstetrics and Gynecology</i> , 2018 , 2018, 7438676	0.8	1
132	How to reverse the decline in the number of Japanese obstetricians and gynecologists. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018 , 44, 1864	1.9	1
131	Severe growth restriction undelivered at term and ultrasound examination: Some clarifications. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2018 , 58, E14-E15	1.7	1
130	Re: We should stop using incorrect Latin to describe parity and use plain English instead: Overcoming ambiguity to describe parity. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018 , 125, 1631	3.7	1
129	Temporary intra-arterial balloon occlusion for placenta accreta spectrum disorders: always inflate?. <i>Archives of Gynecology and Obstetrics</i> , 2018 , 298, 449-450	2.5	1
128	Letter to 'Retrospective analysis: Conservative treatment of placenta increta with methotrexate': Some clarifications. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018 , 44, 1499-1500	1.9	1
127	Quality of life after placenta accreta spectrum: Should women be informed of mortality risk?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2021 , 61, E24	1.7	1
126	Long-term outcome of fetus with ameliorated cystic hygroma. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2021 , 60, 874-877	1.6	1
125	Enzyme-cytochemically detectable NADPH-diaphorase activity is present in the endoplasmic reticulum and nuclear envelope of the syncytiotrophoblast of the human placenta. <i>European Journal of Histochemistry</i> , 1999 , 43, 247-51	2.1	1

124	A novel hemostatic technique during cesarean section for placenta previa: combining "cervical inversion" and "holding the cervix". <i>Minerva Ginecologica</i> , 2015 , 67, 488-9	1.2	1
123	Bilateral ovarian vein thrombosis without underlying conditions: A case report.. <i>Journal of Obstetrics and Gynaecology Research</i> , 2022 ,		1
122	Rapid Growth of Pelvic Cyst during Pregnancy: A Case Report. <i>Case Reports in Obstetrics and Gynecology</i> , 2019 , 2019, 3120921	0.8	0
121	Letter to 'Placental mesenchymal dysplasia with severe fetal growth restriction in one placenta of a dichorionic diamniotic twin pregnancy': Study on twin placenta as a natural experiment. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018 , 44, 1336-1337	1.9	0
120	Letter to 'Scoring model to predict massive post-partum bleeding in pregnancies with placenta previa: A retrospective cohort study': The best scoring model may depend on the situation. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018 , 44, 1186-1187	1.9	0
119	Changes in standing body sway of pregnant women after long-term bed rest. <i>Journal of Obstetrics and Gynaecology</i> , 2016 , 36, 479-82	1.3	0
118	Supporting less experienced physicians to write a paper: A proposal to introduce such a system on an academic society basis. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016 , 42, 1891-1892	1.9	0
117	Do neonates conceived after assisted reproductive technology require neonatal surgery more frequently? A 5-year single-center experience. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013 , 39, 974-8	1.9	0
116	Retinal detachment in hemolysis, elevated liver enzymes, and low platelet count (HELLP) syndrome: Color vision abnormality as the first and predominant manifestation. <i>Journal of Obstetrics and Gynaecology Research</i> , 2015 , 41, 1835-8	1.9	0
115	Misquoting Page's classification for placental abruption in Japan?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011 , 37, 481	1.9	0
114	Relation between viability of vaginal polymorphonuclear leukocytes and presence of histologic chorioamnionitis. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2000 , 79, 818-823	3.8	0
113	Careful clinical observation is essential for diagnosis of Huntington's disease. <i>Arquivos De Neuro-Psiquiatria</i> , 2012 , 70, 646	1.6	0
112	A modified transabdominal cervicoisthmic cerclage with the monofilament thread: Its efficacy and safety for women with extremely short cervix due to cervical conization. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021 , 48, 366	1.9	0
111	Letter to 'Intermittent aortic balloon occlusion combined with cesarean section for the treatment of patients with placenta previa complicated by placenta accreta: A retrospective study': Some concerns. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019 , 45, 240-241	1.9	0
110	Clinical predictors of gangrenous appendicitis: elevated total bilirubin level and computed tomography scan findings. <i>Acute Medicine & Surgery</i> , 2021 , 8, e620	1.7	0
109	Comments on: Segmental Uterine Wall Resection for Placenta Accreta Spectrum Disorder: For what Purpose?. <i>Revista Brasileira De Ginecologia E Obstetrica</i> , 2018 , 40, 652-653	1.1	0
108	Aortic balloon occlusion at surgery for placenta accreta spectrum: is the occlusion at the level of the renal artery necessary?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 1-2	2	0
107	Adducted thumb may not be mandatory for prenatal diagnosis of X-linked hydrocephalus in early second trimester.. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2022 , 61, 353-355	1.6	0

106	Bleeding-related outcomes of low-risk total placenta previa are equivalent to those of partial/marginal placenta previa. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2022 , 61, 447-452	1.6	0
105	Uterine artery pseudoaneurysm caused by non-obstetric pelvic surgery, manifesting as haemoperitoneum after vaginal delivery: Some clarifications. <i>Journal of Obstetrics and Gynaecology</i> , 2017 , 37, 403	1.3	
104	Puerperal uterine inversion from two viewpoints: Its recurrence at the next pregnancy and "unavoidable"-procedure-associated inversion. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017 , 214, 199-200	2.4	
103	Intrauterine hemostatic balloon placement: is . <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 216, 537-538	6.4	
102	Exploratory analysis of textual data from the Mother and Child Handbook using a text mining method (II): Monthly changes in the words recorded by mothers. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017 , 43, 100-105	1.9	
101	Re: methotrexate infusion followed by uterine artery embolisation for the management of placental adhesive disorders: a case series. <i>Clinical Radiology</i> , 2019 , 74, 645-646	2.9	
100	Who should be trained to perform special procedures in obstetrics and gynecology? - With hysterectomy as an example. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019 , 45, 1961-1962	1.9	
99	Strict workhour regulations: For whom?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019 , 45, 1429-1430	1.3	
98	Uterine artery pseudoaneurysm: importance of interventional radiology in obstetric surgery. <i>Journal of Obstetrics and Gynaecology</i> , 2019 , 39, 730	1.3	
97	Letter to 'Scientific publication in obstetrics and gynecology from Mainland China and other top-ranking countries: A 10-year survey of the literature': Another viewpoint. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019 , 45, 1085-1086	1.9	
96	Need for registration and classification of uterine compression sutures. <i>International Journal of Gynecology and Obstetrics</i> , 2019 , 145, 244	4	
95	Authors' reply: No vaginal bleeding does not indicate no bleeding: still valid for Bakri balloon and also for "holding the cervix". <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015 , 94, 557	3.8	
94	Intra-abdominal adhesions: vaginal or abdominal delivery?. <i>Archives of Gynecology and Obstetrics</i> , 2015 , 292, 953-4	2.5	
93	Acute gastric pain after eating sashimi. <i>BMJ, The</i> , 2020 , m3730	5.9	
92	Uterine compression sutures: Removable and thus prophylactic. <i>Journal of Obstetrics and Gynaecology Research</i> , 2020 , 46, 801	1.9	
91	Uterine Artery Pseudoaneurysm: Some Practical Considerations. <i>Journal of Emergency Medicine</i> , 2020 , 58, 127-128	1.5	
90	Mobile applications for fetal movement: Only decreased movement matters?. <i>Women and Birth</i> , 2020 , 33, e574-e575	3.3	
89	Usefulness of dynamic computed tomography for diagnosing and evaluating uterine artery pseudoaneurysms in women with late post-partum hemorrhage not complicated by retained products of conception. <i>Journal of Obstetrics and Gynaecology Research</i> , 2020 , 46, 249-255	1.9	

88	MicroRNA. <i>Comprehensive Gynecology and Obstetrics</i> , 2018 , 209-224	0
87	Perceived fetal movement count as a traditional but essential tool for evaluating fetal health: some additions and Japanese obstetricians' and pediatricians' view. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018 , 31, 251-252	2
86	Segmental resection of the uterine wall for placenta previa percreta: some clarifications. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018 , 31, 2506-2507	2
85	Eclampsia and hypertension: difficult to predict based solely on blood pressure monitoring. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016 , 95, 1448	3.8
84	Recurrent postpartum haemorrhage following transcatheter arterial permanent embolisation using N-butyl cyanoacrylate requiring repeat embolisation with transient gelatine sponge: Lessons for clinical practice. <i>Journal of Obstetrics and Gynaecology</i> , 2016 , 36, 999-1001	1.3
83	Pseudoaneurysm: Some Differences in its Character Between the Mesenteric vs. Uterine Artery Highlighting the Unique Feature of This Vascular Disorder. <i>CardioVascular and Interventional Radiology</i> , 2016 , 39, 1662-1663	2.7
82	Letter to "Tardive intermittent massive vaginal bleeding from abnormal blood vessels within cesarean scar: Two more new cases should bring our attention to a new entity": Really, a new entity?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016 , 42, 1412-1413	1.9
81	Insertion of the Bakri balloon: The earlier, the better?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2016 , 56, 117	1.7
80	Hidden, but possibly significant, cause of secondary post-partum hemorrhage: Uterine artery pseudoaneurysm. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016 , 42, 905	1.9
79	Mode of delivery of triplet pregnancy: hidden factors that should be considered. <i>Archives of Gynecology and Obstetrics</i> , 2018 , 298, 459-460	2.5
78	Prior cesarean section and placenta accreta spectrum disorders: some clarifications. <i>Archives of Gynecology and Obstetrics</i> , 2018 , 298, 447-448	2.5
77	Burnout and devastated feeling on patient's death: Universal to clinicians. <i>Australian Critical Care</i> , 2019 , 32, 275-276	2.9
76	Is anterior placentation per se a risk for cesarean section-related morbidity in placenta previa?. <i>Journal of Perinatology</i> , 2014 , 34, 649	3.1
75	Birth injury after cesarean section at 24 weeks of gestation: a large scalp laceration. <i>Archives of Gynecology and Obstetrics</i> , 2013 , 287, 617-8	2.5
74	Uterine compression suture combined with holding the cervix technique: a measure to achieve hemostasis for atonic bleeding during or after cesarean section. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013 , 92, 1234-5	3.8
73	Reply to Ngene et al. (2013): Uterotonic agents should be avoided during cesarean hysterectomy for placenta previa accreta until evidence is forthcoming. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013 , 92, 1339	3.8
72	Uterine wall resection strategy for abnormally invasive placenta: extirpative approach for control patients justifiable?. <i>Archives of Gynecology and Obstetrics</i> , 2017 , 296, 1039-1040	2.5
71	Sclerotherapy for placenta accreta: Some concerns. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2017 , 56, 270	1.6

- 70 Prophylactic use of Bakri balloon for reduction of hemorrhage at cesarean for placenta previa: addition and clarification. *Archives of Gynecology and Obstetrics*, **2017**, 296, 613-614 2.5
- 69 Pseudoaneurysm: really a placenta-associated vascular regression abnormality?. *Journal of Obstetrics and Gynaecology*, **2017**, 37, 973 1.3
- 68 Predicting massive transfusion in placenta previa. *Journal of Anesthesia*, **2017**, 31, 642 2.2
- 67 Letter to 'Novel approach to uterine artery pseudoaneurysm embolization for delayed post-partum hemorrhage': Thrombin really necessary?. *Journal of Obstetrics and Gynaecology Research*, **2017**, 43, 151[†] 1.9
- 66 Pregnancy-related thromboembolism and contributing risk factors: From 10 years of experience at a Japanese tertiary obstetrics institute. *Hypertension Research in Pregnancy*, **2017**, 5, 59-64 0.7
- 65 A Clinically Useful Sign for Auto-Amputation of the Ovary. *Journal of Pediatric and Adolescent Gynecology*, **2017**, 30, 266 2
- 64 Re: The Hayman uterine compression suture. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2015**, 122, 1715-6 3.7
- 63 Comment on "Alternate Sequential Suture Tightening: A Novel Technique for Uncontrolled Postpartum Hemorrhage". *Obstetrics and Gynecology International*, **2015**, 2015, 279513 2
- 62 Cervical tourniquet for anterior placenta previa: clarification and concern. *Journal of Obstetrics and Gynaecology Research*, **2014**, 40, 2086-7 1.9
- 61 From the first cry to development of the study of reproductive health in Japan: A tribute to Sei-ichi Matsumoto. *Journal of Obstetrics and Gynaecology Research*, **2012**, 38, 1392-4 1.9
- 60 Trephination for acute epidural hematoma using stainless wire on a remote island. *Journal of Emergency Medicine*, **2012**, 43, e489-90 1.5
- 59 Letter to the editor: web-based education for placental complications of pregnancy. *Journal of Obstetrics and Gynaecology Canada*, **2013**, 35, 881-882 1.3
- 58 Comment on "menstrual disorders in adolescent school girls in Enugu, Nigeria" by Nwankwo et al: does adolescent dysmenorrhea ameliorate after age 20?. *Journal of Pediatric and Adolescent Gynecology*, **2011**, 24, e101-2 2
- 57 A pregnant woman with clinical and radiological findings compatible with posterior reversible encephalopathy syndrome in early pregnancy without discernable underlying disorders: atypical type of this syndrome?. *Journal of Obstetrics and Gynaecology Research*, **2011**, 37, 1137-40 1.9
- 56 Factors influencing long-term pessary use: comment. *International Urogynecology Journal*, **2011**, 22, 1045; author reply 1046 2
- 55 Non-surgical management of post-cesarean uterine infection with marked myometrial gas formation. *Journal of Obstetrics and Gynaecology Research*, **2010**, 36, 1240-4 1.9
- 54 Enzyme-Cytochemistry of Human Chorion Laeve at Term: Enzyme Localization on the Chorionic Trophoblast. *Asia-Oceania Journal of Obstetrics and Gynaecology*, **2010**, 20, 217-222
- 53 Prior caesarean section involving the uterine body, cerclage, pre-term labour contraction and uterine rupture. *Journal of Obstetrics and Gynaecology*, **2011**, 31, 665 1.3

- 52 Three-dimensional echocardiographic assessment of rhabdomyoma in a newborn: the merit of three dimension over two dimension. *Cardiology in the Young*, **2011**, 21, 718 1
- 51 Delayed laparoscopic management of placenta increta. *Journal of Obstetrics and Gynaecology Canada*, **2012**, 34, 617-8 1.3
- 50 Effectiveness of bromocriptine treatment in a patient with peripartum cardiomyopathy. *Journal of Cardiology Cases*, **2010**, 2, e28-e31 0.6
- 49 Ultrastructural localization and cytochemical characteristics of human placental ADP-degrading activity in normal and preeclamptic pregnancy. *Placenta*, **1997**, 18, 121-129 3.4
- 48 Leukocyte Migration through the Basement Membrane: Ultrastructural-Cytochemical Observation of the Human Fetal Membrane in Women with Chorioamnionitis-Related Preterm Delivery. *Acta Histochemica Et Cytochemica*, **2005**, 38, 339-341 1.9
- 47 A new three-dimensional automatic bodymarker system for transvaginal ultrasonography. *Ultrasound in Obstetrics and Gynecology*, **2005**, 25, 586-91 5.8
- 46 Ultracytochemical localization of NAD(P)H oxidase activity in the human placenta. *Nihon Sanka Fujinka Gakkai Zasshi*, **1991**, 43, 117-21
- 45 Ultracytochemical study on the permeability of the human amniotic epithelium. *Nihon Sanka Fujinka Gakkai Zasshi*, **1991**, 43, 641-6
- 44 Presence of nerve fibers in the human umbilical cord--an electron microscopical histochemical proof. *Nihon Sanka Fujinka Gakkai Zasshi*, **1988**, 40, 1775-6
- 43 Enzyme-cytochemistry of human chorion laeve at term: enzyme localization on the chorionic trophoblast. *Asia-Oceania Journal of Obstetrics and Gynaecology*, **1994**, 20, 217-22
- 42 Enzyme-cytochemistry of human chorion laeve at term: enzyme localization on the chorionic trophoblast. *Asia-Oceania Journal of Obstetrics and Gynaecology*, **1994**, 20, 217-22
- 41 Uterine Sandwich Suture: The Concept of "Role Sharing" Is Important. *Cureus*, **2020**, 12, e11492 1.2
- 40 Hemostatic effect of combined procedures for placenta previa: cervix-holding, intrauterine balloon, and uterine compression suture. *Journal of Maternal-Fetal and Neonatal Medicine*, **2021**, 1-7 2
- 39 Prognostic significance of the number of removed lymph nodes according to FIGO stage in ovarian clear cell carcinoma. *Molecular and Clinical Oncology*, **2021**, 15, 263 1.6
- 38 Be cautious in claiming 'new' in paper writing. *Journal of Obstetrics and Gynaecology Research*, **2021**, 47, 1204 1.9
- 37 Ante-partum bleeding: is determination of its risk factors clinically significant?. *Nigerian Journal of Clinical Practice*, **2013**, 16, 405 1
- 36 A Uterus-Preserving Treatment for Uncontrollable Postpartum Hemorrhage: Esike's Technique. *Obstetrics and Gynecology*, **2020**, 136, 1065-1066 4.9
- 35 Letter to "Complete rupture of unscarred uterus with delayed symptoms: Case report and possible mechanism": Masked uterine rupture. *Journal of Obstetrics and Gynaecology Research*, **2020**, 46, 1927 1.9

34	Letter to 'Clinical update on COVID-19 in pregnancy: A review article': Obstetric or Gynecologic papers on COVID-19 should have an informative title. <i>Journal of Obstetrics and Gynaecology Research</i> , 2020 , 46, 2455	1.9
33	Total vs. supracervical hysterectomy for placenta accreta spectrum disorders. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 1-2	2
32	Creating a good research question, with hemostasis of uterine bleeding as an example. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021 , 47, 1924	1.9
31	Procedural contrivances for cesarean hysterectomy for placenta accreta spectrum: To perform or not to perform hysterectomy for percreta with parametrial invasion. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021 , 47, 2796-2797	1.9
30	Mismatch between estimated blood loss and shock index in transferred women with postpartum hemorrhage. <i>Hypertension Research in Pregnancy</i> , 2016 , 4, 88-96	0.7
29	Re: Caesarean hysterectomy for placenta praevia/accreta using an approach via the pouch of Douglas. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123, 1404-5	3.7
28	Effect of Resident Participation on Outcomes in High-Order Cesarean Deliveries. <i>Obstetrics and Gynecology</i> , 2016 , 127, 164-165	4.9
27	Pseudoaneurysm Hidden Behind Secondary Postpartum Hemorrhage. <i>Birth</i> , 2016 , 43, 184-5	3.1
26	No immediate increase in morbidity of infants delivered by term cesarean section for placenta previa: some concerns. <i>Archives of Gynecology and Obstetrics</i> , 2016 , 293, 1363-4	2.5
25	Recurrent uterine artery pseudoaneurysm. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016 , 42, 1629-1630	1.9
24	Letter to "Application effect of sterile normal saline ice for post-partum hemorrhage at the time of cesarean delivery: A retrospective review": Is it safe?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016 , 42, 1409-1410	1.9
23	Double B-lynch suture: technical concerns. <i>Journal of Obstetrics and Gynaecology</i> , 2019 , 39, 586	1.3
22	Author's reply re: Nausicaa suture for placenta accreta spectrum: further studies are needed: Nausicaa suture: which uterine compression suture will remain in the future?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 427-428	3.7
21	Intrauterine sutures in cesarean section for placenta previa: some concerns. <i>Archives of Gynecology and Obstetrics</i> , 2019 , 299, 593-594	2.5
20	Informed consent for end-of-life chemotherapy in cancer patients: To what extent should we inform patients of our personal opinion?. <i>Journal of Oncology Pharmacy Practice</i> , 2019 , 25, 250-251	1.7
19	Definite conclusion on the treatment for an abnormally invasive placenta: a long way to go. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 524-525	2
18	Random placenta margin incision in cesarean section for placenta previa: some clarifications. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 3889-3890	2
17	Two important techniques in cesarean hysterectomy for placenta accreta spectrum disorders. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020 , 33, 3546-3547	2

16	Menstrual molimina: Japan specific?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021 , 47, 463	1.9
15	Zhukovsky double balloon for obstetric hysterectomy: what is its true significance?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 34, 311-312	2
14	Cerebral Aneurysm Rupture during Pregnancy Resulting in Subdural Hematoma without Subarachnoid Hemorrhage. <i>Tohoku Journal of Experimental Medicine</i> , 2021 , 253, 199-202	2.4
13	Low placental growth factor levels and high soluble endoglin levels at 26-31 weeks of gestation precede light placenta with and without relatively heavy infant, respectively: A retrospective cohort study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021 , 47, 1040-1051	1.9
12	Uterine irrigation for pyometra. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021 , 47, 1205-1206	1.9
11	Filling the bladder technique at cesarean hysterectomy for placenta accreta spectrum disorders: not solely to avoid bladder injury. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 1-2	2
10	Obstetric outcome in major vs minor placenta praevia. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2021 , 61, E19-E20	1.7
9	Tydeman tube for impacted foetal head at caesarean section: Some concerns and suggestions. <i>Journal of Obstetrics and Gynaecology</i> , 2018 , 38, 146-147	1.3
8	Letter to 'Ring compression suture for controlling post-partum hemorrhage during cesarean section': Some additions. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018 , 44, 2016-2017	1.9
7	Night-time delivery and obstetricians: Some suggestion. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018 , 44, 1341	1.9
6	Looking too much at the dark side of paper writing?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 ,	3.7
5	The effect of iodine-based contrast agents on the levels of radiation-induced chromosomal aberrations. <i>Radiation Research</i> , 1997 , 147, 263-8	3.1
4	An effective addition of uterine balloon tamponade (condom-balloon) in rural settings. <i>Rural and Remote Health</i> , 2016 , 16, 3903	1.3
3	Prognosis and Prognostic Factors of Patients with Emergent Cerclage: A Japanese Single-Center Study.. <i>Obstetrics and Gynecology International</i> , 2021 , 2021, 4351783	2
2	The cervical clamping for postpartum haemorrhage: some concerns.. <i>Journal of Obstetrics and Gynaecology</i> , 2022 , 1	1.3
1	Aorta clamp for placenta accreta spectrum: No dissection or local dissection?. <i>International Journal of Gynecology and Obstetrics</i> ,	4