

Mark L Mayer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9278125/publications.pdf>

Version: 2024-02-01

131
papers

17,077
citations

31902

53
h-index

29081

104
g-index

135
all docs

135
docs citations

135
times ranked

8136
citing authors

#	ARTICLE	IF	CITATIONS
1	Voltage-dependent block by Mg ²⁺ of NMDA responses in spinal cord neurones. <i>Nature</i> , 1984, 309, 261-263.	13.7	2,640
2	NMDA-receptor activation increases cytoplasmic calcium concentration in cultured spinal cord neurones. <i>Nature</i> , 1986, 321, 519-522.	13.7	1,777
3	The physiology of excitatory amino acids in the vertebrate central nervous system. <i>Progress in Neurobiology</i> , 1987, 28, 197-276.	2.8	1,718
4	Micromolar concentrations of Zn ²⁺ antagonize NMDA and GABA responses of hippocampal neurons. <i>Nature</i> , 1987, 328, 640-643.	13.7	813
5	Glutamate receptor ion channels. <i>Current Opinion in Neurobiology</i> , 2005, 15, 282-288.	2.0	747
6	Mechanism of glutamate receptor desensitization. <i>Nature</i> , 2002, 417, 245-253.	13.7	650
7	Inward rectification of both AMPA and kainate subtype glutamate receptors generated by polyamine-mediated ion channel block. <i>Neuron</i> , 1995, 15, 453-462.	3.8	526
8	Regulation of NMDA receptor desensitization in mouse hippocampal neurons by glycine. <i>Nature</i> , 1989, 338, 425-427.	13.7	384
9	Structure and Function of Glutamate Receptor Ion Channels. <i>Annual Review of Physiology</i> , 2004, 66, 161-181.	5.6	379
10	Structural basis for partial agonist action at ionotropic glutamate receptors. <i>Nature Neuroscience</i> , 2003, 6, 803-810.	7.1	364
11	Excitatory amino acid receptors, second messengers and regulation of intracellular Ca ²⁺ in mammalian neurons. <i>Trends in Pharmacological Sciences</i> , 1990, 11, 254-260.	4.0	329
12	AMPA Receptor Flip/Flop Mutants Affecting Deactivation, Desensitization, and Modulation by Cyclothiazide, Aniracetam, and Thiocyanate. <i>Journal of Neuroscience</i> , 1996, 16, 6634-6647.	1.7	324
13	Glial cells of the oligodendrocyte lineage express both kainate- and AMPA-preferring subtypes of glutamate receptor. <i>Neuron</i> , 1994, 12, 357-371.	3.8	311
14	Functional characterization of a potassium-selective prokaryotic glutamate receptor. <i>Nature</i> , 1999, 402, 817-821.	13.7	304
15	Modulation of excitatory synaptic transmission by drugs that reduce desensitization at AMPA/kainate receptors. <i>Neuron</i> , 1991, 7, 971-984.	3.8	291
16	Glutamate receptors at atomic resolution. <i>Nature</i> , 2006, 440, 456-462.	13.7	267
17	Crystal Structures of the GluR5 and GluR6 Ligand Binding Cores: Molecular Mechanisms Underlying Kainate Receptor Selectivity. <i>Neuron</i> , 2005, 45, 539-552.	3.8	259
18	Kinetic analysis of interactions between kainate and AMPA: Evidence for activation of a single receptor in mouse hippocampal neurons. <i>Neuron</i> , 1991, 6, 785-798.	3.8	235

#	ARTICLE	IF	CITATIONS
19	Structural mechanism of glutamate receptor activation and desensitization. <i>Nature</i> , 2014, 514, 328-334.	13.7	207
20	Structural determinants of allosteric regulation in alternatively spliced AMPA receptors. <i>Neuron</i> , 1995, 14, 833-843.	3.8	154
21	Mechanisms for ligand binding to GluR0 ion channels: crystal structures of the glutamate and serine complexes and a closed apo state. <i>Journal of Molecular Biology</i> , 2001, 311, 815-836.	2.0	141
22	Tuning activation of the AMPA-sensitive GluR2 ion channel by genetic adjustment of agonist-induced conformational changes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 5736-5741.	3.3	139
23	Cellular mechanisms underlying excitotoxicity. <i>Trends in Neurosciences</i> , 1987, 10, 59-61.	4.2	128
24	Regulation of AMPA Receptor Gating by Ligand Binding Core Dimers. <i>Neuron</i> , 2004, 41, 379-388.	3.8	128
25	Functional Insights from Glutamate Receptor Ion Channel Structures. <i>Annual Review of Physiology</i> , 2013, 75, 313-337.	5.6	124
26	Heteromeric Kainate Receptors Formed by the Coassembly of GluR5, GluR6, and GluR7. <i>Journal of Neuroscience</i> , 1999, 19, 8281-8291.	1.7	120
27	Crystal Structures of the Kainate Receptor GluR5 Ligand Binding Core Dimer with Novel GluR5-Selective Antagonists. <i>Journal of Neuroscience</i> , 2006, 26, 2852-2861.	1.7	111
28	Structure and Mechanism of Kainate Receptor Modulation by Anions. <i>Neuron</i> , 2007, 53, 829-841.	3.8	111
29	Mechanism of Activation and Selectivity in a Ligand-Gated Ion Channel: A Structural and Functional Studies of GluR2 and Quisqualate. <i>Biochemistry</i> , 2002, 41, 15635-15643.	1.2	109
30	Open channel block of NMDA receptor responses evoked by tricyclic antidepressants. <i>Neuron</i> , 1989, 2, 1221-1227.	3.8	106
31	Conformational restriction blocks glutamate receptor desensitization. <i>Nature Structural and Molecular Biology</i> , 2006, 13, 1120-1127.	3.6	106
32	Activity-Dependent Modulation of Glutamate Receptors by Polyamines. <i>Journal of Neuroscience</i> , 1998, 18, 8175-8185.	1.7	105
33	Structure and Assembly Mechanism for Heteromeric Kainate Receptors. <i>Neuron</i> , 2011, 71, 319-331.	3.8	102
34	A Novel Allosteric Potentiator of AMPA Receptors: 4-[2-(Phenylsulfonylamino)ethylthio]-2,6-Difluoro-Phenoxyacetamide. <i>Journal of Neuroscience</i> , 1997, 17, 5760-5771.	1.7	100
35	Excitatory amino acid receptors in glial progenitor cells: Molecular and functional properties. <i>Glia</i> , 1994, 11, 94-101.	2.5	98
36	The N-terminal domain of GluR6-subtype glutamate receptor ion channels. <i>Nature Structural and Molecular Biology</i> , 2009, 16, 631-638.	3.6	97

#	ARTICLE	IF	CITATIONS
37	Structural Similarities between Glutamate Receptor Channels and K ⁺ Channels Examined by Scanning Mutagenesis. <i>Journal of General Physiology</i> , 2001, 117, 345-360.	0.9	96
38	Permeation and block of rat glur6 glutamate receptor channels by internal and external polyamines. <i>Journal of Physiology</i> , 1997, 502, 575-589.	1.3	94
39	Molecular mechanism of ligand recognition by NR3 subtype glutamate receptors. <i>EMBO Journal</i> , 2008, 27, 2158-2170.	3.5	93
40	Characterization of a Soluble Ligand Binding Domain of the NMDA Receptor Regulatory Subunit NR3A. <i>Journal of Neuroscience</i> , 2006, 26, 4559-4566.	1.7	92
41	Self-assembled monolayers improve protein distribution on holey carbon cryo-EM supports. <i>Scientific Reports</i> , 2014, 4, 7084.	1.6	88
42	Conformational Analysis of NMDA Receptor GluN1, GluN2, and GluN3 Ligand-Binding Domains Reveals Subtype-Specific Characteristics. <i>Structure</i> , 2013, 21, 1788-1799.	1.6	86
43	Molecular Basis of Kainate Receptor Modulation by Sodium. <i>Neuron</i> , 2008, 58, 720-735.	3.8	85
44	Interdomain Interactions in AMPA and Kainate Receptors Regulate Affinity for Glutamate. <i>Journal of Neuroscience</i> , 2006, 26, 7650-7658.	1.7	79
45	Structural basis of kainate subtype glutamate receptor desensitization. <i>Nature</i> , 2016, 537, 567-571.	13.7	78
46	Synthesis and Pharmacological Characterization of N3-Substituted Willardiine Derivatives: A Role of the Substituent at the 5-Position of the Uracil Ring in the Development of Highly Potent and Selective GLUK5 Kainate Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 1558-1570.	2.9	70
47	Emerging Models of Glutamate Receptor Ion Channel Structure and Function. <i>Structure</i> , 2011, 19, 1370-1380.	1.6	70
48	Structure-activity analysis of binding kinetics for NMDA receptor competitive antagonists: the influence of conformational restriction. <i>British Journal of Pharmacology</i> , 1991, 104, 207-221.	2.7	69
49	Structure and mechanism of glutamate receptor ion channel assembly, activation and modulation. <i>Current Opinion in Neurobiology</i> , 2011, 21, 283-290.	2.0	65
50	An analysis of philanthotoxin block for recombinant rat GluR6(Q) glutamate receptor channels. <i>Journal of Physiology</i> , 1998, 509, 635-650.	1.3	64
51	Structure and function of glutamate and nicotinic acetylcholine receptors. <i>Current Opinion in Neurobiology</i> , 1995, 5, 310-317.	2.0	60
52	Zinc Potentiates GluK3 Glutamate Receptor Function by Stabilizing the Ligand Binding Domain Dimer Interface. <i>Neuron</i> , 2012, 76, 565-578.	3.8	59
53	AMPA Receptor Ligand Binding Domain Mobility Revealed by Functional Cross Linking. <i>Journal of Neuroscience</i> , 2009, 29, 11912-11923.	1.7	57
54	Mg ²⁺ dependence of membrane resistance increases evoked by NMDA in hippocampal neurones. <i>Brain Research</i> , 1984, 311, 392-396.	1.1	54

#	ARTICLE	IF	CITATIONS
55	Stability of ligand-binding domain dimer assembly controls kainate receptor desensitization. <i>EMBO Journal</i> , 2009, 28, 1518-1530.	3.5	54
56	Glutamate receptor desensitization is mediated by changes in quaternary structure of the ligand binding domain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 5921-5926.	3.3	53
57	Energetics of glutamate receptor ligand binding domain dimer assembly are modulated by allosteric ions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 12329-12334.	3.3	46
58	Analysis of high-affinity assembly for AMPA receptor amino-terminal domains. <i>Journal of General Physiology</i> , 2012, 139, 371-388.	0.9	45
59	Structural biology of glutamate receptor ion channel complexes. <i>Current Opinion in Structural Biology</i> , 2016, 41, 119-127.	2.6	45
60	Growth Factor-Induced Transcription of GluR1 Increases Functional AMPA Receptor Density in Glial Progenitor Cells. <i>Journal of Neuroscience</i> , 1997, 17, 227-240.	1.7	44
61	ACET is a highly potent and specific kainate receptor antagonist: Characterisation and effects on hippocampal mossy fibre function. <i>Neuropharmacology</i> , 2009, 56, 121-130.	2.0	44
62	Structural biology of glutamate receptor ion channels: towards an understanding of mechanism. <i>Current Opinion in Structural Biology</i> , 2019, 57, 185-195.	2.6	44
63	Glycine activated ion channel subunits encoded by ctenophore glutamate receptor genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E6048-57.	3.3	43
64	Amino acid substitutions in the pore of rat glutamate receptors at sites influencing block by polyamines. <i>Journal of Physiology</i> , 1999, 520, 337-357.	1.3	42
65	Functional reconstitution of <i>Drosophila melanogaster</i> NMJ glutamate receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 6182-6187.	3.3	42
66	Crystal Structures of the Glutamate Receptor Ion Channel GluK3 and GluK5 Amino-Terminal Domains. <i>Journal of Molecular Biology</i> , 2010, 404, 680-696.	2.0	41
67	Analysis of Protein Interactions with Picomolar Binding Affinity by Fluorescence-Detected Sedimentation Velocity. <i>Analytical Chemistry</i> , 2014, 86, 3181-3187.	3.2	41
68	A physiologist's view of the N-methyl-D-Aspartate receptor: An allosteric ion channel with multiple regulatory sites. <i>Drug Development Research</i> , 1989, 17, 263-280.	1.4	38
69	Novel Functional Properties of <i>Drosophila</i> CNS Glutamate Receptors. <i>Neuron</i> , 2016, 92, 1036-1048.	3.8	38
70	Domain organization and function in GluK2 subtype kainate receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 8463-8468.	3.3	37
71	Glutamate currents in mammalian spinal neurons: resolution of a paradox. <i>Brain Research</i> , 1984, 301, 375-379.	1.1	35
72	Spontaneous electrical activity induced by herpes virus infection in rat sensory neuron cultures. <i>Brain Research</i> , 1985, 341, 360-364.	1.1	33

#	ARTICLE	IF	CITATIONS
73	Pharmacologic Properties of NMDA Receptors. <i>Annals of the New York Academy of Sciences</i> , 1992, 648, 194-204.	1.8	31
74	Analysis of High Affinity Self-Association by Fluorescence Optical Sedimentation Velocity Analytical Ultracentrifugation of Labeled Proteins: Opportunities and Limitations. <i>PLoS ONE</i> , 2013, 8, e83439.	1.1	31
75	Molecular lock regulates binding of glycine to a primitive NMDA receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E6786-E6795.	3.3	30
76	Lithium ions increase action potential duration of mammalian neurons. <i>Brain Research</i> , 1984, 293, 173-177.	1.1	28
77	On the mechanism of action of GABA in pelvic vesical ganglia: Biphasic responses evoked by two opposing actions on membrane conductance. <i>Brain Research</i> , 1983, 260, 233-248.	1.1	27
78	Accounting for Solvent Signal Offsets in the Analysis of Interferometric Sedimentation Velocity Data. <i>Macromolecular Bioscience</i> , 2010, 10, 736-745.	2.1	26
79	Preferential assembly of heteromeric kainate and AMPA receptor amino terminal domains. <i>ELife</i> , 2017, 6, .	2.8	25
80	The role of hydrophobic interactions in binding of polyamines to non NMDA receptor ion channels. <i>Neuropharmacology</i> , 1998, 37, 1381-1391.	2.0	24
81	Binding site and ligand flexibility revealed by high resolution crystal structures of GluK1 competitive antagonists. <i>Neuropharmacology</i> , 2011, 60, 126-134.	2.0	24
82	The Challenge of Interpreting Glutamate-Receptor Ion-Channel Structures. <i>Biophysical Journal</i> , 2017, 113, 2143-2151.	0.2	23
83	Two channels reduced to one. <i>Nature</i> , 1987, 325, 480-481.	13.7	21
84	The excitatory action of substance P and stimulation of the stria terminalis bed nucleus on preoptic neurones. <i>Brain Research</i> , 1979, 166, 206-210.	1.1	19
85	Selectivity and Cooperativity of Modulatory Ions in a Neurotransmitter Receptor. <i>Biophysical Journal</i> , 2009, 96, 1751-1760.	0.2	18
86	Finding homes at synapses. <i>Nature</i> , 1997, 389, 542-543.	13.7	15
87	Anions Mediate Ligand Binding in <i>Adineta vaga</i> Glutamate Receptor Ion Channels. <i>Structure</i> , 2013, 21, 414-425.	1.6	14
88	NMDA receptors cloned at last. <i>Nature</i> , 1991, 354, 16-17.	13.7	11
89	Monochromatic multicomponent fluorescence sedimentation velocity for the study of high-affinity protein interactions. <i>ELife</i> , 2016, 5, .	2.8	11
90	Glutamate receptors from diverse animal species exhibit unexpected structural and functional diversity. <i>Journal of Physiology</i> , 2021, 599, 2605-2613.	1.3	10

#	ARTICLE	IF	CITATIONS
91	The structure and function of glutamate receptors: Mg ²⁺ block to X-ray diffraction. <i>Neuropharmacology</i> , 2017, 112, 4-10.	2.0	8
92	Structural biology of kainate receptors. <i>Neuropharmacology</i> , 2021, 190, 108511.	2.0	7
93	Engineering a high-affinity allosteric binding site for divalent cations in kainate receptors. <i>Neuropharmacology</i> , 2009, 56, 114-120.	2.0	6
94	Periaqueductal grey neuronal activity: Correlation with EEG arousal evoked by noxious stimuli in the rat. <i>Neuroscience Letters</i> , 1982, 28, 297-301.	1.0	5
95	Ion-binding sites in NMDA receptors: classical approaches provide the numbers. <i>Nature Neuroscience</i> , 1998, 1, 433-434.	7.1	5
96	Glutamate Receptors in Cultures of Mouse Hippocampus Studied with Fast Applications of Agonists, Modulators and Drugs. <i>Advances in Experimental Medicine and Biology</i> , 1990, 268, 3-11.	0.8	5
97	GRIK4 and the Kainate Receptor. <i>American Journal of Psychiatry</i> , 2007, 164, 1148-1148.	4.0	4
98	Glutamate receptor ion channels: where do all the calories go?. <i>Nature Structural and Molecular Biology</i> , 2011, 18, 253-254.	3.6	3
99	Structure and Function of Glutamate Receptors. <i>Annals of the New York Academy of Sciences</i> , 2004, 1038, 125-130.	1.8	2
100	Ionotropic glutamate receptors: Still exciting after all these years. <i>Neuropharmacology</i> , 2017, 112, 1-3.	2.0	2
101	Family matters. <i>ELife</i> , 2018, 7, .	2.8	2
102	Glutamate Receptor Desensitization Mediated by Changes in Quaternary Structure of the Ligand Binding Domain. <i>Biophysical Journal</i> , 2013, 104, 352a.	0.2	1
103	Divalent Cations as Modulators of NMDA-Receptor Channels on Mouse Central Neurons. , 1988, , 383-393.		1
104	Activation and Desensitization of Glutamate Receptors in Mammalian CNS. , 1989, , 183-195.		1
105	Some assembly required. <i>Nature Structural and Molecular Biology</i> , 2005, 12, 208-209.	3.6	0
106	Purification and crystallization of iGluR Amino Terminal Domains. <i>Biophysical Journal</i> , 2009, 96, 491a.	0.2	0
107	Structure And Stability Of Ligand Binding Core Dimer Assembly Controls Desensitization In A Kainate Receptor. <i>Biophysical Journal</i> , 2009, 96, 491a.	0.2	0
108	Macromol. Biosci. 7/2010. <i>Macromolecular Bioscience</i> , 2010, 10, .	2.1	0

#	ARTICLE	IF	CITATIONS
109	Energetics of Allosteric ion Binding to a Ligand-Gated ion Channel. <i>Biophysical Journal</i> , 2010, 98, 610a.	0.2	0
110	Crystal Structure of KA2-Subtype Ionotropic Glutamate Receptor Amino Terminal Domain. <i>Biophysical Journal</i> , 2010, 98, 524a.	0.2	0
111	Optimization of Constructs for Expression, Purification and Crystallization of Glutamate Receptor Ion Channels. <i>Biophysical Journal</i> , 2012, 102, 116a.	0.2	0
112	Analysis of Oligomer Assembly for the GluA2 Amino Terminal Domain. <i>Biophysical Journal</i> , 2012, 102, 335a-336a.	0.2	0
113	Novel Ligand Binding Mechanisms in AvGluR1. <i>Biophysical Journal</i> , 2013, 104, 273a.	0.2	0
114	Unique Conformational Distributions for NMDA Receptor Glycine and Glutamate Ligand-Binding Domains. <i>Biophysical Journal</i> , 2013, 104, 274a.	0.2	0
115	The GluK3 Ligand Binding Domain has a Zinc Binding Site at the Dimer Interface. <i>Biophysical Journal</i> , 2013, 104, 272a.	0.2	0
116	Analysis of High-Affinity Protein Interactions by Fluorescence Optical Analytical Ultracentrifugation. <i>Biophysical Journal</i> , 2014, 106, 236a.	0.2	0
117	Role of Amino-Terminal Domain in the Assembly Mechanism of Kainate-Subtype Glutamate Receptor Ion Channels. <i>Biophysical Journal</i> , 2014, 106, 151a.	0.2	0
118	Principal Component Analysis of Glutamate Receptor Ligand Binding Domains. <i>Biophysical Journal</i> , 2014, 106, 805a.	0.2	0
119	Calcium Flux Through AvGluR1: A Glutamate Receptor with a Potassium Channel Selectivity Sequence. <i>Biophysical Journal</i> , 2014, 106, 151a.	0.2	0
120	Investigating High Affinity Protein Self-Association by Fluorescence Optical Sedimentation Velocity Analytical Ultracentrifugation. <i>Biophysical Journal</i> , 2014, 106, 151a.	0.2	0
121	NMDA and AMPA Receptor Ligand-Binding Domains Exhibit Subtype-Specific Conformational Propensities. <i>Biophysical Journal</i> , 2014, 106, 29a.	0.2	0
122	Structural Mechanism of Glutamate Receptor Activation and Desensitization. <i>Biophysical Journal</i> , 2015, 108, 287a.	0.2	0
123	Conformational Changes Underlying Glutamate Receptor Gating. <i>Biophysical Journal</i> , 2015, 108, 335a.	0.2	0
124	Cryo-Electron Microscopy Reveals Structural Basis of Kainate Subtype Glutamate Receptor Desensitization. <i>Biophysical Journal</i> , 2017, 112, 419a.	0.2	0
125	Probing a Molecular Lock in a Primitive NMDA Receptor. <i>Biophysical Journal</i> , 2017, 112, 477a-478a.	0.2	0
126	Assembly of Kainate and AMPA Receptors. <i>Biophysical Journal</i> , 2018, 114, 126a.	0.2	0

#	ARTICLE	IF	CITATIONS
127	Partial agonists go molecular. Trends in Pharmacological Sciences, 2021, 42, 507-509.	4.0	0
128	Agonist Binding Domains of Glutamate Receptors: Structure and Function. , 2003, , 219-221.		0
129	Excitatory Amino Acids: Membrane Physiology. , 1985, , 125-139.		0
130	Conductance Mechanisms Activated by L-Glutamate. , 1988, , 15-33.		0
131	Structure and Mechanism of Action of AMPA and Kainate Receptors. , 2008, , 251-269.		0