

Cheng Dongrui

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9279158/publications.pdf>

Version: 2024-02-01

11
papers

131
citations

1478505

6
h-index

1372567

10
g-index

11
all docs

11
docs citations

11
times ranked

245
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The role of donor-derived cell-free DNA in the detection of renal allograft injury. <i>Nephrologie Et Therapeutique</i> , 2021, 17, 12-17. | 0.5 | 7 |
| 2 | Donor-derived cell-free DNA: An independent biomarker in kidney transplant patients with antibody-mediated rejection. <i>Transplant Immunology</i> , 2021, 69, 101404. | 1.2 | 7 |
| 3 | Conversion from mycophenolate mofetil to mizoribine in the early stages of BK polyomavirus infection could improve kidney allograft prognosis: a single-center study from China. <i>BMC Nephrology</i> , 2021, 22, 328. | 1.8 | 0 |
| 4 | Coronavirus disease 2019 in renal transplant recipients: Report of two cases. <i>Transplant Infectious Disease</i> , 2020, 22, e13329. | 1.7 | 15 |
| 5 | The immunophenotyping of different stages of BK virus allograft nephropathy. <i>Renal Failure</i> , 2019, 41, 855-861. | 2.1 | 11 |
| 6 | Assessment of transplant renal artery stenosis with diffusion-weighted imaging: A preliminary study. <i>Magnetic Resonance Imaging</i> , 2019, 60, 157-163. | 1.8 | 6 |
| 7 | Histopathologic Features that Predict Transplant Glomerulopathy Progression in a Chinese Cohort. <i>American Journal of Nephrology</i> , 2019, 49, 425-434. | 3.1 | 7 |
| 8 | Proteinuria, Estimated Glomerular Filtration Rate and Urinary Retinol-Binding Protein as Clinical Predictors of Long-Term Allograft Outcomes in Transplant Glomerulopathy. <i>Kidney and Blood Pressure Research</i> , 2018, 43, 1842-1851. | 2.0 | 4 |
| 9 | Risk factors for BK virus infection in living-donor renal transplant recipients: a single-center study from China. <i>Renal Failure</i> , 2018, 40, 442-446. | 2.1 | 5 |
| 10 | Clinicopathological analysis of proliferative glomerulonephritis with monoclonal IgG deposits in 5 renal allografts. <i>BMC Nephrology</i> , 2018, 19, 173. | 1.8 | 9 |
| 11 | De novo development of circulating anti-endothelial cell antibodies rather than pre-existing antibodies is associated with post-transplant allograft rejection. <i>Kidney International</i> , 2011, 79, 655-662. | 5.2 | 60 |