Alison Wringe

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/927975/alison-wringe-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91 1,721 21 38 g-index

92 1,977 3.8 4.56 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
91	Investigating clinic transfers among HIV patients considered lost to follow-up to improve understanding of the HIV care cascade: Findings from a cohort study in rural north-eastern South Africa. <i>PLOS Global Public Health</i> , 2022 , 2, e0000296		O
90	Understanding the health systems impacts of Universal Test and Treat in sub-Saharan Africa: The Shape UTT study. <i>Global Public Health</i> , 2021 , 16, 161-166	3.5	
89	PrEP reminds me that I am the one to take responsibility of my life: a qualitative study exploring experiences of and attitudes towards pre-exposure prophylaxis use by women in Eswatini. <i>BMC Public Health</i> , 2021 , 21, 727	4.1	3
88	Coming of age with HIV: a temporal understanding of young womenß experiences in Zambia. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021 , 33, 159-166	2.2	
87	Cost variations in prevention of mother-to-child HIV transmission services integrated within maternal and child health services in rural Tanzania. <i>Global Public Health</i> , 2021 , 16, 305-318	3.5	2
86	Assessing the implementation of facility-based HIV testing policies in Malawi, South Africa and Tanzania from 2013-2018: Findings from SHAPE-UTT study. <i>Global Public Health</i> , 2021 , 16, 241-255	3.5	2
85	Implications of HIV treatment policies on the health workforce in rural Malawi and Tanzania between 2013 and 2017: Evidence from the SHAPE-UTT study. <i>Global Public Health</i> , 2021 , 16, 256-273	3.5	3
84	Implementation and experiences of integrated prevention of mother-to-child transmission services in Tanzania, Malawi and South Africa: A mixed methods study. <i>Global Public Health</i> , 2021 , 16, 201-215	3.5	3
83	Understanding the influence of health systems on women® experiences of Option B+: A meta-ethnography of qualitative research from sub-Saharan Africa. <i>Global Public Health</i> , 2021 , 16, 167-	185	4
82	Exploring the evolution of policies for universal antiretroviral therapy and their implementation across three sub-Saharan African countries: Findings from the SHAPE study. <i>Global Public Health</i> , 2021 , 16, 227-240	3.5	2
81	Consequences of male partner engagement policies on HIV care-seeking in three African countries: Findings from the SHAPE UTT study. <i>Global Public Health</i> , 2021 , 16, 216-226	3.5	3
80	Rf the results are negative, they motivate usRExperiences of early infant diagnosis of HIV and engagement in Option B. <i>Global Public Health</i> , 2021 , 16, 186-200	3.5	2
79	Influence of evolving HIV treatment guidance on CD4 counts and viral load monitoring: A mixed-methods study in three African countries. <i>Global Public Health</i> , 2021 , 16, 288-304	3.5	2
78	Investigating the implementation of differentiated HIV services and implications for pregnant and postpartum women: A mixed methods multi-country study. <i>Global Public Health</i> , 2021 , 16, 274-287	3.5	1
77	Slipping through the cracks: a qualitative study to explore pathways of HIV care and treatment amongst hospitalised patients with advanced HIV in Kenya and the Democratic Republic of the Congo. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2021, 1-8	2.2	
76	Patterns of engagement in HIV care during pregnancy and breastfeeding: findings from a cohort study in North-Eastern South Africa. <i>BMC Public Health</i> , 2021 , 21, 1710	4.1	1
75	"We have to learn to cooperate with each other": a qualitative study to explore integration of traditional healers into the provision of HIV self-testing and tuberculosis screening in Eswatini. <i>BMC Health Services Research</i> , 2021 , 21, 1314	2.9	1

74	HIV Positive status disclosure to sexual partners: a qualitative study to explore experiences and challenges among clients attending HIV care services in North-Western Tanzania. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021 , 1-8	2.2		
73	Critical Reflections on Individual Collages as a Research Method With Young Women Living With HIV in Zambia. <i>Emerging Adulthood</i> , 2020 , 216769682091663	1.2	1	
72	Challenges with tracing patients on antiretroviral therapy who are late for clinic appointments in rural South Africa and recommendations for future practice. <i>Global Health Action</i> , 2020 , 13, 1755115	3	5	
71	Secrets and Silence: Agency of Young Women Managing HIV Disclosure. <i>Medical Anthropology:</i> Cross Cultural Studies in Health and Illness, 2020 , 39, 720-734	3	6	
7º	Dissonance of Choice: Biomedical and Lived Perspectives on HIV Treatment-Taking. <i>Medical Anthropology: Cross Cultural Studies in Health and Illness</i> , 2020 , 39, 675-688	3	5	
69	Misreporting of Patient Outcomes in the South African National HIV Treatment Database: Consequences for Programme Planning, Monitoring, and Evaluation. <i>Frontiers in Public Health</i> , 2020 , 8, 100	6	13	
68	Feasibility and acceptability of mobile phone platforms to deliver interventions to address gender-based violence among Syrian adolescent girls and young women in Izmir, Turkey. <i>Vulnerable Children and Youth Studies</i> , 2020 , 15, 133-143	1.3	4	
67	Outcomes After Being Lost to Follow-up Differ for Pregnant and Postpartum Women When Compared With the General HIV Treatment Population in Rural South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020 , 85, 127-137	3.1	4	
66	Assessing the costs and efficiency of HIV testing and treatment services in rural Malawi: implications for future "test and start" strategies. <i>BMC Health Services Research</i> , 2020 , 20, 740	2.9	1	
65	Parental obligations, care and HIV treatment: How care for others motivates self-care in Zimbabwe. Journal of Health Psychology, 2020 , 25, 2178-2187	3.1	6	
64	Planning a family in Nairobiß informal settlements: results of a qualitative study. <i>Journal of Biosocial Science</i> , 2020 , 52, 286-299	1.6	4	
63	"We give them threatening advice" expectations of adherence to antiretroviral therapy and their consequences among adolescents living with HIV in rural Malawi. <i>Journal of the International AIDS Society</i> , 2020 , 23, e25459	5.4	5	
62	Altered social trajectories and risks of violence among young Syrian women seeking refuge in Turkey: a qualitative study. <i>BMC Womeng Health</i> , 2019 , 19, 9	2.9	14	
61	"I donR want them to know": how stigma creates dilemmas for engagement with Treat-all HIV care for people living with HIV in Eswatini. <i>African Journal of AIDS Research</i> , 2019 , 18, 27-37	1.8	19	
60	"Is it making any difference?" A qualitative study examining the treatment-taking experiences of asymptomatic people living with HIV in the context of Treat-all in Eswatini. <i>Journal of the International AIDS Society</i> , 2019 , 22, e25220	5.4	9	
59	Navigating Rethics in practiceRAn ethnographic case study with young women living with HIV in Zambia. <i>Global Public Health</i> , 2019 , 14, 1689-1702	3.5	6	
58	Implementing prevention policies for mother-to-child transmission of HIV in rural Malawi, South Africa and United Republic of Tanzania, 2013-2016. <i>Bulletin of the World Health Organization</i> , 2019 , 97, 200-212	8.2	8	
57	The rebellious man: Next-of-kin accounts of the death of a male relative on antiretroviral therapy in sub-Saharan Africa. <i>Global Public Health</i> , 2019 , 14, 1252-1263	3.5	4	

56	Rsaw it as a second chanceRA qualitative exploration of experiences of treatment failure and regimen change among people living with HIV on second- and third-line antiretroviral therapy in Kenya, Malawi and Mozambique. <i>Global Public Health</i> , 2019 , 14, 1112-1124	3.5	5
55	"He was no longer listening to me": A qualitative study in six Sub-Saharan African countries exploring next-of-kin perspectives on caring following the death of a relative from AIDS. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2019 , 31, 754-760	2.2	1
54	.": A qualitative study to explore stakeholdersRperspectives on the health needs of Syrian refugees in Greece following the 2016 European Union-Turkey agreement. <i>Conflict and Health</i> , 2018 , 12, 24	4	19
53	Non-disclosure of HIV testing history in population-based surveys: implications for estimating a UNAIDS 90-90-90 target. <i>Global Health Action</i> , 2018 , 11, 1553470	3	7
52	Retention in care among clinically stable antiretroviral therapy patients following a six-monthly clinical consultation schedule: findings from a cohort study in rural Malawi. <i>Journal of the International AIDS Society</i> , 2018 , 21, e25207	5.4	15
51	A longitudinal review of national HIV policy and progress made in health facility implementation in Eastern Zimbabwe. <i>Health Research Policy and Systems</i> , 2018 , 16, 92	3.7	7
50	Linkage to care and antiretroviral therapy initiation by testing modality among individuals newly diagnosed with HIV in Tanzania, 2014-2017. <i>Tropical Medicine and International Health</i> , 2018 , 23, 1384-1	393	3
49	Where are we now? A multicountry qualitative study to explore access to pre-antiretroviral care services: a precursor to antiretroviral therapy initiation. <i>Sexually Transmitted Infections</i> , 2017 , 93,	2.8	15
48	Identifying gaps in HIV policy and practice along the HIV care continuum: evidence from a national policy review and health facility surveys in urban and rural Kenya. <i>Health Policy and Planning</i> , 2017 , 32, 1316-1326	3.4	13
47	Ride effectsRare Rentral effectsRthat challenge retention in HIV treatment programmes in six sub-Saharan African countries: a multicountry qualitative study. <i>Sexually Transmitted Infections</i> , 2017 , 93,	2.8	20
46	Identifying gaps in HIV service delivery across the diagnosis-to-treatment cascade: findings from health facility surveys in six sub-Saharan countries. <i>Journal of the International AIDS Society</i> , 2017 , 20, 21188	5.4	37
45	R wanted to safeguard the babyRa qualitative study to understand the experiences of Option B+ for pregnant women and the potential implications for Rest-and-treatRn four sub-Saharan African settings. Sexually Transmitted Infections, 2017, 93,	2.8	34
44	Ram treated well if I adhere to my HIV medicationRputting patient-provider interactions in context through insights from qualitative research in five sub-Saharan African countries. <i>Sexually Transmitted Infections</i> , 2017 , 93,	2.8	14
43	Using theories of practice to understand HIV-positive persons varied engagement with HIV services: a qualitative study in six Sub-Saharan African countries. <i>Sexually Transmitted Infections</i> , 2017 , 93,	2.8	19
42	Scaling a waterfall: a meta-ethnography of adolescent progression through the stages of HIV care in sub-Saharan Africa. <i>Journal of the International AIDS Society</i> , 2017 , 20, 21922	5.4	20
41	From policy to practice: exploring the implementation of antiretroviral therapy access and retention policies between 2013 and 2016 in six sub-Saharan African countries. <i>BMC Health Services Research</i> , 2017 , 17, 758	2.9	16
40	"My mother told me that I should not": a qualitative study exploring the restrictions placed on adolescent girls living with HIV in Zambia. <i>Journal of the International AIDS Society</i> , 2017 , 20, e25035	5.4	19
39	Understanding the relationship between couple dynamics and engagement with HIV care services: insights from a qualitative study in Eastern and Southern Africa. <i>Sexually Transmitted Infections</i> , 2017 , 93,	2.8	14

38	HIV policy implementation in two health and demographic surveillance sites in Uganda: findings from a national policy review, health facility surveys and key informant interviews. <i>Implementation Science</i> , 2017 , 12, 47	8.4	11
37	HIV testing experiences and their implications for patient engagement with HIV care and treatment on the eve of Rest and treatRfindings from a multicountry qualitative study. <i>Sexually Transmitted Infections</i> , 2017 , 93,	2.8	20
36	Traditional healers, faith healers and medical practitioners: the contribution of medical pluralism to bottlenecks along the cascade of care for HIV/AIDS in Eastern and Southern Africa. <i>Sexually Transmitted Infections</i> , 2017 , 93,	2.8	37
35	A qualitative study of the determinants of HIV guidelines implementation in two south-eastern districts of Tanzania. <i>Health Policy and Planning</i> , 2017 , 32, 825-834	3.4	9
34	The Network for Analysing Longitudinal Population-based HIV/AIDS data on Africa (ALPHA): Data on mortality, by HIV status and stage on the HIV care continuum, among the general population in seven longitudinal studies between 1989 and 2014. <i>Gates Open Research</i> , 2017 , 1, 4	2.4	10
33	HIV policy and implementation: a national policy review and an implementation case study of a rural area of northern Malawi. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016 , 28, 1097-109	2.2	14
32	Uptake of services for prevention of mother-to-child transmission of HIV in a community cohort in rural Tanzania from 2005 to 2012. <i>BMC Health Services Research</i> , 2016 , 16, 4	2.9	6
31	Rt is just the way it was in the past before I went to testRa qualitative study to explore responses to HIV prevention counselling in rural Tanzania. <i>BMC Public Health</i> , 2016 , 16, 489	4.1	5
30	Data Resource Profile: Network for Analysing Longitudinal Population-based HIV/AIDS data on Africa (ALPHA Network). <i>International Journal of Epidemiology</i> , 2016 , 45, 83-93	7.8	32
29	Factors associated with uptake of services to prevent mother-to-child transmission of HIV in a community cohort in rural Tanzania. <i>Sexually Transmitted Infections</i> , 2015 , 91, 520-7	2.8	16
28	Risk factors for service use and trends in coverage of different HIV testing and counselling models in northwest Tanzania between 2003 and 2010. <i>Tropical Medicine and International Health</i> , 2015 , 20, 14	173:34	87 ⁴
27	Exploring the Feasibility of Service Integration in a Low-Income Setting: A Mixed Methods Investigation into Different Models of Reproductive Health and HIV Care in Swaziland. <i>PLoS ONE</i> , 2015 , 10, e0126144	3.7	23
26	Challenges with routine data sources for PMTCT programme monitoring in East Africa: insights from Tanzania. <i>Global Health Action</i> , 2015 , 8, 29987	3	17
25	Immunological failure of first-line and switch to second-line antiretroviral therapy among HIV-infected persons in Tanzania: analysis of routinely collected national data. <i>Tropical Medicine and International Health</i> , 2015 , 20, 880-92	2.3	19
24	A comparative analysis of national HIV policies in six African countries with generalized epidemics. <i>Bulletin of the World Health Organization</i> , 2015 , 93, 457-67	8.2	33
23	The impact of voluntary counselling and testing services on sexual behaviour change and HIV incidence: observations from a cohort study in rural Tanzania. <i>BMC Infectious Diseases</i> , 2014 , 14, 159	4	17
22	Using HIV-attributable mortality to assess the impact of antiretroviral therapy on adult mortality in rural Tanzania. <i>Global Health Action</i> , 2014 , 7, 21865	3	5
21	Does the Spectrum model accurately predict trends in adult mortality? Evaluation of model estimates using empirical data from a rural HIV community cohort study in North-Western Tanzania. <i>Global Health Action</i> , 2014 , 7, 21783	3	8

20	Reliance on condoms for contraceptive protection among HIV care and treatment clients: a mixed methods study on contraceptive choice and motivation within a generalised epidemic. <i>Sexually Transmitted Infections</i> , 2014 , 90, 394-400	2.8	11
19	"It is like that, we didn R understand each other": exploring the influence of patient-provider interactions on prevention of mother-to-child transmission of HIV service use in rural Tanzania. <i>PLoS ONE</i> , 2014 , 9, e106325	3.7	59
18	Do accurate HIV and antiretroviral therapy knowledge, and previous testing experiences increase the uptake of HIV voluntary counselling and testing? Results from a cohort study in rural Tanzania. <i>BMC Public Health</i> , 2013 , 13, 802	4.1	13
17	Are integrated HIV services less stigmatizing than stand-alone models of care? A comparative case study from Swaziland. <i>Journal of the International AIDS Society</i> , 2013 , 16, 17981	5.4	27
16	Barriers and facilitating factors to the uptake of antiretroviral drugs for prevention of mother-to-child transmission of HIV in sub-Saharan Africa: a systematic review. <i>Journal of the International AIDS Society</i> , 2013 , 16, 18588	5.4	274
15	Low rates of repeat HIV testing despite increased availability of antiretroviral therapy in rural Tanzania: findings from 2003-2010. <i>PLoS ONE</i> , 2013 , 8, e62212	3.7	24
14	Trends in the uptake of voluntary counselling and testing for HIV in rural Tanzania in the context of the scale up of antiretroviral therapy. <i>Tropical Medicine and International Health</i> , 2012 , 17, e15-25	2.3	31
13	The impact of antiretroviral therapy on adult mortality in rural Tanzania. <i>Tropical Medicine and International Health</i> , 2012 , 17, e58-65	2.3	19
12	Antiretroviral therapy uptake and coverage in four HIV community cohort studies in sub-Saharan Africa. <i>Tropical Medicine and International Health</i> , 2012 , 17, e38-48	2.3	31
11	Using age-specific mortality of HIV infected persons to predict anti-retroviral treatment need: a comparative analysis of data from five African population-based cohort studies. <i>Tropical Medicine and International Health</i> , 2012 , 17, e3-14	2.3	7
10	The effect of antiretroviral therapy provision on all-cause, AIDS and non-AIDS mortality at the population levela comparative analysis of data from four settings in Southern and East Africa. <i>Tropical Medicine and International Health</i> , 2012 , 17, e84-93	2.3	38
9	Evaluation of knowledge levels amongst village AIDS committees after undergoing HIV educational sessions: results from a pilot study in rural Tanzania. <i>BMC International Health and Human Rights</i> , 2011 , 11, 14	2.5	5
8	Delivering comprehensive home-based care programmes for HIV: a review of lessons learned and challenges ahead in the era of antiretroviral therapy. <i>Health Policy and Planning</i> , 2010 , 25, 352-62	3.4	57
7	Barriers to sustaining antiretroviral treatment in Kisesa, Tanzania: a follow-up study to understand attrition from the antiretroviral program. <i>AIDS Patient Care and STDs</i> , 2009 , 23, 203-10	5.8	97
6	"Just like fever": a qualitative study on the impact of antiretroviral provision on the normalisation of HIV in rural Tanzania and its implications for prevention. <i>BMC International Health and Human Rights</i> , 2009 , 9, 22	2.5	43
5	From HIV diagnosis to treatment: evaluation of a referral system to promote and monitor access to antiretroviral therapy in rural Tanzania. <i>Journal of the International AIDS Society</i> , 2009 , 12, 31	5.4	72
4	Doubts, denial and divine intervention: understanding delayed attendance and poor retention rates at a HIV treatment programme in rural Tanzania. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2009 , 21, 632-7	2.2	59
3	Uptake of HIV voluntary counselling and testing services in rural Tanzania: implications for effective HIV prevention and equitable access to treatment. <i>Tropical Medicine and International Health</i> 2008, 13, 219, 27	2.3	71

LIST OF PUBLICATIONS

2007, 369, 612-3

Estimating the extent of vaccine-derived poliovirus infection. *PLoS ONE*, **2008**, 3, e3433 2 3.7 42 Use of data from HIV counselling and testing services for HIV surveillance in Africa. Lancet, The, 40