

Takeshi Maeda

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9279972/takeshi-maeda-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73
papers

1,837
citations

25
h-index

41
g-index

76
ext. papers

1,988
ext. citations

4.2
avg. IF

4.69
L-index

#	Paper	IF	Citations
73	NIR fluorescence of ADA type functional dyes modulated by terminal Lewis basic groups. <i>Dyes and Pigments</i> , 2021 , 184, 108768	4.6	3
72	Squaraine Dyes 2021 , 21-47		1
71	Novel group 14 element-bridged bithiophene dimers appended with terminal electron-withdrawing groups: Red-to-near infrared fluorescence and efficient photosensitized singlet oxygen generation. <i>Dyes and Pigments</i> , 2021 , 193, 109498	4.6	1
70	Photophysical properties of 4-(5-methylthiophen-2-yl)pyridinium cyclic enolate betaine dyes tuned by control of twisted intramolecular transfer. <i>New Journal of Chemistry</i> , 2021 , 45, 9770-9779	3.6	1
69	Synthesis of novel Extended DAD-type dipyrido[3,2-a:2',3'-c]phenazine derivatives and their photosensitized singlet oxygen generation. <i>New Journal of Chemistry</i> , 2021 , 45, 2264-2275	3.6	4
68	Synthesis and Fluorescence Property of 5-amino-2-(2-hydroxyphenyl)-2H-benzotriazole Derivatives. <i>Journal of the Japan Society of Colour Material</i> , 2020 , 93, 194-201	0	0
67	Hydrogen bond-rigidified planar squaraine dye and its electronic and organic semiconductor properties. <i>Chemical Communications</i> , 2020 , 56, 9890-9893	5.8	3
66	Starburst-type triarylphosphine oxide trimers forming a stable amorphous n-type layer in solution-processed multilayer OLED. <i>Molecular Crystals and Liquid Crystals</i> , 2019 , 686, 78-83	0.5	
65	Functionalization of Organometallic Complexes Aimed at Solution-Processed Organic Light-Emitting Diode: Strategic Molecular Designs of Phosphorescent Dendritic Emitters. <i>Yuki Gosei Kagaku Kyokaiishi/Journal of Synthetic Organic Chemistry</i> , 2019 , 77, 26-39	0.2	
64	Synthesis and properties of functional dyes with squaraine-naphthalene diimide hybrid structure. <i>Research on Chemical Intermediates</i> , 2018 , 44, 4783-4795	2.8	3
63	Malachite Green Derivatives for Dye-Sensitized Solar Cells: Optoelectronic Characterizations and Persistence on TiO ₂ . <i>Bulletin of the Chemical Society of Japan</i> , 2018 , 91, 52-64	5.1	5
62	Janus-Type Dendritic Organoiridium(III) Complex Bearing Hole- and Electron-Transporting Moieties: Synthesis, Luminescence Properties, and OLED Applications. <i>Bulletin of the Chemical Society of Japan</i> , 2018 , 91, 1419-1428	5.1	4
61	Intramolecular Exciton-Coupled Squaraine Dyes for Dye-Sensitized Solar Cells. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 21745-21754	3.8	29
60	Control of excimer phosphorescence by steric effects in cyclometalated platinum(II) diketonate complexes bearing peripheral carbazole moieties towards application in non-doped white OLEDs. <i>New Journal of Chemistry</i> , 2018 , 42, 11583-11592	3.6	9
59	Deep Blue Asymmetrical Streptocyanine Dyes: Synthesis, Spectroscopic Characterizations, and Ion-Specific Cooperative Adsorption at the Surface of TiO ₂ Anatase Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2017 , 121, 15049-15062	3.8	2
58	Luminescent Properties of Novel Bis-cyclometalated Iridium(III) Complex Bearing a Phosphine Oxide-appended Diketonate Ligand for Solution-processed Multilayer OLEDs. <i>Chemistry Letters</i> , 2017 , 46, 1086-1089	1.7	5
57	Sky-blue phosphorescence from bis- and tris-cyclometalated iridium(III) complexes bearing carbazole-based dendrons: fabrication of non-doped multilayer organic light-emitting diodes by solution processing. <i>New Journal of Chemistry</i> , 2017 , 41, 10357-10366	3.6	9

56	Luminescent properties of novel bis-cyclometalated iridium(III) complexes bearing methoxy-substituted dibenzoylmethanate ligands. <i>Molecular Crystals and Liquid Crystals</i> , 2017 , 653, 131-136	0.5	2
55	Synthesis and Luminescence Properties of Dithieno[3,2-a:2',1'-b]Phenazine Derivatives with Electron-Donating π -Conjugated Side-Arms at the 2, 5- and 8, 11-Positions. <i>Journal of the Japan Society of Colour Material</i> , 2017 , 90, 51-60	0	
54	Photokinetic study on remarkable excimer phosphorescence from heteroleptic cyclometalated platinum(II) complexes bearing a benzoylated 2-phenylpyridinate ligand. <i>Physical Chemistry Chemical Physics</i> , 2017 , 20, 542-552	3.6	12
53	Linear and Tripodal Squaraine Sensitizers with Triphenylamine Donor Components for Dye-sensitized Solar Cells. <i>Chemistry Letters</i> , 2016 , 45, 291-293	1.7	6
52	Substituent effect on photo- and electroluminescence properties of heteroleptic cyclometalated platinum(II) complexes based on a 2-(dibenzo[b,d]furan-4-yl)pyridine ligand. <i>Dyes and Pigments</i> , 2016 , 124, 165-173	4.6	10
51	Synthesis and Luminescence Properties of Dibenzo[a,c]phenazine Derivatives Bearing a Series of Electron-Donating π -Conjugated Side-Arms at the 10,13-Positions Novel ICT-Type Red Fluorophores Based on Donor-Acceptor-Donor Structures. <i>Journal of the Japan Society of Colour Material</i> , 2016 , 88, 271-276	0	1
50	Novel bis- and tris-cyclometalated iridium(III) complexes bearing a benzoyl group on each fluorinated 2-phenylpyridinate ligand aimed at development of blue phosphorescent materials for OLED. <i>RSC Advances</i> , 2016 , 6, 51435-51445	3.7	21
49	Near-infrared squaraine sensitizers bearing benzo[c,d]indolenine as an acceptor moiety. <i>Dyes and Pigments</i> , 2015 , 122, 160-167	4.6	14
48	Halochromic and hydrochromic squaric acid functionalized perylene bisimide. <i>Chemical Communications</i> , 2015 , 51, 7661-4	5.8	30
47	Novel Phosphorescent Platinum(II) Dipyrido[3,2-a:2',3'-c]phenazine Bis(acetylidene) Complexes Bearing Electron-donating Side-arms at the 2,7-Positions. <i>Chemistry Letters</i> , 2015 , 44, 288-290	1.7	6
46	Squaraine Dyes with BODIPY Skeletons for the Application to Dye-Sensitized Solar Cells. <i>Journal of the Japan Society of Colour Material</i> , 2015 , 88, 208-217	0	1
45	Photo- and Electroluminescence from Organoplatinum(II) Complexes Bearing Oligofluorene-Based Cyclometalated Ligands. <i>Molecular Crystals and Liquid Crystals</i> , 2015 , 621, 53-58	0.5	1
44	Starburst-Type Carbazole Trimers as Host Materials for Solution-Processed Phosphorescent OLEDs. <i>Molecular Crystals and Liquid Crystals</i> , 2015 , 621, 59-63	0.5	5
43	Synthesis and Luminescent Properties of Novel Dibenzo[a,c]phenazine Derivatives with Electron-Donating Side-Arms. <i>Molecular Crystals and Liquid Crystals</i> , 2015 , 621, 64-69	0.5	8
42	Molecular design of boronic acid-functionalized squarylium cyanine dyes for multiple discriminant analysis of sialic acid in biological samples: selectivity toward monosaccharides controlled by different alkyl side chain lengths. <i>Analytical Chemistry</i> , 2015 , 87, 1933-40	7.8	19
41	Synthesis of polyethylene/polyester copolymers through main chain exchange reactions via olefin metathesis. <i>Polymer</i> , 2014 , 55, 6245-6251	3.9	30
40	Squaraine Dyes with Perylium and Thiopyrylium Components for Harvest of Near Infrared Light in Dye-Sensitized Solar Cells. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 16618-16625	3.8	35
39	Novel 10,13-disubstituted dipyrido[3,2-a:2',3'-c]phenazines and their platinum(II) complexes: highly luminescent ICT-type fluorophores based on DAD structures. <i>Tetrahedron Letters</i> , 2014 , 55, 5195-5198	2	17

38	White polymer light-emitting diodes co-doped with three phosphorescent iridium(III) complexes aimed at improvement of color rendering properties. <i>Journal of Luminescence</i> , 2014 , 155, 368-373	3.8	7
37	Linearly Extended squaraine dyes enable the spectral response of dye-sensitized solar cells in the NIR region over 800 nm. <i>New Journal of Chemistry</i> , 2013 , 37, 701-708	3.6	41
36	Conformational effect of symmetrical squaraine dyes on the performance of dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 1303-1309	13	42
35	Photo- and electroluminescence from deep-red- and near-infrared-phosphorescent tris-cyclometalated iridium(III) complexes bearing largely Extended ligands. <i>Inorganic Chemistry Communication</i> , 2013 , 38, 14-19	3.1	29
34	Photo- and Electroluminescence from 2-(Dibenzo[b,d]furan-4-yl)pyridine-Based Heteroleptic Cyclometalated Platinum(II) Complexes: Excimer Formation Drastically Facilitated by an Aromatic Diketonate Ancillary Ligand. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 532-542	3.8	53
33	An application of polymer-enhanced capillary transient isotachopheresis with an emissive boronic acid functionalized squarylium dye as an on-capillary labeling agent for gram-positive bacteria. <i>Analytical Sciences</i> , 2013 , 29, 157-9	1.7	15
32	Near-infrared-absorbing Extended Squarylium-based Dyes with Dicyanovinylene Substitution for Dye-sensitized Solar Cell Applications. <i>Chemistry Letters</i> , 2013 , 42, 25-27	1.7	7
31	Synthesis and Characterization of Squaraine-Based Conjugated Polymers With Phenylene Linkers for Bulk Heterojunction Solar Cells. <i>Macromolecular Chemistry and Physics</i> , 2012 , 213, 2590-2597	2.6	32
30	White polymer light-emitting diodes co-doped with phosphorescent iridium complexes bearing the same cyclometalated ligand. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2012 , 9, 2553-2556		8
29	Operating voltage-independent white electroluminescence from phosphorescent Ir(III) complexes embedded in poly(N-vinylcarbazole). <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2012 , 9, 2557-2560		1
28	On-column labeling of gram-positive bacteria with a boronic acid functionalized squarylium cyanine dye for analysis by polymer-enhanced capillary transient isotachopheresis. <i>Analytical Chemistry</i> , 2012 , 84, 2452-8	7.8	36
27	Photoluminescence color tuning of phosphorescent bis-cyclometalated iridium(III) complexes by ancillary ligand replacement. <i>Dyes and Pigments</i> , 2012 , 95, 695-705	4.6	17
26	A long-wavelength fluorescent squarylium cyanine dye possessing boronic acid for sensing monosaccharides and glycoproteins with high enhancement in aqueous solution. <i>Sensors</i> , 2012 , 12, 5420-231	3.8	30
25	Unsymmetrical squarylium dyes with Extended heterocyclic components and their application to organic dye-sensitized solar cells. <i>Synthetic Metals</i> , 2011 , 161, 2481-2487	3.6	32
24	Near-infrared absorbing squarylium dyes with linearly extended Conjugated structure for dye-sensitized solar cell applications. <i>Organic Letters</i> , 2011 , 13, 5994-7	6.2	63
23	Synthesis of Binaphthalene-Derived Bis(carbazole)s by Catalytic C-N Bond Formation and Its Application to Preparation of a Host Polymer for Organic Light-Emitting Diode. <i>Journal of the Japan Society of Colour Material</i> , 2011 , 84, 408-414	0	
22	C2 Chiral Biaryl Unit-Based Helical Polymers and their Application to Asymmetric Catalysis 2011 , 267-292		
21	Synthesis and near-infrared absorption properties of linearly Extended squarylium oligomers. <i>Dyes and Pigments</i> , 2011 , 90, 211-218	4.6	20

20	Far-red absorbing squarylium dyes with terminally connected electron-accepting units for organic dye-sensitized solar cells. <i>Dyes and Pigments</i> , 2011 , 90, 275-283	4.6	28
19	Pure red electroluminescence from novel heteroleptic cyclometalated platinum(II) emitters embedded in polyvinylcarbazole. <i>Synthetic Metals</i> , 2010 , 160, 615-620	3.6	13
18	A dynamic covalent polymer driven by disulfide metathesis under photoirradiation. <i>Chemical Communications</i> , 2010 , 46, 1150-2	5.8	228
17	White Electroluminescence Obtained from a Polymer Light-Emitting Diode Containing Two Phosphorescent Iridium (III) Complexes in an Emitting Layer. <i>Journal of the Japan Society of Colour Material</i> , 2010 , 83, 207-214	0	7
16	Photoluminescent properties of heteroleptic cyclometalated platinum(II) complexes bearing 1,3-bis(3,4-dibutoxyphenyl)propane-1,3-dionate as an ancillary ligand. <i>Journal of Luminescence</i> , 2010 , 130, 217-221	3.8	34
15	Pure red electrophosphorescence from polymer light-emitting diodes doped with highly emissive bis-cyclometalated iridium(III) complexes. <i>Journal of Organometallic Chemistry</i> , 2010 , 695, 1972-1978	2.3	34
14	Synthesis and Reaction of Well-defined Copolymers with Thermally Exchangeable Dynamic Covalent Bonds in the Side Chains. <i>ACS Symposium Series</i> , 2009 , 319-329	0.4	
13	Dynamic covalent polymers: Reorganizable polymers with dynamic covalent bonds. <i>Progress in Polymer Science</i> , 2009 , 34, 581-604	29.6	366
12	Scrambling reaction between polymers prepared by step-growth and chain-growth polymerizations: macromolecular cross-metathesis between 1,4-polybutadiene and olefin-containing polyester. <i>Chemical Communications</i> , 2009 , 1073-5	5.8	65
11	Rational approach to star-like nanogels with different arm lengths: formation by dynamic covalent exchange and their imaging. <i>Chemical Communications</i> , 2009 , 689-91	5.8	37
10	Double-stranded helical polymers consisting of complementary homopolymers. <i>Journal of the American Chemical Society</i> , 2008 , 130, 7938-45	16.4	109
9	Solvent-free synthesis of pseudopolyrotaxane and polyrotaxane: Efficient threading complexation of a cyclodextrin wheel and a linear polymer axle to yield pseudopolyrotaxane and its fixation to polyrotaxane by the direct grinding of a solid mixture. <i>Journal of Polymer Science Part A</i> , 2007 , 45, 1571-1574	2.5	28
8	Synthesis and Structure of Optically Active Polyesters Containing C2 Chiral Spirobifluorene Moieties in the Main Chain. <i>Polymer Journal</i> , 2007 , 39, 1351-1359	2.7	14
7	Photoresponsive double-stranded helices composed of complementary strands. <i>Chemical Communications</i> , 2007 , 3174-6	5.8	47
6	Self-assembly of multinuclear complexes with enantiomerically pure chiral binaphthoxy imine ligands: effect of the alkyl spacer connecting two binaphthyl units on the metal binding. <i>Chirality</i> , 2006 , 18, 691-7	2.1	9
5	Synthesis and Properties of Optically Active Polycarbonates Having C2 Chiral Spirobifluorene Skeleton in the Main Chain. <i>Kobunshi Ronbunshu</i> , 2006 , 63, 512-518	0	6
4	Design and synthesis of chiral poly(binaphthyl salen zinc complex) and application of the asymmetric field based on its helical conformation to a catalytic asymmetric reaction. <i>Journal of Polymer Science Part A</i> , 2004 , 42, 4693-4703	2.5	34
3	Synthesis and structure of poly(binaphthyl salen manganese complex) and its application to asymmetric epoxidation. <i>Chirality</i> , 2002 , 14, 587-90	2.1	23

- 2 A Rational Design of Helix: Absolute Helix Synthesis by Binaphthyl-Salen Fusion. *Chemistry Letters*, **2001**, 30, 1020-1021 1.7 25
- 1 Dynamic Combinatorial Methods in Materials Science 229-260