
Tim H Sparks

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9279984/publications.pdf Version: 2024-02-01



TIM H SDADKS

#	Article	IF	CITATIONS
1	Extreme temperatures help in identifying thresholds in phenological responses. Global Ecology and Biogeography, 2022, 31, 321-331.	2.7	5
2	Woodpecker populations in winter in the interior of the European continent are highly dependent on climate change and its consequences. Journal of Ornithology, 2022, 163, 481-493.	0.5	1
3	Plants in the UK flower a month earlier under recent warming. Proceedings of the Royal Society B: Biological Sciences, 2022, 289, 20212456.	1.2	34
4	The great acceleration of plant phenological shifts. Nature Climate Change, 2022, 12, 300-302.	8.1	40
5	Biodiversity hotspots at a small scale: the importance of eagles' nests to many other animals. Ecology, 2021, 102, e03220.	1.5	11
6	Inhibitory effects of climate change on the growth and extracellular enzyme activities of a widespread Antarctic soil fungus. Global Change Biology, 2021, 27, 1111-1125.	4.2	20
7	Whitewashing improves relocated nest occupancy in the white stork: An experimental test of public information. Journal for Nature Conservation, 2021, 59, 125929.	0.8	7
8	Does experimentally simulated presence of a common cuckoo (Cuculus canorus) affect egg rejection and breeding success in the red-backed shrike (Lanius collurio)?. Acta Ethologica, 2021, 24, 87-94.	0.4	3
9	Long-term woodland restoration on lowland farmland through passive rewilding. PLoS ONE, 2021, 16, e0252466.	1.1	26
10	On the origin of species on road warning signs: A global perspective. Global Ecology and Conservation, 2021, 27, e01600.	1.0	2
11	State of the <scp>UK</scp> Climate 2020. International Journal of Climatology, 2021, 41, 1-76.	1.5	48
12	Global Climate. Bulletin of the American Meteorological Society, 2021, 102, S11-S142.	1.7	36
13	Post-breeding flocks of White Storks <i>Ciconia ciconia</i> in southern Poland: size, age composition and the geographical origin of birds. Bird Study, 2021, 68, 190-197.	0.4	2
14	Child welfare inequalities in the four nations of the UK. Journal of Social Work, 2020, 20, 193-215.	0.8	62
15	State of the UK Climate 2019. International Journal of Climatology, 2020, 40, 1-69.	1.5	53
16	Bill morphology and biometrics of three sibling woodpecker species from sympatric populations. Bird Study, 2020, 67, 8-18.	0.4	4
17	Rising temperatures advance the main flight period of Bombus bumblebees in agricultural landscapes of the Central European Plain. Apidologie, 2020, 51, 652-663.	0.9	14
18	Birds Drinking Alcohol: Species and Relationship with People. A Review of Information from Scientific Literature and Social Media. Animals, 2020, 10, 270.	1.0	7

#	Article	IF	CITATIONS
19	Climate change fingerprints in recent European plant phenology. Global Change Biology, 2020, 26, 2599-2612.	4.2	179
20	Rapid climate change has increased postâ€breeding and autumn bird density at the eastern limit of Europe. Ecological Research, 2020, 35, 235-242.	0.7	7
21	Does Coltsfoot (Tussilago farfara L.) have an autumn temperature control to limit precocious flowering in spring?. International Journal of Climatology, 2020, 40, 4518-4527.	1.5	4
22	Foraging efficiency of white stork Ciconia ciconia significantly increases in pastures containing cows. Acta Oecologica, 2020, 104, 103544.	0.5	14
23	Global Climate. Bulletin of the American Meteorological Society, 2020, 101, S9-S128.	1.7	61
24	Circadian preferences of birdwatchers in Poland: do "owls―prefer watching night birds, and "larks― prefer daytime ones?. PeerJ, 2020, 8, e8673.	0.9	10
25	Thrush anvils are calcium source hotspots for many bird species. Biological Journal of the Linnean Society, 2019, 128, 603-610.	0.7	4
26	Road kills of nonâ€human primates: a global view using a different type of data. Mammal Review, 2019, 49, 276-283.	2.2	22
27	Paradoxical evidence on ethnic inequities in child welfare: Towards a research agenda. Children and Youth Services Review, 2019, 96, 145-154.	1.0	22
28	Manure application improves both bumblebee flower visitation and crop yield in intensive farmland. Basic and Applied Ecology, 2019, 36, 26-33.	1.2	10
29	Changing Phenology of Potato and of the Treatment for its Major Pest (Colorado Potato Beetle) – A Long-term Analysis. American Journal of Potato Research, 2018, 95, 26-32.	0.5	8
30	Inequalities in English child protection practice under austerity: A universal challenge?. Child and Family Social Work, 2018, 23, 53-61.	0.6	88
31	Co-occurrence of birds and bats in natural nest-holes. Ibis, 2017, 159, 235-237.	1.0	9
32	Old Plants, New Tricks: Phenological Research Using Herbarium Specimens. Trends in Ecology and Evolution, 2017, 32, 531-546.	4.2	232
33	Long-term effect of temperature on honey yield and honeybee phenology. International Journal of Biometeorology, 2017, 61, 1125-1132.	1.3	23
34	Effects of local roads and car traffic on the occurrence pattern and foraging behaviour of bats. Transportation Research, Part D: Transport and Environment, 2017, 56, 222-228.	3.2	9
35	Child protection in England: an emerging inequalities perspective. Journal of Children's Services, 2017, 12, 107-112.	0.5	7
36	Acorns of invasive Northern Red Oak (Quercus rubra) in Europe are larval hosts for moths and beetles. Biological Invasions, 2017, 19, 2419-2425.	1.2	14

#	Article	lF	CITATIONS
37	An assessment of bumblebee (Bombus spp) land use and floral preference in UK gardens and allotments cultivated for food. Urban Ecosystems, 2017, 20, 425-434.	1.1	21
38	Do direct payments improve outcomes for older people who receive social care? Differences in outcome between people aged 75+ who have a managed personal budget or a direct payment. Ageing and Society, 2017, 37, 961-984.	1.2	36
39	Child welfare inequalities: new evidence, further questions. Child and Family Social Work, 2016, 21, 369-380.	0.6	57
40	Effect of Electricity Pylons on Plant Biodiversity in Intensive Farmland in Poland. Annales Botanici Fennici, 2016, 53, 415-425.	0.0	3
41	Global impacts of the 1980s regime shift. Global Change Biology, 2016, 22, 682-703.	4.2	225
42	Organic amendment increases arbuscular mycorrhizal fungal diversity in primary coastal dunes. European Journal of Ecology, 2016, 2, 1-8.	0.1	4
43	Differences between urban and rural hedges in England revealed by a citizen science project. BMC Ecology, 2016, 16, 15.	3.0	20
44	Inequalities in child welfare intervention rates: the intersection of deprivation and identity. Child and Family Social Work, 2016, 21, 452-463.	0.6	62
45	Citizen science identifies the effects of nitrogen dioxide and other environmental drivers on tar spot of sycamore. Environmental Pollution, 2016, 214, 549-555.	3.7	3
46	The phenology of winter rye in Poland: an analysis of long-term experimental data. International Journal of Biometeorology, 2016, 60, 1341-1346.	1.3	19
47	Phenological sensitivity to climate across taxa and trophic levels. Nature, 2016, 535, 241-245.	13.7	705
48	Can we detect a nonlinear response to temperature in European plant phenology?. International Journal of Biometeorology, 2016, 60, 1551-1561.	1.3	47
49	Pushing back the baseline: a novel approach to detect long-term changes in terrestrial faunal abundance using historical qualitative descriptions. European Journal of Ecology, 2015, 1, 32-42.	0.1	0
50	Exploring inequities in child welfare and child protection services: Explaining the â€~inverse intervention law'. Children and Youth Services Review, 2015, 57, 98-105.	1.0	79
51	Color mimicry of empty seeds influences the probability of predation by birds. Ecosphere, 2015, 6, art177.	1.0	9
52	Effects of temperature and drought manipulations on seedlings of <scp>S</scp> cots pine provenances. Plant Biology, 2015, 17, 361-372.	1.8	47
53	Climate sensitivity and variation in first flowering of 26 Narcissus cultivars. International Journal of Biometeorology, 2015, 59, 477-480.	1.3	4
54	Do queens of bumblebee species differ in their choice of flower colour morphs of Corydalis cava (Fumariaceae)?. Apidologie, 2015, 46, 337-345.	0.9	7

#	Article	IF	CITATIONS
55	Urban and rural habitats differ in number and type of bird feeders and in bird species consuming supplementary food. Environmental Science and Pollution Research, 2015, 22, 15097-15103.	2.7	96
56	Small differences in seasonal and thermal niches influence elevational limits of native and invasive Balsams. Biological Conservation, 2015, 191, 682-691.	1.9	12
57	Electricity pylons may be potential foci for the invasion of black cherry Prunus serotina in intensive farmland. Acta Oecologica, 2015, 62, 40-44.	0.5	14
58	Winter Bird Assemblages in Rural and Urban Environments: A National Survey. PLoS ONE, 2015, 10, e0130299.	1.1	42
59	Changes in first flowering dates and flowering duration of 232 plant species on the island of Guernsey. Global Change Biology, 2014, 20, 3508-3519.	4.2	90
60	Effect of Habitat Burning on the Number of Singing Males of the Aquatic Warbler <i>Acrocephalus paludicola</i> . Acta Ornithologica, 2014, 49, 175-182.	0.1	7
61	Natural history museum collections provide information on phenological change in British butterflies since the late-nineteenth century. International Journal of Biometeorology, 2014, 58, 1749-1758.	1.3	35
62	Sex and other sources of variation in the haematological parameters of White Stork Ciconia ciconia cichia chicks. Journal of Ornithology, 2014, 155, 307-314.	0.5	16
63	The impact of climatic change on butterfly geography: does climatic change produce coincident trends in populations, distributions and ranges?. Biodiversity and Conservation, 2014, 23, 855-876.	1.2	7
64	Does humidity trigger tree phenology? Proposal for an air humidity based framework for bud development in spring. New Phytologist, 2014, 202, 350-355.	3.5	57
65	Chilling outweighs photoperiod in preventing precocious spring development. Global Change Biology, 2014, 20, 170-182.	4.2	304
66	Links between plant species' spatial and temporal responses to a warming climate. Proceedings of the Royal Society B: Biological Sciences, 2014, 281, 20133017.	1.2	55
67	Predation and dispersal of acorns by European Jay (Garrulus glandarius) differs between a native (Pedunculate Oak Quercus robur) and an introduced oak species (Northern Red Oak Quercus rubra) in Europe. Forest Ecology and Management, 2014, 331, 35-39.	1.4	43
68	Twenty years of successful papers in Global Change Biology. Global Change Biology, 2014, 20, 3587-3590.	4.2	0
69	A Paradox for Conservation: Electricity Pylons May Benefit Avian Diversity in Intensive Farmland. Conservation Letters, 2014, 7, 34-40.	2.8	60
70	New is not always better: low breeding success and different occupancy patterns in newly built nests of a long-lived species, the white stork <i>Ciconia ciconia</i> . Bird Study, 2013, 60, 399-403.	0.4	35
71	Pollen season and climate: Is the timing of birch pollen release in the UK approaching its limit?. International Journal of Biometeorology, 2013, 57, 391-400.	1.3	56
72	Ecological correlates of the popularity of birds and butterflies in Internet information resources. Oikos, 2013, 122, 183-190.	1.2	56

#	Article	IF	CITATIONS
73	Plant Phenology Changes and Climate Change. , 2013, , 103-108.		3
74	Climate-Induced Changes in Grapevine Yield and Must Sugar Content in Franconia (Germany) between 1805 and 2010. PLoS ONE, 2013, 8, e69015.	1.1	61
75	Changes in the timing of hay cutting in Germany do not keep pace with climate warming. Global Change Biology, 2013, 19, 3123-3132.	4.2	20
76	Bird Migration Advances More Strongly in Urban Environments. PLoS ONE, 2013, 8, e63482.	1.1	57
77	Warming-induced shift in European mushroom fruiting phenology. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 14488-14493.	3.3	104
78	The Weekend Bias in Recording Rare Birds: Mechanisms and Consequencess. Acta Ornithologica, 2012, 47, 87-94.	0.1	7
79	Long-term effects of hedgerow management policies on resource provision for wildlife. Biological Conservation, 2012, 145, 24-29.	1.9	59
80	The phenology of Rubus fruticosus in Ireland: herbarium specimens provide evidence for the response of phenophases to temperature, with implications for climate warming. International Journal of Biometeorology, 2012, 56, 1103-1111.	1.3	29
81	The use of Barn Owl <i>Tyto alba</i> pellets to assess population change in small mammals. Bird Study, 2012, 59, 166-174.	0.4	19
82	Butterfly responses to environmental factors in fragmented calcareous grasslands. Journal of Insect Conservation, 2012, 16, 321-329.	0.8	26
83	Landscape structure, human disturbance and crop management affect foraging ground selection by migrating geese. Journal of Ornithology, 2012, 153, 747-759.	0.5	34
84	The Influence of Time on the Soil Seed Bank and Vegetation across a Landscape cale Wetland Restoration Project. Restoration Ecology, 2012, 20, 103-112.	1.4	49
85	Synchrony in the phenology of a culturally iconic spring flower. International Journal of Biometeorology, 2012, 56, 407-409.	1.3	13
86	The influence of altitude and urbanisation on trends and mean dates in phenology (1980–2009). International Journal of Biometeorology, 2012, 56, 387-394.	1.3	78
87	Changes to Airborne Pollen Counts across Europe. PLoS ONE, 2012, 7, e34076.	1.1	281
88	Surviving in a warmer world: environmental and genetic responses. Climate Research, 2012, 53, 245-262.	0.4	48
89	Linked indicator sets for addressing biodiversity loss. Oryx, 2011, 45, 411-419.	0.5	70
90	Reducing death by electrocution of the white storkâ€,Ciconia ciconia. Conservation Letters, 2011, 4, 483-487.	2.8	23

#	Article	IF	CITATIONS
91	Decline in native ladybirds in response to the arrival of Harmonia axyridis: early evidence from England. Ecological Entomology, 2011, 36, 231-240.	1.1	90
92	Conservation of Farmland Birds Faces Different Challenges in Western and Central-Eastern Europe. Acta Ornithologica, 2011, 46, 1-12.	0.1	210
93	Challenging claims in the study of migratory birds and climate change. Biological Reviews, 2011, 86, 928-946.	4.7	286
94	Phenological changes and reduced seasonal synchrony in western Poland. International Journal of Biometeorology, 2011, 55, 447-453.	1.3	24
95	Do males hatch first and dominate sex ratios in White Stork Ciconia ciconia chicks?. Journal of Ornithology, 2011, 152, 213-218.	0.5	15
96	Increasing patch area, proximity of human settlement and larval food plants positively affect the occurrence and local population size of the habitat specialist butterfly Polyommatus coridon (Lepidoptera: Lycaenidae) in fragmented calcareous grasslands. European Journal of Entomology, 2011, 108, 99-106.	1.2	9
97	Changes in the phenology and composition of wine from Franconia, Germany. Climate Research, 2011, 50, 69-81.	0.4	102
98	The changing bird phenology of Mid Deeside, Scotland 1974–2010. Bird Study, 2010, 57, 407-414.	0.4	5
99	Elevation and habitats: the potential of sites at different altitudes to provide refuges for phytophagous insects during climatic fluctuations. Journal of Insect Conservation, 2010, 14, 297-303.	0.8	7
100	Advances in the timing of spring cleaning by the honeybee <i>Apis mellifera</i> in Poland. Ecological Entomology, 2010, 35, 788-791.	1.1	25
101	Trophic level asynchrony in rates of phenological change for marine, freshwater and terrestrial environments. Global Change Biology, 2010, 16, 3304-3313.	4.2	690
102	Turnover and trends in butterfly communities on two British tidal islands: stochastic influences and deterministic factors. Journal of Biogeography, 2010, 37, 2291-2304.	1.4	16
103	East versus West: contrasts in phenological patterns?. Global Ecology and Biogeography, 2010, 19, 783-793.	2.7	27
104	Climate change and spring-fruiting fungi. Proceedings of the Royal Society B: Biological Sciences, 2010, 277, 1169-1177.	1.2	81
105	A 250-year index of first flowering dates and its response to temperature changes. Proceedings of the Royal Society B: Biological Sciences, 2010, 277, 2451-2457.	1.2	142
106	The migration seasons of birds as recorded at Dungeness bird observatory in Southeast England. Ringing and Migration, 2010, 25, 71-87.	0.2	5
107	Blood chemistry in white stork Ciconia ciconia chicks varies by sex and age. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2010, 156, 144-147.	0.7	11
108	Does climate influence phenological trends in social wasps (Hymenoptera: Vespinae) in Poland?. European Journal of Entomology, 2010, 107, 203-208.	1.2	18

#	Article	IF	CITATIONS
109	Rapid advances in the timing of the spring passage migration through Israel of the steppe eagle Aquila nipalensis. Climate Research, 2010, 42, 217-222.	0.4	11
110	Severe flooding causes a crash in production of white stork (Ciconia ciconia) chicks across Central and Eastern Europe. Basic and Applied Ecology, 2009, 10, 387-392.	1.2	29
111	Influence of temperature on the spatial distribution of first spawning dates of the common frog (<i>Rana temporaria</i>) in the UK. Global Change Biology, 2009, 15, 467-473.	4.2	35
112	Spring migration timing of Sylvia warblers in Tatarstan (Russia) 1957–2008. Open Life Sciences, 2009, 4, 595-602.	0.6	6
113	Relationship between arrival date, hatching date and breeding success of the white stork (Ciconia) Tj ETQq1 1 ().784314 r 0.8	gBT_/Overloc
114	The impact of climate change on the yield and quality of Saaz hops in the Czech Republic. Agricultural and Forest Meteorology, 2009, 149, 913-919.	1.9	71
115	Long-Term Changes and Breeding Success in Relation to Nesting Structures used by the White Stork, <i>Ciconia ciconia</i> . Annales Zoologici Fennici, 2009, 46, 34-38.	0.2	58
116	Travelling through a warming world: climate change and migratory species. Endangered Species Research, 2009, 7, 87-99.	1.2	297
117	Habitat does not influence breeding performance in a longâ€ŧerm Barn Owl <i>Tyto alba</i> study. Bird Study, 2009, 56, 369-380.	0.4	13
118	The relationship between hunting methods and sex, age and body weight in a non-trophy animal, the red fox. Wildlife Research, 2009, 36, 106.	0.7	17
119	IRISH PHENOLOGICAL OBSERVATIONS FROM THE EARLY 20TH CENTURY REVEAL A STRONG RESPONSE TO TEMPERATURE. Biology and Environment, 2009, 109, 115-122.	0.2	11
120	Earliest recorded Tatarstan skylark in 2008: non-linear response to temperature suggests advances in arrival dates may accelerate. Ćlimate Research, 2009, 38, 189-192.	0.4	12
121	Temperature sensitivity of Swiss and British plant phenology from 1753 to 1958. Climate Research, 2009, 39, 179-190.	0.4	30
122	Advancing phenology in Europe's last lowland primeval forest: non-linear temperature response. Climate Research, 2009, 39, 221-226.	0.4	26
123	Changes and patterns in biologically relevant temperatures in Europe 1941–2000. Climate Research, 2009, 39, 191-207.	0.4	16
124	Effects of temperature, phase type and timing, location, and human density on plant phenological responses in Europe. Climate Research, 2009, 39, 235-248.	0.4	50
125	INTRODUCTIONÂ European cooperation in plant phenology 3. Climate Research, 2009, 39, 175-177.	0.4	22
126	Spatial variation in onset dates and trends in phenology across Europe. Climate Research, 2009, 39, 249-260.	0.4	32

#	Article	IF	CITATIONS
127	COST725 – establishing a European phenological data platform for climatological applications: major results. Advances in Science and Research, 2009, 3, 119-122.	1.0	8
128	Something for the weekend? Examining the bias in avian phenological recording. International Journal of Biometeorology, 2008, 52, 505-510.	1.3	23
129	The relationship between phenological traits and brood size of the white stork Ciconia ciconia in western Poland. Acta Oecologica, 2008, 33, 203-206.	0.5	27
130	PHENOLOGY—NATURE'S CALENDAR: AN OVERVIEW OF RESULTS FROM THE UK PHENOLOGY NETWORK. Arboricultural Journal, 2008, 30, 271-278.	0.3	8
131	Lateral thinking on data to identify climate impacts. Trends in Ecology and Evolution, 2007, 22, 169-171.	4.2	36
132	Rapid and Recent Changes in Fungal Fruiting Patterns. Science, 2007, 316, 71-71.	6.0	194
133	Predicting community sensitivity to ozone, using Ellenberg Indicator values. Environmental Pollution, 2007, 146, 744-753.	3.7	17
134	Specialism for larval and adult consumer resources among British butterflies: Implications for conservation. Biological Conservation, 2007, 138, 440-452.	1.9	47
135	Interactions between Elevated CO2and Warming Could Amplify DOC Exports from Peatland Catchments. Environmental Science & amp; Technology, 2007, 41, 3146-3152.	4.6	130
136	How is Guernsey's climate changing?. Weather, 2007, 62, 155-159.	0.6	0
137	Trends and temperature response in the phenology of crops in Germany. Global Change Biology, 2007, 13, 1737-1747.	4.2	232
138	Impacts of burning and increased nitrogen deposition on nitrogen pools and leaching in an upland moor. Journal of Ecology, 2007, 95, 1195-1207.	1.9	22
139	House sparrows benefit from the conservation of white storks. Die Naturwissenschaften, 2007, 94, 412-415.	0.6	13
140	How consistent are trends in arrival (and departure) dates of migrant birds in the UK?. Journal of Ornithology, 2007, 148, 503-511.	0.5	52
141	Is earlier spring migration of Tatarstan warblers expected under climate warming?. International Journal of Biometeorology, 2007, 51, 459-463.	1.3	15
142	Elevated CO2 Effects on Peatland Plant Community Carbon Dynamics and DOC Production. Ecosystems, 2007, 10, 635-647.	1.6	81
143	Plant Phenology Changes and Climate Change. , 2007, , 1-7.		1
144	Increased migration of Lepidoptera linked to climate change. European Journal of Entomology, 2007, 104, 139-143.	1.2	76

#	Article	IF	CITATIONS
145	Climate signals are reflected in an 89 year series of British Lepidoptera records. European Journal of Entomology, 2007, 104, 763-767.	1.2	28
146	Patterns of spring arrival dates differ in two hirundines. Climate Research, 2007, 35, 159-164.	0.4	30
147	The Grass is Greener - Longer. Weatherwise, 2006, 59, 28-29.	0.1	0
148	Effectiveness of new agri-environment schemes in providing foraging resources for bumblebees in intensively farmed landscapes. Biological Conservation, 2006, 129, 192-206.	1.9	144
149	When is a habitat not a habitat? Dramatic resource use changes under differing weather conditions for the butterfly Plebejus argus. Biological Conservation, 2006, 129, 291-301.	1.9	71
150	Altered geographic and temporal variability in phenology in response to climate change. Global Ecology and Biogeography, 2006, 15, 498-504.	2.7	195
151	Date of breeding of the starling Sturnus vulgaris in New Zealand is related to El Nino Southern Oscillation. Austral Ecology, 2006, 31, 634-637.	0.7	8
152	European phenological response to climate change matches the warming pattern. Global Change Biology, 2006, 12, 1969-1976.	4.2	2,412
153	Hedges and Green Lanes: Vegetation Composition and Structure. Biodiversity and Conservation, 2006, 15, 2595-2610.	1.2	13
154	Plant development scores from fixed-date photographs: the influence of weather variables and recorder experience. International Journal of Biometeorology, 2006, 50, 275-279.	1.3	36
155	The relationship between means and variances in avian reproductive success between local populations of white stork (Ciconia ciconia): reply to Moreno and Polo. Population Ecology, 2006, 48, 174-174.	0.7	0
156	Is body size of the water frog Rana esculenta complex responding to climate change?. Die Naturwissenschaften, 2006, 93, 110-113.	0.6	38
157	How well do the central England temperature and the England and Wales precipitation series represent the climate of the UK?. International Journal of Climatology, 2006, 26, 2287-2292.	1.5	35
158	Hedges and green lanes: vegetation composition and structure. , 2006, , 255-270.		1
159	Complex phenological responses to climate warming trends? Lessons from history. European Journal of Entomology, 2006, 103, 379-386.	1.2	23
160	The grass is greener (for longer). Weather, 2005, 60, 121-125.	0.6	10
161	Will Environmental Stewardship enhance small mammal abundance on intensively managed farmland?. Mammal Review, 2005, 35, 277-284.	2.2	43
162	Uphill shifts in the distribution of the white stork Ciconia ciconia in southern Poland: the importance of nest quality. Diversity and Distributions, 2005, 11, 219-223.	1.9	60

#	Article	IF	CITATIONS
163	Examining the total arrival distribution of migratory birds. Global Change Biology, 2005, 11, 22-30.	4.2	151
164	The influence of temperature on migration of Lepidoptera into Britain. Global Change Biology, 2005, 11, 507-514.	4.2	88
165	'SSW to NNE' - North Atlantic Oscillation affects the progress of seasons across Europe. Global Change Biology, 2005, 11, 909-918.	4.2	66
166	Examples of phenological change, past and present, in UK farming. Annals of Applied Biology, 2005, 146, 531-537.	1.3	38
167	The detection of climate impacts: some methodological considerations. International Journal of Climatology, 2005, 25, 271-277.	1.5	49
168	Landscape Resources for the Territorial Nymphalid Butterfly Inachis io: Microsite Landform Selection and Behavioral Responses to Environmental Conditions. Journal of Insect Behavior, 2005, 18, 725-742.	0.4	18
169	The effect of climate on the phenology, acorn crop and radial increment of pedunculate oak (Quercus) Tj ETQq1 49, 262-266.	l 0.7843] 1.3	l4 rgBT /Ov∈ 36
170	The relationship between population means and variances of reproductive success differs between local populations of white stork (Ciconia ciconia). Population Ecology, 2005, 47, 119-125.	0.7	22
171	What affects the magnitude of change in first arrival dates of migrant birds?. Journal Fur Ornithologie, 2005, 146, 200-205.	1.2	105
172	The Modification of Ancient Woodland Ground Flora at Arable Edges. Biodiversity and Conservation, 2005, 14, 3215-3233.	1.2	25
173	Providing foraging resources for bumblebees in intensively farmed landscapes. Biological Conservation, 2005, 121, 479-494.	1.9	178
174	Linear hotspots? The floral and butterfly diversity of green lanes. Biological Conservation, 2005, 121, 579-584.	1.9	51
175	Determinants of overwintering habitat quality for beetles and spiders on arable farmland. Biological Conservation, 2005, 123, 79-90.	1.9	99
176	Birds and green lanes: Breeding season bird abundance, territories and species richness. Biological Conservation, 2005, 126, 540-547.	1.9	15
177	Climate change and the effect of increasing spring temperatures on emergence dates of the butterfly Apatura iris (Lepidoptera: Nymphalidae). European Journal of Entomology, 2005, 102, 161-167.	1.2	48
178	Can we detect change in the phenology of winter migrant birds in the UK?. Ibis, 2004, 146, 57-60.	1.0	20
179	Timing of berry depletion rates of three common hedgerow shrubs. Agriculture, Ecosystems and Environment, 2004, 104, 663-666.	2.5	3
180	Arrival and Departure Dates. Advances in Ecological Research, 2004, , 1-31.	1.4	280

#	Article	IF	CITATIONS
181	Does climate at different scales influence the phenology and phenotype of the River Warbler Locustella fluviatilis?. Oecologia, 2004, 141, 158-163.	0.9	35
182	Should avian egg size increase as a result of global warming? A case study using the red-backed shrike (Lanius collurio). Journal Fur Ornithologie, 2004, 145, 264-268.	1.2	29
183	Assessing habitat quality for butterflies on intensively managed arable farmland. Biological Conservation, 2004, 118, 313-325.	1.9	118
184	Flower preferences of woodland butterflies in the UK: nectaring specialists are species of conservation concern. Biological Conservation, 2004, 119, 397-403.	1.9	83
185	The restoration of neglected hedges: a comparison of management treatments. Biological Conservation, 2004, 117, 19-23.	1.9	28
186	Changes in the timing and pattern of arrival of the White Stork (Ciconia ciconia) in western Poland. Journal Fur Ornithologie, 2003, 144, 323-329.	1.2	39
187	Polychlorinated Biphenyl (PCB) Congener Concentrations in Seabirds Found Dead in Mortality Incidents Around the British Coast. Archives of Environmental Contamination and Toxicology, 2003, 45, 136-147.	2.1	15
188	The European Phenology Network. International Journal of Biometeorology, 2003, 47, 202-212.	1.3	74
189	Changes in the timing and pattern of arrival of the White Stork (Ciconia ciconia) in western Poland. Journal Fur Ornithologie, 2003, 144, 323-329.	1.2	35
190	Barn owl release in lowland southern England—a twenty-one year study. Biological Conservation, 2003, 109, 271-282.	1.9	30
191	The effect of arable field margin composition on invertebrate biodiversity. Biological Conservation, 2002, 106, 259-271.	1.9	207
192	Changes in the botanical diversity of a species rich ancient hedgerow between two surveys (1971–1998). Biological Conservation, 2002, 106, 273-278.	1.9	25
193	A comparison of green lanes and field margins as bumblebee habitat in an arable landscape. Biological Conservation, 2002, 107, 365-374.	1.9	39
194	A comparison of geographical and neighbourhood models for improving atlas databases. The case of the French butterfly atlas. Biological Conservation, 2002, 108, 143-159.	1.9	26
195	A farm-scale evaluation of the influence of hedgerow cutting frequency on hawthorn (Crataegus) Tj ETQq1 1 0.7	784314 rg 2.5	BT /Qverlock
196	Observed changes in seasons: an overview. International Journal of Climatology, 2002, 22, 1715-1725.	1.5	411
197	Earlier arrival of some farmland migrants in western Poland. Ibis, 2002, 144, 62-68.	1.0	131
198	Restoration of species-rich grassland on arable land: assessing the limiting processes using a multi-site experiment. Journal of Applied Ecology, 2002, 39, 294-309.	1.9	336

#	Article	IF	CITATIONS
199	Is spring getting earlier?. Weather, 2002, 57, 157-166.	0.6	18
200	Birds, weather and climate. Weather, 2002, 57, 399-410.	0.6	27
201	Is the detection of the first arrival date of migrating birds influenced by population size? A case study of the red-backed shrike Lanius collurio. International Journal of Biometeorology, 2001, 45, 217-219.	1.3	130
202	The effects of temperature, altitude and latitude on the arrival and departure dates of the swallow Hirundo rustica in the Slovak Republic. International Journal of Biometeorology, 2001, 45, 212-216.	1.3	47
203	UV-B effect on Quercus robur leaf litter decomposition persists over four years. Global Change Biology, 2001, 7, 479-483.	4.2	25
204	Arthropod distribution on an alpine elevational gradient: the relationship with preferred temperature and cold tolerance. European Journal of Entomology, 2001, 98, 301-309.	1.2	13
205	Phenology of British butterflies and climate change. Global Change Biology, 2000, 6, 407-416.	4.2	509
206	Road verges as habitat for small mammals in Britain. Mammal Review, 2000, 30, 131-139.	2.2	92
207	Linear features and butterflies: the importance of green lanes. Agriculture, Ecosystems and Environment, 2000, 80, 227-242.	2.5	96
208	Ecological correlates of island incidence and geographical range among British butterflies. Biodiversity and Conservation, 2000, 9, 343-359.	1.2	62
209	An examination of the relationship between flowering times and temperature at the national scale using long-term phenological records from the UK. International Journal of Biometeorology, 2000, 44, 82-87.	1.3	359
210	The flora of a cultural landscape: environmental determinants of change revealed using archival sources. Biological Conservation, 2000, 92, 249-263.	1.9	88
211	Climate change related to egg-laying trends. Nature, 1999, 399, 423-423.	13.7	469
212	Bias in Butterfly Distribution Maps: The Effects of Sampling Effort. Journal of Insect Conservation, 1999, 3, 33-42.	0.8	123
213	Phenology and the changing pattern of bird migration in Britain. International Journal of Biometeorology, 1999, 42, 134-138.	1.3	111
214	Yields of hawthorn Crataegus monogyna berries under different hedgerow management. Agriculture, Ecosystems and Environment, 1999, 72, 107-110.	2.5	12
215	Polycyclic Aromatic Hydrocarbon (PAH) Residues in the Eggs of Coastal-Nesting Birds from Britain. Marine Pollution Bulletin, 1999, 38, 509-513.	2.3	36
216	Traditional multivariate techniques: Potential for use in ecotoxicology. Environmental Toxicology and Chemistry, 1999, 18, 128-137.	2.2	39

#	Article	IF	CITATIONS
217	Climate change and trophic interactions. Trends in Ecology and Evolution, 1999, 14, 146-150.	4.2	412
218	The times they are a-changing?. Bird Conservation International, 1999, 9, 1-7.	0.7	39
219	Traditional multivariate techniques: Potential for use in ecotoxicology. , 1999, 18, 128.		1
220	The effects of island area, isolation and source population size on the presence of the grayling butterfly Hipparchia semele (L.) (Lepidoptera: Satyrinae) on British and Irish offshore islands. Biodiversity and Conservation, 1998, 7, 765-776.	1.2	13
221	Effects of elevated CO 2 and temperature on growth and allometry of five native fastâ€growing annual species. New Phytologist, 1998, 140, 343-354.	3.5	28
222	The consequences of chronic nitrogen additions on N cycling and soilwater chemistry in a Sitka spruce stand, North Wales. Forest Ecology and Management, 1998, 101, 165-175.	1.4	75
223	Geographical Factors Influencing the Probability of Hipparchia semele (L.) (Lepidoptera: Satyrinae) Occurring on British and Irish Off-Shore Islands. Global Ecology and Biogeography Letters, 1998, 7, 205.	0.6	16
224	Trends and seasonality in stream water chemistry in two moorland catchments of the Upper River Wye, Plynlimon. Hydrology and Earth System Sciences, 1997, 1, 571-581.	1.9	27
225	The effect of spring temperature on the appearance dates of British butterflies 1883-1993. Ecography, 1997, 20, 368-374.	2.1	119
226	Sample size for estimating species lists in vegetation surveys. Journal of the Royal Statistical Society: Series D (the Statistician), 1997, 46, 253-260.	0.2	4
227	Variation of Brain and Serum Cholinesterase Activity with Age in Wild Small Mammals. Bulletin of Environmental Contamination and Toxicology, 1996, 56, 604-611.	1.3	10
228	Breeding birds in field boundaries in an agricultural landscape. Agriculture, Ecosystems and Environment, 1996, 60, 1-8.	2.5	49
229	Influences of population size and woodland area on bird species distributions in small woods. Oecologia, 1996, 105, 100-106.	0.9	73
230	Resampling methods for ecotoxicological data. Ecotoxicology, 1996, 5, 197-207.	1.1	6
231	Predicting freshwater critical loads from national data on geology, soils and land use. Water, Air, and Soil Pollution, 1995, 85, 2443-2448.	1.1	13
232	The Responses of Species to Climate Over Two Centuries: An Analysis of the Marsham Phenological Record, 1736-1947. Journal of Ecology, 1995, 83, 321.	1.9	379
233	Life strategies ofCarabus problematicus(Coleoptera, Carabidae) at different altitudes on Snowdon, north Wales. Journal of Zoology, 1995, 236, 1-10.	0.8	17
234	Factors affecting the abundance of butterflies in field boundaries in Swavesey fens, Cambridgeshire, UK. Biological Conservation, 1995, 73, 221-227.	1.9	51

#	Article	IF	CITATIONS
235	The impacts of atmospheric n inputs on throughfall, soil and stream water interactions for different aged forest and moorland catchments in Wales. Water, Air, and Soil Pollution, 1994, 73, 297-317.	1.1	45
236	The response of heteroptera and coleoptera species to shade and aspect in rides of coniferised lowland woods in Southern England. Biological Conservation, 1994, 67, 255-273.	1.9	29
237	Modelling the Relationship Between Bird Population Variables and Hedgerow and Other Field Margin Attributes. I. Species Richness of Winter, Summer and Breeding Birds. Journal of Applied Ecology, 1994, 31, 764.	1.9	128
238	The influence of shade on butterflies in rides of coniferised lowland woods in Southern England and implications for conservation management. Biological Conservation, 1993, 63, 31-41.	1.9	47
239	The effect of variation in calcium intake on the growth of wood mice and bank voles. Oecologia, 1992, 92, 130-137.	0.9	2
240	Temperature and Plant Development: Phenology and Seasonality. , 0, , 70-95.		17
241	Out of Sight, Out of Mind: Ethnic Inequalities in Child Protection and Out-of-Home Care Intervention Rates. British Journal of Social Work, 0, , bcw165.	0.9	8