

Juraj Harmatha

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9281115/publications.pdf>

Version: 2024-02-01

74
papers

1,781
citations

257101

24
h-index

301761

39
g-index

79
all docs

79
docs citations

79
times ranked

1730
citing authors

#	ARTICLE	IF	CITATIONS
1	Spirostanol Saponins from Flowers of <i>Allium Porrum</i> and Related Compounds Indicating Cytotoxic Activity and Affecting Nitric Oxide Production Inhibitory Effect in Peritoneal Macrophages. <i>Molecules</i> , 2021, 26, 6533.	1.7	4
2	Archangelolide: A sesquiterpene lactone with immunobiological potential from <i>Laserpitium archangelica</i> . <i>Beilstein Journal of Organic Chemistry</i> , 2019, 15, 1933-1944.	1.3	4
3	Structural modification of trilobolide for upgrading its immunobiological properties and reducing its cytotoxic action. <i>FÄ-toterapÄ-Äç</i> , 2019, 134, 88-95.	1.1	4
4	Pharmacological activities of sesquiterpene lactone trilobolide and its conjugates as a promising compounds for anticancer and immunomodulatory therapies. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, OR34-3.	0.0	0
5	Trilobolide-steroid hybrids: Synthesis, cytotoxic and antimycobacterial activity. <i>Steroids</i> , 2017, 117, 97-104.	0.8	15
6	Immunoassay for determination of trilobolide. <i>Steroids</i> , 2017, 117, 105-111.	0.8	4
7	Pharmacological intervention with oxidative burst in human neutrophils. <i>Interdisciplinary Toxicology</i> , 2017, 10, 56-60.	1.0	6
8	Effect of N-Feruloylserotonin and Methotrexate on Severity of Experimental Arthritis and on Messenger RNA Expression of Key Proinflammatory Markers in Liver. <i>Journal of Immunology Research</i> , 2016, 2016, 1-12.	0.9	12
9	Equol Effectively Inhibits Toxic Activity of Human Neutrophils without Influencing Their Viability. <i>Pharmacology</i> , 2016, 97, 138-145.	0.9	7
10	Immunobiological properties of sesquiterpene lactones obtained by chemically transformed structural modifications of trilobolide. <i>FÄ-toterapÄ-Äç</i> , 2015, 107, 90-99.	1.1	8
11	The effect of exogenous 24-epibrassinolide on the ecdysteroid content in the leaves of <i>Spinacia oleracea</i> L.. <i>Steroids</i> , 2015, 97, 107-112.	0.8	8
12	A window into the current state of isoprenoid research. <i>Steroids</i> , 2015, 97, 1.	0.8	0
13	On the Molecular Pharmacology of Resveratrol on Oxidative Burst Inhibition in Professional Phagocytes. <i>Oxidative Medicine and Cellular Longevity</i> , 2014, 2014, 1-9.	1.9	17
14	NÄferuloylserotonin in preventive combination therapy with methotrexate reduced inflammation in adjuvant arthritis. <i>Fundamental and Clinical Pharmacology</i> , 2014, 28, 616-626.	1.0	16
15	Trilobolide and related sesquiterpene lactones from <i>Laser trilobum</i> possessing immunobiological properties. <i>FÄ-toterapÄ-Äç</i> , 2013, 89, 157-166.	1.1	22
16	The Effects of Pterostilbene on Neutrophil Activity in Experimental Model of Arthritis. <i>BioMed Research International</i> , 2013, 2013, 1-7.	0.9	20
17	Study of Possible Mechanisms Involved in the Inhibitory Effects of Coumarin Derivatives on Neutrophil Activity. <i>Oxidative Medicine and Cellular Longevity</i> , 2013, 2013, 1-10.	1.9	10
18	Decreased activity and accelerated apoptosis of neutrophils in the presence of natural polyphenols. <i>Interdisciplinary Toxicology</i> , 2012, 5, 59-64.	1.0	18

#	ARTICLE	IF	CITATIONS
19	Pharmacological influence on processes of adjuvant arthritis: effect of the combination of an antioxidant active substance with methotrexate. <i>Interdisciplinary Toxicology</i> , 2012, 5, 84-91.	1.0	14
20	Polyphenol derivatives – potential regulators of neutrophil activity. <i>Interdisciplinary Toxicology</i> , 2012, 5, 65-70.	1.0	11
21	Effect of stilbene derivative on superoxide generation and enzyme release from human neutrophils in vitro. <i>Interdisciplinary Toxicology</i> , 2012, 5, 71-5.	1.0	6
22	Involvement of caspase-3 in stilbene derivatives induced apoptosis of human neutrophils in vitro. <i>Interdisciplinary Toxicology</i> , 2012, 5, 76-80.	1.0	12
23	The natural stilbenoid pinosylvin and activated neutrophils: effects on oxidative burst, protein kinase C, apoptosis and efficiency in adjuvant arthritis. <i>Acta Pharmacologica Sinica</i> , 2012, 33, 1285-1292.	2.8	36
24	Phytochemical feeding deterrents for stored product insect pests. <i>Phytochemistry Reviews</i> , 2012, 11, 543-566.	3.1	36
25	Immunobiological properties of selected natural and chemically modified phenylpropanoids. <i>Interdisciplinary Toxicology</i> , 2011, 4, 5-10.	1.0	15
26	Naturally appearing N-feruloylserotonin isomers suppress oxidative burst of human neutrophils at the protein kinase C level. <i>Pharmacological Reports</i> , 2011, 63, 790-798.	1.5	15
27	Sesquiterpene lactone trilobolide activates production of interferon- β and nitric oxide. <i>Farmacoterapia</i> , 2010, 81, 1213-1219.	1.1	15
28	Modified approach for preparing (E)-stilbenes related to resveratrol, and evaluation of their potential immunobiological effects. <i>Collection of Czechoslovak Chemical Communications</i> , 2010, 75, 175-186.	1.0	14
29	Suppression of oxidative burst in human neutrophils with the naturally occurring serotonin derivative isomer from <i>Leuzea carthamoides</i> . <i>Neuroendocrinology Letters</i> , 2010, 31 Suppl 2, 69-72.	0.2	6
30	Molecular targets of the natural antioxidant pterostilbene: effect on protein kinase C, caspase-3 and apoptosis in human neutrophils in vitro. <i>Neuroendocrinology Letters</i> , 2010, 31 Suppl 2, 84-90.	0.2	21
31	In vivo effect of pinosylvin and pterostilbene in the animal model of adjuvant arthritis. <i>Neuroendocrinology Letters</i> , 2010, 31 Suppl 2, 91-5.	0.2	8
32	Formation of reactive oxygen and nitrogen species in the presence of pinosylvin - an analogue of resveratrol. <i>Neuroendocrinology Letters</i> , 2010, 31 Suppl 2, 79-83.	0.2	7
33	Different effect of two synthetic coumarin-stilbene hybrid compounds on phagocyte activity. <i>Neuroendocrinology Letters</i> , 2010, 31 Suppl 2, 73-8.	0.2	2
34	Phytoecdysteroids: Diversity, Biosynthesis and Distribution. , 2009, , 3-45.		40
35	Inhibitor of sarco-endoplasmic reticulum Ca^{2+} -ATPase thapsigargin stimulates production of nitric oxide and secretion of interferon-gamma. <i>European Journal of Pharmacology</i> , 2008, 588, 85-92.	1.7	23
36	Lack of interference of common phytoecdysteroids with production of nitric oxide by immune-activated mammalian macrophages. <i>Steroids</i> , 2008, 73, 466-471.	0.8	12

#	ARTICLE	IF	CITATIONS
37	Additional minor ecdysteroid components of <i>Leuzea carthamoides</i> . <i>Steroids</i> , 2008, 73, 502-514.	0.8	49
38	Affinity chromatography reveals RuBisCO as an ecdysteroid-binding protein. <i>Steroids</i> , 2008, 73, 1433-1440.	0.8	10
39	Structure-efficiency relationship in derivatives of stilbene. Comparison of resveratrol, pinosylvin and pterostilbene. <i>Neuroendocrinology Letters</i> , 2008, 29, 802-5.	0.2	36
40	Lignan Glucosides and Serotonin Phenylpropanoids from the Seeds of <i>Leuzea carthamoides</i> . <i>Collection of Czechoslovak Chemical Communications</i> , 2007, 72, 334-346.	1.0	25
41	Dimeric Ecdysteroid Analogues and Their Interaction with the <i>Drosophila</i> Ecdysteroid Receptor. <i>Collection of Czechoslovak Chemical Communications</i> , 2006, 71, 1229-1238.	1.0	8
42	Ecdysteroid Glycosides: Identification, Chromatographic Properties, and Biological Significance. <i>Journal of Chromatographic Science</i> , 2005, 43, 149-157.	0.7	19
43	Systemic effects of phytoecdysteroids on the cabbage aphid <i>Brevicoryne brassicae</i> (Sternorrhyncha: Tj ETQq1 1 0.784314 rgBT /Ove	1.2	90
44	Biological activities of lignans and stilbenoids associated with plant-insect chemical interactions. <i>Phytochemistry Reviews</i> , 2003, 2, 321-330.	3.1	135
45	Ecdysteroid 7,9(11)-dien-6-ones as potential photoaffinity labels for ecdysteroid binding proteins. <i>Journal of Insect Science</i> , 2002, 2, 1-10.	0.9	8
46	Minor Ecdysteroid Components of <i>Leuzea carthamoides</i> . <i>Collection of Czechoslovak Chemical Communications</i> , 2002, 67, 124-139.	1.0	53
47	Ecdysteroid 7,9(11)-dien-6-ones as potential photoaffinity labels for ecdysteroid binding proteins. <i>Journal of Insect Science</i> , 2002, 2, 11.	0.6	8
48	Photochemical transformation of 20-hydroxyecdysone: production of monomeric and dimeric ecdysteroid analogues. <i>Steroids</i> , 2002, 67, 127-135.	0.8	36
49	Biological activities of a specific ecdysteroid dimer and of selected monomeric structural analogues in the BII bioassay1Dedicated to Professor Denis H. S. Horn on the occasion of his 80th birthday.1. <i>Insect Biochemistry and Molecular Biology</i> , 2002, 32, 181-185.	1.2	23
50	High-performance liquid chromatographic analysis and separation of N-feruloylserotonin isomers. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2002, 770, 291-295.	1.2	19
51	Insect feeding deterrent activity of lignans and related phenylpropanoids with a methylenedioxyphenyl (piperonyl) structure moiety. <i>Entomologia Experimentalis Et Applicata</i> , 2002, 104, 51-60.	0.7	54
52	Insect feeding deterrent activity of lignans and related phenylpropanoids with a methylenedioxyphenyl (piperonyl) structure moiety. , 2002, , 51-60.		1
53	Chromatographic procedures for the isolation of plant steroids. <i>Journal of Chromatography A</i> , 2001, 935, 105-123.	1.8	132
54	Can chemical cues from blossom buds influence cultivar preference in the apple blossom weevil (<i>Anthonomus pomorum</i>)?. <i>Entomologia Experimentalis Et Applicata</i> , 2000, 95, 47-52.	0.7	28

#	ARTICLE	IF	CITATIONS
55	Synergistic Insecticidal Mode of Action between Sesquiterpene Lactones and a Phototoxin, $\hat{1}\pm$ -Terthienyl. Photochemistry and Photobiology, 2000, 71, 111-115.	1.3	4
56	Symposium-in-Print Synergistic Insecticidal Mode of Action between Sesquiterpene Lactones and a Phototoxin, $\hat{1}\pm$ -Terthienyl. Photochemistry and Photobiology, 2000, 71, 111.	1.3	34
57	Title is missing!. Journal of Chemical Ecology, 1998, 24, 1733-1743.	0.9	11
58	New ergostane type ecdysteroids from fungi. Ecdysteroid constituents of mushroom Paxillus atrotomentosus. Tetrahedron, 1998, 54, 1657-1666.	1.0	28
59	Ecdysteroid constituents of the mushroom <i>Tapinella panuoides</i> Part 58 in the series "Plant Substances" For part 57 see Ref.[1], Vokáč et al. (1998) [Vokáč, K., Budáček, M., Harmatha, J. and Pátek, J., Tetrahedron, 1998, 54, 1657].1. Phytochemistry, 1998, 49, 2109-2114.		53
60	Biological activity of natural and synthetic ecdysteroids in the B11 bioassay. Archives of Insect Biochemistry and Physiology, 1997, 35, 219-225.	0.6	43
61	Sesquiterpenes from the <i>Senecioneae</i> and their effect on food choice of the specialised leaf beetles <i>Oreina cacaliae</i> , <i>Oreina speciosissima</i> and the generalist snail <i>Arianta arbustorum</i> . Entomologia Experimentalis Et Applicata, 1996, 80, 169-172.	0.7	9
62	Rapid determination of 20-hydroxyecdysteroids in complex mixtures by solid-phase extraction and mass spectrometry. Journal of Chromatography A, 1994, 658, 77-82.	1.8	11
63	Regioselective synthesis of 20-hydroxyecdysone glycosides. Tetrahedron, 1994, 50, 9679-9690.	1.0	32
64	Ecdysteroids from the roots of <i>Leuzea carthamoides</i> . Phytochemistry, 1994, 37, 707-711.	1.4	58
65	Cyclic Phenylboronates of Ecdysteroids as Products of Regiospecific Reaction with Phenylboronic Acid. Collection of Czechoslovak Chemical Communications, 1993, 58, 612-618.	1.0	13
66	Phenylboronic acid as a versatile derivatization agent for chromatography of ecdysteroids. Journal of Chromatography A, 1992, 596, 271-275.	1.8	19
67	Antifeeding activity of rotenone and some derivatives towards selected insect storage pests. Biochemical Systematics and Ecology, 1989, 17, 55-57.	0.6	36
68	Identification of a spirostane-type saponin in the flowers of leek with inhibitory effects on growth of leek-moth larvae. Biochemical Systematics and Ecology, 1987, 15, 113-116.	0.6	39
69	Comparison of the feeding deterrent activity of some sesquiterpene lactones and a lignan lactone towards selected insect storage pests. Biochemical Systematics and Ecology, 1984, 12, 95-98.	0.6	66
70	Insect feeding deterrent activity of bisabolangelone and of some sesquiterpenes of eremophilane type. Biochemical Systematics and Ecology, 1984, 12, 99-101.	0.6	39
71	Diethylamine addition to natural sesquiterpenic $\hat{1}\pm$ -exomethylene- $\hat{1}^3$ -lactones and its use for chemical transformations of these compounds. Collection of Czechoslovak Chemical Communications, 1982, 47, 2779-2785.	1.0	8
72	The structure of yatein. Determination of the positions, and configurations of benzyl groups in lignans of the 2,3-dibenzylbutyrolactone type. Collection of Czechoslovak Chemical Communications, 1982, 47, 644-663.	1.0	38

#	ARTICLE	IF	CITATIONS
73	Phenolic and terpenoid heartwood constituents of <i>Libocedrus yateensis</i> . <i>Phytochemistry</i> , 1979, 18, 1495-1500.	1.4	50
74	Use of structural changes for stereochemical assignments of natural $\hat{1}\pm$ -exomethylene $\hat{1}^3$ -lactones of the germacra-1(10),4-dienolide type on the basis of allylic and vicinal couplings of bridgehead protons. Hydrogenation of endocyclic double bonds. <i>Collection of Czechoslovak Chemical Communications</i> , 1978, 43, 2779-2799.	1.0	68