Anne Tjnneland

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9281181/anne-tjonneland-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,22O papers

66,568 citations

119 h-index 189 g-index

1,253 ext. papers

76,193 ext. citations

6.3 avg, IF

6.91 L-index

#	Paper	IF	Citations
1220	Cohort profile and representativeness of participants in the Diet, Cancer and Health-Next Generations cohort study <i>European Journal of Epidemiology</i> , 2022 , 37, 117	12.1	2
1219	Inflammatory potential of diet and pancreatic cancer risk in the EPIC study <i>European Journal of Nutrition</i> , 2022 , 1	5.2	О
1218	Prospective evaluation of 92 serum protein biomarkers for early detection of ovarian cancer <i>British Journal of Cancer</i> , 2022 ,	8.7	3
1217	Comparison of Flavonoid Intake Assessment Methods Using USDA and Phenol Explorer Databases: Subcohort Diet, Cancer and Health-Next Generations-MAX Study <i>Frontiers in Nutrition</i> , 2022 , 9, 873774	1 ^{6.2}	1
1216	Dietary intakes of dioxins and polychlorobiphenyls (PCBs) and breast cancer risk in 9 European countries <i>Environment International</i> , 2022 , 163, 107213	12.9	О
1215	Circulating inflammatory biomarkers, adipokines and breast cancer risk-a case-control study nested within the EPIC cohort <i>BMC Medicine</i> , 2022 , 20, 118	11.4	О
1214	Male-origin microchimerism and endometrial cancer: A prospective case-cohort study <i>Cancer Epidemiology</i> , 2022 , 79, 102169	2.8	О
1213	Impact of cumulative body mass index and cardiometabolic diseases on survival among patients with colorectal and breast cancer: a multi-centre cohort study <i>BMC Cancer</i> , 2022 , 22, 546	4.8	1
1212	Long-term exposure to low-level air pollution and incidence of asthma: the ELAPSE project. <i>European Respiratory Journal</i> , 2021 , 57, 2003099	13.6	10
1211	Long-term exposure to low-level air pollution and incidence of asthma: the ELAPSE project. <i>European Respiratory Journal</i> , 2021 , 57,	13.6	5
1210	Dietary Fatty Acids, Macronutrient Substitutions, Food Sources and Incidence of Coronary Heart Disease: Findings From the EPIC-CVD Case-Cohort Study Across Nine European Countries. <i>Journal of the American Heart Association</i> , 2021 , 10, e019814	6	3
1209	Excess body fatness during early to mid-adulthood and survival from colorectal and breast cancer: a pooled analysis of five international cohort studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 ,	4	1
1208	Pre-diagnostic alterations in circulating bile acid profiles in the development of hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2021 ,	7.5	4
1207	Food biodiversity and total and cause-specific mortality in 9 European countries: An analysis of a prospective cohort study. <i>PLoS Medicine</i> , 2021 , 18, e1003834	11.6	2
1206	Prediagnostic Blood Selenium Status and Mortality among Patients with Colorectal Cancer in Western European Populations. <i>Biomedicines</i> , 2021 , 9,	4.8	2
1205	Risk Prediction for Renal Cell Carcinoma: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) Prospective Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 507-512	4	0
1204	Male origin microchimerism and ovarian cancer. <i>International Journal of Epidemiology</i> , 2021 , 50, 87-94	7.8	6

1203	Antidepressant prescriptions and associated factors in men with prostate cancer and their female partners. <i>Journal of Cancer Survivorship</i> , 2021 , 15, 536-545	5.1	1
1202	Linoleic acid in adipose tissue and the risk of myocardial infarction: a case-cohort study. <i>European Journal of Nutrition</i> , 2021 , 60, 3639-3646	5.2	0
1201	Dietary intake of trans fatty acids and breast cancer risk in 9 European countries. <i>BMC Medicine</i> , 2021 , 19, 81	11.4	7
1200	Plasma concentrations of advanced glycation end-products and colorectal cancer risk in the EPIC study. <i>Carcinogenesis</i> , 2021 , 42, 705-713	4.6	2
1199	Vegetable intake and the risk of bladder cancer in the BLadder Cancer Epidemiology and Nutritional Determinants (BLEND) international study. <i>BMC Medicine</i> , 2021 , 19, 56	11.4	3
1198	Changes in intake of dairy product subgroups and risk of type 2 diabetes: modelling specified food substitutions in the Danish Diet, Cancer and Health cohort. <i>European Journal of Nutrition</i> , 2021 , 60, 3449	9 ⁵ 3 ² 459	2
1197	Replacing Red Meat with Other Nonmeat Food Sources of Protein is Associated with a Reduced Risk of Type 2 Diabetes in a Danish Cohort of Middle-Aged Adults. <i>Journal of Nutrition</i> , 2021 , 151, 1241-	12 ¹ 48	2
1196	Long-term weight change and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Epidemiology</i> , 2021 ,	7.8	2
1195	Substitution of unprocessed and processed red meat with poultry or fish and total and cause-specific mortality. <i>British Journal of Nutrition</i> , 2021 , 1-7	3.6	1
1194	Long-Term Exposure to Fine Particle Elemental Components and Natural and Cause-Specific Mortality-a Pooled Analysis of Eight European Cohorts within the ELAPSE Project. <i>Environmental Health Perspectives</i> , 2021 , 129, 47009	8.4	14
1193	Soft Drink and Juice Consumption and Renal Cell Carcinoma Incidence and Mortality in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 1270-1274	4	3
1192	Metabolic signatures of greater body size and their associations with risk of colorectal and endometrial cancers in the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2021 , 19, 101	11.4	6
1191	Vegetable nitrate intake, blood pressure and incident cardiovascular disease: Danish Diet, Cancer, and Health Study. <i>European Journal of Epidemiology</i> , 2021 , 36, 813-825	12.1	8
1190	The association between meat and fish consumption and bladder cancer risk: a pooled analysis of 11 cohort studies. <i>European Journal of Epidemiology</i> , 2021 , 36, 781-792	12.1	3
1189	Habitual flavonoid intake and ischemic stroke incidence in the Danish Diet, Cancer, and Health Cohort. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 348-357	7	3
1188	Novel Biomarkers of Habitual Alcohol Intake and Associations With Risk of Pancreatic and Liver Cancers and Liver Disease Mortality. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 1542-1550	9.7	7
1187	Dietary intake and plasma phospholipid concentrations of saturated, monounsaturated and trans fatty acids and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>International Journal of Cancer</i> , 2021 , 149, 865	7.5	8
1186	Urine cadmium and acute myocardial infarction among never smokers in the Danish Diet, Cancer and Health cohort. <i>Environment International</i> , 2021 , 150, 106428	12.9	5

1185	Modifiable Lifestyle Recommendations and Mortality in Denmark: A Cohort Study. <i>American Journal of Preventive Medicine</i> , 2021 , 60, 792-801	6.1	3
1184	Inflammatory potential of the diet and risk of breast cancer in the European Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Epidemiology</i> , 2021 , 36, 953-964	12.1	0
1183	SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. <i>European Heart Journal</i> , 2021 , 42, 2439-2454	9.5	58
1182	Associations between dietary amino acid intakes and blood concentration levels. <i>Clinical Nutrition</i> , 2021 , 40, 3772-3779	5.9	0
1181	Tobacco Smoking and Risk of Second Primary Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2021 , 16, 968-9	989)	11
1180	Plasma concentrations of persistent organic pollutants and pancreatic cancer risk. <i>International Journal of Epidemiology</i> , 2021 ,	7.8	2
1179	Obesity is Associated With Increased Risk of Crohn@ disease, but not Ulcerative Colitis: A Pooled Analysis of Five Prospective Cohort Studies. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	4
1178	Substitutions between potatoes and other vegetables and risk of ischemic stroke. <i>European Journal of Nutrition</i> , 2021 , 60, 229-237	5.2	2
1177	Intake of whole grain and associations with lifestyle and demographics: a cross-sectional study based on the Danish Diet, Cancer and Health-Next Generations cohort. <i>European Journal of Nutrition</i> , 2021 , 60, 883-895	5.2	3
1176	Metabolic perturbations prior to hepatocellular carcinoma diagnosis: Findings from a prospective observational cohort study. <i>International Journal of Cancer</i> , 2021 , 148, 609-625	7.5	15
1175	Weight change in middle adulthood and risk of cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2021 , 148, 1637-1651	7.5	7
1174	Adiposity and Endometrial Cancer Risk in Postmenopausal Women: A Sequential Causal Mediation Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 104-113	4	8
1173	Plasma Vitamin C and Type 2 Diabetes: Genome-Wide Association Study and Mendelian Randomization Analysis in European Populations. <i>Diabetes Care</i> , 2021 , 44, 98-106	14.6	21
1172	Long-term exposure to low-level air pollution and incidence of chronic obstructive pulmonary disease: The ELAPSE project. <i>Environment International</i> , 2021 , 146, 106267	12.9	19
1171	Impact of Male-Origin Microchimerism on Cardiovascular Disease in Women: A Prospective Cohort Study. <i>American Journal of Epidemiology</i> , 2021 , 190, 853-863	3.8	1
1170	Interaction Between GAD65 Antibodies and Dietary Fish Intake or Plasma Phospholipid n-3 Polyunsaturated Fatty Acids on Incident Adult-Onset Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2021 , 44, 416-424	14.6	2
1169	Adherence to the Danish food-based dietary guidelines and risk of type 2 diabetes: the Danish diet, cancer, and health cohort. <i>European Journal of Clinical Nutrition</i> , 2021 , 75, 836-844	5.2	2
1168	Association between anthropometry and lifestyle factors and risk of B-cell lymphoma: An exposome-wide analysis. <i>International Journal of Cancer</i> , 2021 , 148, 2115-2128	7.5	3

(2021-2021)

1167	Vitamin D levels and the risk of prostate cancer and prostate cancer mortality. <i>Acta Oncolgica</i> , 2021 , 60, 316-322	3.2	4	
1166	Toenail selenium, plasma selenoprotein P and risk of advanced prostate cancer: A nested case-control study. <i>International Journal of Cancer</i> , 2021 , 148, 876-883	7.5	4	
1165	Flavonoid intake and incident dementia in the Danish Diet, Cancer, and Health cohort. <i>Alzheimerls and Dementia: Translational Research and Clinical Interventions</i> , 2021 , 7, e12175	6		
1164	Development and validation of a lifestyle-based model for colorectal cancer risk prediction: the LiFeCRC score. <i>BMC Medicine</i> , 2021 , 19, 1	11.4	48	
1163	Red Blood Cell Fatty Acids and Risk of Colorectal Cancer in The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 874-885	4	3	
1162	Lifetime alcohol intake, drinking patterns over time and risk of stomach cancer: A pooled analysis of data from two prospective cohort studies. <i>International Journal of Cancer</i> , 2021 , 148, 2759-2773	7.5	О	
1161	Whole-Grain Intake and Pancreatic Cancer Risk-The Danish, Diet, Cancer and Health Cohort. <i>Journal of Nutrition</i> , 2021 , 151, 666-674	4.1	3	
1160	Smoking Modifies Pancreatic Cancer Risk Loci on 2q21.3. <i>Cancer Research</i> , 2021 , 81, 3134-3143	10.1	2	
1159	Vitamin K Intake and Atherosclerotic Cardiovascular Disease in the Danish Diet Cancer and Health Study. <i>Journal of the American Heart Association</i> , 2021 , 10, e020551	6	2	
1158	Long-term exposure to air pollution and liver cancer incidence in six European cohorts. <i>International Journal of Cancer</i> , 2021 , 149, 1887-1897	7.5	2	
1157	Prothrombotic genotypes and risk of venous thromboembolism in occult cancer. <i>Thrombosis Research</i> , 2021 , 205, 17-23	8.2	0	
1156	Dietary Advanced Glycation End-Products and Colorectal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Nutrients</i> , 2021 , 13,	6.7	3	
1155	A 584lbp deletion in CTRB2 inhibits chymotrypsin B2 activity and secretion and confers risk of pancreatic cancer. <i>American Journal of Human Genetics</i> , 2021 , 108, 1852-1865	11	1	
1154	Adherence to the Danish food-based dietary guidelines and risk of colorectal cancer: a cohort study. <i>British Journal of Cancer</i> , 2021 , 125, 1726-1733	8.7	1	
1153	Association of smoking and cancer with the risk of venous thromboembolism: the Scandinavian Thrombosis and Cancer cohort. <i>Scientific Reports</i> , 2021 , 11, 18752	4.9	2	
1152	Are Circulating Immune Cells a Determinant of Pancreatic Cancer Risk? A Prospective Study Using Epigenetic Cell Count Measures. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 2179-2187	4	1	
1151	Higher Habitual Flavonoid Intakes Are Associated with a Lower Incidence of Diabetes. <i>Journal of Nutrition</i> , 2021 , 151, 3533-3542	4.1	3	
1150	Urinary cadmium and stroke - a case-cohort study in Danish never-smokers. <i>Environmental Research</i> , 2021 , 200, 111394	7.9	5	

1149	Consumption of ultra-processed foods associated with weight gain and obesity in adults: A multi-national cohort study. <i>Clinical Nutrition</i> , 2021 , 40, 5079-5088	5.9	8
1148	Long-term exposure to low-level ambient air pollution and incidence of stroke and coronary heart disease: a pooled analysis of six European cohorts within the ELAPSE project. <i>Lancet Planetary Health, The</i> , 2021 , 5, e620-e632	9.8	18
1147	A New Pipeline for the Normalization and Pooling of Metabolomics Data. <i>Metabolites</i> , 2021 , 11,	5.6	1
1146	Association between vitamin K intake and mortality in the Danish Diet, Cancer, and Health cohort. <i>European Journal of Epidemiology</i> , 2021 , 36, 1005-1014	12.1	O
1145	Replacement of potatoes with other vegetables and risk of myocardial infarction in the Danish Diet, Cancer and Health cohort. <i>British Journal of Nutrition</i> , 2021 , 126, 1709-1716	3.6	
1144	Association of Pre-diagnostic Antibody Responses to Escherichia coli and Bacteroides fragilis Toxin Proteins with Colorectal Cancer in a European Cohort. <i>Gut Microbes</i> , 2021 , 13, 1-14	8.8	5
1143	Lifestyle correlates of eight breast cancer-related metabolites: a cross-sectional study within the EPIC cohort. <i>BMC Medicine</i> , 2021 , 19, 312	11.4	1
1142	Dietary Intake of Advanced Glycation End Products (AGEs) and Mortality among Individuals with Colorectal Cancer <i>Nutrients</i> , 2021 , 13,	6.7	3
1141	Antibody Responses to and Risk of Developing Colorectal Cancer in a European Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1475-1481	4	7
1140	Mendelian randomization analysis does not support causal associations of birth weight with hypertension risk and blood pressure in adulthood. <i>European Journal of Epidemiology</i> , 2020 , 35, 685-697	,12.1	2
1139	Flavonoid intake and its association with atrial fibrillation. Clinical Nutrition, 2020, 39, 3821-3828	5.9	5
1138	Adherence to a Western dietary pattern and risk of bladder cancer: A pooled analysis of 13 cohort studies of the Bladder Cancer Epidemiology and Nutritional Determinants international study. <i>International Journal of Cancer</i> , 2020 , 147, 3394-3403	7.5	5
1137	Menstrual Factors, Reproductive History, Hormone Use, and Urothelial Carcinoma Risk: A Prospective Study in the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1654-16	5 6 4	1
1136	Genome-Wide Gene-Diabetes and Gene-Obesity Interaction Scan in 8,255 Cases and 11,900 Controls from PanScan and PanC4 Consortia. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1784-1791	4	4
1135	Healthy lifestyle and the risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2020 , 147, 1649-1656	7.5	1
1134	Possible Modifiers of the Association Between Change in Weight Status From Child Through Adult Ages and Later Risk of Type 2 Diabetes. <i>Diabetes Care</i> , 2020 , 43, 1000-1007	14.6	3
1133	Dietary and Circulating Fatty Acids and Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1739-	1 749	6
1132	Association of plasma biomarkers of fruit and vegetable intake with incident type 2 diabetes: EPIC-InterAct case-cohort study in eight European countries. <i>BMJ, The</i> , 2020 , 370, m2194	5.9	24

(2020-2020)

1131	Glycemic index, glycemic load, and risk of coronary heart disease: a pan-European cohort study. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 631-643	7	10
1130	Diet quality is not associated with late-onset multiple sclerosis risk- A Danish Cohort Study. <i>Multiple Sclerosis and Related Disorders</i> , 2020 , 40, 101968	4	4
1129	Effects of whole-grain wheat, rye, and lignan supplementation on cardiometabolic risk factors in men with metabolic syndrome: a randomized crossover trial. <i>American Journal of Clinical Nutrition</i> , 2020 , 111, 864-876	7	19
1128	The associations of major foods and fibre with risks of ischaemic and haemorrhagic stroke: a prospective study of 418B29 participants in the EPIC cohort across nine European countries. <i>European Heart Journal</i> , 2020 , 41, 2632-2640	9.5	28
1127	Adipose tissue content of alpha-linolenic acid and development of peripheral artery disease: a Danish case-cohort study. <i>European Journal of Nutrition</i> , 2020 , 59, 3191-3200	5.2	
1126	Genome-wide Association Analysis in Humans Links Nucleotide Metabolism to Leukocyte Telomere Length. <i>American Journal of Human Genetics</i> , 2020 , 106, 389-404	11	40
1125	Nutrient-wide association study of 92 foods and nutrients and breast cancer risk. <i>Breast Cancer Research</i> , 2020 , 22, 5	8.3	12
1124	Inflammatory potential of the diet and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2020 , 147, 1027-1039	7.5	5
1123	Lifestyle factors and risk of multimorbidity of cancer and cardiometabolic diseases: a multinational cohort study. <i>BMC Medicine</i> , 2020 , 18, 5	11.4	43
1122	Theoretical potential for endometrial cancer prevention through primary risk factor modification: Estimates from the EPIC cohort. <i>International Journal of Cancer</i> , 2020 , 147, 1325-1333	7.5	3
1121	Serum levels of hsa-miR-16-5p, hsa-miR-29a-3p, hsa-miR-150-5p, hsa-miR-155-5p and hsa-miR-223-3p and subsequent risk of chronic lymphocytic leukemia in the EPIC study. <i>International Journal of Cancer</i> , 2020 , 147, 1315-1324	7.5	8
1120	Serologic markers of Chlamydia trachomatis and other sexually transmitted infections and subsequent ovarian cancer risk: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2020 , 147, 2042-2052	7.5	8
1119	Road Traffic Noise Exposure and Filled Prescriptions for Antihypertensive Medication: A Danish Cohort Study. <i>Environmental Health Perspectives</i> , 2020 , 128, 57004	8.4	5
1118	Plasma CD36 and Incident Diabetes: A Case-Cohort Study in Danish Men and Women. <i>Diabetes and Metabolism Journal</i> , 2020 , 44, 134-142	5	2
1117	Synchronous bilateral breast cancer: a nationwide study on histopathology and etiology. <i>Breast Cancer Research and Treatment</i> , 2020 , 182, 229-238	4.4	1
1116	Metabolic Signatures of Healthy Lifestyle Patterns and Colorectal Cancer Risk in a European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2020 ,	6.9	3
1115	Long-term residential road traffic noise and mortality in a Danish cohort. <i>Environmental Research</i> , 2020 , 187, 109633	7.9	15
1114	Higher habitual flavonoid intakes are associated with a lower risk of peripheral artery disease hospitalizations. <i>American Journal of Clinical Nutrition</i> , 2020 ,	7	6

1113	Dietary intake of advanced glycation end products (AGEs) and changes in body weight in European adults. <i>European Journal of Nutrition</i> , 2020 , 59, 2893-2904	5.2	22
1112	A nutrient-wide association study for risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition and the Netherlands Cohort Study. <i>European Journal of Nutrition</i> , 2020 , 59, 2929-2937	5.2	6
1111	25-Hydroxyvitamin D at time of breast cancer diagnosis and breast cancer survival. <i>Breast Cancer Research and Treatment</i> , 2020 , 179, 699-708	4.4	8
1110	Exogenous hormone use and cutaneous melanoma risk in women: The European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020 , 146, 3267-3280	7.5	7
1109	Predicted basal metabolic rate and cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020 , 147, 648-661	7.5	14
1108	A Transcriptome-Wide Association Study Identifies Novel Candidate Susceptibility Genes for Pancreatic Cancer. <i>Journal of the National Cancer Institute</i> , 2020 , 112, 1003-1012	9.7	25
1107	Associations of low-dose aspirin or other NSAID use with prostate cancer risk in the Danish Diet, Cancer and Health Study. <i>Cancer Causes and Control</i> , 2020 , 31, 139-151	2.8	2
1106	Changes and correlations in height from 7 to 69 years of age across the birth years of 1930 to 1989. <i>American Journal of Human Biology</i> , 2020 , 32, e23378	2.7	2
1105	Substitutions of Oatmeal and Breakfast Food Alternatives and the Rate of Stroke. Stroke, 2020 , 51, 75-	.86 .7	1
1104	Perspective: Metabotyping-A Potential Personalized Nutrition Strategy for Precision Prevention of Cardiometabolic Disease. <i>Advances in Nutrition</i> , 2020 , 11, 524-532	10	22
1103	Patient-reported outcome measures after treatment for prostate cancer: Results from the Danish Prostate Cancer Registry (DAPROCAdata). <i>Cancer Epidemiology</i> , 2020 , 64, 101623	2.8	9
1102	Grain and dietary fiber intake and bladder cancer risk: a pooled analysis of prospective cohort studies. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 1252-1266	7	7
1101	Ovarian Cancer Risk Factor Associations by Primary Anatomic Site: The Ovarian Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 2010-2018	4	1
1100	Citrus intake and risk of skin cancer in the European Prospective Investigation into Cancer and Nutrition cohort (EPIC). <i>European Journal of Epidemiology</i> , 2020 , 35, 1057-1067	12.1	8
1099	Nighttime road traffic noise exposure at the least and most exposed falldes and sleep medication prescription redemption-a Danish cohort study. <i>Sleep</i> , 2020 , 43,	1.1	2
1098	Replacement of Red and Processed Meat With Other Food Sources of Protein and the Risk of Type 2 Diabetes in European Populations: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2020 , 43, 2660-2667	14.6	10
1097	Circulating bilirubin levels and risk of colorectal cancer: serological and Mendelian randomization analyses. <i>BMC Medicine</i> , 2020 , 18, 229	11.4	11
1096	Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. <i>BMJ, The</i> , 2020 , 370, m3173	5.9	23

1095	A Body Shape Index (ABSI) achieves better mortality risk stratification than alternative indices of abdominal obesity: results from a large European cohort. <i>Scientific Reports</i> , 2020 , 10, 14541	4.9	31
1094	Intake of individual fatty acids and risk of prostate cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2020 , 146, 44-57	7.5	7
1093	Conflicting associations between dietary patterns and changes of anthropometric traits across subgroups of middle-aged women and men. <i>Clinical Nutrition</i> , 2020 , 39, 265-275	5.9	6
1092	Consumption of nuts and seeds and pancreatic ductal adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020 , 146, 76-84	7.5	8
1091	Mediation analysis of the alcohol-postmenopausal breast cancer relationship by sex hormones in the EPIC cohort. <i>International Journal of Cancer</i> , 2020 , 146, 759-768	7.5	6
1090	Anthropometric and reproductive factors and risk of esophageal and gastric cancer by subtype and subsite: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2020 , 146, 929-942	7.5	13
1089	Inflammatory potential of diet and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Nutrition</i> , 2020 , 59, 813-823	5.2	3
1088	Plasma polyphenols associated with lower high-sensitivity C-reactive protein concentrations: a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2020 , 123, 198-208	3.6	9
1087	Healthy lifestyle and the risk of pancreatic cancer in the EPIC study. <i>European Journal of Epidemiology</i> , 2020 , 35, 975-986	12.1	20
1086	Association of Circulating Vitamin D With Colorectal Cancer Depends on Vitamin D-Binding Protein Isoforms: A Pooled, Nested, Case-Control Study. <i>JNCI Cancer Spectrum</i> , 2020 , 4, pkz083	4.6	4
1085	Association of Dietary Fiber and Yogurt Consumption With Lung Cancer Risk: A Pooled Analysis. JAMA Oncology, 2020 , 6, e194107	13.4	31
1084	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 654-666.e6	6.9	43
1083	Blood pressure and risk of cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020 , 146, 2680-2693	7.5	21
1082	Polyphenol intake and differentiated thyroid cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2020 , 146, 1841-1850	7.5	9
1081	Obesity, unfavourable lifestyle and genetic risk of type 2 diabetes: a case-cohort study. Diabetologia, 2020 , 63, 1324-1332	10.3	46
1080	Mitochondrial DNA Copy-Number Variation and Pancreatic Cancer Risk in the Prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 681-686	4	7
1079	Blood polyphenol concentrations and differentiated thyroid carcinoma in women from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2020 ,	7	2
1078	Vitamin D-Related Genes, Blood Vitamin D Levels and Colorectal Cancer Risk in Western European Populations. <i>Nutrients</i> , 2019 , 11,	6.7	11

1077	High Levels of C-Reactive Protein Are Associated with an Increased Risk of Ovarian Cancer: Results from the Ovarian Cancer Cohort Consortium. <i>Cancer Research</i> , 2019 , 79, 5442-5451	10.1	17
1076	Association Between Soft Drink Consumption and Mortality in 10 European Countries. <i>JAMA Internal Medicine</i> , 2019 , 179, 1479-1490	11.5	72
1075	Association of Birth Weight With Type 2 Diabetes and Glycemic Traits: A Mendelian Randomization Study. <i>JAMA Network Open</i> , 2019 , 2, e1910915	10.4	14
1074	Prospective analysis of circulating metabolites and breast cancer in EPIC. <i>BMC Medicine</i> , 2019 , 17, 178	11.4	34
1073	Antibody Responses to Proteins in Prediagnostic Blood Samples are not Associated with Risk of Developing Colorectal Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1552-1555	4	13
1072	One-carbon metabolism biomarkers and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019 , 145, 2349-235	5 3 ∙5	3
1071	Educational level and the risk of depression after prostate cancer. Acta Oncolgica, 2019, 58, 722-729	3.2	9
1070	Dairy Intake and Body Composition and Cardiometabolic Traits among Adults: Mendelian Randomization Analysis of 182041 Individuals from 18 Studies. <i>Clinical Chemistry</i> , 2019 , 65, 751-760	5.5	11
1069	Generalizability of a Diabetes-Associated Country-Specific Exploratory Dietary Pattern Is Feasible Across European Populations. <i>Journal of Nutrition</i> , 2019 , 149, 1047-1055	4.1	3
1068	Socioeconomic Effect of Education on Pancreatic Cancer Risk in Western Europe: An Update on the EPIC Cohorts Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1089-1092	4	3
1067	Timing of HPV16-E6 antibody seroconversion before OPSCC: findings from the HPVC3 consortium. <i>Annals of Oncology</i> , 2019 , 30, 1335-1343	10.3	34
1066	Risk of cardiovascular events in men treated for prostate cancer compared with prostate cancer-free men. <i>British Journal of Cancer</i> , 2019 , 120, 1067-1074	8.7	5
1065	Intake of <code>Hinolenic</code> acid is not consistently associated with a lower risk of peripheral artery disease: results from a Danish cohort study. <i>British Journal of Nutrition</i> , 2019 , 122, 86-92	3.6	2
1064	Consumption of Meat, Fish, Dairy Products, and Eggs and Risk of Ischemic Heart Disease. <i>Circulation</i> , 2019 , 139, 2835-2845	16.7	52
1063	Association of Selenoprotein and Selenium Pathway Genotypes with Risk of Colorectal Cancer and Interaction with Selenium Status. <i>Nutrients</i> , 2019 , 11,	6.7	12
1062	Do people improve health behavior after their partner is diagnosed with cancer? A prospective study in the Danish diet, Cancer and Health Cohort. <i>Acta Oncolgica</i> , 2019 , 58, 700-707	3.2	4
1061	Association of Plasma Vitamin D Metabolites With Incident Type 2 Diabetes: EPIC-InterAct Case-Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 1293-1303	5.6	17
1060	Causes of death in men with prostate cancer: Results from the Danish Prostate Cancer Registry (DAPROCAdata). <i>Cancer Epidemiology</i> , 2019 , 59, 249-257	2.8	11

1059	Intake of Red and Processed Meat, Use of Non-Steroid Anti-Inflammatory Drugs, Genetic Variants and Risk of Colorectal Cancer: A Prospective Study of the Danish "Diet, Cancer and Health" Cohort. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	9
1058	Predicting Circulating CA125 Levels among Healthy Premenopausal Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1076-1085	4	6
1057	Pre-diagnostic plasma enterolactone concentrations are associated with lower mortality among individuals with type 2 diabetes: a case-cohort study in the Danish Diet, Cancer and Health cohort. <i>Diabetologia</i> , 2019 , 62, 959-969	10.3	4
1056	Impact of red meat, processed meat and fibre intake on risk of late-onset chronic inflammatory diseases: prospective cohort study on lifestyle factors using the Danish @iet, Cancer and HealthO cohort (PROCID-DCH):. <i>BMJ Open</i> , 2019 , 9, e024555	3	5
1055	Association of menopausal characteristics and risk of coronary heart disease: a pan-European case-cohort analysis. <i>International Journal of Epidemiology</i> , 2019 , 48, 1275-1285	7.8	23
1054	Breast cancer mortality in synchronous bilateral breast cancer patients. <i>British Journal of Cancer</i> , 2019 , 120, 761-767	8.7	13
1053	Dairy Product Intake and Risk of Type 2 Diabetes in EPIC-InterAct: A Mendelian Randomization Study. <i>Diabetes Care</i> , 2019 , 42, 568-575	14.6	16
1052	Long-Term Whole Grain Wheat and Rye Intake Reflected by Adipose Tissue Alkylresorcinols and Breast Cancer: A Case-Cohort Study. <i>Nutrients</i> , 2019 , 11,	6.7	4
1051	Coffee and tea consumption and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2019 , 144, 240-250	7.5	13
1050	Pattern of mortality after menopausal hormone therapy: long-term follow up in a population-based cohort. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 55-63	3.7	7
1049	Estimated Substitution of Tea or Coffee for Sugar-Sweetened Beverages Was Associated with Lower Type 2 Diabetes Incidence in Case-Cohort Analysis across 8 European Countries in the EPIC-InterAct Study. <i>Journal of Nutrition</i> , 2019 , 149, 1985-1993	4.1	13
1048	Flavonoid intake is associated with lower mortality in the Danish Diet Cancer and Health Cohort. <i>Nature Communications</i> , 2019 , 10, 3651	17.4	96
1047	Reproductive and Lifestyle Factors and Circulating sRANKL and OPG Concentrations in Women: Results from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1746-1754	4	5
1046	No Interaction between Polymorphisms Related to Vitamin A Metabolism and Vitamin A Intake in Relation to Colorectal Cancer in a Prospective Danish Cohort. <i>Nutrients</i> , 2019 , 11,	6.7	3
1045	Long-term residential exposure to PM constituents and mortality in a Danish cohort. <i>Environment International</i> , 2019 , 133, 105268	12.9	30
1044	The association between education and risk of major cardiovascular events among prostate cancer patients: a study from the Diet, Cancer and Health study. <i>Acta Oncolgica</i> , 2019 , 58, 715-721	3.2	1
1043	Development and validation of circulating CA125 prediction models in postmenopausal women. Journal of Ovarian Research, 2019 , 12, 116	5.5	8
1042	Adherence to the World Cancer Research Fund/American Institute for Cancer Research cancer prevention recommendations and risk of in situ breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>BMC Medicine</i> , 2019 , 17, 221	11.4	7

1041	Associations between habitual flavonoid intake and hospital admissions for atherosclerotic cardiovascular disease: a prospective cohort study. <i>Lancet Planetary Health, The</i> , 2019 , 3, e450-e459	9.8	18
1040	Prediagnosis plasma concentrations of enterolactone and survival after colorectal cancer: the Danish Diet, Cancer and Health cohort. <i>British Journal of Nutrition</i> , 2019 , 122, 552-563	3.6	6
1039	Dietary folate intake and pancreatic cancer risk: Results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019 , 144, 1511-1521	7.5	5
1038	Association between physical activity and risk of hepatobiliary cancers: A multinational cohort study. <i>Journal of Hepatology</i> , 2019 , 70, 885-892	13.4	30
1037	Ovarian cancer risk factors by tumor aggressiveness: An analysis from the Ovarian Cancer Cohort Consortium. <i>International Journal of Cancer</i> , 2019 , 145, 58-69	7.5	13
1036	Methodological issues in a prospective study on plasma concentrations of persistent organic pollutants and pancreatic cancer risk within the EPIC cohort. <i>Environmental Research</i> , 2019 , 169, 417-43:	3 7.9	12
1035	Gallstones and incident colorectal cancer in a large pan-European cohort study. <i>International Journal of Cancer</i> , 2019 , 145, 1510-1516	7.5	7
1034	Adherence to the mediterranean diet and lymphoma risk in the european prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019 , 145, 122-131	7.5	5
1033	Vitamin D levels and cancer incidence in 217,244 individuals from primary health care in Denmark. <i>International Journal of Cancer</i> , 2019 , 145, 338-346	7.5	17
1032	Long-term residential exposure to PM, PM, black carbon, NO, and ozone and mortality in a Danish cohort. <i>Environment International</i> , 2019 , 123, 265-272	12.9	100
1032		12.9	100
1031	cohort. Environment International, 2019, 123, 265-272 The insulin-like growth factor family and breast cancer prognosis: A prospective cohort study		
1031	cohort. <i>Environment International</i> , 2019 , 123, 265-272 The insulin-like growth factor family and breast cancer prognosis: A prospective cohort study among postmenopausal women in Denmark. <i>Growth Hormone and IGF Research</i> , 2019 , 44, 33-42 Reproductive Factors, Exogenous Hormone Use, and Risk of B-Cell Non-Hodgkin Lymphoma in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition.	2	7
1031	cohort. Environment International, 2019, 123, 265-272 The insulin-like growth factor family and breast cancer prognosis: A prospective cohort study among postmenopausal women in Denmark. Growth Hormone and IGF Research, 2019, 44, 33-42 Reproductive Factors, Exogenous Hormone Use, and Risk of B-Cell Non-Hodgkin Lymphoma in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. American Journal of Epidemiology, 2019, 188, 274-281 Haem iron intake and risk of lung cancer in the European Prospective Investigation into Cancer and	2 3.8 5.2	7
1031 1030 1029	The insulin-like growth factor family and breast cancer prognosis: A prospective cohort study among postmenopausal women in Denmark. <i>Growth Hormone and IGF Research</i> , 2019 , 44, 33-42 Reproductive Factors, Exogenous Hormone Use, and Risk of B-Cell Non-Hodgkin Lymphoma in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2019 , 188, 274-281 Haem iron intake and risk of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Clinical Nutrition</i> , 2019 , 73, 1122-1132 Timing of eating across ten European countries - results from the European Prospective	2 3.8 5.2	7 2 6
1031 1030 1029 1028	The insulin-like growth factor family and breast cancer prognosis: A prospective cohort study among postmenopausal women in Denmark. <i>Growth Hormone and IGF Research</i> , 2019 , 44, 33-42 Reproductive Factors, Exogenous Hormone Use, and Risk of B-Cell Non-Hodgkin Lymphoma in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2019 , 188, 274-281 Haem iron intake and risk of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Clinical Nutrition</i> , 2019 , 73, 1122-1132 Timing of eating across ten European countries - results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Public Health Nutrition</i> , 2019 , 22, 324-33 Coffee and tea drinking in relation to the risk of differentiated thyroid carcinoma: results from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2019 , 58, 3303-3312	2 3.8 5.2 3§3	7 2 6
1031 1030 1029 1028 1027	The insulin-like growth factor family and breast cancer prognosis: A prospective cohort study among postmenopausal women in Denmark. <i>Growth Hormone and IGF Research</i> , 2019 , 44, 33-42 Reproductive Factors, Exogenous Hormone Use, and Risk of B-Cell Non-Hodgkin Lymphoma in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2019 , 188, 274-281 Haem iron intake and risk of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Clinical Nutrition</i> , 2019 , 73, 1122-1132 Timing of eating across ten European countries - results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Public Health Nutrition</i> , 2019 , 22, 324-33 Coffee and tea drinking in relation to the risk of differentiated thyroid carcinoma: results from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2019 , 58, 3303-3312 Breast Cancer Risk After Recent Childbirth: A Pooled Analysis of 15 Prospective Studies. <i>Annals of</i>	2 3.8 5.2 5.2	7 2 6 7

(2018-2019)

1023	Comparison of prognostic models to predict the occurrence of colorectal cancer in asymptomatic individuals: a systematic literature review and external validation in the EPIC and UK Biobank prospective cohort studies. <i>Gut</i> , 2019 , 68, 672-683	19.2	18
1022	Circulating insulin-like growth factor I in relation to melanoma risk in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019 , 144, 957-966	7.5	7
1021	Residential traffic noise and mammographic breast density in the Diet, Cancer, and Health cohort. <i>Cancer Causes and Control</i> , 2018 , 29, 399-404	2.8	3
1020	Tumor-associated autoantibodies as early detection markers for ovarian cancer? A prospective evaluation. <i>International Journal of Cancer</i> , 2018 , 143, 515-526	7.5	7
1019	Organochlorine concentrations in adipose tissue and survival in postmenopausal, Danish breast cancer patients. <i>Environmental Research</i> , 2018 , 163, 237-248	7.9	15
1018	Changes in Cycling and Incidence of Overweight and Obesity among Danish Men and Women. <i>Medicine and Science in Sports and Exercise</i> , 2018 , 50, 1413-1421	1.2	5
1017	Hormone replacement therapy, mammographic density, and breast cancer risk: a cohort study. <i>Cancer Causes and Control</i> , 2018 , 29, 495-505	2.8	26
1016	Impact of time since diagnosis and mortality rate on cancer-associated venous thromboembolism: the Scandinavian Thrombosis and Cancer (STAC) cohort. <i>Journal of Thrombosis and Haemostasis</i> , 2018 , 16, 1327-1335	15.4	12
1015	Anti-CA15.3 and Anti-CA125 Antibodies and Ovarian Cancer Risk: Results from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018 , 27, 790-804	4	4
1014	No Association between Organochlorine Concentrations in Adipose Tissue and Survival after Non-Hodgkin Lymphoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018 , 27, 224-226	4	5
1013	Inflammatory potential of the diet and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 607-616	7	30
1012	Pre-diagnostic changes in body mass index and mortality among breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2018 , 170, 605-612	4.4	
1011	Risk thresholds for alcohol consumption: combined analysis of individual-participant data for 599 912 current drinkers in 83 prospective studies. <i>Lancet, The</i> , 2018 , 391, 1513-1523	40	530
1010	Prospective evaluation of antibody response to Streptococcus gallolyticus and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2018 , 143, 245-252	7.5	18
1009	Fibre intake and the development of inflammatory bowel disease: A European prospective multi-centre cohort study (EPIC-IBD). <i>Journal of Crohnks and Colitis</i> , 2018 , 12, 129-136	1.5	48
1008	Adherence to the Danish food-based dietary guidelines and risk of myocardial infarction: a cohort study. <i>Public Health Nutrition</i> , 2018 , 21, 1286-1296	3.3	13
1007	Long-term exposure to ambient air pollution and incidence of brain tumor: the European Study of Cohorts for Air Pollution Effects (ESCAPE). <i>Neuro-Oncology</i> , 2018 , 20, 420-432	1	44
1006	Impact of prediagnostic smoking and smoking cessation on colorectal cancer prognosis: a meta-analysis of individual patient data from cohorts within the CHANCES consortium. <i>Annals of Oncology</i> , 2018 , 29, 472-483	10.3	36

1005	Air pollution and incidence of cancers of the stomach and the upper aerodigestive tract in the European Study of Cohorts for Air Pollution Effects (ESCAPE). <i>International Journal of Cancer</i> , 2018 , 143, 1632-1643	7.5	31
1004	A prospective evaluation of plasma polyphenol levels and colon cancer risk. <i>International Journal of Cancer</i> , 2018 , 143, 1620-1631	7.5	24
1003	Circulating Fetuin-A and Risk of Type 2 Diabetes: A Mendelian Randomization Analysis. <i>Diabetes</i> , 2018 , 67, 1200-1205	0.9	13
1002	Prediagnostic Serum Vitamin D Levels and the Risk of Crohn@ Disease and Ulcerative Colitis in European Populations: A Nested Case-Control Study. <i>Inflammatory Bowel Diseases</i> , 2018 , 24, 633-640	4.5	28
1001	Meat and fiber intake and interaction with pattern recognition receptors (TLR1, TLR2, TLR4, and TLR10) in relation to colorectal cancer in a Danish prospective, case-cohort study. <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 465-479	7	23
1000	Lifetime and baseline alcohol intakes and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2018 , 143, 801-812	7.5	24
999	Meat and haem iron intake in relation to glioma in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Cancer Prevention</i> , 2018 , 27, 379-383	2	8
998	Is There an Association Between Ambient Air Pollution and Bladder Cancer Incidence? Analysis of 15 European Cohorts. <i>European Urology Focus</i> , 2018 , 4, 113-120	5.1	19
997	Substitutions of dairy product intake and risk of stroke: a Danish cohort study. <i>European Journal of Epidemiology</i> , 2018 , 33, 201-212	12.1	14
996	Fish consumption and prostate cancer risk and mortality in a Danish cohort study. <i>European Journal of Cancer Prevention</i> , 2018 , 27, 355-360	2	1
995	Nut intake and 5-year changes in body weight and obesity risk in adults: results from the EPIC-PANACEA study. <i>European Journal of Nutrition</i> , 2018 , 57, 2399-2408	5.2	42
994	Consumption of fruits, vegetables and fruit juices and differentiated thyroid carcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2018 , 142, 449-459	7.5	28
993	Long-term exposure to residential railway and road traffic noise and risk for diabetes in a Danish cohort. <i>Environmental Research</i> , 2018 , 160, 292-297	7.9	43
992	Genome-Wide Interactions with Dairy Intake for Body Mass Index in Adults of European Descent. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, 1700347	5.9	5
991	Anti-Mllerian hormone and risk of ovarian cancer in nine cohorts. <i>International Journal of Cancer</i> , 2018 , 142, 262-270	7.5	3
990	The Influence of Menopausal Hormone Therapy and Potential Lifestyle Interactions in Female Cancer Development-a Population-Based Prospective Study. <i>Hormones and Cancer</i> , 2018 , 9, 254-264	5	6
989	Predictors of Urinary Arsenic Levels among Postmenopausal Danish Women. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	2
988	Low-level exposure to arsenic in drinking water and incidence rate of stroke: A cohort study in Denmark. <i>Environment International</i> , 2018 , 120, 72-80	12.9	20

987	Rye and health - Where do we stand and where do we go?. <i>Trends in Food Science and Technology</i> , 2018 , 79, 78-87	15.3	33
986	Higher Whole-Grain Intake Is Associated with Lower Risk of Type 2 Diabetes among Middle-Aged Men and Women: The Danish Diet, Cancer, and Health Cohort. <i>Journal of Nutrition</i> , 2018 , 148, 1434-144	4 ^{1.1}	42
985	Assessment of Lung Cancer Risk on the Basis of a Biomarker Panel of Circulating Proteins. <i>JAMA Oncology</i> , 2018 , 4, e182078	13.4	55
984	Effects of Leisure-Time and Transport-Related Physical Activities on the Risk of Incident and Recurrent Myocardial Infarction and Interaction With Traffic-Related Air Pollution: A Cohort Study. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	25
983	Nonsteroidal anti-inflammatory drug use and breast cancer risk in a European prospective cohort study. <i>International Journal of Cancer</i> , 2018 , 143, 1688-1695	7.5	6
982	Particulate matter air pollution components and incidence of cancers of the stomach and the upper aerodigestive tract in the European Study of Cohorts of Air Pollution Effects (ESCAPE). <i>Environment International</i> , 2018 , 120, 163-171	12.9	32
981	Atrial Fibrillation and Risk of Cancer: A Danish Population-Based Cohort Study. <i>Journal of the American Heart Association</i> , 2018 , 7, e009543	6	18
980	Apolipoproteins E and CIII interact to regulate HDL metabolism and coronary heart disease risk. <i>JCI Insight</i> , 2018 , 3,	9.9	34
979	Interaction of Dietary and Genetic Factors Influencing Body Iron Status and Risk of Type 2 Diabetes Within the EPIC-InterAct Study. <i>Diabetes Care</i> , 2018 , 41, 277-285	14.6	11
978	High-Density Lipoprotein Subspecies Defined by Presence of Apolipoprotein C-III and Incident Coronary Heart Disease in Four Cohorts. <i>Circulation</i> , 2018 , 137, 1364-1373	16.7	63
977	Adipokines and inflammation markers and risk of differentiated thyroid carcinoma: The EPIC study. <i>International Journal of Cancer</i> , 2018 , 142, 1332-1342	7.5	32
976	Dairy Consumption and Body Mass Index Among Adults: Mendelian Randomization Analysis of 184802 Individuals from 25 Studies. <i>Clinical Chemistry</i> , 2018 , 64, 183-191	5.5	24
975	Circulating concentrations of vitamin D in relation to pancreatic cancer risk in European populations. <i>International Journal of Cancer</i> , 2018 , 142, 1189-1201	7.5	12
974	Pre-diagnostic plasma enterolactone concentrations and breast cancer prognosis among postmenopausal women - The Danish Diet, Cancer and Health cohort. <i>Clinical Nutrition</i> , 2018 , 37, 2217-2	2 52 5	8
973	Ovarian cancer early detection by circulating CA125 in the context of anti-CA125 autoantibody levels: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2018 , 142, 1355-1360	7.5	16
972	Associations between residential traffic noise exposure and smoking habits and alcohol consumption-A population-based study. <i>Environmental Pollution</i> , 2018 , 236, 983-991	9.3	19
971	Separate and combined associations of obesity and metabolic health with coronary heart disease: a pan-European case-cohort analysis. <i>European Heart Journal</i> , 2018 , 39, 397-406	9.5	146
970	Long-Term Incidence of Venous Thromboembolism in Cancer: The Scandinavian Thrombosis and Cancer Cohort. <i>TH Open</i> , 2018 , 2, e131-e138	2.7	3

969	Perfluorooctanoate and Perfluorooctanesulfonate plasma concentrations and survival after prostate and bladder cancer in a population-based study. <i>Environmental Epidemiology</i> , 2018 , 2, e018	0.2	1
968	Substitution of Fish for Red Meat or Poultry and Risk of Ischemic Stroke. <i>Nutrients</i> , 2018 , 10,	6.7	2
967	Vitamin D Status and Seasonal Variation among Danish Children and Adults: A Descriptive Study. <i>Nutrients</i> , 2018 , 10,	6.7	42
966	Population-based studies of relationships between dietary acidity load, insulin resistance and incident diabetes in Danes. <i>Nutrition Journal</i> , 2018 , 17, 91	4.3	9
965	Determinants of incident asthma-COPD overlap: a prospective study of 55,110 middle-aged adults. <i>Clinical Epidemiology</i> , 2018 , 10, 1275-1287	5.9	5
964	Receptor activator of nuclear factor kB ligand, osteoprotegerin, and risk of death following a breast cancer diagnosis: results from the EPIC cohort. <i>BMC Cancer</i> , 2018 , 18, 1010	4.8	6
963	Associations Between Changes in Cycling and All-Cause Mortality Risk. <i>American Journal of Preventive Medicine</i> , 2018 , 55, 615-623	6.1	8
962	Adipose tissue content of alpha-linolenic acid and the risk of ischemic stroke and ischemic stroke subtypes: A Danish case-cohort study. <i>PLoS ONE</i> , 2018 , 13, e0198927	3.7	8
961	Association between plasma CD36 levels and incident risk of coronary heart disease among Danish men and women. <i>Atherosclerosis</i> , 2018 , 277, 163-168	3.1	3
960	Circulating Metabolites Associated with Alcohol Intake in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Nutrients</i> , 2018 , 10,	6.7	20
959	Job-exposure matrices addressing lifestyle to be applied in register-based occupational health studies. <i>Occupational and Environmental Medicine</i> , 2018 , 75, 890-897	2.1	8
958	Regular physical activity and mammographic density: a cohort study. <i>Cancer Causes and Control</i> , 2018 , 29, 1015-1025	2.8	2
957	Trans fatty acids in adipose tissue and risk of myocardial infarction: A case-cohort study. <i>PLoS ONE</i> , 2018 , 13, e0202363	3.7	6
956	Alcohol intake in relation to non-fatal and fatal coronary heart disease and stroke: EPIC-CVD case-cohort study. <i>BMJ, The</i> , 2018 , 361, k934	5.9	44
955	Dietary intake of total polyphenol and polyphenol classes and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Epidemiology</i> , 2018 , 33, 1063-1075	12.1	23
954	Dietary Intake of Linolenic Acid Is Not Appreciably Associated with Risk of Ischemic Stroke among Middle-Aged Danish Men and Women. <i>Journal of Nutrition</i> , 2018 , 148, 952-958	4.1	9
953	Potato consumption and risk of pancreatic cancer in the HELGA cohort. <i>British Journal of Nutrition</i> , 2018 , 119, 1408-1415	3.6	3
952	Pre-diagnostic circulating insulin-like growth factor-I and bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2018 , 143, 2351-2.	35⁄8 ⁵	11

951	A lifestyle intervention among elderly men on active surveillance for non-aggressive prostate cancer: a randomised feasibility study with whole-grain rye and exercise. <i>Trials</i> , 2017 , 18, 20	2.8	11
950	Reply to the letter: @ hysical activity and survival in breast cancer: What were missing? © by Wu H, Wang D, and Ruan X. <i>European Journal of Cancer</i> , 2017 , 71, 123-124	7.5	
949	Outdoor air pollution and risk for kidney parenchyma cancer in 14 European cohorts. <i>International Journal of Cancer</i> , 2017 , 140, 1528-1537	7.5	35
948	Circulating copper and zinc levels and risk of hepatobiliary cancers in Europeans. <i>British Journal of Cancer</i> , 2017 , 116, 688-696	8.7	33
947	Ambient air pollution and primary liver cancer incidence in four European cohorts within the ESCAPE project. <i>Environmental Research</i> , 2017 , 154, 226-233	7.9	49
946	Coffee, tea and melanoma risk: findings from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2017 , 140, 2246-2255	7.5	25
945	Pre-diagnosis insulin-like growth factor-I and risk of epithelial invasive ovarian cancer by histological subtypes: A collaborative re-analysis from the Ovarian Cancer Cohort Consortium. <i>Cancer Causes and Control</i> , 2017 , 28, 429-435	2.8	2
944	Validity of physical activity and cardiorespiratory fitness in the Danish cohort "Diet, Cancer and Health-Next Generations". <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2017 , 27, 1864-1872	4.6	4
943	Dietary intake of whole grains and plasma alkylresorcinol concentrations in relation to changes in anthropometry: the Danish diet, cancer and health cohort study. <i>European Journal of Clinical Nutrition</i> , 2017 , 71, 944-952	5.2	4
942	Mediterranean diet and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>British Journal of Cancer</i> , 2017 , 116, 811-820	8.7	21
941	Adherence to a healthy Nordic food index and risk of myocardial infarction in middle-aged Danes: the diet, cancer and health cohort study. <i>European Journal of Clinical Nutrition</i> , 2017 , 71, 652-658	5.2	15
940	Added Value of Serum Hormone Measurements in Risk Prediction Models for Breast Cancer for Women Not Using Exogenous Hormones: Results from the EPIC Cohort. <i>Clinical Cancer Research</i> , 2017 , 23, 4181-4189	12.9	23
939	Validity of Peripheral Arterial Disease Diagnoses in the Danish National Patient Registry. <i>European Journal of Vascular and Endovascular Surgery</i> , 2017 , 53, 679-685	2.3	32
938	Low-level arsenic in drinking water and risk of incident myocardial infarction: A cohort study. <i>Environmental Research</i> , 2017 , 154, 318-324	7.9	55
937	Measured Adiposity in Relation to Head and Neck Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 895-	9 0 4	6
936	Osteoprotegerin and breast cancer risk by hormone receptor subtype: a nested case-control study in the EPIC cohort. <i>BMC Medicine</i> , 2017 , 15, 26	11.4	18
935	Fruit and vegetable intake and prostate cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2017 , 141, 287-297	7.5	22
934	Lean Body Mass Is the Predominant Anthropometric Risk Factor for Atrial[Fibrillation. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 2488-2497	15.1	45

933	Correlates of circulating ovarian cancer early detection markers and their contribution to discrimination of early detection models: results from the EPIC cohort. <i>Journal of Ovarian Research</i> , 2017 , 10, 20	5.5	14
932	Comparison of general obesity and measures of body fat distribution in older adults in relation to cancer risk: meta-analysis of individual participant data of seven prospective cohorts in Europe. <i>British Journal of Cancer</i> , 2017 , 116, 1486-1497	8.7	54
931	Socioeconomic position and mortality among patients with prostate cancer: influence of mediating factors. <i>Acta Oncolgica</i> , 2017 , 56, 563-568	3.2	18
930	Apolipoprotein C-III and High-Density Lipoprotein Subspecies Defined by Apolipoprotein C-III in Relation to Diabetes Risk. <i>American Journal of Epidemiology</i> , 2017 , 186, 736-744	3.8	26
929	Genetic variants in 5-HTTLPR, BDNF, HTR1A, COMT, and FKBP5 and risk for treated depression after cancer diagnosis. <i>Depression and Anxiety</i> , 2017 , 34, 845-855	8.4	5
928	Pre-diagnostic copper and zinc biomarkers and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Carcinogenesis</i> , 2017 , 38, 699-707	4.6	28
927	The impact of initial cancer stage on the incidence of venous thromboembolism: the Scandinavian Thrombosis and Cancer (STAC) Cohort. <i>Journal of Thrombosis and Haemostasis</i> , 2017 , 15, 1567-1575	15.4	24
926	Interaction between genes and macronutrient intake on the risk of developing type 2 diabetes: systematic review and findings from European Prospective Investigation into Cancer (EPIC)-InterAct. <i>American Journal of Clinical Nutrition</i> , 2017 , 106, 263-275	7	36
925	Chocolate intake and risk of clinically apparent atrial fibrillation: the Danish Diet, Cancer, and Health Study. <i>Heart</i> , 2017 , 103, 1163-1167	5.1	19
924	Plasma microRNAs as biomarkers of pancreatic cancer risk in a prospective cohort study. <i>International Journal of Cancer</i> , 2017 , 141, 905-915	7.5	42
923	Hepcidin levels and gastric cancer risk in the EPIC-EurGast study. <i>International Journal of Cancer</i> , 2017 , 141, 945-951	7.5	6
922	Forecasting Chronic Diseases Using Data Fusion. <i>Journal of Proteome Research</i> , 2017 , 16, 2435-2444	5.6	11
921	Genetic variation in the ADIPOQ gene, adiponectin concentrations and risk of colorectal cancer: a Mendelian Randomization analysis using data from three large cohort studies. <i>European Journal of Epidemiology</i> , 2017 , 32, 419-430	12.1	13
920	Consumption of Fish Is Not Associated with Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Nutrition</i> , 2017 , 147, 1366-1373	4.1	10
919	Relation of Coronary Artery Calcium Score and Risk of Cancer (from a Danish Population-Based Follow-up Study in Patients Who Underwent Cardiac Computed Tomography). <i>American Journal of Cardiology</i> , 2017 , 120, 542-549	3	6
-	Metabolic Mediators of the Association Between Adult Weight Gain and Colorectal Cancer: Data		
918	From the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>American Journal of Epidemiology</i> , 2017 , 185, 751-764	3.8	14
918	From the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. American	3.8 5.2	9

Androgens Are Differentially Associated with Ovarian Cancer Subtypes in the Ovarian Cancer Cohort Consortium. <i>Cancer Research</i> , 2017 , 77, 3951-3960	10.1	30	
Demographic, lifestyle, and other factors in relation to antimlerian hormone levels in mostly late premenopausal women. <i>Fertility and Sterility</i> , 2017 , 107, 1012-1022.e2	4.8	31	
Dietary intake and adipose tissue content of long-chain n-3 PUFAs and subsequent 5-y change in body weight and waist circumference. <i>American Journal of Clinical Nutrition</i> , 2017 , 105, 1148-1157	7	6	
Dietary flavonoid intake and colorectal cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2017 , 140, 1836-1844	7.5	45	
Helicobacter pylori infection, chronic corpus atrophic gastritis and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort: A nested case-control study. <i>International Journal of Cancer</i> , 2017 , 140, 1727-1735	7.5	15	
Endometrial cancer risk prediction including serum-based biomarkers: results from the EPIC cohort. <i>International Journal of Cancer</i> , 2017 , 140, 1317-1323	7.5	17	
Adherence to a Healthy Nordic Diet and Risk of Stroke: A Danish Cohort Study. Stroke, 2017, 48, 259-26	4 6.7	49	
Physical activity, mediating factors and risk of colon cancer: insights into adiposity and circulating biomarkers from the EPIC cohort. <i>International Journal of Epidemiology</i> , 2017 , 46, 1823-1835	7.8	13	
Alcohol consumption and mammographic density in the Danish Diet, Cancer and Health cohort. <i>Cancer Causes and Control</i> , 2017 , 28, 1429-1439	2.8	6	
Long-chain n-3 and n-6 polyunsaturated fatty acids and risk of atrial fibrillation: Results from a Danish cohort study. <i>PLoS ONE</i> , 2017 , 12, e0190262	3.7	9	
The association between adult attained height and sitting height with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2017 , 12, e0173117	3.7	17	
Circulating sex hormones in relation to anthropometric, sociodemographic and behavioural factors in an international dataset of 12,300 men. <i>PLoS ONE</i> , 2017 , 12, e0187741	3.7	23	
A combination of plasma phospholipid fatty acids and its association with incidence of type 2 diabetes: The EPIC-InterAct case-cohort study. <i>PLoS Medicine</i> , 2017 , 14, e1002409	11.6	39	
Tall height and obesity are associated with an increased risk of aggressive prostate cancer: results from the EPIC cohort study. <i>BMC Medicine</i> , 2017 , 15, 115	11.4	44	
Association between plasma phospholipid saturated fatty acids and metabolic markers of lipid, hepatic, inflammation and glycaemic pathways in eight European countries: a cross-sectional analysis in the EPIC-InterAct study. <i>BMC Medicine</i> , 2017 , 15, 203	11.4	30	
Alcohol consumption and its interaction with adiposity-associated genetic variants in relation to subsequent changes in waist circumference and body weight. <i>Nutrition Journal</i> , 2017 , 16, 51	4.3	5	
Long-Term Exposure to Ambient Air Pollution and Incidence of Postmenopausal Breast Cancer in 15 European Cohorts within the ESCAPE Project. <i>Environmental Health Perspectives</i> , 2017 , 125, 107005	8.4	72	
Long-Term Exposure to Traffic-Related Air Pollution and Risk of Incident Atrial Fibrillation: A Cohort Study. <i>Environmental Health Perspectives</i> , 2017 , 125, 422-427	8.4	49	
	Demographic, lifestyle, and other factors in relation to antimilerian hormone levels in mostly late premenopausal women. Fertility and Sterility, 2017, 107, 1012-1022.e2 Dietary intake and adipose tissue content of long-chain n-3 PUFAs and subsequent 5-y change in body weight and waist circumference. American Journal of Clinical Nutrition, 2017, 105, 1148-1157 Dietary flavonoid intake and colorectal cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. International Journal of Cancer, 2017, 140, 1836-1844 Helicobacter pylori infection, chronic corpus atrophic gastritis and pancreatic cancer risk in the European Prospective investigation into Cancer and Nutrition (EPIC) cohort: A nested case-control study. International Journal of Cancer, 2017, 140, 1727-1735 Endometrial cancer risk prediction including serum-based biomarkers: results from the EPIC cohort. International Journal of Cancer, 2017, 140, 1317-1323 Adherence to a Healthy Nordic Diet and Risk of Stroke: A Danish Cohort Study. Stroke, 2017, 48, 259-26 Physical activity, mediating factors and risk of colon cancer: insights into adiposity and circulating biomarkers from the EPIC cohort. International Journal of Epidemiology, 2017, 46, 1823-1835 Alcohol consumption and mammographic density in the Danish Diet, Cancer and Health cohort. Cancer Causes and Control, 2017, 28, 1429-1439 Long-chain n-3 and n-6 polyunsaturated fatty acids and risk of atrial fibrillation: Results from a Danish cohort study. PLoS ONE, 2017, 12, e0190262 The association between adult attained height and sitting height with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS ONE, 2017, 12, e0173117 Circulating sex hormones in relation to anthropometric, sociodemographic and behavioural factors in an international dataset of 12,300 men. PLoS ONE, 2017, 12, e0187741 A combination of plasma phospholipid fatty acids and its association with incidence of type 2 diabetes: The EPIC-InterAct study. BMC	Demographic, lifestyle, and other factors in relation to antimilerian hormone levels in mostly late premenopausal women. Fettility and Sterility, 2017, 107, 1012-1022.e2 Dietary intake and adjoose tissue content of long-chain n-3 PUFAs and subsequent 5-y change in body weight and waist circumference. American Journal of Clinical Nutrition, 2017, 105, 1148-1157 7 Dietary flavonoid intake and colorectal cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. International Journal of Concer, 2017, 140, 1836-1844 Helicobacter pylori infection, chronic corpus atrophic gastritis and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort: A nested case-control study. International Journal of Cancer, 2017, 140, 1727-1735 Endometrial cancer risk prediction including serum-based biomarkers: results from the EPIC cohort. International Journal of Cancer, 2017, 140, 1317-1323 Adherence to a Healthy Nordic Diet and Risk of Stroke: A Danish Cohort Study. Stroke, 2017, 48, 259-2646.7 Physical activity, mediating factors and risk of colon cancer: insights into adiposity and circulating biomarkers from the EPIC cohort. International Journal of Epidemiology, 2017, 46, 1823-1835 Alcohol consumption and mammographic density in the Danish Diet, Cancer and Health cohort. Cancer Causes and Control, 2017, 28, 1429-1439 Long-chain n-3 and n-6 polyunsaturated fatty acids and risk of atrial fibrillation: Results from a Danish cohort study. PLoS ONE, 2017, 12, e0190262 The association between adult attained height and sitting height with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS ONE, 2017, 12, e0173117 A combination of plasma phospholipid fatty acids and its association with incidence of type 2 diabetes: The EPIC-interAct case-cohort study. PLoS Medicine, 2017, 14, e1002409 11.6 12.6 13.7 Alcohol consumption and its interaction with adiposity-associated genetic variants in relation to subs	Demographic, lifestyle, and other factors in relation to antimillerian hormone levels in mostly late premenopausal women. Fettility and sterility, 2017, 107, 1012-1022, e2 Dietary intake and adipose tissue content of long-chain n-3 PUFAs and subsequent 5-y change in body weight and waist circumference. American Journal of Clinical Nutrition, 2017, 105, 1148-1157 Dietary flavonoid intake and colorectal cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. International Journal of Cancer, 2017, 140, 1836-1844 Helicobacter pylori infection, chronic corpus atrophic gastritis and pancreatic cancer risk in the European Prospective investigation into Cancer and Nutrition (EPIC) cohort: A nested case-control study. International Journal of Cancer, 2017, 140, 1727-1735 Endometrial cancer risk prediction including serum-based biomarkers: results from the EPIC cohort. International Journal of Cancer, 2017, 140, 1727-1732 Adherence to a Healthy Nordic Diet and Risk of Stroke: A Danish Cohort Study. Stroke, 2017, 48, 259-2646-77 Alcohol consumption and mammographic density in the Danish Diet, Cancer and Health cohort. Cancer Causes and Control, 2017, 28, 1429-1439 Long-chain n-3 and n-6 polyunsaturated fatty acids and risk of atrial fibrillation. Results from a Danish cohort study. PLoS ONE, 2017, 12, e0190262 The association between adult attained height and sitting height with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS ONE, 2017, 12, e0173117 A combination of plasma phospholipid fatty acids and its association with incidence of type 2 diabetes: The EPIC-InterAct case-cohort study. PLoS ONE, 2017, 12, e0187741 A combination of plasma phospholipid fatty acids and its association with incidence of type 2 diabetes: The EPIC-InterAct study. BMC Medicine, 2017, 15, 203 Alcohol consumption and its interaction with adiposity-associated genetic variants in relation to the patic, inflammation and glycaemic pathways in eight European

897	Long-Term Exposure to Road Traffic Noise and Nitrogen Dioxide and Risk of Heart Failure: A Cohort Study. <i>Environmental Health Perspectives</i> , 2017 , 125, 097021	8.4	24
896	Vasectomy and Prostate Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of Clinical Oncology</i> , 2017 , 35, 1297-1303	2.2	14
895	Dietary Polyphenols in the Aetiology of Crohn® Disease and Ulcerative Colitis-A Multicenter European Prospective Cohort Study (EPIC). <i>Inflammatory Bowel Diseases</i> , 2017 , 23, 2072-2082	4.5	18
894	Adipose tissue content of saturated fatty acids and atrial fibrillation: A case-cohort study. <i>European Journal of Clinical Investigation</i> , 2017 , 47, e12836	4.6	2
893	Epidemiology of venous thromboembolism in hematological cancers: The Scandinavian Thrombosis and Cancer (STAC) cohort. <i>Thrombosis Research</i> , 2017 , 158, 157-160	8.2	13
892	Circulating RANKL and RANKL/OPG and Breast Cancer Risk by ER and PR Subtype: Results from the EPIC Cohort. <i>Cancer Prevention Research</i> , 2017 , 10, 525-534	3.2	22
891	Alcohol consumption and risk of urothelial cell bladder cancer in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2017 , 141, 1963-1970	7·5	14
890	Residential exposure to traffic noise and leisure-time sports - A population-based study. <i>International Journal of Hygiene and Environmental Health</i> , 2017 , 220, 1006-1013	6.9	40
889	Effect of Dietary Intake of Saturated Fatty Acids on the Development of Atrial Fibrillation and the Effect of Replacement of Saturated With Monounsaturated and Polyunsaturated Fatty Acids. <i>American Journal of Cardiology</i> , 2017 , 120, 1129-1132	3	5
888	Blood Metabolic Signatures of Body Mass Index: A Targeted Metabolomics Study in the EPIC Cohort. <i>Journal of Proteome Research</i> , 2017 , 16, 3137-3146	5.6	37
887	Joint Effect of Alcohol Consumption and Educational Level on Alcohol-related Medical Events: A Danish Register-based Cohort Study. <i>Epidemiology</i> , 2017 , 28, 872-879	3.1	27
886	Substitutions between dairy product subgroups and risk of type 2 diabetes: the Danish Diet, Cancer and Health cohort. <i>British Journal of Nutrition</i> , 2017 , 118, 989-997	3.6	11
885	Coffee Drinking and Mortality in 10 European Countries: A Multinational Cohort Study. <i>Annals of Internal Medicine</i> , 2017 , 167, 236-247	8	127
884	Exposure to bacterial products lipopolysaccharide and flagellin and hepatocellular carcinoma: a nested case-control study. <i>BMC Medicine</i> , 2017 , 15, 72	11.4	26
883	Diabetes, diabetes treatment, and mammographic density in Danish Diet, Cancer, and Health cohort. <i>Cancer Causes and Control</i> , 2017 , 28, 13-21	2.8	6
882	Urinary Cadmium and Breast Cancer: A Prospective Danish Cohort Study. <i>Journal of the National Cancer Institute</i> , 2017 , 109,	9.7	29
881	Adherence to the WCRF/AICR Dietary Recommendations for Cancer Prevention and Risk of Cancer in Elderly from Europe and the United States: A Meta-Analysis within the CHANCES Project. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 136-144	4	50
880	Fiber intake modulates the association of alcohol intake with breast cancer. <i>International Journal of Cancer</i> , 2017 , 140, 316-321	7.5	9

(2016-2017)

879	Prediagnostic circulating concentrations of plasma insulin-like growth factor-I and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2017 , 140, 1111-1118	7.5	6
878	Incidence and long-term outcome of severe asthma-COPD overlap compared to asthma and COPD alone: a 35-year prospective study of 57,053 middle-aged adults. <i>International Journal of COPD</i> , 2017 , 12, 571-579	3	29
877	Association between single nucleotide polymorphisms in the antioxidant genes, and, erythrocyte enzyme activities, dietary and life style factors and breast cancer risk in a Danish, prospective cohort study. <i>Oncotarget</i> , 2017 , 8, 62984-62997	3.3	6
876	Interactions between 5-Lipoxygenase Polymorphisms and Adipose Tissue Contents of Arachidonic and Eicosapentaenoic Acids Do Not Affect Risk of Myocardial Infarction in Middle-Aged Men and Women in a Danish Case-Cohort Study. <i>Journal of Nutrition</i> , 2017 , 147, 1340-1347	4.1	7
875	The association of substituting carbohydrates with total fat and different types of fatty acids with mortality and weight change among diabetes patients. <i>Clinical Nutrition</i> , 2016 , 35, 1096-102	5.9	17
874	Dietary polyphenol intake in Europe: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2016 , 55, 1359-75	5.2	238
873	Intake of whole grains and incidence of oesophageal cancer in the HELGA Cohort. <i>European Journal of Epidemiology</i> , 2016 , 31, 405-14	12.1	12
872	Anthropometry and the Risk of Lung Cancer in EPIC. American Journal of Epidemiology, 2016 , 184, 129-3	39 .8	16
871	Interactions between genetic variants associated with adiposity traits and soft drinks in relation to longitudinal changes in body weight and waist circumference. <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 816-26	7	31
870	Physical activity and survival in breast cancer. European Journal of Cancer, 2016, 66, 67-74	7.5	30
869	Substitution of meat and fish with vegetables or potatoes and risk of myocardial infarction. <i>British Journal of Nutrition</i> , 2016 , 116, 1602-1610	3.6	16
868	Determinants related to gender differences in general practice utilization: Danish Diet, Cancer and Health Cohort. <i>Scandinavian Journal of Primary Health Care</i> , 2016 , 34, 240-9	2.7	15
867	Main nutrient patterns and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. <i>British Journal of Cancer</i> , 2016 , 115, 1430-1440	8.7	18
866	Statistical Methods for Unusual Count Data: Examples From Studies of Microchimerism. <i>American Journal of Epidemiology</i> , 2016 , 184, 779-786	3.8	9
865	Prospective Study of Bicycling and Risk of Coronary Heart Disease in Danish Men and Women. <i>Circulation</i> , 2016 , 134, 1409-1411	16.7	20
864	Modifiable causes of premature death in middle-age in Western Europe: results from the EPIC cohort study. <i>BMC Medicine</i> , 2016 , 14, 87	11.4	32
863	Plasma alkylresorcinols, biomarkers of whole-grain wheat and rye intake, and risk of type 2 diabetes in Scandinavian men and women. <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 88-96	7	38
862	Dairy Products, Dietary Calcium, and Risk of Inflammatory Bowel Disease: Results From a European Prospective Cohort Investigation. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 1403-11	4.5	55

861	Overweight duration in older adults and cancer risk: a study of cohorts in Europe and the United States. <i>European Journal of Epidemiology</i> , 2016 , 31, 893-904	12.1	26
860	Circulating Osteopontin and Prediction of Hepatocellular Carcinoma Development in a Large European Population. <i>Cancer Prevention Research</i> , 2016 , 9, 758-65	3.2	29
859	Association of fish consumption and dietary intake of marine n-3 PUFA with myocardial infarction in a prospective Danish cohort study. <i>British Journal of Nutrition</i> , 2016 , 116, 167-77	3.6	14
858	Combined effects of smoking and HPV16 in oropharyngeal cancer. <i>International Journal of Epidemiology</i> , 2016 , 45, 752-61	7.8	47
857	Determinants of frequent attendance in Danish general practice: a cohort-based cross-sectional study. <i>BMC Family Practice</i> , 2016 , 17, 9	2.6	28
856	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2016 , 116, 316-25	3.6	20
855	Consumption of soft drinks and juices and risk of liver and biliary tract cancers in a European cohort. <i>European Journal of Nutrition</i> , 2016 , 55, 7-20	5.2	20
854	A treelet transform analysis to relate nutrient patterns to the risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2016 , 19, 242-54	3.3	21
853	An epidemiological model for prediction of endometrial cancer risk in Europe. <i>European Journal of Epidemiology</i> , 2016 , 31, 51-60	12.1	29
852	Plasma carotenoids, vitamin C, tocopherols, and retinol and the risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 454-64	7	69
851	Prospective association of liver function biomarkers with development of hepatobiliary cancers. <i>Cancer Epidemiology</i> , 2016 , 40, 179-87	2.8	34
850	Cigarette smoking and mammographic density in the Danish Diet, Cancer and Health cohort. <i>Cancer Causes and Control</i> , 2016 , 27, 271-80	2.8	18
849	Physical activity and risk of Amyotrophic Lateral Sclerosis in a prospective cohort study. <i>European Journal of Epidemiology</i> , 2016 , 31, 255-66	12.1	36
848	Genetically predicted longer telomere length is associated with increased risk of B-cell lymphoma subtypes. <i>Human Molecular Genetics</i> , 2016 , 25, 1663-76	5.6	39
847	Energy and macronutrient intake and risk of differentiated thyroid carcinoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2016 , 138, 65-73	7.5	16
846	Childhood height, adult height, and the risk of prostate cancer. Cancer Causes and Control, 2016, 27, 56	1-∄ .8	4
845	Intake of whole grains is associated with lower risk of myocardial infarction: the Danish Diet, Cancer and Health Cohort. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 999-1007	7	49
844	Association of Multiple Biomarkers of Iron Metabolism and Type 2 Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2016 , 39, 572-81	14.6	48

(2016-2016)

843	Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 291-301	4	23
842	Identification of a novel susceptibility locus at 13q34 and refinement of the 20p12.2 region as a multi-signal locus associated with bladder cancer risk in individuals of European ancestry. <i>Human Molecular Genetics</i> , 2016 , 25, 1203-14	5.6	20
841	High-Throughput LC-MS/MS Method for Direct Quantification of Glucuronidated, Sulfated, and Free Enterolactone in Human Plasma. <i>Journal of Proteome Research</i> , 2016 , 15, 1051-8	5.6	15
840	Intake of Total and Subgroups of Fat Minimally Affect the Associations between Selected Single Nucleotide Polymorphisms in the PPARIPathway and Changes in Anthropometry among European Adults from Cohorts of the DiOGenes Study. <i>Journal of Nutrition</i> , 2016 , 146, 603-11	4.1	2
839	The impact of a breast cancer diagnosis on health-related quality of life. A prospective comparison among middle-aged to elderly women with and without breast cancer. <i>Acta Oncolgica</i> , 2016 , 55, 720-7	3.2	18
838	Risk of atrial fibrillation associated with coffee intake: Findings from the Danish Diet, Cancer, and Health study. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 922-30	3.9	17
837	Particulate matter air pollution components and risk for lung cancer. <i>Environment International</i> , 2016 , 87, 66-73	12.9	163
836	Vegetable and fruit consumption and the risk of hormone receptor-defined breast cancer in the EPIC cohort. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 168-77	7	40
835	Nutrient-wide association study of 57 foods/nutrients and epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition study and the Netherlands Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 161-7	7	22
834	Main nutrient patterns are associated with prospective weight change in adults from 10 European countries. <i>European Journal of Nutrition</i> , 2016 , 55, 2093-104	5.2	14
833	A Nested Case-Control Study of Metabolically Defined Body Size Phenotypes and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS Medicine</i> , 2016 , 13, e1001988	11.6	58
832	Associations between Recreational and Commuter Cycling, Changes in Cycling, and Type 2 Diabetes Risk: A Cohort Study of Danish Men and Women. <i>PLoS Medicine</i> , 2016 , 13, e1002076	11.6	36
831	Common Polymorphisms in the 5-Lipoxygenase Pathway and Risk of Incident Myocardial Infarction: A Danish Case-Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0167217	3.7	8
830	Selenium status and risk of prostate cancer in a Danish population. <i>British Journal of Nutrition</i> , 2016 , 115, 1669-77	3.6	19
829	Road Traffic and Railway Noise Exposures and Adiposity in Adults: A Cross-Sectional Analysis of the Danish Diet, Cancer, and Health Cohort. <i>Environmental Health Perspectives</i> , 2016 , 124, 329-35	8.4	57
828	Three new pancreatic cancer susceptibility signals identified on chromosomes 1q32.1, 5p15.33 and 8q24.21. <i>Oncotarget</i> , 2016 , 7, 66328-66343	3.3	66
827	Sun Exposure Guidelines and Serum Vitamin D Status in Denmark: The StatusD Study. <i>Nutrients</i> , 2016 , 8,	6.7	20
826	Five year change in alcohol intake and risk of breast cancer and coronary heart disease among postmenopausal women: prospective cohort study. <i>BMJ, The</i> , 2016 , 353, i2314	5.9	20

825	Association of Plasma Phospholipid n-3 and n-6 Polyunsaturated Fatty Acids with Type 2 Diabetes: The EPIC-InterAct Case-Cohort Study. <i>PLoS Medicine</i> , 2016 , 13, e1002094	11.6	116
824	The Influence of Hormonal Factors on the Risk of Developing Cervical Cancer and Pre-Cancer: Results from the EPIC Cohort. <i>PLoS ONE</i> , 2016 , 11, e0147029	3.7	68
823	Dietary Patterns and Risk of Inflammatory Bowel Disease in Europe: Results from the EPIC Study. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 345-54	4.5	127
822	The Impact of Husbands Prostate Cancer Diagnosis and Participation in a Behavioral Lifestyle Intervention on Spouses Lives and Relationships With Their Partners. <i>Cancer Nursing</i> , 2016 , 39, E1-9	2.6	7
821	Parity, breastfeeding and risk of coronary heart disease: A pan-European case-cohort study. European Journal of Preventive Cardiology, 2016 , 23, 1755-1765	3.9	39
820	Prediagnostic selenium status and hepatobiliary cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 406-14	7	57
819	Alteration of amino acid and biogenic amine metabolism in hepatobiliary cancers: Findings from a prospective cohort study. <i>International Journal of Cancer</i> , 2016 , 138, 348-60	7.5	58
818	Substitutions of red meat, poultry and fish and risk of myocardial infarction. <i>British Journal of Nutrition</i> , 2016 , 115, 1571-8	3.6	10
817	Reply to A Abbasi. American Journal of Clinical Nutrition, 2016, 104, 1725-1726	7	
816	Reply to J-B Qin et al. <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 1723-1724	7	
816 815	Reply to J-B Qin et al. <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 1723-1724 Meal patterns across ten European countries - results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Public Health Nutrition</i> , 2016 , 19, 2769-80	7 3·3	32
	Meal patterns across ten European countries - results from the European Prospective Investigation		32 7
815	Meal patterns across ten European countries - results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Public Health Nutrition</i> , 2016 , 19, 2769-80 Adipose Tissue Content of Marine N-3 Polyunsaturated Fatty Acids Is Inversely Associated With	3.3	
815 814	Meal patterns across ten European countries - results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Public Health Nutrition</i> , 2016 , 19, 2769-80 Adipose Tissue Content of Marine N-3 Polyunsaturated Fatty Acids Is Inversely Associated With Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 1008-1009 Residential exposure to traffic noise and risk of incident atrial fibrillation: A cohort study.	3.3	7
815 814 813	Meal patterns across ten European countries - results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Public Health Nutrition</i> , 2016 , 19, 2769-80 Adipose Tissue Content of Marine N-3 Polyunsaturated Fatty Acids Is Inversely Associated With Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 1008-1009 Residential exposure to traffic noise and risk of incident atrial fibrillation: A cohort study. <i>Environment International</i> , 2016 , 92-93, 457-63	3·3 15·1 12·9	7 36
815 814 813	Meal patterns across ten European countries - results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Public Health Nutrition</i> , 2016 , 19, 2769-80 Adipose Tissue Content of Marine N-3 Polyunsaturated Fatty Acids Is Inversely Associated With Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 1008-1009 Residential exposure to traffic noise and risk of incident atrial fibrillation: A cohort study. <i>Environment International</i> , 2016 , 92-93, 457-63 Body weight and sensitivity of screening mammography. <i>European Journal of Cancer</i> , 2016 , 60, 93-100 Dietary intake and adipose tissue content of ⊞inolenic acid and risk of myocardial infarction: a	3·3 15·1 12·9	7 36 13
815 814 813 812	Meal patterns across ten European countries - results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Public Health Nutrition</i> , 2016 , 19, 2769-80 Adipose Tissue Content of Marine N-3 Polyunsaturated Fatty Acids Is Inversely Associated With Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 1008-1009 Residential exposure to traffic noise and risk of incident atrial fibrillation: A cohort study. <i>Environment International</i> , 2016 , 92-93, 457-63 Body weight and sensitivity of screening mammography. <i>European Journal of Cancer</i> , 2016 , 60, 93-100 Dietary intake and adipose tissue content of Elinolenic acid and risk of myocardial infarction: a Danish cohort study. <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 41-8 A Prospective Evaluation of Early Detection Biomarkers for Ovarian Cancer in the European EPIC	3·3 15·1 12·9 7·5	7 36 13

(2015-2016)

807	PPARGC1A polymorphisms on female sex-hormone levels and interaction with alcohol consumption and NSAID usage in a nested case-control study and a randomised controlled trial.	4.8	9
806	BMC Cancer, 2016 , 16, 283 Burden of Cancer in a Large Consortium of Prospective Cohorts in Europe. <i>Journal of the National Cancer Institute</i> , 2016 , 108,	9.7	19
805	Tracking of body mass index from 7 to 69 years of age. <i>International Journal of Obesity</i> , 2016 , 40, 1376-8	33 .5	58
804	Association Between Low-Density Lipoprotein Cholesterol-Lowering Genetic Variants and Risk of Type 2 Diabetes: A Meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 316, 1383-1	39 ¹⁴	225
803	Physical Activity, Air Pollution, and the Risk of Asthma and Chronic Obstructive Pulmonary Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016 , 194, 855-865	10.2	59
802	Exposure to Ambient Air Pollution and the Risk of Inflammatory Bowel Disease: A European Nested Case-Control Study. <i>Digestive Diseases and Sciences</i> , 2016 , 61, 2963-2971	4	30
801	Use of antibiotics is associated with lower enterolactone plasma concentration. <i>Molecular Nutrition and Food Research</i> , 2016 , 60, 2712-2721	5.9	13
800	Low-dose aspirin or other nonsteroidal anti-inflammatory drug use and prostate cancer risk: a nationwide study. <i>Cancer Causes and Control</i> , 2016 , 27, 1067-79	2.8	20
799	Sweet-beverage consumption and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 760-8	7	20
798	Flavonoid and lignan intake and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2016 , 139, 1480-92	7.5	14
797	Total, caffeinated and decaffeinated coffee and tea intake and gastric cancer risk: results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2015 , 136, E720-30	7.5	16
796	An epidemiologic risk prediction model for ovarian cancer in Europe: the EPIC study. <i>British Journal of Cancer</i> , 2015 , 112, 1257-65	8.7	28
795	Association of CRP genetic variants with blood concentrations of C-reactive protein and colorectal cancer risk. <i>International Journal of Cancer</i> , 2015 , 136, 1181-92	7.5	53
794	Coffee, tea and decaffeinated coffee in relation to hepatocellular carcinoma in a European population: multicentre, prospective cohort study. <i>International Journal of Cancer</i> , 2015 , 136, 1899-908	7.5	50
793	Lag times between lymphoproliferative disorder and clinical diagnosis of chronic lymphocytic leukemia: a prospective analysis using plasma soluble CD23. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 538-45	4	9
792	A prospective study of the immune system activation biomarker neopterin and colorectal cancer risk. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	16
791	Fruit and vegetable consumption in relation to hepatocellular carcinoma in a multi-centre, European cohort study. <i>British Journal of Cancer</i> , 2015 , 112, 1273-82	8.7	30
790	Influence of metabolic indicators, smoking, alcohol and socioeconomic position on mortality after breast cancer. <i>Acta Oncolgica</i> , 2015 , 54, 780-8	3.2	22

789	Genetic risk variants associated with in situ breast cancer. Breast Cancer Research, 2015, 17, 82	8.3	20
788	A study of the combined effects of physical activity and air pollution on mortality in elderly urban residents: the Danish Diet, Cancer, and Health Cohort. <i>Environmental Health Perspectives</i> , 2015 , 123, 557-63	8.4	104
787	Targeted LC-MS/MS Method for the Quantitation of Plant Lignans and Enterolignans in Biofluids from Humans and Pigs. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 6283-92	5.7	14
786	No association between HMOX1 and risk of colorectal cancer and no interaction with diet and lifestyle factors in a prospective Danish case-cohort study. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 1375-84	6.3	8
785	Inflammatory Markers and Risk of Epithelial Ovarian Cancer by Tumor Subtypes: The EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 951-61	4	43
784	Diabetes and onset of natural menopause: results from the European Prospective Investigation into Cancer and Nutrition. <i>Human Reproduction</i> , 2015 , 30, 1491-8	5.7	37
783	Is the adiposity-associated FTO gene variant related to all-cause mortality independent of adiposity? Meta-analysis of data from 169,551 Caucasian adults. <i>Obesity Reviews</i> , 2015 , 16, 327-340	10.6	7
782	Postmenopausal hormone therapy and asthma-related hospital admission. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 135, 813-6.e5	11.5	17
781	Forecasting individual breast cancer risk using plasma metabolomics and biocontours. <i>Metabolomics</i> , 2015 , 11, 1376-1380	4.7	48
780	Dietary cadmium intake and risk of prostate cancer: a Danish prospective cohort study. <i>BMC Cancer</i> , 2015 , 15, 177	4.8	23
779	Long-term exposure to air pollution and mammographic density in the Danish Diet, Cancer and Health cohort. <i>Environmental Health</i> , 2015 , 14, 31	6	19
778	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>Breast Cancer Research</i> , 2015 , 17, 15	8.3	39
777	Pre-diagnostic concordance with the WCRF/AICR guidelines and survival in European colorectal cancer patients: a cohort study. <i>BMC Medicine</i> , 2015 , 13, 107	11.4	45
776	Dietary patterns and whole grain cereals in the Scandinavian countriesdifferences and similarities. The HELGA project. <i>Public Health Nutrition</i> , 2015 , 18, 905-15	3.3	10
775	Meat and fish consumption and the risk of renal cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2015 , 136, E423-31	7.5	15
774	Dietary intake of acrylamide and epithelial ovarian cancer risk in the european prospective investigation into cancer and nutrition (EPIC) cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 291-7	4	14
773	Human Papillomavirus 16 E6 Antibodies in Individuals without Diagnosed Cancer: A Pooled Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 683-9	4	48
772	Exposure to long-term air pollution and road traffic noise in relation to cholesterol: A cross-sectional study. <i>Environment International</i> , 2015 , 85, 238-43	12.9	42

(2015-2015)

771	Dietary fat, fat subtypes and hepatocellular carcinoma in a large European cohort. <i>International Journal of Cancer</i> , 2015 , 137, 2715-28	7.5	23
770	Carotenoids, retinol, tocopherols, and prostate cancer risk: pooled analysis of 15 studies. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 1142-57	7	89
769	The Association between Glyceraldehyde-Derived Advanced Glycation End-Products and Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1855-63	4	25
768	Determinants of the t(14;18) translocation and their role in t(14;18)-positive follicular lymphoma. <i>Cancer Causes and Control</i> , 2015 , 26, 1845-55	2.8	
767	Effect of increased intake of fish and mussels on exposure to toxic trace elements in a healthy, middle-aged population. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment,</i> 2015 , 32, 1858-66	3.2	6
766	New basal cell carcinoma susceptibility loci. <i>Nature Communications</i> , 2015 , 6, 6825	17.4	49
765	Baseline and lifetime alcohol consumption and risk of differentiated thyroid carcinoma in the EPIC study. <i>British Journal of Cancer</i> , 2015 , 113, 840-7	8.7	13
764	Polymorphisms in ATP-binding cassette transporter genes and interaction with diet and life style factors in relation to colorectal cancer in a Danish prospective case-cohort study. <i>Scandinavian Journal of Gastroenterology</i> , 2015 , 50, 1469-81	2.4	13
763	Genome-wide association study of prostate cancer-specific survival. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1796-800	4	23
762	Long-term exposure to residential traffic noise and changes in body weight and waist circumference: A cohort study. <i>Environmental Research</i> , 2015 , 143, 154-61	7.9	67
761	The association of coffee intake with liver cancer risk is mediated by biomarkers of inflammation and hepatocellular injury: data from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 1498-508	7	44
760	Responses and relationship dynamics of men and their spouses during active surveillance for prostate cancer: health literacy as an inquiry framework. <i>BMC Public Health</i> , 2015 , 15, 741	4.1	14
759	Prostate cancer incidence, clinical stage and survival in relation to obesity: a prospective cohort study in Denmark. <i>International Journal of Cancer</i> , 2015 , 136, 1940-7	7.5	54
758	Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Epidemiology</i> , 2015 , 30, 57-70	12.1	33
757	Plasma carotenoids, vitamin C, retinol and tocopherols levels and pancreatic cancer risk within the European Prospective Investigation into Cancer and Nutrition: a nested case-control study: plasma micronutrients and pancreatic cancer risk. <i>International Journal of Cancer</i> , 2015 , 136, E665-76	7.5	33
756	Whole-grain products and whole-grain types are associated with lower all-cause and cause-specific mortality in the Scandinavian HELGA cohort. <i>British Journal of Nutrition</i> , 2015 , 114, 608-23	3.6	48
755	Determinants of dietary supplement usehealthy individuals use dietary supplements. <i>British Journal of Nutrition</i> , 2015 , 113, 1993-2000	3.6	40
754	Diabetes mellitus and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015 , 136, 372-81	7.5	60

753	Endogenous androgens and risk of epithelial invasive ovarian cancer by tumor characteristics in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015 , 136, 399-410	7.5	26
75 ²	Reproductive and menstrual factors and risk of differentiated thyroid carcinoma: the EPIC study. <i>International Journal of Cancer</i> , 2015 , 136, 1218-27	7.5	48
751	Metabolomic profiles of hepatocellular carcinoma in a European prospective cohort. <i>BMC Medicine</i> , 2015 , 13, 242	11.4	60
75°	Reproductive factors and risk of mortality in the European Prospective Investigation into Cancer and Nutrition; a cohort study. <i>BMC Medicine</i> , 2015 , 13, 252	11.4	34
749	Circulating prolactin and in situ breast cancer risk in the European EPIC cohort: a case-control study. Breast Cancer Research, 2015 , 17, 49	8.3	25
748	Body iron status and gastric cancer risk in the EURGAST study. <i>International Journal of Cancer</i> , 2015 , 137, 2904-14	7.5	16
747	ABO blood group alleles and prostate cancer risk: Results from the breast and prostate cancer cohort consortium (BPC3). <i>Prostate</i> , 2015 , 75, 1677-81	4.2	10
746	Risk of breast cancer in relation to combined effects of hormone therapy, body mass index, and alcohol use, by hormone-receptor status. <i>Epidemiology</i> , 2015 , 26, 353-61	3.1	20
745	Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015 , 137, 2705-14	7.5	32
744	Alcohol consumption and the risk of renal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2015 , 137, 1953-66	7.5	19
743	Existing data sources in clinical epidemiology: the Scandinavian Thrombosis and Cancer Cohort. <i>Clinical Epidemiology</i> , 2015 , 7, 401-10	5.9	16
742	The effect on selenium concentrations of a randomized intervention with fish and mussels in a population with relatively low habitual dietary selenium intake. <i>Nutrients</i> , 2015 , 7, 608-24	6.7	10
741	Adherence to a Healthy Nordic Food Index Is Associated with a Lower Risk of Type-2 DiabetesThe Danish Diet, Cancer and Health Cohort Study. <i>Nutrients</i> , 2015 , 7, 8633-44	6.7	54
740	Residential Radon Exposure and Skin Cancer Incidence in a Prospective Danish Cohort. <i>PLoS ONE</i> , 2015 , 10, e0135642	3.7	19
739	Dietary Intake Estimates and Urinary Cadmium Levels in Danish Postmenopausal Women. <i>PLoS ONE</i> , 2015 , 10, e0138784	3.7	31
738	General and abdominal obesity and risk of esophageal and gastric adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015 , 137, 646-57	7.5	57
737	Reproductive and hormone-related risk factors for epithelial ovarian cancer by histologic pathways, invasiveness and histologic subtypes: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2015 , 137, 1196-208	7.5	45
736	Body mass index and participation in organized mammographic screening: a prospective cohort study. <i>BMC Cancer</i> , 2015 , 15, 294	4.8	15

(2015-2015)

735	Isocaloric substitution of carbohydrates with protein: the association with weight change and mortality among patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2015 , 14, 39	8.7	16
734	A Reverse J-Shaped Association Between Serum 25-Hydroxyvitamin D and Cardiovascular Disease Mortality: The CopD Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 2339-46	5.6	108
733	Investigation of dietary factors and endometrial cancer risk using a nutrient-wide association study approach in the EPIC and NursesOHealth Study (NHS) and NHSII. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 466-71	4	35
732	A Mendelian Randomization Study of Circulating Uric Acid and Type 2 Diabetes. <i>Diabetes</i> , 2015 , 64, 302	8036	79
731	Variation at ABO histo-blood group and FUT loci and diffuse and intestinal gastric cancer risk in a European population. <i>International Journal of Cancer</i> , 2015 , 136, 880-93	7.5	22
730	A prospective study of one-carbon metabolism biomarkers and cancer of the head and neck and esophagus. <i>International Journal of Cancer</i> , 2015 , 136, 915-27	7.5	19
729	Reproductive factors and epithelial ovarian cancer survival in the EPIC cohort study. <i>British Journal of Cancer</i> , 2015 , 113, 1622-31	8.7	20
728	The combined impact of adherence to five lifestyle factors on all-cause, cancer and cardiovascular mortality: a prospective cohort study among Danish men and women. <i>British Journal of Nutrition</i> , 2015 , 113, 849-58	3.6	59
727	5-HTTLPR and use of antidepressants after colorectal cancer including a meta-analysis of 5-HTTLPR and depression after cancer. <i>Translational Psychiatry</i> , 2015 , 5, e631	8.6	8
726	Pre-diagnostic polyphenol intake and breast cancer survival: the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Breast Cancer Research and Treatment</i> , 2015 , 154, 389-401	4.4	24
725	Plasma fetuin-A concentration, genetic variation in the AHSG gene and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2015 , 137, 911-20	7.5	12
724	Risk of second primary malignancies in women with breast cancer: Results from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2015 , 137, 940-8	7.5	43
723	Alcohol intake and breast cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2015 , 137, 1921-30	7.5	55
722	Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). American Journal of Clinical Nutrition, 2015, 101, 613-21	7	219
721	Obesity and risks for malignant melanoma and non-melanoma skin cancer: results from a large Danish prospective cohort study. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 901-904	4.3	26
720	Alcohol drinking pattern and risk of alcoholic liver cirrhosis: a prospective cohort study. <i>Journal of Hepatology</i> , 2015 , 62, 1061-7	13.4	139
719	Selenium status is associated with colorectal cancer risk in the European prospective investigation of cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2015 , 136, 1149-61	7.5	121
718	Healthy lifestyle index and risk of gastric adenocarcinoma in the EPIC cohort study. <i>International Journal of Cancer</i> , 2015 , 137, 598-606	7.5	68

717	Dietary folate intake and breast cancer risk: European prospective investigation into cancer and nutrition. <i>Journal of the National Cancer Institute</i> , 2015 , 107, 367	9.7	22
716	Polymorphisms in NFKB1 and TLR4 and interaction with dietary and life style factors in relation to colorectal cancer in a Danish prospective case-cohort study. <i>PLoS ONE</i> , 2015 , 10, e0116394	3.7	22
715	Residential Exposure to Road and Railway Noise and Risk of Prostate Cancer: A Prospective Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0135407	3.7	7
714	Risk of Venous Thromboembolism in Hematological Malignancies: The Scandinavian Thrombosis and Cancer Cohort. <i>Blood</i> , 2015 , 126, 628-628	2.2	
713	Genome-wide interaction study of smoking and bladder cancer risk. <i>Carcinogenesis</i> , 2014 , 35, 1737-44	4.6	33
712	Genome-wide association study identifies multiple loci associated with bladder cancer risk. <i>Human Molecular Genetics</i> , 2014 , 23, 1387-98	5.6	101
711	Dietary intake of acrylamide and esophageal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Cancer Causes and Control</i> , 2014 , 25, 639-46	2.8	16
710	Variation in genes related to hepatic lipid metabolism and changes in waist circumference and body weight. <i>Genes and Nutrition</i> , 2014 , 9, 385	4.3	2
709	Active and passive cigarette smoking and breast cancer risk: results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 134, 1871-88	7.5	89
708	Genetic variants in the IL1A gene region contribute to intestinal-type gastric carcinoma susceptibility in European populations. <i>International Journal of Cancer</i> , 2014 , 135, 1343-55	7.5	7
707	Genetic association of gastric cancer with miRNA clusters including the cancer-related genes MIR29, MIR25, MIR93 and MIR106: results from the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2014 , 135, 2065-76	7.5	44
706	No causal association identified for human papillomavirus infections in lung cancer. <i>Cancer Research</i> , 2014 , 74, 3525-34	10.1	27
705	Weight change in middle adulthood and breast cancer risk in the EPIC-PANACEA study. <i>International Journal of Cancer</i> , 2014 , 135, 2887-99	7.5	47
704	Premenopausal serum sex hormone levels in relation to breast cancer risk, overall and by hormone receptor status - results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 134, 1947-57	7.5	54
703	Prospective seroepidemiologic study on the role of Human Papillomavirus and other infections in cervical carcinogenesis: evidence from the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 135, 440-	5 2·5	35
702	Thyroid-stimulating hormone, thyroglobulin, and thyroid hormones and risk of differentiated thyroid carcinoma: the EPIC study. <i>Journal of the National Cancer Institute</i> , 2014 , 106, dju097	9.7	64
701	A U-shaped association between consumption of marine n-3 fatty acids and development of atrial fibrillation/atrial flutter-a Danish cohort study. <i>Europace</i> , 2014 , 16, 1554-61	3.9	31
700	Adherence to a healthy diet according to the World Health Organization guidelines and all-cause mortality in elderly adults from Europe and the United States. <i>American Journal of Epidemiology</i> , 2014 , 180, 978-88	3.8	80

699	Dairy products and risk of hepatocellular carcinoma: the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2014 , 135, 1662-72	7.5	44
698	Exposure to road traffic and railway noise and postmenopausal breast cancer: A cohort study. <i>International Journal of Cancer</i> , 2014 , 134, 2691-8	7.5	41
697	Plasma methionine, choline, betaine, and dimethylglycine in relation to colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Oncology</i> , 2014 , 25, 160	9 . 163	31
696	Body fat, body fat distribution, lean body mass and atrial fibrillation and flutter. A Danish cohort study. <i>Obesity</i> , 2014 , 22, 1546-52	8	55
695	Axonal guidance signaling pathway interacting with smoking in modifying the risk of pancreatic cancer: a gene- and pathway-based interaction analysis of GWAS data. <i>Carcinogenesis</i> , 2014 , 35, 1039-45	5 ^{4.6}	36
694	Association between Mediterranean and Nordic diet scores and changes in weight and waist circumference: influence of FTO and TCF7L2 loci. <i>American Journal of Clinical Nutrition</i> , 2014 , 100, 1188	-97	36
693	The 19q12 bladder cancer GWAS signal: association with cyclin E function and aggressive disease. <i>Cancer Research</i> , 2014 , 74, 5808-18	10.1	19
692	Adiposity, mediating biomarkers and risk of colon cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2014 , 134, 612-21	7.5	31
691	Dietary fat intake and development of specific breast cancer subtypes. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	71
690	Male microchimerism and survival among women. <i>International Journal of Epidemiology</i> , 2014 , 43, 168-7	7 3 7.8	19
689	Fruit and vegetable intake and cause-specific mortality in the EPIC study. <i>European Journal of Epidemiology</i> , 2014 , 29, 639-52	12.1	41
688	Circulating prolactin and breast cancer risk among pre- and postmenopausal women in the EPIC cohort. <i>Annals of Oncology</i> , 2014 , 25, 1422-1428	10.3	54
687	Interaction between genetic predisposition to obesity and dietary calcium in relation to subsequent change in body weight and waist circumference. <i>American Journal of Clinical Nutrition</i> , 2014 , 99, 957-65	7	18
686	Genome-wide association study identifies multiple susceptibility loci for diffuse large B cell lymphoma. <i>Nature Genetics</i> , 2014 , 46, 1233-8	36.3	108
685	Lifestyle influences on the association between pre-diagnostic hormone replacement therapy and breast cancer prognosis - results from The Danish Diet, Cancer and HealthOprospective cohort. <i>Maturitas</i> , 2014 , 79, 442-8	5	10
684	Dietary fat intake and risk of epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology</i> , 2014 , 38, 528-37	2.8	10
683	Self-reported whole-grain intake and plasma alkylresorcinol concentrations in combination in relation to the incidence of colorectal cancer. <i>American Journal of Epidemiology</i> , 2014 , 179, 1188-96	3.8	36
682	Interactions of dietary protein and adiposity measures in relation to subsequent changes in body weight and waist circumference. <i>Obesity</i> , 2014 , 22, 2097-103	8	7

681	Genome-wide association study identifies multiple susceptibility loci for pancreatic cancer. <i>Nature Genetics</i> , 2014 , 46, 994-1000	36.3	226
68o	Prognosis of synchronous bilateral breast cancer: a review and meta-analysis of observational studies. <i>Breast Cancer Research and Treatment</i> , 2014 , 146, 461-75	4.4	25
679	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. <i>Lancet Diabetes and Endocrinology,the</i> , 2014 , 2, 810-8	18.1	330
678	Biomarker patterns of inflammatory and metabolic pathways are associated with risk of colorectal cancer: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Epidemiology</i> , 2014 , 29, 261-75	12.1	50
677	Risk factors for cancers of unknown primary site: Results from the prospective EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 135, 2475-81	7.5	36
676	Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. <i>BMJ, The</i> , 2014 , 349, g4164	5.9	406
675	Dietary ascorbic acid and subsequent change in body weight and waist circumference: associations may depend on genetic predisposition to obesitya prospective study of three independent cohorts. <i>Nutrition Journal</i> , 2014 , 13, 43	4.3	11
674	Smoking as a major risk factor for cervical cancer and pre-cancer: results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 135, 453-66	7.5	109
673	t(14;18) Translocation: A predictive blood biomarker for follicular lymphoma. <i>Journal of Clinical Oncology</i> , 2014 , 32, 1347-55	2.2	86
672	Weight change later in life and colon and rectal cancer risk in participants in the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2014 , 99, 139-47	7	25
671	Lifetime alcohol use and overall and cause-specific mortality in the European Prospective Investigation into Cancer and nutrition (EPIC) study. <i>BMJ Open</i> , 2014 , 4, e005245	3	68
670	Adipose tissue PCB levels and CYP1B1 and COMT genotypes in relation to breast cancer risk in postmenopausal Danish women. <i>International Journal of Environmental Health Research</i> , 2014 , 24, 256-	·6 3 .6	14
669	Rare variants of large effect in BRCA2 and CHEK2 affect risk of lung cancer. <i>Nature Genetics</i> , 2014 , 46, 736-41	36.3	228
668	Fish intake and venous thromboembolism: a Danish follow-up study. <i>Thrombosis Research</i> , 2014 , 133, 352-6	8.2	7
667	Non-invasive risk scores for prediction of type 2 diabetes (EPIC-InterAct): a validation of existing models. <i>Lancet Diabetes and Endocrinology,the</i> , 2014 , 2, 19-29	18.1	99
666	Long-term exposure to elemental constituents of particulate matter and cardiovascular mortality in 19 European cohorts: results from the ESCAPE and TRANSPHORM projects. <i>Environment International</i> , 2014 , 66, 97-106	12.9	94
665	Common genetic variants highlight the role of insulin resistance and body fat distribution in type 2 diabetes, independent of obesity. <i>Diabetes</i> , 2014 , 63, 4378-4387	0.9	127
664	Combined effects of road traffic noise and ambient air pollution in relation to risk for stroke?. <i>Environmental Research</i> , 2014 , 133, 49-55	7.9	95

(2014-2014)

663	Mitochondrial DNA copy number and future risk of B-cell lymphoma in a nested case-control study in the prospective EPIC cohort. <i>Blood</i> , 2014 , 124, 530-5	2.2	37
662	Adherence to a healthy Nordic food index is associated with a lower incidence of colorectal cancer in women: the Diet, Cancer and Health cohort study ERRATUM. <i>British Journal of Nutrition</i> , 2014 , 111, 758-759	3.6	1
661	A genome-wide "pleiotropy scan" does not identify new susceptibility loci for estrogen receptor negative breast cancer. <i>PLoS ONE</i> , 2014 , 9, e85955	3.7	7
660	Nutrient patterns and their food sources in an International Study Setting: report from the EPIC study. <i>PLoS ONE</i> , 2014 , 9, e98647	3.7	37
659	Impact of Rye Food and Physical Activity on Prostate Cancer Progression 2014 , 227-246		1
658	Circulating 25-hydroxyvitamin D3 in relation to renal cell carcinoma incidence and survival in the EPIC cohort. <i>American Journal of Epidemiology</i> , 2014 , 180, 810-20	3.8	24
657	Germline sequence variants in TGM3 and RGS22 confer risk of basal cell carcinoma. <i>Human Molecular Genetics</i> , 2014 , 23, 3045-53	5.6	39
656	Circulating fatty acids and prostate cancer risk: individual participant meta-analysis of prospective studies. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	41
655	Combined impact of healthy lifestyle factors on colorectal cancer: a large European cohort study. <i>BMC Medicine</i> , 2014 , 12, 168	11.4	135
654	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2014 , 111, 1881-90	3.6	29
653	Genes-environment interactions in obesity- and diabetes-associated pancreatic cancer: a GWAS data analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 98-106	4	26
652	Dietary intake of acrylamide and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>British Journal of Cancer</i> , 2014 , 111, 987-97	8.7	22
651	Baseline patterns of adipose tissue fatty acids and long-term risk of breast cancer: a case-cohort study in the Danish cohort Diet, Cancer and Health. <i>European Journal of Clinical Nutrition</i> , 2014 , 68, 108	8 ⁵ 9 ² 4	7
650	Cohort profile: the Social Inequality in Cancer (SIC) cohort study. <i>International Journal of Epidemiology</i> , 2014 , 43, 1750-8	7.8	12
649	Circulating biomarkers of one-carbon metabolism in relation to renal cell carcinoma incidence and survival. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	19
648	Plasma alkylresorcinols, biomarkers of whole-grain wheat and rye intake, and incidence of colorectal cancer. <i>Journal of the National Cancer Institute</i> , 2014 , 106, djt352	9.7	55
647	Dietary intakes of individual flavanols and flavonols are inversely associated with incident type 2 diabetes in European populations. <i>Journal of Nutrition</i> , 2014 , 144, 335-43	4.1	95
646	The Consortium on Health and Ageing: Network of Cohorts in Europe and the United States (CHANCES) projectdesign, population and data harmonization of a large-scale, international study. <i>European Journal of Epidemiology</i> , 2014 , 29, 929-36	12.1	42

645	Inflammatory and metabolic biomarkers and risk of liver and biliary tract cancer. <i>Hepatology</i> , 2014 , 60, 858-71	11.2	137
644	Prediagnostic intake of dairy products and dietary calcium and colorectal cancer survivalresults from the EPIC cohort study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 1813-23	4	23
643	Insulin-like growth factor I and risk of breast cancer by age and hormone receptor status-A prospective study within the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 134, 2683-90	7.5	44
642	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , 2014 , 23, 6616-33	5.6	77
641	Prediagnostic plasma testosterone, sex hormone-binding globulin, IGF-I and hepatocellular carcinoma: etiological factors or risk markers?. <i>International Journal of Cancer</i> , 2014 , 134, 164-73	7.5	27
640	Prediagnostic telomere length and risk of B-cell lymphoma-Results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2014 , 135, 2910-7	7.5	21
639	Coffee and tea consumption, genotype-based CYP1A2 and NAT2 activity and colorectal cancer risk-results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2014 , 135, 401-12	7.5	27
638	Smoking and long-term risk of type 2 diabetes: the EPIC-InterAct study in European populations. <i>Diabetes Care</i> , 2014 , 37, 3164-71	14.6	45
637	Prediagnostic circulating vitamin D levels and risk of hepatocellular carcinoma in European populations: a nested case-control study. <i>Hepatology</i> , 2014 , 60, 1222-30	11.2	75
636	Pre-diagnostic anthropometry and survival after colorectal cancer diagnosis in Western European populations. <i>International Journal of Cancer</i> , 2014 , 135, 1949-60	7.5	38
635	Tea and coffee consumption and risk of esophageal cancer: the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2014 , 135, 1470-9	7.5	35
634	Long-term exposure to low-level arsenic in drinking water and diabetes incidence: a prospective study of the diet, cancer and health cohort. <i>Environmental Health Perspectives</i> , 2014 , 122, 1059-65	8.4	76
633	Dietary protein intake and incidence of type 2 diabetes in Europe: the EPIC-InterAct Case-Cohort Study. <i>Diabetes Care</i> , 2014 , 37, 1854-62	14.6	106
632	Carbohydrate intake in the etiology of Crohn@ disease and ulcerative colitis. <i>Inflammatory Bowel Diseases</i> , 2014 , 20, 2013-21	4.5	58
631	Dietary intakes and risk of lymphoid and myeloid leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Nutrition and Cancer</i> , 2014 , 66, 14-28	2.8	20
630	Education and cause-specific mortality: the mediating role of differential exposure and vulnerability to behavioral risk factors. <i>Epidemiology</i> , 2014 , 25, 389-96	3.1	57
629	Long-term exposure to air pollution and cardiovascular mortality: an analysis of 22 European cohorts. <i>Epidemiology</i> , 2014 , 25, 368-78	3.1	195
628	Air pollution and nonmalignant respiratory mortality in 16 cohorts within the ESCAPE project. American Journal of Respiratory and Critical Care Medicine, 2014, 189, 684-96	10.2	52

(2013-2014)

Consumption of predefined (Nordic Cietary Items in ten European countries - an investigation in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Public Health Nutrition</i> , 2014 , 17, 2650-9	3.3	17
Adipose tissue trans-fatty acids and changes in body weight and waist circumference. <i>British Journal of Nutrition</i> , 2014 , 111, 1283-91	3.6	3
Genome-wide association study of survival in patients with pancreatic adenocarcinoma. <i>Gut</i> , 2014 , 63, 152-60	19.2	46
Insulin-like growth factor-i and risk of differentiated thyroid carcinoma in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 976-8	35 ⁴	35
Prolactin determinants in healthy women: A large cross-sectional study within the EPIC cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 2532-42	4	8
Whole grain intake and survival among Scandinavian colorectal cancer patients. <i>Nutrition and Cancer</i> , 2014 , 66, 6-13	2.8	14
Polymorphisms of Helicobacter pylori signaling pathway genes and gastric cancer risk in the European Prospective Investigation into Cancer-Eurgast cohort. <i>International Journal of Cancer</i> , 2014 , 134, 92-101	7.5	30
Physical activity, sex steroid, and growth factor concentrations in pre- and post-menopausal women: a cross-sectional study within the EPIC cohort. <i>Cancer Causes and Control</i> , 2014 , 25, 111-24	2.8	10
Lifestyle factors and mortality risk in individuals with diabetes mellitus: are the associations different from those in individuals without diabetes?. <i>Diabetologia</i> , 2014 , 57, 63-72	10.3	41
Dietary cadmium intake and risk of breast, endometrial and ovarian cancer in Danish postmenopausal women: a prospective cohort study. <i>PLoS ONE</i> , 2014 , 9, e100815	3.7	40
Interaction between genetic predisposition to adiposity and dietary protein in relation to subsequent change in body weight and waist circumference. <i>PLoS ONE</i> , 2014 , 9, e110890	3.7	13
Meat and fish consumption and risk of pancreatic cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2013 , 132, 617-24	7.5	46
Macronutrient intake and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013 , 132, 635-44	7.5	23
Abdominal obesity, weight gain during adulthood and risk of liver and biliary tract cancer in a European cohort. <i>International Journal of Cancer</i> , 2013 , 132, 645-57	7.5	127
Pre-diagnostic alcohol consumption and breast cancer recurrence and mortality: results from a prospective cohort with a wide range of variation in alcohol intake. <i>International Journal of Cancer</i> , 2013 , 132, 686-94	7.5	29
Air pollution and lung cancer incidence in 17 European cohorts: prospective analyses from the European Study of Cohorts for Air Pollution Effects (ESCAPE). <i>Lancet Oncology, The</i> , 2013 , 14, 813-22	21.7	938
Meat consumption and mortalityresults from the European Prospective Investigation into Cancer and Nutrition. <i>BMC Medicine</i> , 2013 , 11, 63	11.4	257
Vitamin C transporter gene (SLC23A1 and SLC23A2) polymorphisms, plasma vitamin C levels, and gastric cancer risk in the EPIC cohort. <i>Genes and Nutrition</i> , 2013 , 8, 549-60	4.3	33
	Adipose tissue trans-fatty acids and changes in body weight and waist circumference. <i>British Journal of Nutrition, 2014, 111, 1283-91</i> Genome-wide association study of survival in patients with pancreatic adenocarcinoma. <i>Gut, 2014, 63, 152-60</i> Insulin-like growth factor-i and risk of differentiated thyroid carcinoma in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 976-61</i> Prolactin determinants in healthy women: A large cross-sectional study within the EPIC cohort. <i>Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2532-42</i> Whole grain intake and survival among Scandinavian colorectal cancer patients. <i>Nutrition and Cancer, 2014, 66, 6-13</i> Polymorphisms of Helicobacter pylori signaling pathway genes and gastric cancer risk in the European Prospective Investigation into Cancer-Eurgast cohort. <i>International Journal of Cancer, 2014, 134, 92-101</i> Physical activity, sex steroid, and growth factor concentrations in pre- and post-menopausal women: a cross-sectional study within the EPIC cohort. <i>Cancer Causes and Control, 2014, 25, 111-24</i> Lifestyle factors and mortality risk in individuals with diabetes mellitus: are the associations different from those in individuals without diabetes?. <i>Diabetologia, 2014, 57, 63-72</i> Dietary cadmium intake and risk of breast, endometrial and ovarian cancer in Danish postmenopausal women: a prospective cohort study. <i>PLoS ONE, 2014, 9, e100815</i> Interaction between genetic predisposition to adiposity and dietary protein in relation to subsequent change in body weight and waist circumference. <i>PLoS ONE, 2014, 9, e10890</i> Meat and fish consumption and risk of pancreatic cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer, 2013, 132, 617-24</i> Macronutrient intake and risk of urothelial cell carcinoma in the European prospective investigation into Cancer and nutrition. <i>International Journal of Cancer, 2013, 132, 645-97</i> Pre	Adipose tissue trans-fatty acids and changes in body weight and waist circumference. British Journal of Nutrition, 2014, 111, 1283-91 Genome-wide association study of survival in patients with pancreatic adenocarcinoma. Gut, 2014, 63, 152-60 Insulin-like growth factor-i and risk of differentiated thyroid cardinoma in the European prospective investigation into cancer and nutrition. Cancer Epidemiology Blomarkers and Prevention, 2014, 23, 976-85† Prolactin determinants in healthy women: A large cross-sectional study within the EPIC cohort. Cancer Epidemiology Blomarkers and Prevention, 2014, 23, 2532-42 Whole grain intake and survival among Scandinavian colorectal cancer patients. Nutrition and Cancer, 2014, 66, 6-13 Polymorphisms of Helicobacter pylori signaling pathway genes and gastric cancer risk in the European Prospective Investigation into Cancer-Eurgast cohort. International Journal of Cancer, 2014, 134, 92-101 Physical activity, sex steroid, and growth factor concentrations in pre- and post-menopausal women: a cross-sectional study within the EPIC cohort. Cancer Causes and Control, 2014, 25, 111-24 Lifestyle factors and mortality risk in individuals with diabetes mellitus: are the associations different from those in individuals without diabetes?. Diabetologia, 2014, 57, 63-72 Dietary cadmium intake and risk of breast, endometrial and ovarian cancer in Danish postmenopausal women: a prospective cohort study. PLoS ONE, 2014, 9, e100815 37 Interaction between genetic predisposition to adiposity and dietary protein in relation to subsequent change in body weight and waist circumference. PLoS ONE, 2014, 9, e110890 37 Meat and fish consumption and risk of pancreatic cancer: results from the European Prospective investigation into Cancer and Nutrition. International Journal of Cancer, 2013, 132, 635-44 Abdominal obesity, weight gain during adulthood and risk of liver and billary tract cancer in a European cohort. International Journal of Cancer, 2013, 132, 635-44 Abdominal obesity, weight gain d

609	Lifestyle, dietary factors, and antibody levels to oral bacteria in cancer-free participants of a European cohort study. <i>Cancer Causes and Control</i> , 2013 , 24, 1901-9	2.8	18
608	Patterns of time since last meal revealed by sparse PCA in an observational LCMS based metabolomics study. <i>Metabolomics</i> , 2013 , 9, 1073-1081	4.7	7
607	Challenges in estimating the validity of dietary acrylamide measurements. <i>European Journal of Nutrition</i> , 2013 , 52, 1503-12	5.2	22
606	Dietary acrylamide intake of adults in the European Prospective Investigation into Cancer and Nutrition differs greatly according to geographical region. <i>European Journal of Nutrition</i> , 2013 , 52, 1369	6 8-	38
605	Genetic variation in the lactase gene, dairy product intake and risk for prostate cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013 , 132, 1901-10	7.5	35
604	Effects of smoking and antioxidant micronutrients on risk of colorectal cancer. <i>Clinical Gastroenterology and Hepatology</i> , 2013 , 11, 406-15.e3	6.9	24
603	Adult weight change and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , 2013 , 49, 3526-36	7·5	47
602	Evaluation of human papillomavirus antibodies and risk of subsequent head and neck cancer. Journal of Clinical Oncology, 2013 , 31, 2708-15	2.2	223
601	Mediterranean diet and colorectal cancer risk: results from a European cohort. <i>European Journal of Epidemiology</i> , 2013 , 28, 317-28	12.1	111
600	Dietary intake of acrylamide and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Annals of Oncology</i> , 2013 , 24, 2645-2651	10.3	20
599	Dietary flavonoid and lignan intake and breast cancer risk according to menopause and hormone receptor status in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. Breast Cancer Research and Treatment, 2013, 139, 163-76	4.4	44
598	Intake of whole grains from different cereal and food sources and incidence of colorectal cancer in the Scandinavian HELGA cohort. <i>Cancer Causes and Control</i> , 2013 , 24, 1363-74	2.8	62
597	Micronutrient intake and risk of prostate cancer in a cohort of middle-aged, Danish men. <i>Cancer Causes and Control</i> , 2013 , 24, 1129-35	2.8	25
596	Reproductive factors and risk of hormone receptor positive and negative breast cancer: a cohort study. <i>BMC Cancer</i> , 2013 , 13, 584	4.8	56
595	Adherence to the mediterranean diet and risk of breast cancer in the European prospective investigation into cancer and nutrition cohort study. <i>International Journal of Cancer</i> , 2013 , 132, 2918-27	7.5	142
594	Menstrual and reproductive factors in women, genetic variation in CYP17A1, and pancreatic cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2013 , 132, 2164-75	7.5	19
593	The association of pattern of lifetime alcohol use and cause of death in the European prospective investigation into cancer and nutrition (EPIC) study. <i>International Journal of Epidemiology</i> , 2013 , 42, 177	⁷ 2 ⁻⁸ 0	96
592	Plasma antibodies to oral bacteria and risk of pancreatic cancer in a large European prospective cohort study. <i>Gut</i> , 2013 , 62, 1764-70	19.2	228

(2013-2013)

591	Dietary glycemic index, glycemic load, and digestible carbohydrate intake are not associated with risk of type 2 diabetes in eight European countries. <i>Journal of Nutrition</i> , 2013 , 143, 93-9	4.1	66
590	Polymorphisms in genes related to inflammation, NSAID use, and the risk of prostate cancer among Danish men. <i>Cancer Genetics</i> , 2013 , 206, 266-78	2.3	22
589	Exposure to estrogen and women@risk for Parkinson@disease: a prospective cohort study in Denmark. <i>Parkinsonism and Related Disorders</i> , 2013 , 19, 457-60	3.6	24
588	Alcohol drinking and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Annals of Epidemiology</i> , 2013 , 23, 93-8	6.4	16
587	Intake of coffee, decaffeinated coffee, or tea does not affect risk for pancreatic cancer: results from the European Prospective Investigation into Nutrition and Cancer Study. <i>Clinical Gastroenterology and Hepatology</i> , 2013 , 11, 1486-92	6.9	15
586	Baseline prostate-specific antigen measurements and subsequent prostate cancer risk in the Danish Diet, Cancer and Health cohort. <i>European Journal of Cancer</i> , 2013 , 49, 3041-8	7.5	11
585	Adipose tissue arachidonic acid content is associated with the risk of myocardial infarction: a Danish case-cohort study. <i>Atherosclerosis</i> , 2013 , 227, 386-90	3.1	17
584	Smoking and the risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2013 , 108, 708-14	8.7	39
583	Long-term exposure to traffic-related air pollution and diabetes-associated mortality: a cohort study. <i>Diabetologia</i> , 2013 , 56, 36-46	10.3	68
582	Fish consumption and subsequent change in body weight in European women and men. <i>British Journal of Nutrition</i> , 2013 , 109, 353-62	3.6	12
581	Body mass index and the risk for Crohn@ disease and ulcerative colitis: data from a European Prospective Cohort Study (The IBD in EPIC Study). <i>American Journal of Gastroenterology</i> , 2013 , 108, 575	-827	113
580	Alcohol intake and risk of venous thromboembolism. A Danish follow-up study. <i>Thrombosis and Haemostasis</i> , 2013 , 110, 39-45	7	25
579	Anthropometric characteristics and risk of lymphoid and myeloid leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2013 , 24, 427-38	2.8	19
578	Polymorphisms in genes related to one-carbon metabolism are not related to pancreatic cancer in PanScan and PanC4. <i>Cancer Causes and Control</i> , 2013 , 24, 595-602	2.8	4
577	Fruit and vegetable consumption and mortality: European prospective investigation into cancer and nutrition. <i>American Journal of Epidemiology</i> , 2013 , 178, 590-602	3.8	108
576	A structural equation modelling approach to explore the role of B vitamins and immune markers in lung cancer risk. <i>European Journal of Epidemiology</i> , 2013 , 28, 677-88	12.1	13
575	Physical activity and risk of breast cancer overall and by hormone receptor status: the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013 , 132, 1667-78	7.5	54
574	Plasma carotenoid- and retinol-weighted multi-SNP scores and risk of breast cancer in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 927-36	4	14

573	Adherence to a healthy Nordic food index is associated with a lower incidence of colorectal cancer in women: the Diet, Cancer and Health cohort study. <i>British Journal of Nutrition</i> , 2013 , 109, 920-7	3.6	48
572	Post-traumatic growth among elderly women with breast cancer compared to breast cancer-free women. <i>Acta Oncolgica</i> , 2013 , 52, 345-54	3.2	21
571	Prediagnostic body fat and risk of death from amyotrophic lateral sclerosis: the EPIC cohort. <i>Neurology</i> , 2013 , 80, 829-38	6.5	103
570	Dietary intakes and food sources of phenolic acids in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2013 , 110, 1500-11	3.6	74
569	Occupation and risk of lymphoid and myeloid leukaemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Occupational and Environmental Medicine</i> , 2013 , 70, 464-70	2.1	11
568	Prostate cancer in Denmark 1978-2009trends in incidence and mortality. <i>Acta Oncoldica</i> , 2013 , 52, 831-6	3.2	36
567	PSA testing without clinical indication for prostate cancer in relation to socio-demographic and clinical characteristics in the Danish Diet, Cancer and Health Study. <i>Acta Oncolgica</i> , 2013 , 52, 1609-14	3.2	21
566	Long-term exposure to road traffic noise and incident diabetes: a cohort study. <i>Environmental Health Perspectives</i> , 2013 , 121, 217-22	8.4	241
565	Associations between red meat and risks for colon and rectal cancer depend on the type of red meat consumed. <i>Journal of Nutrition</i> , 2013 , 143, 464-72	4.1	33
564	Leisure time physical activity and mortality. <i>Epidemiology</i> , 2013 , 24, 717-25	3.1	26
564	Leisure time physical activity and mortality. <i>Epidemiology</i> , 2013 , 24, 717-25 Hemochromatosis (HFE) gene mutations and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Carcinogenesis</i> , 2013 , 34, 1244-50	3.1	26
	Hemochromatosis (HFE) gene mutations and risk of gastric cancer in the European Prospective		
563	Hemochromatosis (HFE) gene mutations and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Carcinogenesis</i> , 2013 , 34, 1244-50 Adherence to the World Cancer Research Fund/American Institute for Cancer Research guidelines and risk of death in Europe: results from the European Prospective Investigation into Nutrition and	4.6	28
563	Hemochromatosis (HFE) gene mutations and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Carcinogenesis</i> , 2013 , 34, 1244-50 Adherence to the World Cancer Research Fund/American Institute for Cancer Research guidelines and risk of death in Europe: results from the European Prospective Investigation into Nutrition and Cancer cohort study1,4. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 1107-20 Association between 8-oxo-7,8-dihydro-2@deoxyguanosine excretion and risk of postmenopausal	4.6	28
563 562 561	Hemochromatosis (HFE) gene mutations and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Carcinogenesis</i> , 2013 , 34, 1244-50 Adherence to the World Cancer Research Fund/American Institute for Cancer Research guidelines and risk of death in Europe: results from the European Prospective Investigation into Nutrition and Cancer cohort study1,4. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 1107-20 Association between 8-oxo-7,8-dihydro-2@deoxyguanosine excretion and risk of postmenopausal breast cancer: nested case-control study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 128 Urinary flavonoid excretion and risk of acute coronary syndrome in a nested case-control study.	4.6 7 39 ⁴ 96	28 123 52
563562561560	Hemochromatosis (HFE) gene mutations and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Carcinogenesis</i> , 2013 , 34, 1244-50 Adherence to the World Cancer Research Fund/American Institute for Cancer Research guidelines and risk of death in Europe: results from the European Prospective Investigation into Nutrition and Cancer cohort study1,4. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 1107-20 Association between 8-oxo-7,8-dihydro-2@deoxyguanosine excretion and risk of postmenopausal breast cancer: nested case-control study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 128 Urinary flavonoid excretion and risk of acute coronary syndrome in a nested case-control study. <i>American Journal of Clinical Nutrition</i> , 2013 , 98, 209-16 Changes in body mass index and alcohol and tobacco consumption among breast cancer survivors and cancer-free women: a prospective study in the Danish Diet, Cancer and Health Cohort. <i>Acta</i>	4.6 7 39 ⁴ 96 7	28 123 52 11
563562561560559	Hemochromatosis (HFE) gene mutations and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Carcinogenesis</i> , 2013, 34, 1244-50 Adherence to the World Cancer Research Fund/American Institute for Cancer Research guidelines and risk of death in Europe: results from the European Prospective Investigation into Nutrition and Cancer cohort study1,4. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 1107-20 Association between 8-oxo-7,8-dihydro-2@deoxyguanosine excretion and risk of postmenopausal breast cancer: nested case-control study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 128 Urinary flavonoid excretion and risk of acute coronary syndrome in a nested case-control study. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 209-16 Changes in body mass index and alcohol and tobacco consumption among breast cancer survivors and cancer-free women: a prospective study in the Danish Diet, Cancer and Health Cohort. <i>Acta Oncologica</i> , 2013, 52, 327-35 Dietary flavonoid intake and esophageal cancer risk in the European prospective investigation into	4.6 7 39 ⁴ 96 7 3.2	28 123 52 11 35

555	Age at menopause, reproductive life span, and type 2 diabetes risk: results from the EPIC-InterAct study. <i>Diabetes Care</i> , 2013 , 36, 1012-9	14.6	141
554	Single nucleotide polymorphisms and the risk of venous thrombosis: results from a Danish case-cohort study. <i>British Journal of Haematology</i> , 2013 , 160, 838-41	4.5	16
553	Serological markers predict inflammatory bowel disease years before the diagnosis. <i>Gut</i> , 2013 , 62, 683-	8 19.2	81
552	The association between dietary flavonoid and lignan intakes and incident type 2 diabetes in European populations: the EPIC-InterAct study. <i>Diabetes Care</i> , 2013 , 36, 3961-70	14.6	89
551	Glycemic index, glycemic load, dietary carbohydrate, and dietary fiber intake and risk of liver and biliary tract cancers in Western Europeans. <i>Annals of Oncology</i> , 2013 , 24, 543-553	10.3	79
550	Methylation alterations at imprinted genes detected among long-term shiftworkers. <i>Environmental and Molecular Mutagenesis</i> , 2013 , 54, 141-6	3.2	23
549	Plasma 25-hydroxyvitamin D and the risk of breast cancer in the European prospective investigation into cancer and nutrition: a nested case-control study. <i>International Journal of Cancer</i> , 2013 , 133, 1689-700	7.5	44
548	Induced abortion and breast cancer among parous women: a Danish cohort study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2013 , 92, 700-5	3.8	7
547	Measures taken to restore the Danish Diet, Cancer and Health Biobank after flooding: a framework for future biobank restorations. <i>Biopreservation and Biobanking</i> , 2013 , 11, 206-10	2.1	9
546	Dietary flavonoid, lignan and antioxidant capacity and risk of hepatocellular carcinoma in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2013 , 133, 2429-43	7.5	54
545	Height, age at menarche and risk of hormone receptor-positive and -negative breast cancer: a cohort study. <i>International Journal of Cancer</i> , 2013 , 132, 2619-29	7.5	48
544	Meat and heme iron intake and esophageal adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2013 , 133, 2744-50	7.5	21
543	Aberrant DNA methylation of miR-219 promoter in long-term night shiftworkers. <i>Environmental and Molecular Mutagenesis</i> , 2013 , 54, 406-13	3.2	31
542	N-acetyltransferase 2 phenotype, occupation, and bladder cancer risk: results from the EPIC cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 2055-65	4	22
541	Hormonal, metabolic, and inflammatory profiles and endometrial cancer risk within the EPIC cohorta factor analysis. <i>American Journal of Epidemiology</i> , 2013 , 177, 787-99	3.8	91
540	Impact of thearubigins on the estimation of total dietary flavonoids in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Clinical Nutrition</i> , 2013 , 67, 779	9582	27
539	Age at menarche and type 2 diabetes risk: the EPIC-InterAct study. <i>Diabetes Care</i> , 2013 , 36, 3526-34	14.6	114
538	Consumption of fish and meats and risk of hepatocellular carcinoma: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Oncology</i> , 2013 , 24, 2166-73	10.3	60

537	Dietary fiber intake and risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 344-53	7	69
536	Dietary intake of vitamin D and calcium and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Nutrition and Cancer</i> , 2013 , 65, 178-87	2.8	28
535	Urinary estrogen metabolites and breast cancer: a combined analysis of individual level data. <i>International Journal of Biological Markers</i> , 2013 , 28, 3-16	2.8	9
534	Plasma enterolactone and incidence of endometrial cancer in a case-cohort study of Danish women. <i>British Journal of Nutrition</i> , 2013 , 109, 2269-75	3.6	15
533	Association between plasma PFOA and PFOS levels and total cholesterol in a middle-aged Danish population. <i>PLoS ONE</i> , 2013 , 8, e56969	3.7	83
532	The association between dietary energy density and type 2 diabetes in Europe: results from the EPIC-InterAct Study. <i>PLoS ONE</i> , 2013 , 8, e59947	3.7	12
531	Interaction between obesity and the NFKB1 - 94ins/delATTG promoter polymorphism in relation to incident acute coronary syndrome: a follow up study in three independent cohorts. <i>PLoS ONE</i> , 2013 , 8, e63004	3.7	8
530	Development and validation of a risk score predicting substantial weight gain over 5 years in middle-aged European men and women. <i>PLoS ONE</i> , 2013 , 8, e67429	3.7	14
529	Consumption of dairy products and colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2013 , 8, e72715	3.7	64
528	Association between polymorphisms in glutathione peroxidase and selenoprotein P genes, glutathione peroxidase activity, HRT use and breast cancer risk. <i>PLoS ONE</i> , 2013 , 8, e73316	3.7	52
527	Interactions between diet, lifestyle and IL10, IL1B, and PTGS2/COX-2 gene polymorphisms in relation to risk of colorectal cancer in a prospective Danish case-cohort study. <i>PLoS ONE</i> , 2013 , 8, e7836	5 ∂ ·7	45
526	Educational differences in postmenopausal breast cancerquantifying indirect effects through health behaviors, body mass index and reproductive patterns. <i>PLoS ONE</i> , 2013 , 8, e78690	3.7	3
525	Macronutrient composition of the diet and prospective weight change in participants of the EPIC-PANACEA study. <i>PLoS ONE</i> , 2013 , 8, e57300	3.7	54
524	Variation in the sodium-dependent vitamin C transporter 2 gene is associated with risk of acute coronary syndrome among women. <i>PLoS ONE</i> , 2013 , 8, e70421	3.7	11
523	Longitudinal changes in weight in relation to smoking cessation in participants of the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2012 , 54, 183-92	4.3	24
522	A functional polymorphism in the promoter region of the IL1B gene is associated with risk of multiple myeloma. <i>British Journal of Haematology</i> , 2012 , 158, 515-8	4.5	19
521	Educational level and risk of colorectal cancer in EPIC with specific reference to tumor location. <i>International Journal of Cancer</i> , 2012 , 130, 622-30	7.5	30
520	Cigarette smoking and risk of histological subtypes of epithelial ovarian cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2012 , 130, 2204-10	7.5	37

519	Does hormone replacement therapy and use of oral contraceptives increase the risk of non-melanoma skin cancer?. <i>Cancer Causes and Control</i> , 2012 , 23, 379-88	2.8	21
518	Validity of a short questionnaire to assess physical activity in 10 European countries. <i>European Journal of Epidemiology</i> , 2012 , 27, 15-25	12.1	154
517	Influence of dietary protein intake and glycemic index on the association between TCF7L2 HapA and weight gain. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1468-76	7	19
516	Interaction between blood type, smoking and factor V Leiden mutation and risk of venous thromboembolism: a Danish case-cohort study. <i>Journal of Thrombosis and Haemostasis</i> , 2012 , 10, 2191-3	15.4	13
515	Impact of polymorphic variation at 7p15.3, 3p22.1 and 2p23.3 loci on risk of multiple myeloma. <i>British Journal of Haematology</i> , 2012 , 158, 805-9	4.5	18
514	Dietary flavonoid and lignan intake and gastric adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 139	7 -408	71
513	Genome-wide association study of classical Hodgkin lymphoma and Epstein-Barr virus status-defined subgroups. <i>Journal of the National Cancer Institute</i> , 2012 , 104, 240-53	9.7	117
512	Adiposity, hormone replacement therapy use and breast cancer risk by age and hormone receptor status: a large prospective cohort study. <i>Breast Cancer Research</i> , 2012 , 14, R76	8.3	82
511	Serum estrogen and SHBG levels and breast cancer incidence among users and never users of hormone replacement therapy. <i>Cancer Causes and Control</i> , 2012 , 23, 1711-20	2.8	9
510	Mortality among participants and non-participants in a prospective cohort study. <i>European Journal of Epidemiology</i> , 2012 , 27, 837-45	12.1	48
509	Whole grain, dietary fiber, and incidence of endometrial cancer in a Danish cohort study. <i>Nutrition and Cancer</i> , 2012 , 64, 1160-8	2.8	18
508	Previous lung diseases and lung cancer risk: a pooled analysis from the International Lung Cancer Consortium. <i>American Journal of Epidemiology</i> , 2012 , 176, 573-85	3.8	123
507	Role of CYP1A2 polymorphisms on lung cancer risk in a prospective study. <i>Cancer Genetics</i> , 2012 , 205, 278-84	2.3	28
506	PPARgamma-PGC-1alpha activity is determinant of alcohol related breast cancer. <i>Cancer Letters</i> , 2012 , 315, 59-68	9.9	26
505	Opposite effects of microchimerism on breast and colon cancer. <i>European Journal of Cancer</i> , 2012 , 48, 2227-35	7.5	38
504	Interaction between interleukin-10 (IL-10) polymorphisms and dietary fibre in relation to risk of colorectal cancer in a Danish case-cohort study. <i>BMC Cancer</i> , 2012 , 12, 183	4.8	33
503	Traffic air pollution and mortality from cardiovascular disease and all causes: a Danish cohort study. <i>Environmental Health</i> , 2012 , 11, 60	6	93
502	Alcohol dehydrogenase and aldehyde dehydrogenase gene polymorphisms, alcohol intake and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 1303-8	5.2	32

501	Association between FTO variant and change in body weight and its interaction with dietary factors: the DiOGenes study. <i>Obesity</i> , 2012 , 20, 1669-74	8	35
500	Diet and risk of inflammatory bowel disease. <i>Digestive and Liver Disease</i> , 2012 , 44, 185-94	3.3	88
499	Fruit and vegetable consumption and risk of aggressive and non-aggressive urothelial cell carcinomas in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , 2012 , 48, 3267-77	7.5	22
498	Residential radon and lung cancer incidence in a Danish cohort. <i>Environmental Research</i> , 2012 , 118, 130	-6 9	22
497	Dietary fibre intake and ischaemic heart disease mortality: the European Prospective Investigation into Cancer and Nutrition-Heart study. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 950-6	5.2	24
496	Determinants of non- response to a second assessment of lifestyle factors and body weight in the EPIC-PANACEA study. <i>BMC Medical Research Methodology</i> , 2012 , 12, 148	4.7	9
495	Single nucleotide polymorphisms in IL1B and the risk of acute coronary syndrome: a Danish case-cohort study. <i>PLoS ONE</i> , 2012 , 7, e36829	3.7	16
494	Tea consumption and incidence of type 2 diabetes in Europe: the EPIC-InterAct case-cohort study. <i>PLoS ONE</i> , 2012 , 7, e36910	3.7	44
493	Multiple miscarriages are associated with the risk of ovarian cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>PLoS ONE</i> , 2012 , 7, e37141	3.7	13
492	Dietary fibre intake and risks of cancers of the colon and rectum in the European prospective investigation into cancer and nutrition (EPIC). <i>PLoS ONE</i> , 2012 , 7, e39361	3.7	179
491	Dietary factors impact on the association between CTSS variants and obesity related traits. <i>PLoS ONE</i> , 2012 , 7, e40394	3.7	6
490	Combined impact of lifestyle factors on prospective change in body weight and waist circumference in participants of the EPIC-PANACEA study. <i>PLoS ONE</i> , 2012 , 7, e50712	3.7	22
489	A genome-wide association study identifies a novel susceptibility locus for renal cell carcinoma on 12p11.23. <i>Human Molecular Genetics</i> , 2012 , 21, 456-62	5.6	74
488	Detectable clonal mosaicism and its relationship to aging and cancer. <i>Nature Genetics</i> , 2012 , 44, 651-8	36.3	409
487	Prostate stem-cell antigen gene is associated with diffuse and intestinal gastric cancer in Caucasians: results from the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2012 , 130, 2417-27	7.5	55
486	The association of circulating adiponectin levels with pancreatic cancer risk: a study within the prospective EPIC cohort. <i>International Journal of Cancer</i> , 2012 , 130, 2428-37	7.5	29
485	Dietary intake of heme iron and risk of gastric cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012 , 130, 2654-63	7.5	30
484	Intake of dietary fiber, especially from cereal foods, is associated with lower incidence of colon cancer in the HELGA cohort. <i>International Journal of Cancer</i> , 2012 , 131, 469-78	7.5	70

483	Plasma cotinine levels and pancreatic cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2012 , 131, 997-1002	7.5	7
482	Dietary total antioxidant capacity and gastric cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012 , 131, E544-54	7.5	59
481	Variety in vegetable and fruit consumption and the risk of gastric and esophageal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2012 , 131, E963-73	7.5	69
480	Dietary intake of iron, heme-iron and magnesium and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2012 , 131, E1134-47	7.5	24
479	Fruit and vegetable intake and the risk of gastric adenocarcinoma: a reanalysis of the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study after a longer follow-up. <i>International Journal of Cancer</i> , 2012 , 131, 2910-9	7.5	93
478	Body size and risk of differentiated thyroid carcinomas: findings from the EPIC study. <i>International Journal of Cancer</i> , 2012 , 131, E1004-14	7.5	84
477	Biomarkers of oxidative stress and risk of developing colorectal cancer: a cohort-nested case-control study in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2012 , 175, 653-63	3.8	64
476	Dietary intakes and food sources of phytoestrogens in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24-hour dietary recall cohort. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 932-41	5.2	94
475	Prediagnostic concentrations of plasma genistein and prostate cancer risk in 1,605 men with prostate cancer and 1,697 matched control participants in EPIC. <i>Cancer Causes and Control</i> , 2012 , 23, 1163-71	2.8	19
474	Association between 8-oxo-7,8-dihydroguanine excretion and risk of lung cancer in a prospective study. <i>Free Radical Biology and Medicine</i> , 2012 , 52, 167-72	7.8	54
473	Micronutrient intake in relation to all-cause mortality in a prospective Danish cohort. <i>Food and Nutrition Research</i> , 2012 , 56,	3.1	20
472	Genetic variation in alcohol dehydrogenase (ADH1A, ADH1B, ADH1C, ADH7) and aldehyde dehydrogenase (ALDH2), alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Carcinogenesis</i> , 2012 , 33, 361-7	4.6	48
471	Long-term risk of incident type 2 diabetes and measures of overall and regional obesity: the EPIC-InterAct case-cohort study. <i>PLoS Medicine</i> , 2012 , 9, e1001230	11.6	118
47°	A prospective study of organochlorines in adipose tissue and risk of non-Hodgkin lymphoma. <i>Environmental Health Perspectives</i> , 2012 , 120, 105-11	8.4	38
469	Long-term exposure to traffic-related air pollution associated with blood pressure and self-reported hypertension in a Danish cohort. <i>Environmental Health Perspectives</i> , 2012 , 120, 418-24	8.4	96
468	ABCC2 transporter gene polymorphisms, diet and risk of colorectal cancer: a Danish prospective cohort study. <i>Scandinavian Journal of Gastroenterology</i> , 2012 , 47, 572-4	2.4	14
467	Inflammation marker and risk of pancreatic cancer: a nested case-control study within the EPIC cohort. <i>British Journal of Cancer</i> , 2012 , 106, 1866-74	8.7	44
466	Intake of alcohol may modify the risk for non-melanoma skin cancer: results of a large Danish prospective cohort study. <i>Journal of Investigative Dermatology</i> , 2012 , 132, 2718-26	4.3	17

465	Dietary glycemic index and glycemic load and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 345-55	7	52
464	Fiber intake and total and cause-specific mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 164-74	7	87
463	Long-term exposure to air pollution and asthma hospitalisations in older adults: a cohort study. <i>Thorax</i> , 2012 , 67, 6-11	7.3	88
462	Association of type 2 diabetes susceptibility variants with advanced prostate cancer risk in the Breast and Prostate Cancer Cohort Consortium. <i>American Journal of Epidemiology</i> , 2012 , 176, 1121-9	3.8	57
461	Fruit and vegetable consumption and prospective weight change in participants of the European Prospective Investigation into Cancer and Nutrition-Physical Activity, Nutrition, Alcohol, Cessation of Smoking, Eating Out of Home, and Obesity study. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 184	7 I-93	69
460	Fatty acid patterns and risk of prostate cancer in a case-control study nested within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 135	4 -61	27
459	Alcohol drinking and risk of subsequent hospitalisation with pneumonia. <i>European Respiratory Journal</i> , 2012 , 39, 149-55	13.6	20
458	Asthma and lung cancer risk: a systematic investigation by the International Lung Cancer Consortium. <i>Carcinogenesis</i> , 2012 , 33, 587-97	4.6	54
457	Prospective study on physical activity and risk of in situ breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 2209-19	4	13
456	Physical Activity and Mortality in Individuals With Diabetes Mellitus: A Prospective Study and Meta-analysis. <i>Archives of Internal Medicine</i> , 2012 , 172, 1285-95		156
455	Prediagnostic 25-hydroxyvitamin D, VDR and CASR polymorphisms, and survival in patients with colorectal cancer in western European ppulations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 582-93	4	105
454	Pathway analysis of genome-wide association study data highlights pancreatic development genes as susceptibility factors for pancreatic cancer. <i>Carcinogenesis</i> , 2012 , 33, 1384-90	4.6	85
453	Lower educational level is a predictor of incident type 2 diabetes in European countries: the EPIC-InterAct study. <i>International Journal of Epidemiology</i> , 2012 , 41, 1162-73	7.8	103
452	The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1445-53	7	65
451	Predictors of male microchimerism. <i>Chimerism</i> , 2012 , 3, 1-8		9
45°	Quantifying mediating effects of endogenous estrogen and insulin in the relation between obesity, alcohol consumption, and breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1203	s-4 ₁₂	43
449	Fish consumption does not prevent increase in waist circumference in European women and men.	3.6	15
	British Journal of Nutrition, 2012 , 108, 924-31		

447	The amount and type of dairy product intake and incident type 2 diabetes: results from the EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 382-90	7	156
446	Diabetes incidence and long-term exposure to air pollution: a cohort study. <i>Diabetes Care</i> , 2012 , 35, 92	-814.6	203
445	Insulin-like growth factor-I concentration and risk of prostate cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1531-41	4	56
444	Total and high-molecular weight adiponectin and risk of colorectal cancer: the European Prospective Investigation into Cancer and Nutrition Study. <i>Carcinogenesis</i> , 2012 , 33, 1211-8	4.6	65
443	Men with cancer change their health behaviour: a prospective study from the Danish diet, cancer and health study. <i>British Journal of Cancer</i> , 2012 , 107, 201-6	8.7	27
442	Intake of ruminant trans fatty acids and changes in body weight and waist circumference. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 1104-9	5.2	13
441	Predictors of adipose tissue concentrations of organochlorine pesticides in a general Danish population. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2012 , 22, 52-9	6.7	34
440	The association of education with long-term weight change in the EPIC-PANACEA cohort. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 957-63	5.2	13
439	Interactions between genome-wide significant genetic variants and circulating concentrations of insulin-like growth factor 1, sex hormones, and binding proteins in relation to prostate cancer risk in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. <i>American Journal</i>	3.8	15
438	of Epidemiology, 2012 , 175, 926-35 Leg length, sitting height and postmenopausal breast cancer risk. <i>British Journal of Cancer</i> , 2012 , 107, 165-8	8.7	8
437	Concentrations of IGF-I and IGFBP-3 and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2012 , 106, 1004-10	8.7	40
436	The associations of advanced glycation end products and its soluble receptor with pancreatic cancer risk: a case-control study within the prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 619-28	4	32
435	Intake estimation of total and individual flavan-3-ols, proanthocyanidins and theaflavins, their food sources and determinants in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2012 , 108, 1095-108	3.6	81
434	Impact of cigarette smoking on cancer risk in the European prospective investigation into cancer and nutrition study. <i>Journal of Clinical Oncology</i> , 2012 , 30, 4550-7	2.2	101
433	Coffee and tea consumption and the risk of ovarian cancer: a prospective cohort study and updated meta-analysis. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1172-81	7	48
432	Intake of whole grain in Scandinavia: intake, sources and compliance with new national recommendations. <i>Scandinavian Journal of Public Health</i> , 2012 , 40, 76-84	3	83
431	Plasma carotenoids and vitamin C concentrations and risk of urothelial cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 902-10	7	37
430	Nitrosamines and heme iron and risk of prostate cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 547-51	4	13

429	Leptin and soluble leptin receptor in risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Cancer Research</i> , 2012 , 72, 5328-37	10.1	53
428	Common genetic variants in prostate cancer risk predictionresults from the NCI Breast and Prostate Cancer Cohort Consortium (BPC3). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 437-44	4	49
427	A risk model for lung cancer incidence. Cancer Prevention Research, 2012, 5, 834-46	3.2	66
426	Is concordance with World Cancer Research Fund/American Institute for Cancer Research guidelines for cancer prevention related to subsequent risk of cancer? Results from the EPIC study. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 150-63	7	231
425	Breast cancer survival and season of surgery: an ecological open cohort study. <i>BMJ Open</i> , 2012 , 2, e000)3 <u>\$</u> 8	2
424	Meat and heme iron intake and risk of squamous cell carcinoma of the upper aero-digestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 2138-48	4	15
423	Stroke and long-term exposure to outdoor air pollution from nitrogen dioxide: a cohort study. <i>Stroke</i> , 2012 , 43, 320-5	6.7	80
422	Social inequalities and mortality in Europeresults from a large multi-national cohort. <i>PLoS ONE</i> , 2012 , 7, e39013	3.7	79
421	Road traffic noise and incident myocardial infarction: a prospective cohort study. <i>PLoS ONE</i> , 2012 , 7, e39283	3.7	138
420	Dietary fiber, carbohydrate quality and quantity, and mortality risk of individuals with diabetes mellitus. <i>PLoS ONE</i> , 2012 , 7, e43127	3.7	65
419	Cigarette smoking and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. <i>Clinical Gastroenterology and Hepatology</i> , 2011 , 9, 137-44	6.9	56
418	A germline variant in the TP53 polyadenylation signal confers cancer susceptibility. <i>Nature Genetics</i> , 2011 , 43, 1098-103	36.3	203
417	Predictors of polychlorinated biphenyl concentrations in adipose tissue in a general Danish population. <i>Environmental Science & Environmental Science</i>	10.3	27
416	Genetic variation in the hTAS2R38 taste receptor and brassica vegetable intake. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011 , 71, 274-9	2	38
415	Socioeconomic position and lifestyle in relation to breast cancer incidence among postmenopausal women: a prospective cohort study, Denmark, 1993-2006. <i>Cancer Epidemiology</i> , 2011 , 35, 438-41	2.8	37
414	Aberrant DNA methylation of cancer-associated genes in gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>Cancer Letters</i> , 2011 , 311, 85-95	9.9	56
413	Genetic variability of the fatty acid synthase pathway is not associated with prostate cancer risk in the European Prospective Investigation on Cancer (EPIC). European Journal of Cancer, 2011, 47, 420-7	7.5	6
412	A U-shaped relationship between plasma folate and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Cancer</i> , 2011 , 47, 1808-16	7.5	39

(2011-2011)

411	Estimated dietary intakes of flavonols, flavanones and flavones in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24 hour dietary recall cohort. <i>British Journal of Nutrition</i> , 2011 , 106, 1915-25	3.6	71
410	Impact of vascular disease in predicting stroke and death in patients with atrial fibrillation: the Danish Diet, Cancer and Health cohort study. <i>Journal of Thrombosis and Haemostasis</i> , 2011 , 9, 1301-7	15.4	32
409	The NFKB1 ATTG ins/del polymorphism and risk of coronary heart disease in three independent populations. <i>Atherosclerosis</i> , 2011 , 219, 200-4	3.1	37
408	Physical activity and lymphoid neoplasms in the European Prospective Investigation into Cancer and nutrition (EPIC). <i>European Journal of Cancer</i> , 2011 , 47, 748-60	7.5	22
407	A genome-wide association study of upper aerodigestive tract cancers conducted within the INHANCE consortium. <i>PLoS Genetics</i> , 2011 , 7, e1001333	6	136
406	Genetic variability of the mTOR pathway and prostate cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>PLoS ONE</i> , 2011 , 6, e16914	3.7	9
405	Changes in waist circumference and the incidence of diabetes in middle-aged men and women. <i>PLoS ONE</i> , 2011 , 6, e23104	3.7	9
404	Changes in waist circumference and the incidence of acute myocardial infarction in middle-aged men and women. <i>PLoS ONE</i> , 2011 , 6, e26849	3.7	6
403	Trend in obesity prevalence in European adult cohort populations during follow-up since 1996 and their predictions to 2015. <i>PLoS ONE</i> , 2011 , 6, e27455	3.7	100
402	Heme oxygenase-1 polymorphism is not associated with risk of colorectal cancer: a Danish prospective study. <i>European Journal of Gastroenterology and Hepatology</i> , 2011 , 23, 282-5	2.2	15
401	Genetic variability of the forkhead box O3 and prostate cancer risk in the European Prospective Investigation on Cancer. <i>Oncology Reports</i> , 2011 , 26, 979-86	3.5	4
400	Genome-wide association study of renal cell carcinoma identifies two susceptibility loci on 2p21 and 11q13.3. <i>Nature Genetics</i> , 2011 , 43, 60-5	36.3	199
399	Determinants of plasma alkylresorcinol concentration in Danish post-menopausal women. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 94-101	5.2	26
398	Food intake of individuals with and without diabetes across different countries and ethnic groups. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 635-41	5.2	35
397	Eating out, weight and weight gain. A cross-sectional and prospective analysis in the context of the EPIC-PANACEA study. <i>International Journal of Obesity</i> , 2011 , 35, 416-26	5.5	41
396	Intake of total, animal and plant protein and subsequent changes in weight or waist circumference in European men and women: the Diogenes project. <i>International Journal of Obesity</i> , 2011 , 35, 1104-13	5.5	72
395	Body composition and body fat distribution in relation to later risk of acute myocardial infarction: a Danish follow-up study. <i>International Journal of Obesity</i> , 2011 , 35, 1433-41	5.5	22
394	Mediterranean dietary pattern and cancer risk in the EPIC cohort. <i>British Journal of Cancer</i> , 2011 , 104, 1493-9	8.7	208

393	Alcohol intake and risk of acute coronary syndrome and mortality in men and women with and without hypertension. <i>European Journal of Epidemiology</i> , 2011 , 26, 439-47	12.1	7
392	Variation in genes coding for AMP-activated protein kinase (AMPK) and breast cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>Breast Cancer Research and Treatment</i> , 2011 , 127, 761-7	4.4	10
391	Prediagnostic plasma enterolactone levels and mortality among women with breast cancer. <i>Breast Cancer Research and Treatment</i> , 2011 , 128, 883-9	4.4	28
390	Exposure to environmental tobacco smoke in childhood and incidence of cancer in adulthood in never smokers in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Causes and Control</i> , 2011 , 22, 487-94	2.8	25
389	Consumption of meat and fish and risk of lung cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Causes and Control</i> , 2011 , 22, 909-18	2.8	23
388	Menopausal hormone therapy and risk of ovarian cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2011 , 22, 1075-84	2.8	40
387	Intake of whole-grain products and risk of prostate cancer among men in the Danish Diet, Cancer and Health cohort study. <i>Cancer Causes and Control</i> , 2011 , 22, 1133-9	2.8	27
386	Human immunoglobulin G levels of viruses and associated glioma risk. <i>Cancer Causes and Control</i> , 2011 , 22, 1259-66	2.8	24
385	Aspirin and NSAID use and lung cancer risk: a pooled analysis in the International Lung Cancer Consortium (ILCCO). <i>Cancer Causes and Control</i> , 2011 , 22, 1709-20	2.8	40
384	Diabetes mellitus, glycated haemoglobin and C-peptide levels in relation to pancreatic cancer risk: a study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Diabetologia</i> , 2011 , 54, 3037-46	10.3	66
383	The association of education with body mass index and waist circumference in the EPIC-PANACEA study. <i>BMC Public Health</i> , 2011 , 11, 169	4.1	56
382	Air pollution from traffic and cancer incidence: a Danish cohort study. <i>Environmental Health</i> , 2011 , 10, 67	6	110
381	Exposure to road traffic and railway noise and associations with blood pressure and self-reported hypertension: a cohort study. <i>Environmental Health</i> , 2011 , 10, 92	6	88
380	Menopausal hormone therapy and breast cancer risk: impact of different treatments. The European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011 , 128, 144-56	7.5	101
379	Consumption of meat and dairy and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011 , 128, 623-34	7.5	30
378	Menopausal hormone therapy and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011 , 128, 1881-9	7.5	26
377	Fluid intake and the risk of urothelial cell carcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2011 , 128, 2695-708	7.5	45
376	Variety in vegetable and fruit consumption and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011 , 128, 2971-9	7.5	23

375	Dietary factors and in situ and invasive cervical cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2011 , 129, 449-59	7.5	38
374	Tumor necrosis factor (TNF)-∄soluble TNF receptors and endometrial cancer risk: the EPIC study. **International Journal of Cancer, 2011, 129, 2032-7	7.5	48
373	A cross-sectional analysis of the associations between adult height, BMI and serum concentrations of IGF-I and IGFBP-1 -2 and -3 in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Human Biology</i> , 2011 , 38, 194-202	1.7	59
372	Marine n-3 polyunsaturated fatty acids in adipose tissue and the risk of acute coronary syndrome. <i>Circulation</i> , 2011 , 124, 1232-8	16.7	39
371	Epigenetic impact of long-term shiftwork: pilot evidence from circadian genes and whole-genome methylation analysis. <i>Chronobiology International</i> , 2011 , 28, 852-61	3.6	114
370	Determinants of plasma PFOA and PFOS levels among 652 Danish men. <i>Environmental Science & Environmental Science</i>	10.3	56
369	Road traffic noise and stroke: a prospective cohort study. European Heart Journal, 2011, 32, 737-44	9.5	179
368	Dietary determinants for Hb-acrylamide and Hb-glycidamide adducts in Danish non-smoking women. <i>British Journal of Nutrition</i> , 2011 , 105, 1381-7	3.6	8
367	Chronic obstructive pulmonary disease and long-term exposure to traffic-related air pollution: a cohort study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011 , 183, 455-61	10.2	224
366	Infection with hepatitis B and C viruses and risk of lymphoid malignancies in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 208-14	4	54
365	Endogenous sex steroids and risk of cervical carcinoma: results from the EPIC study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2532-40	4	27
364	Blood lipid and lipoprotein concentrations and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Gut</i> , 2011 , 60, 1094-102	19.2	151
363	Genome-wide association study identifies new prostate cancer susceptibility loci. <i>Human Molecular Genetics</i> , 2011 , 20, 3867-75	5.6	143
362	Smoking, secondhand smoke, and cotinine levels in a subset of EPIC cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 869-75	4	26
361	Postmenopausal serum sex steroids and risk of hormone receptor-positive and -negative breast cancer: a nested case-control study. <i>Cancer Prevention Research</i> , 2011 , 4, 1626-35	3.2	95
360	Plasma phospholipid fatty acid concentrations and risk of gastric adenocarcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 1304-13	7	34
359	Prediagnostic circulating parathyroid hormone concentration and colorectal cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 767-78	4	19
358	Concentrations of IGF-I and IGFBP-3 and brain tumor risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2174-82	4	25

357	Alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 1266-75	7	70
356	The contribution of risk factors to the higher incidence of invasive and in situ breast cancers in women with higher levels of education in the European prospective investigation into cancer and nutrition. <i>American Journal of Epidemiology</i> , 2011 , 173, 26-37	3.8	36
355	Associations between general and abdominal adiposity and mortality in individuals with diabetes mellitus. <i>American Journal of Epidemiology</i> , 2011 , 174, 22-34	3.8	62
354	Intake of whole grains in Scandinavia is associated with healthy lifestyle, socio-economic and dietary factors. <i>Public Health Nutrition</i> , 2011 , 14, 1787-95	3.3	44
353	Healthy aspects of the Nordic diet are related to lower total mortality. <i>Journal of Nutrition</i> , 2011 , 141, 639-44	4.1	150
352	Plasma phospholipid long-chain n-3 polyunsaturated fatty acids and body weight change. <i>Obesity Facts</i> , 2011 , 4, 312-8	5.1	5
351	Single-nucleotide polymorphisms (5p15.33, 15q25.1, 6p22.1, 6q27 and 7p15.3) and lung cancer survival in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Mutagenesis</i> , 2011 , 26, 657-66	2.8	19
350	Metabolic syndrome and risks of colon and rectal cancer: the European prospective investigation into cancer and nutrition study. <i>Cancer Prevention Research</i> , 2011 , 4, 1873-83	3.2	103
349	Fruit and vegetable intake and mortality from ischaemic heart disease: results from the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heart study. <i>European Heart Journal</i> , 2011 , 32, 1235-43	9.5	195
348	Occupation and risk of lymphoma: a multicentre prospective cohort study (EPIC). <i>Occupational and Environmental Medicine</i> , 2011 , 68, 77-81	2.1	22
347	Estimation of the intake of anthocyanidins and their food sources in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2011 , 106, 1090-9	3.6	85
346	Oral contraceptive use and reproductive factors and risk of ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2011 , 105, 1436-42	8.7	131
345	Hepatocellular carcinoma risk factors and disease burden in a European cohort: a nested case-control study. <i>Journal of the National Cancer Institute</i> , 2011 , 103, 1686-95	9.7	167
344	Lung cancer incidence and long-term exposure to air pollution from traffic. <i>Environmental Health Perspectives</i> , 2011 , 119, 860-5	8.4	125
343	Anthropometric measures, physical activity, and risk of glioma and meningioma in a large prospective cohort study. <i>Cancer Prevention Research</i> , 2011 , 4, 1385-92	3.2	48
342	Ecological-level associations between highly processed food intakes and plasma phospholipid elaidic acid concentrations: results from a cross-sectional study within the European prospective investigation into cancer and nutrition (EPIC). <i>Nutrition and Cancer</i> , 2011 , 63, 1235-50	2.8	28
341	Red meat, dietary nitrosamines, and heme iron and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 555-9	4	37
340	Genetic polymorphisms in the hypothalamic pathway in relation to subsequent weight changethe DiOGenes study. <i>PLoS ONE</i> , 2011 , 6, e17436	3.7	27

339	Adipose tissue fatty acid patterns and changes in anthropometry: a cohort study. <i>PLoS ONE</i> , 2011 , 6, e22587	3.7	13
338	Food composition of the diet in relation to changes in waist circumference adjusted for body mass index. <i>PLoS ONE</i> , 2011 , 6, e23384	3.7	69
337	Polymorphisms in NF- B , PXR, LXR, PPARland risk of inflammatory bowel disease. <i>World Journal of Gastroenterology</i> , 2011 , 17, 197-206	5.6	71
336	Weight change in later life and risk of death amongst the elderly: the European Prospective Investigation into Cancer and Nutrition-Elderly Network on Ageing and Health study. <i>Journal of Internal Medicine</i> , 2010 , 268, 133-44	10.8	45
335	Genetic susceptibility, smoking, obesity and risk of venous thromboembolism. <i>British Journal of Haematology</i> , 2010 , 149, 273-9	4.5	34
334	Intake of wholegrain products and risk of colorectal cancers in the Diet, Cancer and Health cohort study. <i>British Journal of Cancer</i> , 2010 , 103, 730-4	8.7	53
333	Oral contraceptives, reproductive history and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2010 , 103, 1755-9	8.7	38
332	A genome-wide association study identifies pancreatic cancer susceptibility loci on chromosomes 13q22.1, 1q32.1 and 5p15.33. <i>Nature Genetics</i> , 2010 , 42, 224-8	36.3	463
331	A multi-stage genome-wide association study of bladder cancer identifies multiple susceptibility loci. <i>Nature Genetics</i> , 2010 , 42, 978-84	36.3	408
330	Changes in waist circumference and mortality in middle-aged men and women. <i>PLoS ONE</i> , 2010 , 5, e130	0 3 7 ₇	41
329	Plasma folate, related genetic variants, and colorectal cancer risk in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 1328-40	4	62
328	Plasma vitamins B2, B6, and B12, and related genetic variants as predictors of colorectal cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2549-61	4	52
327	Menstrual and reproductive factors, exogenous hormone use, and gastric cancer risk in a cohort of women from the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010 , 172, 1384-93	3.8	29
326	Obesity and risk of subsequent hospitalisation with pneumonia. <i>European Respiratory Journal</i> , 2010 , 36, 1330-6	13.6	69
325	Reproductive factors and exogenous hormone use in relation to risk of glioma and meningioma in a large European cohort study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2562-9	4	94
324	Variety in fruit and vegetable consumption and the risk of lung cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2278-	8 6	56
323	Coffee and tea intake and risk of brain tumors in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 1145-50	7	42
322	Air pollution from traffic and risk for lung cancer in three Danish cohorts. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 1284-91	4	66

321	Bulky DNA adducts in white blood cells: a pooled analysis of 3,600 subjects. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 3174-81	4	24
320	Eighteen insulin-like growth factor pathway genes, circulating levels of IGF-I and its binding protein, and risk of prostate and breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2877-	·8 1	54
319	Dietary fiber and subsequent changes in body weight and waist circumference in European men and women. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 329-36	7	240
318	Adherence to a Mediterranean diet and risk of gastric adenocarcinoma within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 381-90	7	158
317	Intake of carbohydrates compared with intake of saturated fatty acids and risk of myocardial infarction: importance of the glycemic index. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 1764-8	7	149
316	Menopausal hormone therapy and risk of endometrial carcinoma among postmenopausal women in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010 , 172, 1394-403	3.8	99
315	Comprehensive analysis of common genetic variation in 61 genes related to steroid hormone and insulin-like growth factor-I metabolism and breast cancer risk in the NCI breast and prostate cancer cohort consortium. <i>Human Molecular Genetics</i> , 2010 , 19, 3873-84	5.6	39
314	Meat consumption and prospective weight change in participants of the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 398-407	7	150
313	PTGS2 and IL6 genetic variation and risk of breast and prostate cancer: results from the Breast and Prostate Cancer Cohort Consortium (BPC3). <i>Carcinogenesis</i> , 2010 , 31, 455-61	4.6	62
312	Circulating C-reactive protein concentrations and risks of colon and rectal cancer: a nested case-control study within the European Prospective Investigation into Cancer and Nutrition. American Journal of Epidemiology, 2010, 172, 407-18	3.8	90
311	A comprehensive analysis of common IGF1, IGFBP1 and IGFBP3 genetic variation with prospective IGF-I and IGFBP-3 blood levels and prostate cancer risk among Caucasians. <i>Human Molecular Genetics</i> , 2010 , 19, 3089-101	5.6	46
310	Vitamins B2 and B6 and genetic polymorphisms related to one-carbon metabolism as risk factors for gastric adenocarcinoma in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 28-38	4	31
309	Association between pre-diagnostic circulating vitamin D concentration and risk of colorectal cancer in European populations:a nested case-control study. <i>BMJ, The</i> , 2010 , 340, b5500	5.9	289
308	Anthropometric measures, body mass index, and pancreatic cancer: a pooled analysis from the Pancreatic Cancer Cohort Consortium (PanScan). <i>Archives of Internal Medicine</i> , 2010 , 170, 791-802		249
307	Influence of lifestyle aspects on the association of body size and shape with all-cause mortality in middle-aged men and women. <i>Obesity Facts</i> , 2010 , 3, 252-60	5.1	4
306	Obesity, inflammatory markers, and endometrial cancer risk: a prospective case-control study. <i>Endocrine-Related Cancer</i> , 2010 , 17, 1007-19	5.7	116
305	Fish intake and acute coronary syndrome. European Heart Journal, 2010, 31, 29-34	9.5	36
304	Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 912-21	7	163

303	Source-specific effects of micronutrients in lung cancer prevention. <i>Lung Cancer</i> , 2010 , 67, 275-81	5.9	18
302	An association between dietary arachidonic acid, measured in adipose tissue, and ulcerative colitis. <i>Gastroenterology</i> , 2010 , 139, 1912-7	13.3	58
301	Venous thromboembolism discharge diagnoses in the Danish National Patient Registry should be used with caution. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 223-8	5.7	169
300	Interaction between ADH1C Arg(272)Gln and alcohol intake in relation to breast cancer risk suggests that ethanol is the causal factor in alcohol related breast cancer. <i>Cancer Letters</i> , 2010 , 295, 191-7	9.9	16
299	Body height and sex-related differences in incidence of venous thromboembolism: a Danish follow-up study. <i>European Journal of Internal Medicine</i> , 2010 , 21, 268-72	3.9	54
298	Associations between COX-2 polymorphisms, blood cholesterol and risk of acute coronary syndrome. <i>Atherosclerosis</i> , 2010 , 209, 155-62	3.1	23
297	Alcohol drinking habits, alcohol dehydrogenase genotypes and risk of acute coronary syndrome. <i>Scandinavian Journal of Public Health</i> , 2010 , 38, 489-94	3	4
296	Fruit and vegetable intake and overall cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2010 , 102, 529-37	9.7	301
295	Lifestyle, environmental, and genetic predictors of bulky DNA adducts in a study population nested within a prospective Danish cohort. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2010 , 73, 583-95	3.2	8
294	Anthropometric measures and epithelial ovarian cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010 , 126, 2404-15	7.5	60
293	Dietary intake of total marine n-3 polyunsaturated fatty acids, eicosapentaenoic acid, docosahexaenoic acid and docosapentaenoic acid and the risk of acute coronary syndrome - a cohort study. <i>British Journal of Nutrition</i> , 2010 , 103, 602-7	3.6	21
292	Fruit and vegetable intake and risk of acute coronary syndrome. <i>British Journal of Nutrition</i> , 2010 , 104, 248-55	3.6	38
291	Plasma levels of alkylresorcinols and incidence of endometrial cancer. <i>European Journal of Cancer Prevention</i> , 2010 , 19, 73-7	2	11
290	Micronutrient intake and breast cancer characteristics among postmenopausal women. <i>European Journal of Cancer Prevention</i> , 2010 , 19, 360-5	2	25
289	Second-hand smoke, cotinine levels, and risk of circulatory mortality in a large cohort study of never-smokers. <i>Epidemiology</i> , 2010 , 21, 207-14	3.1	24
288	Association of adherence to lifestyle recommendations and risk of colorectal cancer: a prospective Danish cohort study. <i>BMJ, The</i> , 2010 , 341, c5504	5.9	115
287	Micronutrient intake and risk of colon and rectal cancer in a Danish cohort. <i>Cancer Epidemiology</i> , 2010 , 34, 40-6	2.8	31
286	Level of education and the risk of lymphoma in the European prospective investigation into cancer and nutrition. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010 , 136, 71-7	4.9	5

285	Dietary beta-carotene, vitamin C and E intake and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Breast Cancer Research and Treatment</i> , 2010 , 119, 753-65	5 4.4	52
284	Plasma enterolactone and risk of colon and rectal cancer in a case-cohort study of Danish men and women. <i>Cancer Causes and Control</i> , 2010 , 21, 153-62	2.8	30
283	Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. <i>Cancer Causes and Control</i> , 2010 , 21, 657-69	2.8	48
282	Alcohol intake and pancreatic cancer: a pooled analysis from the pancreatic cancer cohort consortium (PanScan). <i>Cancer Causes and Control</i> , 2010 , 21, 1213-25	2.8	82
281	Polymorphisms in NFkB, PXR, LXR and risk of colorectal cancer in a prospective study of Danes. <i>BMC Cancer</i> , 2010 , 10, 484	4.8	62
280	The INSIG2 rs7566605 polymorphism is not associated with body mass index and breast cancer risk. <i>BMC Cancer</i> , 2010 , 10, 563	4.8	5
279	Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010 , 126, 2394-403	7.5	86
278	Occupational exposures contribute to educational inequalities in lung cancer incidence among men: Evidence from the EPIC prospective cohort study. <i>International Journal of Cancer</i> , 2010 , 126, 1928	s-79 ⁵ 35	25
277	Serum levels of IGF-I, IGFBP-3 and colorectal cancer risk: results from the EPIC cohort, plus a meta-analysis of prospective studies. <i>International Journal of Cancer</i> , 2010 , 126, 1702-15	7.5	146
276	Reproductive risk factors and endometrial cancer: the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010 , 127, 442-51	7.5	180
275	Cigar and pipe smoking and cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2010 , 127, 2402-11	7.5	41
274	No association between educational level and pancreatic cancer incidence in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology</i> , 2010 , 34, 696-701	2.8	8
273	The polymorphism rs3024505 proximal to IL-10 is associated with risk of ulcerative colitis and Crohns disease in a Danish case-control study. <i>BMC Medical Genetics</i> , 2010 , 11, 82	2.1	43
272	Dietary determinants of changes in waist circumference adjusted for body mass index - a proxy measure of visceral adiposity. <i>PLoS ONE</i> , 2010 , 5, e11588	3.7	76
271	Dietary energy density in relation to subsequent changes of weight and waist circumference in European men and women. <i>PLoS ONE</i> , 2009 , 4, e5339	3.7	52
270	Methodological challenges in the application of the glycemic index in epidemiological studies using data from the European Prospective Investigation into Cancer and Nutrition. <i>Journal of Nutrition</i> , 2009 , 139, 568-75	4.1	51
269	Fruit, vegetables, and colorectal cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 1441-52	7	227
268	Perfluorooctanoate and perfluorooctanesulfonate plasma levels and risk of cancer in the general Danish population. <i>Journal of the National Cancer Institute</i> , 2009 , 101, 605-9	9.7	79

(2009-2009)

267	Vitamin D receptor and calcium sensing receptor polymorphisms and the risk of colorectal cancer in European populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2485-91	4	65
266	Intake of wholegrain products is associated with dietary, lifestyle, anthropometric and socio-economic factors in Denmark. <i>Public Health Nutrition</i> , 2009 , 12, 1519-30	3.3	21
265	The role of smoking and diet in explaining educational inequalities in lung cancer incidence. <i>Journal of the National Cancer Institute</i> , 2009 , 101, 321-30	9.7	69
264	Plasma phospholipid fatty acid profiles and their association with food intakes: results from a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 331-46	7	168
263	Physical activity and ovarian cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 351-4	4	36
262	Anthropometry and esophageal cancer risk in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2079-89	4	98
261	Fruit and vegetable intakes and subsequent changes in body weight in European populations: results from the project on Diet, Obesity, and Genes (DiOGenes). <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 202-9	7	100
260	Dietary fat intake and subsequent weight change in adults: results from the European Prospective Investigation into Cancer and Nutrition cohorts. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 1632-4	1 ⁷	58
259	Serum vitamin D and risk of prostate cancer in a case-control analysis nested within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Epidemiology</i> , 2009 , 169, 1223-32	3.8	70
258	The T111I variant in the endothelial lipase gene and risk of coronary heart disease in three independent populations. <i>European Heart Journal</i> , 2009 , 30, 1584-9	9.5	33
257	Re: Calcium plus vitamin D supplementation and the risk of breast cancer. <i>Journal of the National Cancer Institute</i> , 2009 , 101, 690; author reply 690-1	9.7	3
256	Anthropometry, body fat, and venous thromboembolism: a Danish follow-up study. <i>Circulation</i> , 2009 , 120, 1850-7	16.7	99
255	Adherence to the Mediterranean diet is associated with lower abdominal adiposity in European men and women. <i>Journal of Nutrition</i> , 2009 , 139, 1728-37	4.1	117
254	Cigarette smoking and pancreatic cancer: a pooled analysis from the pancreatic cancer cohort consortium. <i>American Journal of Epidemiology</i> , 2009 , 170, 403-13	3.8	223
253	Meat, eggs, dairy products, and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 602-12	7	85
252	CYP19A1 genetic variation in relation to prostate cancer risk and circulating sex hormone concentrations in men from the Breast and Prostate Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2734-44	4	29
251	The association between diet and serum concentrations of IGF-I, IGFBP-1, IGFBP-2, and IGFBP-3 in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 1333-40	4	103
250	GPX1 Pro(198)Leu polymorphism, erythrocyte GPX activity, interaction with alcohol consumption and smoking, and risk of colorectal cancer. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2009 , 664, 13-9	3.3	66

249	Polymorphisms in the xenobiotic transporter Multidrug Resistance 1 (MDR1) and interaction with meat intake in relation to risk of colorectal cancer in a Danish prospective case-cohort study. <i>BMC Cancer</i> , 2009 , 9, 407	4.8	82
248	Double-strand break DNA repair genotype predictive of later mortality and cancer incidence in a cohort of non-smokers. <i>DNA Repair</i> , 2009 , 8, 60-71	4.3	4
247	Dietary predictors of 5-year changes in waist circumference. <i>Journal of the American Dietetic Association</i> , 2009 , 109, 1356-66		72
246	Micronutrient intake and risk of urothelial carcinoma in a prospective Danish cohort. <i>European Urology</i> , 2009 , 56, 764-70	10.2	28
245	Smoking and risk for amyotrophic lateral sclerosis: analysis of the EPIC cohort. <i>Annals of Neurology</i> , 2009 , 65, 378-85	9.4	96
244	A prospective analysis of the association between dietary fiber intake and prostate cancer risk in EPIC. <i>International Journal of Cancer</i> , 2009 , 124, 245-9	7.5	29
243	Intake of whole grain products and risk of breast cancer by hormone receptor status and histology among postmenopausal women. <i>International Journal of Cancer</i> , 2009 , 124, 745-50	7.5	35
242	Fruit and vegetable consumption and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009 , 124, 1926-34	7.5	63
241	Physical activity and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2009 , 125, 902-8	7.5	62
240	Lifetime and baseline alcohol intake and risk of cancer of the upper aero-digestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2009 , 125, 406-12	7.5	38
239	A prospective analysis of the association between macronutrient intake and renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009 , 125, 982-7	7.5	23
238	Consumption of vegetables and fruit and the risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009 , 125, 2643-51	7.5	36
237	Aspirin and other non-steroidal anti-inflammatory drugs and risk of colorectal cancer: a Danish cohort study. <i>Cancer Causes and Control</i> , 2009 , 20, 731-40	2.8	43
236	Ethanol intake and the risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009 , 20, 785-94	2.8	40
235	Prospective study of the association between grapefruit intake and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009 , 20, 803-9	2.8	17
234	Lifestyle factors and serum androgens among 636 middle aged men from seven countries in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009 , 20, 811-21	2.8	29
233	Marine n-3 polyunsaturated fatty acids in adipose tissue and breast cancer risk: a case-cohort study from Denmark. <i>Cancer Causes and Control</i> , 2009 , 20, 1715-21	2.8	26
232	Haplotype frequencies in a sub-region of chromosome 19q13.3, related to risk and prognosis of cancer, differ dramatically between ethnic groups. <i>BMC Medical Genetics</i> , 2009 , 10, 20	2.1	14

(2008-2009)

231	PPARgamma Pro12Ala polymorphism and risk of acute coronary syndrome in a prospective study of Danes. <i>BMC Medical Genetics</i> , 2009 , 10, 52	2.1	22
230	Intake of total, animal and plant proteins, and their food sources in 10 countries in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S16-36	5.2	67
229	Total dietary carbohydrate, sugar, starch and fibre intakes in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S37-60	5.2	75
228	Alcohol consumption patterns, diet and body weight in 10 European countries. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S81-100	5.2	27
227	Variation in intakes of calcium, phosphorus, magnesium, iron and potassium in 10 countries in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S101-21	5.2	73
226	A bivariate measurement error model for nitrogen and potassium intakes to evaluate the performance of regression calibration in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S179-87	5.2	21
225	Dietary glycaemic index and glycaemic load in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S188-205	5.2	48
224	Contribution of highly industrially processed foods to the nutrient intakes and patterns of middle-aged populations in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S206-25	5.2	116
223	Use of dietary supplements in the European Prospective Investigation into Cancer and Nutrition calibration study. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S226-38	5.2	163
222	Dietary glycaemic index, glycaemic load and subsequent changes of weight and waist circumference in European men and women. <i>International Journal of Obesity</i> , 2009 , 33, 1280-8	5.5	51
221	Smoking and venous thromboembolism: a Danish follow-up study. <i>Journal of Thrombosis and Haemostasis</i> , 2009 , 7, 1297-303	15.4	100
220	Smoking and body fatness measurements: a cross-sectional analysis in the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2009 , 49, 365-73	4.3	22
219	Predictive values of acute coronary syndrome discharge diagnoses differed in the Danish National Patient Registry. <i>Journal of Clinical Epidemiology</i> , 2009 , 62, 188-94	5.7	146
218	Stratification for smoking in case-cohort studies of genetic polymorphisms and lung cancer. <i>Lung Cancer</i> , 2009 , 63, 335-40	5.9	3
217	Use of NSAIDs, smoking and lung cancer risk. <i>British Journal of Cancer</i> , 2008 , 98, 232-7	8.7	35
216	Lung cancer susceptibility locus at 5p15.33. <i>Nature Genetics</i> , 2008 , 40, 1404-6	36.3	466
215	A haplotype of polymorphisms in ASE-1, RAI and ERCC1 and the effects of tobacco smoking and alcohol consumption on risk of colorectal cancer: a Danish prospective case-cohort study. <i>BMC Cancer</i> , 2008 , 8, 54	4.8	20
214	OGG1 expression and OGG1 Ser326Cys polymorphism and risk of lung cancer in a prospective study. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2008 , 639, 45-54	3.3	46

213	Polymorphisms in genes involved in the inflammatory response and interaction with NSAID use or smoking in relation to lung cancer risk in a prospective study. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2008 , 639, 89-100	3.3	73
212	General and abdominal adiposity and risk of death in Europe. <i>New England Journal of Medicine</i> , 2008 , 359, 2105-20	59.2	1451
211	Prospective study of NAT1 and NAT2 polymorphisms, tobacco smoking and meat consumption and risk of colorectal cancer. <i>Cancer Letters</i> , 2008 , 266, 186-93	9.9	31
210	CDH1 gene polymorphisms, smoking, Helicobacter pylori infection and the risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>European Journal of Cancer</i> , 2008 , 44, 774-80	7.5	26
209	Social inequality and incidence of and survival from breast cancer in a population-based study in Denmark, 1994-2003. <i>European Journal of Cancer</i> , 2008 , 44, 1996-2002	7.5	60
208	DNA repair polymorphisms and the risk of stomach adenocarcinoma and severe chronic gastritis in the EPIC-EURGAST study. <i>International Journal of Epidemiology</i> , 2008 , 37, 1316-25	7.8	62
207	Polymorphisms in nucleotide excision repair genes, smoking and intake of fruit and vegetables in relation to lung cancer. <i>Lung Cancer</i> , 2008 , 59, 171-9	5.9	36
206	Animal foods, protein, calcium and prostate cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2008 , 98, 1574-81	8.7	132
205	Alcohol consumption and the risk for prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 1282-7	4	27
204	Glycosylated hemoglobin and risk of colorectal cancer in men and women, the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 3108-15	4	59
203	Body size and risk of prostate cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 3252-61	4	95
202	Diet in the aetiology of ulcerative colitis: a European prospective cohort study. <i>Digestion</i> , 2008 , 77, 57-0	54 .6	113
201	Polymorphisms of genes coding for ghrelin and its receptor in relation to anthropometry, circulating levels of IGF-I and IGFBP-3, and breast cancer risk: a case-control study nested within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Carcinogenesis</i> , 2008 , 29, 1360-6	4.6	34
200	A food pattern that is predictive of flavonol intake and risk of pancreatic cancer. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1653-62	7	36
199	Endogenous sex hormones and endometrial cancer risk in women in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2008 , 15, 485-97	5.7	184
198	Meat consumption, N-acetyl transferase 1 and 2 polymorphism and risk of breast cancer in Danish postmenopausal women. <i>European Journal of Cancer Prevention</i> , 2008 , 17, 39-47	2	56
197	Cross-sectional study on acrylamide hemoglobin adducts in subpopulations from the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 6046-53	5.7	56
196	Smoking and lymphoma risk in the European prospective investigation into cancer and nutrition. American Journal of Epidemiology, 2008, 167, 1081-9	3.8	32

195	IGF-1, IGFBP-1, and IGFBP-3 polymorphisms predict circulating IGF levels but not breast cancer risk: findings from the Breast and Prostate Cancer Cohort Consortium (BPC3). <i>PLoS ONE</i> , 2008 , 3, e2578	3.7	93
194	Cytokine gene polymorphisms and the risk of adenocarcinoma of the stomach in the European prospective investigation into cancer and nutrition (EPIC-EURGAST). <i>Annals of Oncology</i> , 2008 , 19, 1894	1-9823	95
193	Blood pressure and risk of renal cell carcinoma in the European prospective investigation into cancer and nutrition. <i>American Journal of Epidemiology</i> , 2008 , 167, 438-46	3.8	134
192	Obesity, behavioral lifestyle factors, and risk of acute coronary events. <i>Circulation</i> , 2008 , 117, 3062-9	16.7	98
191	Lack of observed association between high plasma osteoprotegerin concentrations and ischemic stroke risk in a healthy population. <i>Clinical Chemistry</i> , 2008 , 54, 1969-74	5.5	17
190	Anthropometric characteristics and non-Hodgkin@lymphoma and multiple myeloma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Haematologica</i> , 2008 , 93, 1666-77	6.6	68
189	DNA adducts and cancer risk in prospective studies: a pooled analysis and a meta-analysis. <i>Carcinogenesis</i> , 2008 , 29, 932-6	4.6	64
188	Fatty acid composition of plasma phospholipids and risk of prostate cancer in a case-control analysis nested within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1353-63	7	109
187	Plasma selenium concentration and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1567-75	7	68
186	Diabetes and the risk of non-Hodgkin@lymphoma and multiple myeloma in the European Prospective Investigation into Cancer and Nutrition. <i>Haematologica</i> , 2008 , 93, 842-50	6.6	33
185	Dietary fat intake and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 1405-13	7	91
184	Intake of vegetables, legumes, and fruit, and risk for all-cause, cardiovascular, and cancer mortality in a European diabetic population. <i>Journal of Nutrition</i> , 2008 , 138, 775-81	4.1	169
183	Polymorphisms of glutathione S-transferase A1 and O1 and breast cancer among postmenopausal Danish women. <i>European Journal of Cancer Prevention</i> , 2008 , 17, 225-9	2	14
182	Nonsteroidal anti-inflammatory drug use and breast cancer risk: a Danish cohort study. <i>European Journal of Cancer Prevention</i> , 2008 , 17, 88-96	2	51
181	Arsenic in drinking-water and risk for cancer in Denmark. <i>Environmental Health Perspectives</i> , 2008 , 116, 231-7	8.4	114
180	The association between genetic variants in hMLH1 and hMSH2 and the development of sporadic colorectal cancer in the Danish population. <i>BMC Medical Genetics</i> , 2008 , 9, 52	2.1	14
179	Linkage disequilibrium mapping of a breast cancer susceptibility locus near RAI/PPP1R13L/iASPP. <i>BMC Medical Genetics</i> , 2008 , 9, 56	2.1	25
178	Haplotypes of the estrogen receptor beta gene and breast cancer risk. <i>International Journal of Cancer</i> , 2008 , 122, 387-92	7.5	36

177	Acrylamide exposure and incidence of breast cancer among postmenopausal women in the Danish Diet, Cancer and Health Study. <i>International Journal of Cancer</i> , 2008 , 122, 2094-100	7.5	126
176	Dietary fat and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1304-12	7	111
175	Plasma adiponectin levels and endometrial cancer risk in pre- and postmenopausal women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 255-63	5.6	169
174	Dietary carbohydrates, glycemic index, glycemic load, and endometrial cancer risk within the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Epidemiology</i> , 2007 , 166, 912-23	3.8	48
173	Interactions between GSTM1, GSTT1 and GSTP1 polymorphisms and smoking and intake of fruit and vegetables in relation to lung cancer. <i>Lung Cancer</i> , 2007 , 55, 137-44	5.9	32
172	Plasma carotenoids, retinol, and tocopherols and the risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 672-81	7	94
171	Bulky DNA adducts as risk indicators of lung cancer in a Danish case-cohort study. <i>International Journal of Cancer</i> , 2007 , 120, 212-3	7.5	2
170	CagA+ Helicobacter pylori infection and gastric cancer risk in the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007 , 120, 859-67	7.5	101
169	Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007 , 120, 2656-64	7.5	85
168	Physical activity and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007 , 121, 347-55	7.5	80
167	Fruit and vegetable consumption and lung cancer risk: updated information from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2007 , 121, 1103-14	7.5	96
166	Serum androgens and prostate cancer among 643 cases and 643 controls in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2007 , 121, 1331-8	7.5	71
165	Prospective study of urinary excretion of 7-methylguanine and the risk of lung cancer: Effect modification by mu class glutathione-S-transferases. <i>International Journal of Cancer</i> , 2007 , 121, 1579-84	, 7·5	25
164	Cereal fiber intake may reduce risk of gastric adenocarcinomas: the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007 , 121, 1618-23	7.5	38
163	Lifetime and baseline alcohol intake and risk of colon and rectal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2007 , 121, 2065-72	7.5	194
162	Risk of endometrial cancer in relationship to cigarette smoking: results from the EPIC study. <i>International Journal of Cancer</i> , 2007 , 121, 2741-7	7.5	38
161	Diet, serum insulin-like growth factor-I and IGF-binding protein-3 in European women. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 91-8	5.2	106
160	The EPIC nutrient database project (ENDB): a first attempt to standardize nutrient databases across the 10 European countries participating in the EPIC study. <i>European Journal of Clinical Nutrition</i> , 2007 , 61, 1037-56	5.2	270

159	Polymorphisms in COX-2, NSAID use and risk of basal cell carcinoma in a prospective study of Danes. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2007 , 617, 138-46	3.3	59
158	XPA A23G, XPC Lys939Gln, XPD Lys751Gln and XPD Asp312Asn polymorphisms, interactions with smoking, alcohol and dietary factors, and risk of colorectal cancer. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2007 , 619, 68-80	3.3	62
157	Prospective study of interaction between alcohol, NSAID use and polymorphisms in genes involved in the inflammatory response in relation to risk of colorectal cancer. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2007 , 624, 88-100	3.3	61
156	EPIC-Heart: the cardiovascular component of a prospective study of nutritional, lifestyle and biological factors in 520,000 middle-aged participants from 10 European countries. <i>European Journal of Epidemiology</i> , 2007 , 22, 129-41	12.1	69
155	Modified Mediterranean diet and survival after myocardial infarction: the EPIC-Elderly study. <i>European Journal of Epidemiology</i> , 2007 , 22, 871-81	12.1	79
154	Alcohol intake and breast cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2007 , 18, 361-73	2.8	92
153	Anthropometric factors and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2007 , 18, 399-413	2.8	136
152	Fruit and vegetable consumption and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2007 , 18, 537-49	2.8	26
151	Peroxisome proliferator-activated [corrected] receptor-gamma2 [corrected] Pro12Ala, interaction with alcohol intake and NSAID use, in relation to risk of breast cancer in a prospective study of Danes. <i>Carcinogenesis</i> , 2007 , 28, 427-34	4.6	63
150	Metabolic syndrome, plasma lipid, lipoprotein and glucose levels, and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2007 , 14, 755-67	5.7	90
149	Serum insulin-like growth factor (IGF)-I and IGF-binding protein-3 concentrations and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 1121-7	4	79
148	Serum IGF-I, its major binding protein (IGFBP-3) and epithelial ovarian cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2007 , 14, 81-90	5.7	50
147	No association of consumption of animal foods with risk of ovarian cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 852-5	4	22
146	Alcohol drinking, consumption patterns and breast cancer among Danish nurses: a cohort study. <i>European Journal of Public Health</i> , 2007 , 17, 624-9	2.1	39
145	Genetic variation at the CYP19A1 locus predicts circulating estrogen levels but not breast cancer risk in postmenopausal women. <i>Cancer Research</i> , 2007 , 67, 1893-7	10.1	134
144	Dietary patterns and survival of older Europeans: the EPIC-Elderly Study (European Prospective Investigation into Cancer and Nutrition). <i>Public Health Nutrition</i> , 2007 , 10, 590-8	3.3	111
143	Endogenous androgens and risk of epithelial ovarian cancer: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 23-9	4	43
142	Socioeconomic position and the risk of gastric and oesophageal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Epidemiology</i> , 2007 , 36, 66-76	7.8	59

141	Study design, exposure variables, and socioeconomic determinants of participation in Diet, Cancer and Health: a population-based prospective cohort study of 57,053 men and women in Denmark. <i>Scandinavian Journal of Public Health</i> , 2007 , 35, 432-41	3	462
140	Eating out of home and its correlates in 10 European countries. The European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Public Health Nutrition</i> , 2007 , 10, 1515-25	3.3	110
139	Physical activity and breast cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 36-42	4	117
138	Haplotype-based analysis of common variation in the acetyl-coA carboxylase alpha gene and breast cancer risk: a case-control study nested within the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 409-15	4	12
137	The association of gastric cancer risk with plasma folate, cobalamin, and methylenetetrahydrofolate reductase polymorphisms in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 2416-24	4	49
136	Variations in plasma phytoestrogen concentrations in European adults. <i>Journal of Nutrition</i> , 2007 , 137, 1294-300	4.1	68
135	Occupational exposures, environmental tobacco smoke, and lung cancer. <i>Epidemiology</i> , 2007 , 18, 769-7	753.1	42
134	Gene-environment interactions between smoking and a haplotype of RAI, ASE-1 and ERCC1 polymorphisms among women in relation to risk of lung cancer in a population-based study. <i>Cancer Letters</i> , 2007 , 247, 159-65	9.9	19
133	GPX1 Pro198Leu polymorphism, interactions with smoking and alcohol consumption, and risk for lung cancer. <i>Cancer Letters</i> , 2007 , 247, 293-300	9.9	72
132	Assessment of acrylamide exposure in a population subgroup from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>FASEB Journal</i> , 2007 , 21, A1098	0.9	
131	Physical activity and risk of colon cancer in a cohort of Danish middle-aged men and women. <i>European Journal of Epidemiology</i> , 2006 , 21, 877-84	12.1	29
130	ERCC1, XPD and RAI mRNA levels in lymphocytes are not associated with lung cancer risk in a prospective study of Danes. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2006 , 593, 88-96	3.3	26
129	Body size and risk of renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2006 , 118, 728-38	7.5	141
128	Bulky DNA adducts as risk indicator of lung cancer in a Danish case-cohort study. <i>International Journal of Cancer</i> , 2006 , 118, 1618-22	7.5	50
127	Development in incidence of breast cancer in non-screened Danish women, 1973-2002a population-based study. <i>International Journal of Cancer</i> , 2006 , 118, 2366-9	7.5	10
126	Fruit and vegetable intake and the risk of stomach and oesophagus adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Cancer</i> , 2006 , 118, 2559-66	7.5	258
125	Fruits and vegetables and renal cell carcinoma: findings from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2006 , 118, 3133-9	7.5	61
124	Fish consumption and breast cancer risk. The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2006 , 119, 175-82	7.5	81

123	Serum C-peptide levels and breast cancer risk: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2006 , 119, 659-67	7.5	91
122	Breast cancer risk in relation to abortion: Results from the EPIC study. <i>International Journal of Cancer</i> , 2006 , 119, 1741-5	7.5	37
121	Physical activity and lung cancer risk in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>International Journal of Cancer</i> , 2006 , 119, 2389-97	7.5	48
120	Tobacco smoke and bladder cancerin the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2006 , 119, 2412-6	7.5	54
119	Prospective study of 8-oxo-7,8-dihydro-2@deoxyguanosine excretion and the risk of lung cancer. <i>Carcinogenesis</i> , 2006 , 27, 1245-50	4.6	140
118	Haplotype analysis of the HSD17B1 gene and risk of breast cancer: a comprehensive approach to multicenter analyses of prospective cohort studies. <i>Cancer Research</i> , 2006 , 66, 2468-75	10.1	58
117	Body mass index, waist circumference and waist-hip ratio and serum levels of IGF-I and IGFBP-3 in European women. <i>International Journal of Obesity</i> , 2006 , 30, 1623-31	5.5	65
116	Body size and risk of colon and rectal cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2006 , 98, 920-31	9.7	415
115	TP53 and KRAS2 mutations in plasma DNA of healthy subjects and subsequent cancer occurrence: a prospective study. <i>Cancer Research</i> , 2006 , 66, 6871-6	10.1	140
114	Anthropometry, physical activity, and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 879-8	5 ⁴	95
113	Ethanol intake and risk of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Epidemiology</i> , 2006 , 164, 1103-14	3.8	25
112	Associations between GPX1 Pro198Leu polymorphism, erythrocyte GPX activity, alcohol consumption and breast cancer risk in a prospective cohort study. <i>Carcinogenesis</i> , 2006 , 27, 820-5	4.6	189
111	Meat intake and risk of stomach and esophageal adenocarcinoma within the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2006 , 98, 345-54	9.7	247
110	Plasma and dietary vitamin C levels and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>Carcinogenesis</i> , 2006 , 27, 2250-7	4.6	106
109	Interactions between the OGG1 Ser326Cys polymorphism and intake of fruit and vegetables in relation to lung cancer. <i>Free Radical Research</i> , 2006 , 40, 885-91	4	25
108	Physical activity and risk of colon and rectal cancers: the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 2398-407	4	167
107	Prospective study of alcohol drinking patterns and coronary heart disease in women and men. <i>BMJ, The</i> , 2006 , 332, 1244-8	5.9	119
106	No association between polymorphisms in CYP2E1, GSTM1, NAT1, NAT2 and the risk of gastric adenocarcinoma in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 1043-5	4	25

105	Endogenous versus exogenous exposure to N-nitroso compounds and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study. <i>Carcinogenesis</i> , 2006 , 27, 1497-501	4.6	128
104	A comprehensive analysis of the androgen receptor gene and risk of breast cancer: results from the National Cancer Institute Breast and Prostate Cancer Cohort Consortium (BPC3). <i>Breast Cancer Research</i> , 2006 , 8, R54	8.3	28
103	Polymorphisms in metabolic genes related to tobacco smoke and the risk of gastric cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 2427-34	4	53
102	Organochlorines in Danish women: predictors of adipose tissue concentrations. <i>Environmental Research</i> , 2006 , 100, 362-70	7.9	40
101	Intake of macronutrients as predictors of 5-y changes in waist circumference. <i>American Journal of Clinical Nutrition</i> , 2006 , 84, 789-97	7	77
100	Consumption and portion sizes of tree nuts, peanuts and seeds in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts from 10 European countries. <i>British Journal of Nutrition</i> , 2006 , 96 Suppl 2, S12-23	3.6	68
99	Dietary intake of different types and characteristics of processed meat which might be associated with cancer riskresults from the 24-hour diet recalls in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2006 , 9, 449-64	3.3	50
98	Body composition and breast cancer in postmenopausal women: a Danish prospective cohort study. <i>Obesity</i> , 2006 , 14, 1854-62	8	27
97	Plasma and dietary carotenoid, retinol and tocopherol levels and the risk of gastric adenocarcinomas in the European prospective investigation into cancer and nutrition. <i>British Journal of Cancer</i> , 2006 , 95, 406-15	8.7	93
96	Folate intake, alcohol and risk of breast cancer among postmenopausal women in Denmark. <i>European Journal of Clinical Nutrition</i> , 2006 , 60, 280-6	5.2	51
95	Intake of fruits and vegetables and risk of cancer of the upper aero-digestive tract: the prospective EPIC-study. <i>Cancer Causes and Control</i> , 2006 , 17, 957-69	2.8	96
94	The effect of occasional smoking on smoking-related cancers: in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2006 , 17, 1305-9	2.8	23
93	Modified Mediterranean diet and survival: EPIC-elderly prospective cohort study. <i>BMJ, The</i> , 2005 , 330, 991	5.9	499
92	Fruit and vegetable consumption and risk of epithelial ovarian cancer: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 2531	- \$	51
91	Genetic polymorphisms in CYP1B1, GSTA1, NQO1 and NAT2 and the risk of lung cancer. <i>Cancer Letters</i> , 2005 , 221, 185-90	9.9	48
90	Combinations of polymorphisms in XPD, XPC and XPA in relation to risk of lung cancer. <i>Cancer Letters</i> , 2005 , 222, 67-74	9.9	74
89	A genetic polymorphism in prostaglandin synthase 2 (8473, T>C) and the risk of lung cancer. <i>Cancer Letters</i> , 2005 , 226, 49-54	9.9	27
88	Who gets cancer?. Breast Cancer Research, 2005, 7, 1	8.3	78

(2005-2005)

87	Intake of wine, beer and spirits and risk of gastric cancer. <i>European Journal of Cancer Prevention</i> , 2005 , 14, 239-43	2	36
86	Dietary patterns among older Europeans: the EPIC-Elderly study. <i>British Journal of Nutrition</i> , 2005 , 94, 100-13	3.6	121
85	Long-term weight change and breast cancer risk: the European prospective investigation into cancer and nutrition (EPIC). <i>British Journal of Cancer</i> , 2005 , 93, 582-9	8.7	132
84	Plasma carotenoids as biomarkers of intake of fruits and vegetables: individual-level correlations in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2005 , 59, 1387-96	5.2	149
83	The relation between drinking pattern and body mass index and waist and hip circumference. <i>International Journal of Obesity</i> , 2005 , 29, 490-7	5.5	67
82	Waist circumference and body composition in relation to all-cause mortality in middle-aged men and women. <i>International Journal of Obesity</i> , 2005 , 29, 778-84	5.5	137
81	Effect of polymorphisms in XPD, RAI, ASE-1 and ERCC1 on the risk of basal cell carcinoma among Caucasians after age 50. <i>Cancer Detection and Prevention</i> , 2005 , 29, 209-14		38
80	Physical activity and risk for lung cancer in a Danish cohort. <i>International Journal of Cancer</i> , 2005 , 116, 439-44	7.5	38
79	Chlamydia pneumoniae seropositivity and risk of ischemic stroke: a nested case-control study. <i>European Journal of Epidemiology</i> , 2005 , 20, 59-65	12.1	13
78	C-peptide, IGF-I, sex-steroid hormones and adiposity: a cross-sectional study in healthy women within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2005 , 16, 561-72	2.8	79
77	Self-reported and technician-measured waist circumferences differ in middle-aged men and women. <i>Journal of Nutrition</i> , 2005 , 135, 2263-70	4.1	80
76	Variations in lycopene blood levels and tomato consumption across European countries based on the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Journal of Nutrition</i> , 2005 , 135, 2032S-6S	4.1	26
75	Dietary carbohydrate intake is not associated with the breast cancer incidence rate ratio in postmenopausal Danish women. <i>Journal of Nutrition</i> , 2005 , 135, 124-8	4.1	57
74	Serum sex steroids in premenopausal women and breast cancer risk within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Journal of the National Cancer Institute</i> , 2005 , 97, 755-65	9.7	355
73	4-Aminobiphenyl-hemoglobin adducts and risk of smoking-related disease in never smokers and former smokers in the European Prospective Investigation into Cancer and Nutrition prospective study. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 2118-24	4	28
72	Insulin-like growth factor (IGF) I, -II, and IGF binding protein-3 and risk of ischemic stroke. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 5937-41	5.6	139
71	Meat, fish, and colorectal cancer risk: the European Prospective Investigation into cancer and nutrition. <i>Journal of the National Cancer Institute</i> , 2005 , 97, 906-16	9.7	603
70	Urinary hydroxyestrogens and breast cancer risk among postmenopausal women: a prospective study. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 2137-42	4	38

69	Is the association with fiber from foods in colorectal cancer confounded by folate intake?. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 1552-6	4	101
68	Consumption of vegetables and fruits and risk of breast cancer. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 293, 183-93	27.4	190
67	Age at menarche in relation to adult height: the EPIC study. <i>American Journal of Epidemiology</i> , 2005 , 162, 623-32	3.8	168
66	Re: Fruit and vegetable intake and risk of major chronic disease. <i>Journal of the National Cancer Institute</i> , 2005 , 97, 1307-8	9.7	5
65	Adipose organochlorine concentrations and risk of breast cancer among postmenopausal Danish women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 67-74	4	27
64	Lifetime alcohol consumption and postmenopausal breast cancer rate in Denmark: a prospective cohort study. <i>Journal of Nutrition</i> , 2004 , 134, 173-8	4.1	40
63	Food and drinking patterns as predictors of 6-year BMI-adjusted changes in waist circumference. <i>British Journal of Nutrition</i> , 2004 , 92, 735-48	3.6	73
62	Socioeconomic status and risk of childhood leukaemia in Denmark. <i>Scandinavian Journal of Public Health</i> , 2004 , 32, 279-86	3	31
61	Drinking pattern and mortality in middle-aged men and women. Addiction, 2004, 99, 323-30	4.6	53
60	Waist and hip circumferences and all-cause mortality: usefulness of the waist-to-hip ratio?. <i>International Journal of Obesity</i> , 2004 , 28, 741-7	5.5	75
59	Body fat and fat-free mass and all-cause mortality. <i>Obesity</i> , 2004 , 12, 1042-9		191
58	Alcohol intake, type of beverage, and risk of breast cancer in pre- and postmenopausal women. <i>Alcoholism: Clinical and Experimental Research</i> , 2004 , 28, 1084-90	3.7	49
57	Two regions in chromosome 19q13.2-3 are associated with risk of lung cancer. <i>Mutation Research</i> - Fundamental and Molecular Mechanisms of Mutagenesis, 2004 , 546, 65-74	3.3	88
56	No association between base excision repair gene polymorphisms and risk of lung cancer. <i>Biochemical Genetics</i> , 2004 , 42, 453-60	2.4	49
55	Hormone replacement therapy in relation to breast carcinoma incidence rate ratios: a prospective Danish cohort study. <i>Cancer</i> , 2004 , 100, 2328-37	6.4	71
54	Fruits and vegetables and lung cancer: Findings from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2004 , 108, 269-76	7.5	100
53	Fruits and vegetables and prostate cancer: no association among 1104 cases in a prospective study of 130544 men in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2004 , 109, 119-24	7.5	82
52	Glutathione S-transferase T1 null-genotype is associated with an increased risk of lung cancer. <i>International Journal of Cancer</i> , 2004 , 110, 219-24	7.5	58

51	Body size and breast cancer risk: findings from the European Prospective Investigation into Cancer And Nutrition (EPIC). <i>International Journal of Cancer</i> , 2004 , 111, 762-71	7.5	397
50	Amount of DNA in plasma and cancer risk: a prospective study. <i>International Journal of Cancer</i> , 2004 , 111, 746-9	7.5	85
49	XRCC3 polymorphisms and risk of lung cancer. <i>Cancer Letters</i> , 2004 , 213, 67-72	9.9	60
48	Intake of whole grains and vegetables determines the plasma enterolactone concentration of Danish women. <i>Journal of Nutrition</i> , 2004 , 134, 2691-7	4.1	69
47	Does waist circumference alone explain obesity-related health risk?. <i>American Journal of Clinical Nutrition</i> , 2004 , 80, 790-1; author reply 791-2	7	16
46	Plasma levels of six carotenoids in nine European countries: report from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2004 , 7, 713-22	3.3	90
45	Association of nut and seed intake with colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004 , 13, 1595-	- 6 03	38
44	Plasma enterolactone and breast cancer incidence by estrogen receptor status. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004 , 13, 2084-9	4	27
43	A specific haplotype of single nucleotide polymorphisms on chromosome 19q13.2-3 encompassing the gene RAI is indicative of post-menopausal breast cancer before age 55. <i>Carcinogenesis</i> , 2003 , 24, 899-904	4.6	69
42	Intake of fruit and vegetables and the risk of ischemic stroke in a cohort of Danish men and women. <i>American Journal of Clinical Nutrition</i> , 2003 , 78, 57-64	7	139
41	Fish intake is positively associated with breast cancer incidence rate. <i>Journal of Nutrition</i> , 2003 , 133, 366	5 4. 9	58
40	Fruits and vegetables intake differentially affects estrogen receptor negative and positive breast cancer incidence rates. <i>Journal of Nutrition</i> , 2003 , 133, 2342-7	4.1	61
39	Alcohol intake, drinking patterns and risk of postmenopausal breast cancer in Denmark: a prospective cohort study. <i>Cancer Causes and Control</i> , 2003 , 14, 277-84	2.8	39
38	Intake of vitamins A, C, and E from diet and supplements and breast cancer in postmenopausal women. <i>Cancer Causes and Control</i> , 2003 , 14, 695-704	2.8	30
37	Smoking and the risk of gastric cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2003 , 107, 629-34	7.5	173
36	Waist circumference, BMI, smoking, and mortality in middle-aged men and women. <i>Obesity</i> , 2003 , 11, 895-903		192
35	Dietary fibre in food and protection against colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC): an observational study. <i>Lancet, The</i> , 2003 , 361, 1496-501	40	809
34	No association between OGG1 Ser326Cys polymorphism and breast cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003 , 12, 170-1	4	26

33	No association between the DNA repair gene XRCC3 T241M polymorphism and risk of skin cancer and breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003 , 12, 584-5	4	27
32	Cooking of meat and fish in Europeresults from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2002 , 56, 1216-30	5.2	40
31	Does the association between smoking status and selected healthy foods depend on gender? A population-based study of 54 417 middle-aged Danes. <i>European Journal of Clinical Nutrition</i> , 2002 , 56, 57-63	5.2	34
30	European Prospective Investigation into Cancer and Nutrition (EPIC): study populations and data collection. <i>Public Health Nutrition</i> , 2002 , 5, 1113-24	3.3	1335
29	Soy product consumption in 10 European countries: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Public Health Nutrition</i> , 2002 , 5, 1217-26	3.3	84
28	European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study: rationale, design and population characteristics. <i>Public Health Nutrition</i> , 2002 , 5, 1125-45	3.3	311
27	Meat consumption in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts: results from 24-hour dietary recalls. <i>Public Health Nutrition</i> , 2002 , 5, 1243-58	3.3	110
26	Overweight, obesity and fat distribution in 50- to 64-year-old participants in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2002 , 5, 1147-62	3.3	229
25	Patterns of alcohol consumption in 10 European countries participating in the European Prospective Investigation into Cancer and Nutrition (EPIC) project. <i>Public Health Nutrition</i> , 2002 , 5, 128	37 -9 8	102
24	Evaluation of under- and overreporting of energy intake in the 24-hour diet recalls in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2002 , 5, 1329-45	3.3	194
23	Food sources of carbohydrates in a European cohort of adults. <i>Public Health Nutrition</i> , 2002 , 5, 1197-2	153.3	50
22	Variability of fish consumption within the 10 European countries participating in the European Investigation into Cancer and Nutrition (EPIC) study. <i>Public Health Nutrition</i> , 2002 , 5, 1273-85	3.3	203
21	Diversity of dietary patterns observed in the European Prospective Investigation into Cancer and Nutrition (EPIC) project. <i>Public Health Nutrition</i> , 2002 , 5, 1311-28	3.3	186
20	Consumption of added fats and oils in the European Prospective Investigation into Cancer and Nutrition (EPIC) centres across 10 European countries as assessed by 24-hour dietary recalls. <i>Public Health Nutrition</i> , 2002 , 5, 1227-42	3.3	49
19	Trends in self-reported past alcoholic beverage consumption and ethanol intake from 1950 to 1995 observed in eight European countries participating in the European Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2002 , 5, 1297-310	3.3	27
18	Physical activity of subjects aged 50-64 years involved in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2002 , 5, 1163-76	3.3	124
17	Consumption of dairy products in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort: data from 35 955 24-hour dietary recalls in 10 European countries. <i>Public Health Nutrition</i> , 2002 , 5, 1259-71	3.3	67
16	Predictive value of stroke and transient ischemic attack discharge diagnoses in The Danish National Registry of Patients. <i>Journal of Clinical Epidemiology</i> , 2002 , 55, 602-7	5.7	140

LIST OF PUBLICATIONS

15	Anorexia nervosa and cancer risk. Cancer Causes and Control, 2001, 12, 173-7	2.8	32
14	Type of alcohol and drinking pattern in 56, 970 Danish men and women. <i>European Journal of Clinical Nutrition</i> , 2000 , 54, 174-6	5.2	33
13	A cross-sectional study of dietary habits and urinary glucose excretion - a predictor of non-insulin-dependent diabetes mellitus. <i>European Journal of Clinical Nutrition</i> , 2000 , 54, 434-9	5.2	7
12	Wine intake and diet in a random sample of 48763 Danish men and women. <i>American Journal of Clinical Nutrition</i> , 1999 , 69, 49-54	7	231
11	Sex ratio of offspring of diabetics. <i>Lancet, The</i> , 1998 , 351, 1514-5	40	6
10	Diet, obesity and low physical activity. <i>Apmis</i> , 1997 , 105, 100-119	3.4	5
9	Validity of individual portion size estimates in a food frequency questionnaire. <i>International Journal of Epidemiology</i> , 1994 , 23, 786-96	7.8	62
8	Adipose tissue fatty acids as biomarkers of dietary exposure in Danish men and women. <i>American Journal of Clinical Nutrition</i> , 1993 , 57, 629-33	7	121
7	Survival of Danish cancer patients 1943-1987. Urinary tract. <i>Acta Pathologica Microbiologica Et Immunologica Scandinavica - Supplementum</i> , 1993 , 33, 137-48		4
6	Influence of individually estimated portion size data on the validity of a semiquantitative food frequency questionnaire. <i>International Journal of Epidemiology</i> , 1992 , 21, 770-7	7.8	99
5	Oxidative DNA damage estimated by 8-hydroxydeoxyguanosine excretion in humans: influence of smoking, gender and body mass index. <i>Carcinogenesis</i> , 1992 , 13, 2241-7	4.6	563
4	Development of a semiquantitative food frequency questionnaire to assess food, energy and nutrient intake in Denmark. <i>International Journal of Epidemiology</i> , 1991 , 20, 900-5	7.8	208
3	Validation of a semiquantitative food frequency questionnaire developed in Denmark. <i>International Journal of Epidemiology</i> , 1991 , 20, 906-12	7.8	315
2	Retrospective studies of diet and cancer in Denmark. <i>Progress in Clinical and Biological Research</i> , 1990 , 346, 67-82		
1	Low maternal but normal fetal prolactin levels in cigarette smoking pregnant women. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1984 , 63, 237-9	3.8	22