

Bruno C Hancock

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9282129/publications.pdf>

Version: 2024-02-01

96
papers

11,975
citations

61984

43
h-index

43889

91
g-index

96
all docs

96
docs citations

96
times ranked

7397
citing authors

#	ARTICLE	IF	CITATIONS
1	Suppression of Intestinal Polyposis in Apc ^{fl} 716 Knockout Mice by Inhibition of Cyclooxygenase 2 (COX-2). <i>Cell</i> , 1996, 87, 803-809.	28.9	2,230
2	Characteristics and Significance of the Amorphous State in Pharmaceutical Systems. <i>Journal of Pharmaceutical Sciences</i> , 1997, 86, 1-12.	3.3	1,598
3	What is the true solubility advantage for amorphous pharmaceuticals?. , 2000, 17, 397-404.		1,186
4	Molecular mobility of amorphous pharmaceutical solids below their glass transition temperatures. <i>Pharmaceutical Research</i> , 1995, 12, 799-806.	3.5	788
5	The relationship between the glass transition temperature and the water content of amorphous pharmaceutical solids. <i>Pharmaceutical Research</i> , 1994, 11, 471-477.	3.5	617
6	Crystallization of Indomethacin from the Amorphous State below and above Its Glass Transition Temperature. <i>Journal of Pharmaceutical Sciences</i> , 1994, 83, 1700-1705.	3.3	408
7	Characterization of the Time Scales of Molecular Motion in Pharmaceutically Important Glasses. <i>Journal of Physical Chemistry B</i> , 1999, 103, 4113-4121.	2.6	329
8	Inhibition of indomethacin crystallization in poly(vinylpyrrolidone) coprecipitates. <i>Journal of Pharmaceutical Sciences</i> , 1995, 84, 983-986.	3.3	237
9	Predicting discharge dynamics from a rectangular hopper using the discrete element method (DEM). <i>Chemical Engineering Science</i> , 2008, 63, 5821-5830.	3.8	194
10	Predicting the flow mode from hoppers using the discrete element method. <i>Powder Technology</i> , 2009, 195, 1-10.	4.2	181
11	Process Modeling in the Pharmaceutical Industry using the Discrete Element Method. <i>Journal of Pharmaceutical Sciences</i> , 2009, 98, 442-470.	3.3	180
12	Differential scanning calorimetry: applications in drug development. <i>Pharmaceutical Science & Technology Today</i> , 1999, 2, 311-320.	0.7	156
13	Granular segregation in discharging cylindrical hoppers: A discrete element and experimental study. <i>Chemical Engineering Science</i> , 2007, 62, 6423-6439.	3.8	139
14	Modeling granular segregation in flow from quasi-three-dimensional, wedge-shaped hoppers. <i>Powder Technology</i> , 2008, 179, 126-143.	4.2	133
15	Interpretation of Relaxation Time Constants for Amorphous Pharmaceutical Systems. <i>Journal of Pharmaceutical Sciences</i> , 2000, 89, 417-427.	3.3	131
16	Molecular mobility of amorphous pharmaceuticals determined using differential scanning calorimetry. <i>Thermochimica Acta</i> , 2001, 380, 95-107.	2.7	131
17	Cylindrical object contact detection for use in discrete element method simulations. Part I – Contact detection algorithms. <i>Chemical Engineering Science</i> , 2010, 65, 5852-5862.	3.8	118
18	Force model considerations for glued-sphere discrete element method simulations. <i>Chemical Engineering Science</i> , 2009, 64, 3466-3475.	3.8	117

#	ARTICLE	IF	CITATIONS
19	Predicting discharge dynamics of wet cohesive particles from a rectangular hopper using the discrete element method (DEM). <i>Chemical Engineering Science</i> , 2009, 64, 5268-5275.	3.8	116
20	A simple predictive model for the tensile strength of binary tablets. <i>European Journal of Pharmaceutical Sciences</i> , 2005, 25, 331-336.	4.0	105
21	The use of solution theories for predicting water vapor absorption by amorphous pharmaceutical solids: a test of the Flory-Huggins and Vrentas models. <i>Pharmaceutical Research</i> , 1993, 10, 1262-1267.	3.5	102
22	Coupling Between Chemical Reactivity and Structural Relaxation in Pharmaceutical Glasses. <i>Pharmaceutical Research</i> , 2006, 23, 2254-2268.	3.5	100
23	Comparison of the mechanical properties of the crystalline and amorphous forms of a drug substance. <i>International Journal of Pharmaceutics</i> , 2002, 241, 73-85.	5.2	99
24	Cylindrical object contact detection for use in discrete element method simulations, Part II—Experimental validation. <i>Chemical Engineering Science</i> , 2010, 65, 5863-5871.	3.8	94
25	Discrete element simulation study of a Freeman powder rheometer. <i>Chemical Engineering Science</i> , 2010, 65, 5747-5756.	3.8	92
26	Interpretation of relaxation time constants for amorphous pharmaceutical systems. <i>Journal of Pharmaceutical Sciences</i> , 2000, 89, 417.	3.3	91
27	Investigation of particle packing in model pharmaceutical powders using X-ray microtomography and discrete element method. <i>Powder Technology</i> , 2006, 167, 134-140.	4.2	89
28	The relationship between the particle properties, mechanical behavior, and surface roughness of some pharmaceutical excipient compacts. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003, 355, 24-36.	5.6	84
29	Simulation of roller compaction using a laboratory scale compaction simulator. <i>International Journal of Pharmaceutics</i> , 2004, 269, 403-415.	5.2	83
30	Towards an Understanding of the Structurally Based Potential for Mechanically Activated Disordering of Small Molecule Organic Crystals. <i>Journal of Pharmaceutical Sciences</i> , 2006, 95, 2645-2656.	3.3	74
31	Disordered drug delivery: destiny, dynamics and the Deborah number. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 54, 737-746.	2.4	73
32	A pragmatic test of a simple calorimetric method for determining the fragility of some amorphous pharmaceutical materials. <i>Pharmaceutical Research</i> , 1998, 15, 762-767.	3.5	66
33	Predicting the Tensile Strength of Compacted Multi-Component Mixtures of Pharmaceutical Powders. <i>Pharmaceutical Research</i> , 2006, 23, 1898-1905.	3.5	66
34	Water vapor sorption by peptides, proteins and their formulations. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 1998, 45, 239-247.	4.3	59
35	Polyamorphism: a pharmaceutical science perspective. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 54, 1151-1152.	2.4	59
36	Water vapour sorption by pharmaceutical sugars. <i>Pharmaceutical Science & Technology Today</i> , 1998, 1, 345-351.	0.7	57

#	ARTICLE	IF	CITATIONS
37	Evaluation of dynamic image analysis for characterizing pharmaceutical excipient particles. <i>International Journal of Pharmaceutics</i> , 2008, 361, 150-157.	5.2	57
38	Discrete element method modeling of bi-convex pharmaceutical tablets: Contact detection algorithms and validation. <i>Chemical Engineering Science</i> , 2012, 69, 587-601.	3.8	56
39	Classifying the fluidization and segregation behavior of binary mixtures using particle size and density ratios. <i>AIChE Journal</i> , 2011, 57, 1446-1458.	3.6	55
40	Effect of pressure up to 5.5GPa on dry powder samples of chlorpropamide form-A. <i>International Journal of Pharmaceutics</i> , 2006, 327, 51-57.	5.2	54
41	The Effect of Temperature on Water Vapor Sorption by Some Amorphous Pharmaceutical Sugars. <i>Pharmaceutical Development and Technology</i> , 1999, 4, 125-131.	2.4	50
42	Optimizing the design of eccentric feed hoppers for tablet presses using DEM. <i>Computers and Chemical Engineering</i> , 2010, 34, 1072-1081.	3.8	48
43	The powder flow and compact mechanical properties of sucrose and three high-intensity sweeteners used in chewable tablets. <i>International Journal of Pharmaceutics</i> , 2003, 257, 227-236.	5.2	47
44	A study on the sensitivity of Drucker's Prager Cap model parameters during the decompression phase of powder compaction simulations. <i>Powder Technology</i> , 2010, 198, 315-324.	4.2	45
45	Finite element analysis of pharmaceutical tablet compaction using a density dependent material plasticity model. <i>Powder Technology</i> , 2010, 202, 46-54.	4.2	45
46	The effect of column diameter and bed height on minimum fluidization velocity. <i>AIChE Journal</i> , 2010, 56, 2304-2311.	3.6	44
47	Ionization States in the Microenvironment of Solid Dosage Forms: Effect of Formulation Variables and Processing. <i>Pharmaceutical Research</i> , 2006, 23, 2454-2468.	3.5	43
48	The coefficient of rolling resistance (CoRR) of some pharmaceutical tablets. <i>International Journal of Pharmaceutics</i> , 2010, 392, 107-110.	5.2	41
49	Harnessing Cloud Architecture for Crystal Structure Prediction Calculations. <i>Crystal Growth and Design</i> , 2018, 18, 6891-6900.	3.0	41
50	Processing and storage effects on water vapor sorption by some model pharmaceutical solid dosage formulations. <i>International Journal of Pharmaceutics</i> , 1997, 156, 143-151.	5.2	40
51	Application of X-ray Microtomography and Image Processing to the Investigation of a Compacted Granular System. <i>Particle and Particle Systems Characterization</i> , 2006, 23, 229-236.	2.3	39
52	Correlating Particle Hardness with Powder Compaction Performance. <i>Journal of Pharmaceutical Sciences</i> , 2010, 99, 4307-4316.	3.3	39
53	A combined experimental and numerical approach to explore tribocharging of pharmaceutical excipients in a hopper chute assembly. <i>International Journal of Pharmaceutics</i> , 2015, 491, 58-68.	5.2	39
54	Use of prediction methods to estimate true density of active pharmaceutical ingredients. <i>International Journal of Pharmaceutics</i> , 2008, 355, 231-237.	5.2	36

#	ARTICLE	IF	CITATIONS
55	The coefficient of restitution of some pharmaceutical tablets/compacts. <i>International Journal of Pharmaceutics</i> , 2010, 402, 50-56.	5.2	35
56	Development of a robust procedure for assessing powder flow using a commercial avalanche testing instrument. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2004, 35, 979-990.	2.8	34
57	Estimating the critical molecular mobility temperature (T(K)) of amorphous pharmaceuticals. <i>Pharmaceutical Research</i> , 1998, 15, 1649-1651.	3.5	33
58	Mechanical property anisotropy of pharmaceutical excipient compacts. <i>International Journal of Pharmaceutics</i> , 2006, 314, 9-14.	5.2	32
59	Segregation of cohesive granular materials during discharge from a rectangular hopper. <i>Granular Matter</i> , 2010, 12, 193-200.	2.2	31
60	Effect of particle size on energy dissipation in viscoelastic granular collisions. <i>Physical Review E</i> , 2011, 84, 021303.	2.1	30
61	An experimental and numerical modeling study of tribocharging in pharmaceutical granular mixtures. <i>Powder Technology</i> , 2016, 297, 211-219.	4.2	30
62	Assessment of machine learning approaches for predicting the crystallization propensity of active pharmaceutical ingredients. <i>CrystEngComm</i> , 2019, 21, 1215-1223.	2.6	28
63	Determination of the viscosity of an amorphous drug using thermomechanical analysis (TMA). <i>Pharmaceutical Research</i> , 1999, 16, 672-675.	3.5	27
64	Numerical simulation of dilute turbulent gas-particle flow with turbulence modulation. <i>AIChE Journal</i> , 2012, 58, 1381-1396.	3.6	27
65	Prediction of the Relative Free Energies of Drug Polymorphs above Zero Kelvin. <i>Crystal Growth and Design</i> , 2020, 20, 5211-5224.	3.0	26
66	The powder flow and compact mechanical properties of two recently developed matrix-forming polymers. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 53, 1193-1199.	2.4	25
67	An investigation into the kinetic (sliding) friction of some tablets and capsules. <i>International Journal of Pharmaceutics</i> , 2010, 384, 39-45.	5.2	24
68	What is the "typical" particle shape of active pharmaceutical ingredients?. <i>Powder Technology</i> , 2017, 313, 1-8.	4.2	24
69	The influence of measurement conditions on the Hammett acidity function of solid pharmaceutical excipients. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2005, 61, 158-170.	4.3	22
70	Surface Acidity and Solid-State Compatibility of Excipients with an Acid-Sensitive API: Case Study of Atorvastatin Calcium. <i>AAPS PharmSciTech</i> , 2015, 16, 354-363.	3.3	22
71	Quantification of Tribocharging of Pharmaceutical Powders in V-Blenders: Experiments, Multiscale Modeling, and Simulations. <i>Journal of Pharmaceutical Sciences</i> , 2016, 105, 1467-1477.	3.3	22
72	Direct visualization of Superdisintegrant Hydration Using Environmental Scanning Electron Microscopy. <i>Journal of Pharmaceutical Sciences</i> , 1996, 85, 1255-1258.	3.3	21

#	ARTICLE	IF	CITATIONS
73	Improving the prediction of exceptionally poor tableting performance: An investigation into Hiestand's "special case". Journal of Pharmaceutical Sciences, 2004, 93, 2017-2021.	3.3	21
74	An implementation of granular dynamics for simulating frictional elastic particles based on the DL_POLY code. Computer Physics Communications, 2005, 166, 26-44.	7.5	20
75	Estimating the refractive index of pharmaceutical solids using predictive methods. International Journal of Pharmaceutics, 2009, 368, 16-23.	5.2	20
76	The Wall Friction Properties of Pharmaceutical Powders, Blends, and Granulations. Journal of Pharmaceutical Sciences, 2019, 108, 457-463.	3.3	20
77	Effects of Solid-State Processing on Water Vapor Sorption by Aspirin. Journal of Pharmaceutical Sciences, 1996, 85, 246-248.	3.3	19
78	Micro-scale measurement of the mechanical properties of compressed pharmaceutical powders. 2: The dynamic moduli of microcrystalline cellulose. International Journal of Pharmaceutics, 2001, 228, 139-145.	5.2	18
79	Dispersant selection for aqueous medium pressure injection moulding of anhydrous dicalcium phosphate. Journal of the European Ceramic Society, 2008, 28, 547-553.	5.7	17
80	Acoustic assessment of mean grain size in pharmaceutical compacts. International Journal of Pharmaceutics, 2011, 419, 137-146.	5.2	17
81	The Effect of Temperature on Water Vapor Sorption by Some Amorphous Pharmaceutical Sugars. Pharmaceutical Development and Technology, 1999, 4, 125-131.	2.4	17
82	How do Formulation and Process Parameters Impact Blend and Unit Dose Uniformity? Further Analysis of the Product Quality Research Institute Blend Uniformity Working Group Industry Survey. Journal of Pharmaceutical Sciences, 2013, 102, 982-986.	3.3	16
83	Influence of normal contact force model on simulations of spherocylindrical particles. AIChE Journal, 2018, 64, 1986-2001.	3.6	15
84	Modeling of Transmitted X-ray Intensity Variation with Sample Thickness and Solid Fraction in Glycine Compacts. Journal of Pharmaceutical Sciences, 2003, 92, 2345-2353.	3.3	13
85	Predicting the Crystallization Propensity of Drug-Like Molecules. Journal of Pharmaceutical Sciences, 2017, 106, 28-30.	3.3	13
86	Ultrasonic real-time in-die monitoring of the tablet compaction process: A proof of concept study. International Journal of Pharmaceutics, 2013, 442, 20-26.	5.2	12
87	Ultrasonic approach for viscoelastic and microstructure characterization of granular pharmaceutical tablets. International Journal of Pharmaceutics, 2013, 454, 333-343.	5.2	11
88	Discrete element method (DEM) simulations of stratified sampling during solid dosage form manufacturing. International Journal of Pharmaceutics, 2011, 418, 265-272.	5.2	10
89	Quantitative analysis of packed and compacted granular systems by x-ray microtomography. , 2005, , .		6
90	Experimental Study of Wet Cohesive Particles Discharging from a Rectangular Hopper. Industrial & Engineering Chemistry Research, 2015, 54, 4545-4551.	3.7	5

#	ARTICLE	IF	CITATIONS
91	Quantitative analysis of impact measurements using dynamic load cells. Sensing and Bio-Sensing Research, 2016, 7, 31-37.	4.2	5
92	George Zografi and the Science of Solids and Surfaces. Journal of Pharmaceutical Sciences, 2014, 103, 2592-2594.	3.3	3
93	A priori Performance Predictions in the Pharmaceutical Sciences. International Journal of Pharmaceutics, 2011, 418, 149-150.	5.2	2
94	A Comparison of Physical and Mechanical Properties of Common Tableting Diluents. , 2006, , 127-153.		1
95	Editorial. International Journal of Pharmaceutics, 2013, 442, 1-2.	5.2	0
96	Journal of Pharmaceutical Sciences Topic Cluster on Co-Processed API “ Call for Papers. Journal of Pharmaceutical Sciences, 2022, , .	3.3	0