Natascha Kleiter

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9283446/publications.pdf

Version: 2024-02-01

331538 302012 1,663 49 21 39 citations h-index g-index papers 50 50 50 3158 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Addressing the role of PKD3 in the T cell compartment with knockout mice. Cell Communication and Signaling, 2022, 20, 54.	2.7	1
2	Notch-Mediated Generation of Monocyte-Derived Langerhans Cells: Phenotype and Function. Journal of Investigative Dermatology, 2021, 141, 84-94.e6.	0.3	10
3	Loss of the orphan nuclear receptor NR2F6 enhances CD8+ T-cell memory via IFN- \hat{I}^3 . Cell Death and Disease, 2021, 12, 187.	2.7	10
4	Bacterial Infection with Listeria monocytogenes in Mice and Subsequent Analysis of AntigenSpecific CD8 T Cell Responses. Bio-protocol, 2021, 11, e4247.	0.2	0
5	Iron Supplementation Interferes With Immune Therapy of Murine Mammary Carcinoma by Inhibiting Anti-Tumor T Cell Function. Frontiers in Oncology, 2020, 10, 584477.	1.3	10
6	Regulation of the germinal center response by nuclear receptors and implications for autoimmune diseases. FEBS Journal, 2020, 287, 2866-2890.	2.2	5
7	Targeting the orphan nuclear receptor NR2F6 in T cells primes tumors for immune checkpoint therapy. Cell Communication and Signaling, 2020, 18, 8.	2.7	16
8	A genome-wide analysis of DNA methylation identifies a novel association signal for Lp(a) concentrations in the LPA promoter. PLoS ONE, 2020, 15, e0232073.	1.1	8
9	Orphan Nuclear Receptor NR2F6 Suppresses T Follicular Helper Cell Accumulation through Regulation of IL-21. Cell Reports, 2019, 28, 2878-2891.e5.	2.9	20
10	Nuclear Receptors Regulate Intestinal Inflammation in the Context of IBD. Frontiers in Immunology, 2019, 10, 1070.	2.2	47
11	Fcμ receptor as a Costimulatory Molecule for T Cells. Cell Reports, 2019, 26, 2681-2691.e5.	2.9	19
12	CHK1 dosage in germinal center B cells controls humoral immunity. Cell Death and Differentiation, 2019, 26, 2551-2567.	5.0	14
13	Nuclear receptor NR2F6 inhibition potentiates responses to PD-L1/PD-1 cancer immune checkpoint blockade. Nature Communications, 2018, 9, 1538.	5.8	49
14	Targeting immune checkpoints potentiates immunoediting and changes the dynamics of tumor evolution. Nature Communications, 2018, 9, 32.	5.8	193
15	NAD metabolism fuels human and mouse intestinal inflammation. Gut, 2018, 67, 1813-1823.	6.1	104
16	Nuclear orphan receptor NR2F6 as a safeguard against experimental murine colitis. Gut, 2018, 67, 1434-1444.	6.1	21
17	Regulation of Lymphatic GM-CSF Expression by the E3 Ubiquitin Ligase Cbl-b. Frontiers in Immunology, 2018, 9, 2311.	2.2	4
18	Protein kinase C theta is dispensable for suppression mediated by CD25+CD4+ regulatory T cells. PLoS ONE, 2017, 12, e0175463.	1.1	4

#	Article	IF	Citations
19	Role of PKCtheta in macrophage-mediated immune response to Salmonella typhimurium infection in mice. Cell Communication and Signaling, 2016, 14, 14.	2.7	20
20	Proof of Principle for a T Lymphocyte Intrinsic Function of Coronin 1A. Journal of Biological Chemistry, 2016, 291, 22086-22092.	1.6	9
21	Beyond CTLA-4 and PD-1: Orphan nuclear receptor NR2F6 as T cell signaling switch and emerging target in cancer immunotherapy. Immunology Letters, 2016, 178, 31-36.	1.1	39
22	The Nuclear Orphan Receptor NR2F6 Is a Central Checkpoint for Cancer Immune Surveillance. Cell Reports, 2015, 12, 2072-2085.	2.9	47
23	The E3 Ubiquitin Ligase Cbl-b Limits Nascent Th9 Differentiation. Blood, 2015, 126, 2222-2222.	0.6	0
24	LAMTOR2-Mediated Modulation of NGF/MAPK Activation Kinetics during Differentiation of PC12 Cells. PLoS ONE, 2014, 9, e95863.	1.1	11
25	Orphan nuclear receptor NR2F6 acts as an essential gatekeeper of Th17 CD4+ T cell effector functions. Cell Communication and Signaling, 2014, 12, 38.	2.7	52
26	Protein Kinase C \hat{l}_s Regulates the Phenotype of Murine CD4+ Th17 Cells. PLoS ONE, 2014, 9, e96401.	1,1	18
27	The Kinase PKCα Selectively Upregulates Interleukin-17A during Th17 Cell Immune Responses. Immunity, 2013, 38, 41-52.	6.6	36
28	Loss of PIDD limits NF- \hat{l}° B activation and cytokine production but not cell survival or transformation after DNA damage. Cell Death and Differentiation, 2013, 20, 546-557.	5.0	25
29	Cbl-b mediates $TGF\hat{l}^2$ sensitivity by downregulating inhibitory SMAD7 in primary T cells. Journal of Molecular Cell Biology, 2013, 5, 358-368.	1.5	30
30	PKCÎ, \hat{J}^2 and CYLD Are Antagonistic Partners in the NFÎ $^{\circ}$ B and NFAT Transactivation Pathways in Primary Mouse CD3+ T Lymphocytes. PLoS ONE, 2013, 8, e53709.	1,1	18
31	Nuclear orphan receptor NR2F6 directly antagonizes NFAT and RORγt binding to the Il17a promoter. Journal of Autoimmunity, 2012, 39, 428-440.	3.0	36
32	Coronin 1A is an essential regulator of the TGF \hat{l}^2 receptor/SMAD3 signaling pathway in Th17 CD4+ T cells. Journal of Autoimmunity, 2011, 37, 198-208.	3.0	33
33	NFAT pulls the strings during CD4+ T helper cell effector functions. Blood, 2010, 115, 2989-2997.	0.6	178
34	The Potent Protein Kinase C-Selective Inhibitor AEB071 (Sotrastaurin) Represents a New Class of Immunosuppressive Agents Affecting Early T-Cell Activation. Journal of Pharmacology and Experimental Therapeutics, 2009, 330, 792-801.	1.3	138
35	PKC-Î, Modulates the Strength of T Cell Responses by Targeting Cbl-b for Ubiquitination and Degradation. Science Signaling, 2009, 2, ra30.	1.6	67
36	PKCÎ, and Itk functionally interact during primary mouse CD3+ T cell activation. Immunology Letters, 2009, 126, 54-59.	1,1	6

#	Article	IF	CITATIONS
37	PKCÎ, cooperates with PKCα in alloimmune responses of T cells in vivo. Molecular Immunology, 2009, 46, 2071-2079.	1.0	42
38	Lasp1 misexpression influences chondrocyte differentiation in the vertebral column. International Journal of Developmental Biology, 2009, 53, 983-991.	0.3	12
39	The Nuclear Orphan Receptor NR2F6 Suppresses Lymphocyte Activation and T Helper 17-Dependent Autoimmunity. Immunity, 2008, 29, 205-216.	6.6	93
40	PKC-Î, selectively controls the adhesion-stimulating molecule Rap1. Blood, 2008, 112, 4617-4627.	0.6	56
41	PKCÎ, and PKA are antagonistic partners in the NF-AT transactivation pathway of primary mouse CD3+ T lymphocytes. Blood, 2006, 107, 4841-4848.	0.6	38
42	Physiological and Non-Redundant Functions of PKC Isotypes in T Lymphocytes. Current Immunology Reviews, 2006, 2, 143-156.	1.2	3
43	Defective IgG2a/2b Class Switching in PKCαâ^'/â^' Mice. Journal of Immunology, 2006, 176, 6004-6011.	0.4	83
44	Protein kinase C? is dispensable for TCR/CD3-signaling. Molecular Immunology, 2005, 42, 305-310.	1.0	22
45	Mutagenic transgene insertion into a region of high gene density and multiple linkage disruptions on mouse chromosome 11. Cytogenetic and Genome Research, 2002, 97, 100-105.	0.6	5
46	Genomic organization and chromosome location of the murine <i>Rpl23 </i> gene. Cytogenetic and Genome Research, 2000, 90, 227-230.	0.6	3
47	Microvascularization of the cerebellum in the turtle, Pseudemys scripta elegans (Reptilia). Anatomy and Embryology, 1995, 191, 145-53.	1.5	5
48	Microvascularization of the pineal gland in the freshwater turtle, Pseudemys scripta elegans (Reptilia): A scanning electron microscopic study of vascular corrosion casts. Journal of Pineal Research, 1995, 19, 93-102.	3.4	3
49	Orphan Nuclear Receptor NR2F6 Suppresses T Follicular Helper Cell Accumulation Through Direct Regulation of IL-21. SSRN Electronic Journal, 0, , .	0.4	0