

Claudio Zaccone

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9284112/publications.pdf>

Version: 2024-02-01

78
papers

2,648
citations

172457

29
h-index

197818

49
g-index

93
all docs

93
docs citations

93
times ranked

3187
citing authors

#	ARTICLE	IF	CITATIONS
1	Heavy metal concentrations in soils as determined by laser-induced breakdown spectroscopy (LIBS), with special emphasis on chromium. <i>Environmental Research</i> , 2009, 109, 413-420.	7.5	184
2	Soil resources and element stocks in drylands to face global issues. <i>Scientific Reports</i> , 2018, 8, 13788.	3.3	126
3	Qualitative comparison between raw peat and related humic acids in an ombrotrophic bog profile. <i>Organic Geochemistry</i> , 2007, 38, 151-160.	1.8	112
4	Airborne Petcoke Dust is a Major Source of Polycyclic Aromatic Hydrocarbons in the Athabasca Oil Sands Region. <i>Environmental Science & Technology</i> , 2016, 50, 1711-1720.	10.0	109
5	Persistent high temperature and low precipitation reduce peat carbon accumulation. <i>Global Change Biology</i> , 2016, 22, 4114-4123.	9.5	95
6	Response of different soil organic matter pools to biochar and organic fertilizers. <i>Agriculture, Ecosystems and Environment</i> , 2016, 225, 150-159.	5.3	93
7	<i>Sphagnum</i> Mosses from 21 Ombrotrophic Bogs in the Athabasca Bituminous Sands Region Show No Significant Atmospheric Contamination of "Heavy Metals". <i>Environmental Science & Technology</i> , 2014, 48, 12603-12611.	10.0	90
8	Trace metals in the dissolved fraction ($0.45 \mu\text{m}$) of the lower Athabasca River: Analytical challenges and environmental implications. <i>Science of the Total Environment</i> , 2017, 580, 660-669.	8.0	74
9	Dust is the dominant source of "heavy metals" to peat moss (<i>Sphagnum fuscum</i>) in the bogs of the Athabasca Bituminous Sands region of northern Alberta. <i>Environment International</i> , 2016, 92-93, 494-506.	10.0	73
10	Monitoring of Cr, Cu, Pb, V and Zn in polluted soils by laser induced breakdown spectroscopy (LIBS). <i>Journal of Environmental Monitoring</i> , 2011, 13, 1422.	2.1	71
11	Diagenetic trends in the phenolic constituents of <i>Sphagnum</i> -dominated peat and its corresponding humic acid fraction. <i>Organic Geochemistry</i> , 2008, 39, 830-838.	1.8	67
12	Soil "farming system" food "health": Effect of conventional and organic fertilizers on heavy metal (Cd, Cr, Cu, Ni, Pb, Zn) content in semolina samples. <i>Soil and Tillage Research</i> , 2010, 107, 97-105.	5.6	65
13	Peat bogs in northern Alberta, Canada reveal decades of declining atmospheric Pb contamination. <i>Geophysical Research Letters</i> , 2016, 43, 9964-9974.	4.0	64
14	Smouldering fire signatures in peat and their implications for palaeoenvironmental reconstructions. <i>Geochimica Et Cosmochimica Acta</i> , 2014, 137, 134-146.	3.9	58
15	Chemical, physical and spectroscopic characterization of <i>Posidonia oceanica</i> (L.) Del. residues and their possible recycle. <i>Biomass and Bioenergy</i> , 2011, 35, 799-807.	5.7	55
16	Peat Bogs Document Decades of Declining Atmospheric Contamination by Trace Metals in the Athabasca Bituminous Sands Region. <i>Environmental Science & Technology</i> , 2017, 51, 6237-6249.	10.0	54
17	Enrichment and depletion of major and trace elements, and radionuclides in ombrotrophic raw peat and corresponding humic acids. <i>Geoderma</i> , 2007, 141, 235-246.	5.1	51
18	Advances in the determination of humification degree in peat since : Applications in geochemical and paleoenvironmental studies. <i>Earth-Science Reviews</i> , 2018, 185, 163-178.	9.1	50

#	ARTICLE	IF	CITATIONS
19	Comparative management of offshore posidonia residues: Composting vs. energy recovery. <i>Waste Management</i> , 2011, 31, 78-84.	7.4	49
20	Distribution and thermal stability of physically and chemically protected organic matter fractions in soils across different ecosystems. <i>Biology and Fertility of Soils</i> , 2018, 54, 671-681.	4.3	48
21	Soil organic carbon sequestration as affected by afforestation: the Darab Kola forest (north of Iran) case study. <i>Journal of Environmental Monitoring</i> , 2012, 14, 2438.	2.1	47
22	Stable (206Pb, 207Pb, 208Pb) and radioactive (210Pb) lead isotopes in 1year of growth of Sphagnum moss from four ombrotrophic bogs in southern Germany: Geochemical significance and environmental implications. <i>Geochimica Et Cosmochimica Acta</i> , 2015, 163, 101-125.	3.9	44
23	Source apportionment of priority PAHs in 11 lake sediment cores from Songnen Plain, Northeast China. <i>Water Research</i> , 2020, 168, 115158.	11.3	43
24	Influence of extractant on quality and trace elements content of peat humic acids. <i>Talanta</i> , 2007, 73, 820-830.	5.5	40
25	Pit and mound influence on soil features in an Oriental Beech (<i>Fagus orientalis</i> Lipsky) forest. <i>European Journal of Forest Research</i> , 2014, 133, 347-354.	2.5	40
26	Impact of the Little Ice Age cooling and 20th century climate change on peatland vegetation dynamics in central and northern Alberta using a multi-proxy approach and high-resolution peat chronologies. <i>Quaternary Science Reviews</i> , 2018, 185, 230-243.	3.0	39
27	Studying the humification degree and evolution of peat down a Holocene bog profile (Inuvik, NW Tj ETQq1 1 0.784314 rgBT /Overlo 1.8 37	1.8	37
28	Distribution of As, Cr, Ni, Rb, Ti and Zr between peat and its humic fraction along an undisturbed ombrotrophic bog profile (NW Switzerland). <i>Applied Geochemistry</i> , 2008, 23, 25-33.	3.0	35
29	Distribution patterns of selected PAHs in bulk peat and corresponding humic acids from a Swiss ombrotrophic bog profile. <i>Plant and Soil</i> , 2009, 315, 35-45.	3.7	30
30	The role of Fe(III) in soil organic matter stabilization in two size fractions having opposite features. <i>Science of the Total Environment</i> , 2019, 653, 667-674.	8.0	30
31	Chemical and spectroscopic investigation of porewater and aqueous extracts of corresponding peat samples throughout a bog core (Jura Mountains, Switzerland). <i>Journal of Soils and Sediments</i> , 2009, 9, 443-456.	3.0	29
32	Major and trace elements in Sphagnum moss from four southern German bogs, and comparison with available moss monitoring data. <i>Ecological Indicators</i> , 2017, 78, 19-25.	6.3	29
33	Testate amoeba records indicate regional 20th century lowering of water tables in ombrotrophic peatlands in central-northern Alberta, Canada. <i>Global Change Biology</i> , 2018, 24, 2758-2774.	9.5	29
34	Highly Organic Soils as "Witnesses" of Anthropogenic Pb, Cu, Zn, and 137Cs Inputs During Centuries. <i>Water, Air, and Soil Pollution</i> , 2007, 186, 263-271.	2.4	28
35	Comparison of Hg concentrations in ombrotrophic peat and corresponding humic acids, and implications for the use of bogs as archives of atmospheric Hg deposition. <i>Geoderma</i> , 2009, 148, 399-404.	5.1	28
36	Density-based fractionation of soil organic matter: effects of heavy liquid and heavy fraction washing. <i>Scientific Reports</i> , 2019, 9, 10146.	3.3	28

#	ARTICLE	IF	CITATIONS
37	Evaluating the "conservative" behavior of stable isotopic ratios ($\delta^{13}\text{C}$, $\delta^{15}\text{N}$, and $\delta^{18}\text{O}$) in humic acids and their reliability as paleoenvironmental proxies along a peat sequence. <i>Chemical Geology</i> , 2011, 285, 124-132.	3.3	26
38	Unravelling (maize silage) digestate features throughout a full-scale plant: A spectroscopic and thermal approach. <i>Journal of Cleaner Production</i> , 2018, 193, 372-378.	9.3	26
39	High-resolution age modelling of peat bogs from northern Alberta, Canada, using pre- and post-bomb ^{14}C , ^{210}Pb and historical cryptotephra. <i>Quaternary Geochronology</i> , 2018, 47, 138-162.	1.4	25
40	Humic acids role in Br accumulation along two ombrotrophic peat bog profiles. <i>Geoderma</i> , 2008, 146, 26-31.	5.1	24
41	Iron Speciation in Organic Matter Fractions Isolated from Soils Amended with Biochar and Organic Fertilizers. <i>Environmental Science & Technology</i> , 2020, 54, 5093-5101.	10.0	24
42	Ecosystem type effects on the stabilization of organic matter in soils: Combining size fractionation with sequential chemical extractions. <i>Geoderma</i> , 2019, 353, 423-434.	5.1	23
43	Human impact on C/N/P accumulation in lake sediments from northeast China during the last 150 years. <i>Environmental Pollution</i> , 2021, 271, 116345.	7.5	23
44	The first continuous Late Glacial "Holocene peat bog multi-proxy record from the Dolomites (NE Italy). <i>Quaternary International</i> , 2019, 515, 10-22.	1.5	22
45	Highly anomalous accumulation rates of C and N recorded by a relic, free-floating peatland in Central Italy. <i>Scientific Reports</i> , 2017, 7, 43040.	3.3	22
46	Iron(III) fate after complexation with soil organic matter in fine silt and clay fractions: An EXAFS spectroscopic approach. <i>Soil and Tillage Research</i> , 2020, 200, 104617.	5.6	21
47	Interpreting the ash trend within ombrotrophic bog profiles: atmospheric dust depositions vs. mineralization processes. The Etang de la Gruère case study. <i>Plant and Soil</i> , 2012, 353, 1-9.	3.7	19
48	Elemental Composition Analysis of Plants and Composts Used for Soil Remediation by Laser-Induced Breakdown Spectroscopy. <i>Clean - Soil, Air, Water</i> , 2014, 42, 791-798.	1.1	19
49	DNA occurrence in organic matter fractions isolated from amended, agricultural soils. <i>Applied Soil Ecology</i> , 2018, 130, 134-142.	4.3	18
50	Variability in As, Ca, Cr, K, Mn, Sr, and Ti concentrations among humic acids isolated from peat using NaOH, $\text{Na}_4\text{P}_2\text{O}_7$ and NaOH+ $\text{Na}_4\text{P}_2\text{O}_7$ solutions. <i>Journal of Hazardous Materials</i> , 2009, 167, 987-994.	12.4	17
51	Effects of several amendments on organic melon growth and production, <i>Meloidogyne incognita</i> population and soil properties. <i>Scientia Horticulturae</i> , 2014, 180, 156-160.	3.6	16
52	Soil Organic Matter in Dryland Ecosystems. , 2018, , 39-70.		16
53	Comparative evaluation of the mineralogical composition of Sphagnum peat and their corresponding humic acids, and implications for understanding past dust depositions. <i>Quaternary International</i> , 2013, 306, 80-87.	1.5	15
54	Fe(II)-catalyzed transformation of Fe (oxyhydr)oxides across organic matter fractions in organically amended soils. <i>Science of the Total Environment</i> , 2020, 748, 141125.	8.0	15

#	ARTICLE	IF	CITATIONS
55	Changes in bacterial and archaeal community assemblages along an ombrotrophic peat bog profile. <i>Biology and Fertility of Soils</i> , 2014, 50, 815-826.	4.3	14
56	Validating modelled data on major and trace element deposition in southern Germany using Sphagnum moss. <i>Atmospheric Environment</i> , 2017, 167, 656-664.	4.1	10
57	Methylated arsenic species throughout a 4-m deep core from a free-floating peat island. <i>Science of the Total Environment</i> , 2018, 621, 67-74.	8.0	10
58	Rapid peat accumulation favours the occurrence of both fen and bog microbial communities within a Mediterranean, free-floating peat island. <i>Scientific Reports</i> , 2017, 7, 8511.	3.3	9
59	Metataxonomy and functionality of wood-tar degrading microbial consortia. <i>Journal of Hazardous Materials</i> , 2018, 353, 108-117.	12.4	9
60	Molecular characterization of ombrotrophic peats by humeomics. <i>Chemical and Biological Technologies in Agriculture</i> , 2020, 7, .	4.6	9
61	Ptaquiloside in <i>Pteridium aquilinum</i> subsp. <i>aquilinum</i> and corresponding soils from the South of Italy: Influence of physical and chemical features of soils on its occurrence. <i>Science of the Total Environment</i> , 2014, 496, 365-372.	8.0	8
62	Comment on: "A novel approach to peatlands as archives of total cumulative spatial pollution loads from atmospheric deposition of airborne elements complementary to EMEP data: Priority pollutants (Pb, Cd, Hg)" by Ewa Miszczak, Sebastian Stefaniak, Adam Michczyński, Eiliv Steinnes and Irena Twardowska. <i>Science of the Total Environment</i> , 2020, 737, 138699.	8.0	8
63	Iron speciation in soil size fractions under different land uses. <i>Geoderma</i> , 2022, 418, 115842.	5.1	8
64	Holocene vegetation history and human impact in the eastern Italian Alps: a multi-proxy study on the Coltrondo peat bog, Comelico Superiore, Italy. <i>Vegetation History and Archaeobotany</i> , 2020, 29, 407-426.	2.1	7
65	Wild whale faecal samples as a proxy of anthropogenic impact. <i>Scientific Reports</i> , 2021, 11, 5822.	3.3	7
66	Response to Comment on "Sphagnum Mosses from 21 Ombrotrophic Bogs in the Athabasca Bituminous Sands Region Show No Significant Atmospheric Contamination of "Heavy Metals" by Environmental Science & Technology, 2015, 49, 6354-6357.	10.0	6
67	Carbon and nitrogen accumulation rates in ombrotrophic peatlands of central and northern Alberta, Canada, during the last millennium. <i>Biogeochemistry</i> , 2020, 151, 251-272.	3.5	6
68	Natural Mn-todorokite as an efficient and green azo dye degradation catalyst. <i>Environmental Science and Pollution Research</i> , 2020, 27, 9835-9842.	5.3	5
69	Validating the regional estimates of changes in soil organic carbon by using the data from paired-sites: the case study of Mediterranean arable lands. <i>Carbon Balance and Management</i> , 2021, 16, 19.	3.2	3
70	Soils and palaeosols as archives of natural and anthropogenic environmental changes. <i>European Journal of Soil Science</i> , 2014, 65, 403-405.	3.9	2
71	Preface "special issue in memory of Frank J. Stevenson. <i>Journal of Soils and Sediments</i> , 2018, 18, 1209-1211.	3.0	2
72	Trace Elements and Food Safety. , 2014, , 339-370.		2

#	ARTICLE	IF	CITATIONS
73	Coupling X-ray Absorption and Raman Spectroscopies to Characterize Iron Species in a Karst Pedosedimentary Record. <i>Soil Systems</i> , 2022, 6, 24.	2.6	2
74	Selected Plant-Related Papers from the First Joint Meeting on Soil and Plant System Sciences (SPSS) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 9, 1132.	3.5	1
75	Pedosedimentary and microbial investigation of a karst sequence record. <i>Science of the Total Environment</i> , 2021, , 151297.	8.0	1
76	The Fate of Mineral Particles in Bulk Peat and Corresponding Humic Acids Throughout an Ombrotrophic Bog Profile: Atmospheric Dust Depositions vs Mineralization Processes. , 2013, , 61-65.		0
77	Man versus nature: Natural and anthropogenic footprints recorded in the soil archives. <i>Catena</i> , 2015, 132, 69-71.	5.0	0
78	Response to Editor to the comment by Delarue (2016) to our paper entitled "Persistent high temperature and low precipitation reduce peat carbon accumulation". <i>Global Change Biology</i> , 2017, 23, e7-e8.	9.5	0