Alexandre Chan

List of Publications by Citations

Source: https://exaly.com/author-pdf/9284150/alexandre-chan-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

53

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

228 4,091 35 h-index g-index citations papers

5,062 5.66 254 3.5 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
228	Clinical practice guidelines for the prevention and treatment of EGFR inhibitor-associated dermatologic toxicities. <i>Supportive Care in Cancer</i> , 2011 , 19, 1079-95	3.9	306
227	Polypharmacy in elderly patients with cancer: clinical implications and management. <i>Lancet Oncology, The</i> , 2011 , 12, 1249-57	21.7	167
226	Clinical practice guidelines for the prevention and treatment of acute and late radiation reactions from the MASCC Skin Toxicity Study Group. <i>Supportive Care in Cancer</i> , 2013 , 21, 2933-48	3.9	146
225	Association of proinflammatory cytokines and chemotherapy-associated cognitive impairment in breast cancer patients: a multi-centered, prospective, cohort study. <i>Annals of Oncology</i> , 2015 , 26, 1446-	5 ^{40.3}	134
224	Drug interactions between chemotherapeutic regimens and antiepileptics. <i>Clinical Therapeutics</i> , 2008 , 30, 1385-407	3.5	123
223	Metabolism-related pharmacokinetic drug-drug interactions with tyrosine kinase inhibitors: current understanding, challenges and recommendations. <i>British Journal of Clinical Pharmacology</i> , 2015 , 79, 24	1-33	81
222	Are we mis-estimating chemotherapy-induced peripheral neuropathy? Analysis of assessment methodologies from a prospective, multinational, longitudinal cohort study of patients receiving neurotoxic chemotherapy. <i>BMC Cancer</i> , 2019 , 19, 132	4.8	75
221	2016 Updated MASCC/ESMO Consensus Recommendations: Prevention of Nausea and Vomiting Following High Emetic Risk Chemotherapy. <i>Supportive Care in Cancer</i> , 2017 , 25, 277-288	3.9	72
220	Minimal clinically important difference (MCID) for the functional assessment of cancer therapy: cognitive function (FACT-Cog) in breast cancer patients. <i>Journal of Clinical Epidemiology</i> , 2014 , 67, 811-7	2 5 ·7	65
219	Risk of tyrosine kinase inhibitors-induced hepatotoxicity in cancer patients: a meta-analysis. <i>Cancer Treatment Reviews</i> , 2013 , 39, 199-206	14.4	65
218	Complementary and alternative medicine (CAM) usage in Singaporean adult cancer patients. <i>Annals of Oncology</i> , 2009 , 20, 752-7	10.3	65
217	Clinically significant drug-drug interactions between oral anticancer agents and nonanticancer agents: profiling and comparison of two drug compendia. <i>Annals of Pharmacotherapy</i> , 2008 , 42, 1737-48	3 ^{2.9}	58
216	Brain-derived neurotrophic factor genetic polymorphism (rs6265) is protective against chemotherapy-associated cognitive impairment in patients with early-stage breast cancer. <i>Neuro-Oncology</i> , 2016 , 18, 244-51	1	56
215	Relationships Between Financial Toxicity and Symptom Burden in Cancer Survivors: A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2019 , 57, 646-660.e1	4.8	51
214	Psychometric properties and measurement equivalence of the English and Chinese versions of the functional assessment of cancer therapy-cognitive in Asian patients with breast cancer. <i>Value in Health</i> , 2013 , 16, 1001-13	3.3	48
213	Clinical predictors of chemotherapy-induced nausea and vomiting in breast cancer patients receiving adjuvant doxorubicin and cyclophosphamide. <i>Annals of Pharmacotherapy</i> , 2009 , 43, 444-52	2.9	47
212	Cytokines as mediators of chemotherapy-associated cognitive changes: current evidence, limitations and directions for future research. <i>PLoS ONE</i> , 2013 , 8, e81234	3.7	47

211	Impact of brain-derived neurotrophic factor genetic polymorphism on cognition: A systematic review. <i>Brain and Behavior</i> , 2018 , 8, e01009	3.4	47	
210	Effect of CYP3A4 inducer dexamethasone on hepatotoxicity of lapatinib: clinical and in vitro evidence. <i>Breast Cancer Research and Treatment</i> , 2012 , 133, 703-11	4.4	46	
209	Systematic review of pharmacologic and non-pharmacologic interventions to manage cognitive alterations after chemotherapy for breast cancer. <i>European Journal of Cancer</i> , 2015 , 51, 437-450	7.5	45	
208	Clinically significant drug-drug interactions between oral anticancer agents and nonanticancer agents: a Delphi survey of oncology pharmacists. <i>Clinical Therapeutics</i> , 2009 , 31 Pt 2, 2379-86	3.5	45	
207	Prevalence and characteristics of adverse drug reactions at admission to hospital: a prospective observational study. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 1636-1646	3.8	44	
206	Tuberculosis reactivation in a patient receiving anti-programmed death-1 (PD-1) inhibitor for relapsed Hodgkin's lymphoma. <i>Acta Oncolgica</i> , 2016 , 55, 519-20	3.2	44	
205	Impact of colony-stimulating factors to reduce febrile neutropenic events in breast cancer patients receiving docetaxel plus cyclophosphamide chemotherapy. <i>Supportive Care in Cancer</i> , 2011 , 19, 497-504	3.9	43	
204	Cognitive changes in multiethnic Asian breast cancer patients: a focus group study. <i>Annals of Oncology</i> , 2012 , 23, 2547-2552	10.3	43	
203	Risk factors for chemotherapy-induced peripheral neuropathy in patients receiving taxane- and platinum-based chemotherapy. <i>Brain and Behavior</i> , 2019 , 9, e01312	3.4	42	
202	Late-onset neutropenia following RCHOP chemotherapy in diffuse large B-cell lymphoma. <i>American Journal of Hematology</i> , 2009 , 84, 414-7	7.1	42	
201	Baseline patient characteristics, incidence of CINV, and physician perception of CINV incidence following moderately and highly emetogenic chemotherapy in Asia Pacific countries. <i>Supportive Care in Cancer</i> , 2015 , 23, 263-72	3.9	40	
200	Management options for established chemotherapy-induced peripheral neuropathy. <i>Supportive Care in Cancer</i> , 2014 , 22, 2281-95	3.9	40	
199	Formation of reactive metabolites and management of tyrosine kinase inhibitor-induced hepatotoxicity: a literature review. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2015 , 11, 231-42	5.5	39	
198	Exercise improves quality of life in androgen deprivation therapy-treated prostate cancer: systematic review of randomised controlled trials. <i>Endocrine-Related Cancer</i> , 2016 , 23, 101-12	5.7	38	
197	Incidence of febrile neutropenia among early-stage breast cancer patients receiving anthracycline-based chemotherapy. <i>Supportive Care in Cancer</i> , 2012 , 20, 1525-32	3.9	38	
196	Evidence-based treatment options for the management of skin toxicities associated with epidermal growth factor receptor inhibitors. <i>Annals of Pharmacotherapy</i> , 2009 , 43, 1658-66	2.9	36	
195	Survey of topical oral solutions for the treatment of chemo-induced oral mucositis. <i>Journal of Oncology Pharmacy Practice</i> , 2005 , 11, 139-43	1.7	35	
194	Biological predictors of chemotherapy-induced peripheral neuropathy (CIPN): MASCC neurological complications working group overview. <i>Supportive Care in Cancer</i> , 2019 , 27, 3729-3737	3.9	34	

193	Neuro-cognitive impairment in breast cancer patients: pharmacological considerations. <i>Critical Reviews in Oncology/Hematology</i> , 2012 , 83, 99-111	7	34
192	Clinically relevant drug interactions between anticancer drugs and psychotropic agents. <i>European Journal of Cancer Care</i> , 2011 , 20, 6-32	2.4	32
191	Effects of chemotherapy and psychosocial distress on perceived cognitive disturbances in Asian breast cancer patients. <i>Annals of Pharmacotherapy</i> , 2012 , 46, 1645-55	2.9	32
190	Assessment of the relationship between adherence with antiemetic drug therapy and control of nausea and vomiting in breast cancer patients receiving anthracycline-based chemotherapy. <i>Journal of Managed Care Pharmacy</i> , 2012 , 18, 385-94		30
189	Impact of TNF-[[rs1800629]) and IL-6 (rs1800795) Polymorphisms on Cognitive Impairment in Asian Breast Cancer Patients. <i>PLoS ONE</i> , 2016 , 11, e0164204	3.7	29
188	The Effect of Ginger (Zingiber officinale) on Platelet Aggregation: A Systematic Literature Review. <i>PLoS ONE</i> , 2015 , 10, e0141119	3.7	28
187	How well does the MESTT correlate with CTCAE scale for the grading of dermatological toxicities associated with oral tyrosine kinase inhibitors?. <i>Supportive Care in Cancer</i> , 2011 , 19, 1667-74	3.9	26
186	Distinct and heterogeneous trajectories of self-perceived cognitive impairment among Asian breast cancer survivors. <i>Psycho-Oncology</i> , 2018 , 27, 1185-1192	3.9	25
185	The genetic variants underlying breast cancer treatment-induced chronic and late toxicities: a systematic review. <i>Cancer Treatment Reviews</i> , 2014 , 40, 1199-214	14.4	25
184	Incidence and predictors of anticipatory nausea and vomiting in Asia Pacific clinical practicea longitudinal analysis. <i>Supportive Care in Cancer</i> , 2015 , 23, 283-91	3.9	24
183	Characteristics of unplanned hospital admissions due to drug-related problems in cancer patients. Supportive Care in Cancer, 2014 , 22, 1875-81	3.9	24
182	Pharmacists' roles in oncology pharmacy services: Results of a global survey. <i>Journal of Oncology Pharmacy Practice</i> , 2017 , 23, 185-194	1.7	23
181	Association of drug exposure with toxicity and clinical response in metastatic renal cell carcinoma patients receiving an attenuated dosing regimen of sunitinib. <i>Targeted Oncology</i> , 2015 , 10, 429-37	5	23
180	Antiemetic therapy in Asia Pacific countries for patients receiving moderately and highly emetogenic chemotherapya descriptive analysis of practice patterns, antiemetic quality of care, and use of antiemetic guidelines. <i>Supportive Care in Cancer</i> , 2015 , 23, 273-82	3.9	23
179	Effect of the CYP3A5 and ABCB1 genotype on exposure, clinical response and manifestation of toxicities from sunitinib in Asian patients. <i>Pharmacogenomics Journal</i> , 2016 , 16, 47-53	3.5	22
178	A systematic review of patient-reported outcome instruments of dermatologic adverse events associated with targeted cancer therapies. <i>Supportive Care in Cancer</i> , 2015 , 23, 2231-44	3.9	22
177	Potentially inappropriate prescribing and drug-drug interactions among elderly Chinese nursing home residents in Macao. <i>International Journal of Clinical Pharmacy</i> , 2013 , 35, 805-12	2.3	22
176	Prevalence of the coprescription of clinically important interacting drug combinations involving oral anticancer agents in Singapore: a retrospective database study. <i>Clinical Therapeutics</i> , 2012 , 34, 169	06 ³ 7 ⁵ 04	22

175	A prospective study to evaluate the feasibility and economic benefits of rapid infusion rituximab at an Asian cancer center. <i>International Journal of Hematology</i> , 2010 , 91, 826-30	2.3	22	
174	Affordability of cancer treatment for aging cancer patients in Singapore: an analysis of health, lifestyle, and financial burden. <i>Supportive Care in Cancer</i> , 2013 , 21, 3509-17	3.9	21	
173	Computational prediction of state anxiety in Asian patients with cancer susceptible to chemotherapy-induced nausea and vomiting. <i>Journal of Clinical Psychopharmacology</i> , 2012 , 32, 207-17	1.7	21	
172	Evolving roles of oncology pharmacists in Singapore: a survey on prescribing patterns of antiemetics for chemotherapy induced nausea and vomiting (CINV) at a cancer centre. <i>Journal of Oncology Pharmacy Practice</i> , 2008 , 14, 23-9	1.7	21	
171	An evaluation on the neuropsychological tests used in the assessment of postchemotherapy cognitive changes in breast cancer survivors. <i>Supportive Care in Cancer</i> , 2012 , 20, 1361-75	3.9	19	
170	Feasibility and acceptance of a pharmacist-run tele-oncology service for chemotherapy-induced nausea and vomiting in ambulatory cancer patients. <i>Telemedicine Journal and E-Health</i> , 2013 , 19, 387-95	5 ^{5.9}	19	
169	Identifying Potentially Avoidable Readmissions: A Medication-Based 15-Day Readmission Risk Stratification Algorithm. <i>Pharmacotherapy</i> , 2017 , 37, 268-277	5.8	18	
168	Evaluation of plasma brain-derived neurotrophic factor levels and self-perceived cognitive impairment post-chemotherapy: a longitudinal study. <i>BMC Cancer</i> , 2017 , 17, 867	4.8	18	
167	2016 Updated MASCC/ESMO consensus recommendations: Emetic risk classification and evaluation of the emetogenicity of antineoplastic agents. <i>Supportive Care in Cancer</i> , 2017 , 25, 271-275	3.9	18	
166	2019 Update to the American College of Clinical Pharmacy Pharmacotherapy Didactic Curriculum Toolkit. <i>JACCP Journal of the American College of Clinical Pharmacy</i> , 2020 , 3, 455-464	1.4	18	
165	Symptom burden and medication use in adult sarcoma patients. Supportive Care in Cancer, 2015, 23, 17	09 . 47	17	
164	Economic burden of chemotherapy-induced febrile neutropenia in patients with lymphoma: a systematic review. <i>Critical Reviews in Oncology/Hematology</i> , 2015 , 94, 201-12	7	17	
163	Patients' perspectives and safe handling of oral anticancer drugs at an Asian cancer center. <i>Journal of Oncology Pharmacy Practice</i> , 2009 , 15, 161-5	1.7	17	
162	To SMILE or not: supportive care matters. <i>Journal of Clinical Oncology</i> , 2012 , 30, 1015-6; author reply 1016-7	2.2	17	
161	An onco-informatics database for anticancer drug interactions with complementary and alternative medicines used in cancer treatment and supportive care: an overview of the OncoRx project. <i>Supportive Care in Cancer</i> , 2010 , 18, 883-91	3.9	17	
160	Systemic anticoagulant prophylaxis for central catheter-associated venous thrombosis in cancer patients. <i>Annals of Pharmacotherapy</i> , 2007 , 41, 635-41	2.9	17	
159	Impact of chemotherapy on cancer-related fatigue and cytokines in 1312 patients: a systematic review of quantitative studies. <i>Current Opinion in Supportive and Palliative Care</i> , 2016 , 10, 165-79	2.6	17	
158	Chemotherapy regimen checks performed by pharmacists contribute to safe administration of chemotherapy. <i>Journal of Oncology Pharmacy Practice</i> , 2017 , 23, 18-25	1.7	16	

157	Efficacy and Safety of an Attenuated-Dose Sunitinib Regimen in Metastatic Renal Cell Carcinoma: Results From a Prospective Registry in Singapore. Clinical Genitourinary Cancer, 2015, 13, e285-e295	3.3	16
156	Impact of CINV in earlier cycles on CINV and chemotherapy regimen modification in subsequent cycles in Asia Pacific clinical practice. <i>Supportive Care in Cancer</i> , 2015 , 23, 293-300	3.9	16
155	Comparison of daily filgrastim and pegfilgrastim to prevent febrile neutropenia in Asian lymphoma patients. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2011 , 7, 75-81	1.9	16
154	Breakthrough febrile neutropenia and associated complications in Non-Hodgkin's lymphoma patients receiving pegfilgrastim. <i>Acta Haematologica</i> , 2011 , 125, 107-14	2.7	16
153	Assessment of mental health literacy in patients with breast cancer. <i>Journal of Oncology Pharmacy Practice</i> , 2016 , 22, 437-47	1.7	15
152	Minimum qualifications for clinical pharmacy practice faculty. <i>Pharmacotherapy</i> , 2014 , 34, e38-44	5.8	15
151	Vascular endothelial growth factor inhibitors and cognitive impairment: evidence and controversies. <i>Expert Opinion on Drug Safety</i> , 2014 , 13, 83-92	4.1	15
150	Health State Utility Assessment for Breast Cancer. Value in Health Regional Issues, 2012, 1, 93-97	1.6	15
149	Cancer-related cognitive impairment in patients with non-central nervous system malignancies: an overview for oncology providers from the MASCC Neurological Complications Study Group. Supportive Care in Cancer, 2021, 29, 2821-2840	3.9	15
148	Minimal Clinically Important Difference of the Multidimensional Fatigue Symptom Inventory-Short Form (MFSI-SF) for Fatigue Worsening in Asian Breast Cancer Patients. <i>Journal of Pain and Symptom Management</i> , 2018 , 55, 992-997.e2	4.8	15
147	Minimal clinically important difference of the EORTC QLQ-CIPN20 for worsening peripheral neuropathy in patients receiving neurotoxic chemotherapy. <i>Supportive Care in Cancer</i> , 2019 , 27, 4753-47	782	14
146	Psychometric properties and measurement equivalence of the English and Chinese versions of the Beck Anxiety Inventory in patients with breast cancer. <i>Supportive Care in Cancer</i> , 2017 , 25, 633-643	3.9	14
145	Clinically-Relevant Chemotherapy Interactions with Complementary and Alternative Medicines in Patients with Cancer. <i>Recent Patents on Food, Nutrition & Agriculture</i> , 2010 , 2, 12-55	1.9	14
144	Follow-up care practices and barriers to breast cancer survivorship: perspectives from Asian oncology practitioners. <i>Supportive Care in Cancer</i> , 2015 , 23, 3193-200	3.9	13
143	Personalized Estimate of Chemotherapy-Induced Nausea and Vomiting: Development and External Validation of a Nomogram in Cancer Patients Receiving Highly/Moderately Emetogenic Chemotherapy. <i>Medicine (United States)</i> , 2016 , 95, e2476	1.8	13
142	Breakthrough febrile neutropenia and associated complications among elderly cancer patients receiving myelosuppressive chemotherapy for solid tumors and lymphomas. <i>Supportive Care in Cancer</i> , 2013 , 21, 2137-43	3.9	13
141	Exploring clinical determinants and anxiety symptom domains among Asian breast cancer patients. <i>Supportive Care in Cancer</i> , 2013 , 21, 2185-94	3.9	13
140	Electronic database to detect drug-drug interactions between antidepressants and oral anticancer drugs from a cancer center in Singapore: implications to clinicians. <i>Pharmacoepidemiology and Drug Safety</i> 2011 20 939-47	2.6	13

139	Improving pharmaceutical care in oncology by pharmacoinformatics: the evolving role of informatics and the internet for drug therapy. <i>Lancet Oncology, The</i> , 2009 , 10, 1011-9	21.7	13
138	Survivorship care models for breast cancer, colorectal cancer, and adolescent and young adult (AYA) cancer survivors: a systematic review. <i>Supportive Care in Cancer</i> , 2018 , 26, 2125-2141	3.9	12
137	Cost-effectiveness analysis of olanzapine-containing antiemetic therapy for managing highly emetogenic chemotherapy in Southeast Asia: a multinational study. <i>Supportive Care in Cancer</i> , 2019 , 27, 1109-1119	3.9	12
136	The changing paradigm for supportive care in cancer patients. Supportive Care in Cancer, 2014, 22, 1441	- 5 .9	12
135	A culturally adapted survivorship programme for Asian early stage breast cancer patients in Singapore: A randomized, controlled trial. <i>Psycho-Oncology</i> , 2017 , 26, 1654-1659	3.9	12
134	Costs associated with febrile neutropenia in solid tumor and lymphoma patients - an observational study in Singapore. <i>BMC Health Services Research</i> , 2014 , 14, 434	2.9	12
133	Liposomal doxorubicin-associated acute hypersensitivity despite appropriate preventive measures. Journal of Oncology Pharmacy Practice, 2007 , 13, 105-7	1.7	12
132	Replication and Meta-analysis of the Association between BDNF Val66Met Polymorphism and Cognitive Impairment in Patients Receiving Chemotherapy. <i>Molecular Neurobiology</i> , 2019 , 56, 4741-475	0 ^{6.2}	12
131	The efficacy, challenges, and facilitators of telemedicine in post-treatment cancer survivorship care: an overview of systematic reviews. <i>Annals of Oncology</i> , 2021 , 32, 1552-1570	10.3	12
130	Advances and future directions in the use of mobile health in supportive cancer care: proceedings of the 2019 MASCC Annual Meeting symposium. <i>Supportive Care in Cancer</i> , 2020 , 28, 4059-4067	3.9	11
129	Role of sunitinib and SU12662 on dermatological toxicities in metastatic renal cell carcinoma patients: in vitro, in vivo, and outcomes investigation. <i>Cancer Chemotherapy and Pharmacology</i> , 2014 , 73, 381-8	3.5	11
128	Impact of cancer-related fatigue on chemotherapy-induced nausea and vomiting in Asian cancer patients. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 1345-51	2.6	11
127	Clinically-relevant anticancer-antidepressant drug interactions. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2012 , 8, 173-99	5.5	11
126	Harnessing the internet cloud for managing drug interactions with chemotherapy regimens in patients with cancer suffering from depression. <i>Acta Oncolgica</i> , 2010 , 49, 1235-45	3.2	11
125	Association of mitochondrial DNA content in peripheral blood with cancer-related fatigue and chemotherapy-related cognitive impairment in early-stage breast cancer patients: a prospective cohort study. <i>Breast Cancer Research and Treatment</i> , 2018 , 168, 713-721	4.4	10
124	Assessment of psychological distress among Asian adolescents and young adults (AYA) cancer patients using the distress thermometer: a prospective, longitudinal study. <i>Supportive Care in Cancer</i> , 2018 , 26, 3257-3266	3.9	10
123	What are the barriers of quality survivorship care for haematology cancer patients? Qualitative insights from cancer nurses. <i>Journal of Cancer Survivorship</i> , 2016 , 10, 122-30	5.1	10
122	Clinical efficacy of adjunctive G-CSF on solid tumor and lymphoma patients with established febrile neutropenia. <i>Supportive Care in Cancer</i> , 2014 , 22, 1105-12	3.9	10

121	Visualizing clinical predictors of febrile neutropenia in Asian cancer patients receiving myelosuppressive chemotherapy. <i>Journal of Oncology Pharmacy Practice</i> , 2013 , 19, 111-20	1.7	10
120	Clinical pharmacy services and research for lymphoma patients at a cancer center. <i>Journal of Oncology Pharmacy Practice</i> , 2013 , 19, 24-30	1.7	10
119	Impact of Adjuvant Anthracycline-Based and Taxane-Based Chemotherapy on Plasma VEGF Levels and Cognitive Function in Breast Cancer Patients: A Longitudinal Study. <i>Clinical Breast Cancer</i> , 2018 , 18, e927-e937	3	10
118	HbA1c variability in type 2 diabetes is associated with the occurrence of new-onset albuminuria within three years. <i>Diabetes Research and Clinical Practice</i> , 2017 , 128, 32-39	7.4	9
117	Role of Exosomes in Cancer-Related Cognitive Impairment. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	9
116	Clinically-relevant chemotherapy interactions with complementary and alternative medicines in patients with cancer. <i>Recent Patents on Food, Nutrition & English & Eng</i>	1.9	9
115	OncoRx-IQ: a tool for quality assessment of online anticancer drug interactions. <i>International Journal for Quality in Health Care</i> , 2010 , 22, 93-106	1.9	9
114	Exploring Chemotherapy-Induced Toxicities through Multivariate Projection of Risk Factors: Prediction of Nausea and Vomiting. <i>Toxicological Research</i> , 2012 , 28, 81-91	3.7	9
113	Global oncology pharmacy response to COVID-19 pandemic: Medication access and safety. <i>Journal of Oncology Pharmacy Practice</i> , 2020 , 26, 1225-1229	1.7	8
112	An Evaluation of DNA Methyltransferase 1 (DNMT1) Single Nucleotide Polymorphisms and Chemotherapy-Associated Cognitive Impairment: A Prospective, Longitudinal Study. <i>Scientific Reports</i> , 2019 , 9, 14570	4.9	8
111	Management of tumor lysis syndrome with a single fixed dose of rasburicase in Asian lymphoma patients: a case series and literature review. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2011 , 7, 351-6	1.9	8
110	Cancer informatics for the clinician: an interaction database for chemotherapy regimens and antiepileptic drugs. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2010 , 19, 59-67	3.2	8
109	Utilizing mobile networks for the detection of clinically relevant interactions between chemotherapy regimens and complementary and alternative medicines. <i>Journal of Alternative and Complementary Medicine</i> , 2012 , 18, 165-74	2.4	8
108	Distinct financial distress profiles in patients with breast cancer prior to and for 12 months following surgery. <i>BMJ Supportive and Palliative Care</i> , 2020 ,	2.2	8
107	Psychometric testing of the Functional Assessment of Cancer Therapy/Gynecologic Oncology Group-Neurotoxicity (FACT/GOG-Ntx)\(\mathbb{L}\) ubscale in a longitudinal study of cancer patients treated with chemotherapy. Health and Quality of Life Outcomes, 2020, 18, 246	3	8
106	Cancer Supportive and Survivorship Care in Singapore: Current Challenges and Future Outlook. <i>Journal of Global Oncology</i> , 2018 , 4, 1-8	2.6	8
105	Managing Pharmacotherapy in People Living With HIV and Concomitant Malignancy. <i>Annals of Pharmacotherapy</i> , 2019 , 53, 812-832	2.9	7
104	Rationale and design of the Pan Australasian chemotherapy-induced emesis burden of illness study. Supportive Care in Cancer, 2015 , 23, 253-61	3.9	7

(2018-2015)

103	Trajectory and risk factors for chemotherapy-induced nausea and vomiting in Asian patients with head and neck cancer. <i>Head and Neck</i> , 2015 , 37, 1349-57	4.2	7
102	A longitudinal analysis of phenotypic and symptom characteristics associated with inter-individual variability in employment interference in patients with breast cancer. <i>Supportive Care in Cancer</i> , 2020 , 28, 4677-4686	3.9	7
101	Perceptions and Barriers of Survivorship Care in Asia: Perceptions From Asian Breast Cancer Survivors. <i>Journal of Global Oncology</i> , 2017 , 3, 98-104	2.6	7
100	Aprepitant for Patients Receiving Highly Emetogenic Chemotherapy: An Economic Analysis for Singapore. <i>Value in Health Regional Issues</i> , 2012 , 1, 66-74	1.6	7
99	Conservative management of L-asparaginase-induced hypertriglyceridemia in an adult patient: a case report and review of the literature. <i>Onkologie</i> , 2012 , 35, 596-8		7
98	BSA and ABCB1 polymorphism affect the pharmacokinetics of sunitinib and its active metabolite in Asian mRCC patients receiving an attenuated sunitinib dosing regimen. <i>Cancer Chemotherapy and Pharmacology</i> , 2016 , 78, 623-32	3.5	7
97	Underdiagnosis of depression in an economically deprived population in Macao, China. <i>Asia-Pacific Psychiatry</i> , 2016 , 8, 70-9	3.2	7
96	Patient-centric decision framework for treatment alterations in patients with Chemotherapy-induced Peripheral Neuropathy (CIPN). <i>Cancer Treatment Reviews</i> , 2021 , 99, 102241	14.4	7
95	Association of plasma leptin, pro-inflammatory adipokines and cancer-related fatigue in early-stage breast cancer patients: A prospective cohort study. <i>Journal of Cellular and Molecular Medicine</i> , 2019 , 23, 4281-4289	5.6	6
94	Distinct cytokine profiles across trajectories of self-perceived cognitive impairment among early-stage breast cancer survivors. <i>Journal of Neuroimmunology</i> , 2020 , 342, 577196	3.5	6
93	Costs and length of stay of drug-related hospital admissions in cancer patients. <i>Clinical Therapeutics</i> , 2014 , 36, 588-92	3.5	6
92	Economic Evaluation of Anastrozole Versus Tamoxifen for Early Stage Breast Cancer in Singapore. <i>Value in Health Regional Issues</i> , 2012 , 1, 46-53	1.6	6
91	Drug-drug interactions between oral antiepileptics and oral anticancer drugs: implications to clinicians. <i>European Neurology</i> , 2010 , 64, 88-94	2.1	6
90	International Society of Oncology Pharmacy Practitioners (ISOPP) position statement: Role of the oncology pharmacy team in cancer care. <i>Journal of Oncology Pharmacy Practice</i> , 2021 , 27, 785-801	1.7	6
89	Clinical outcomes for cancer patients using complementary and alternative medicine. <i>Alternative Therapies in Health and Medicine</i> , 2012 , 18, 12-7	2.5	6
88	Optimizing Symptoms and Management of Febrile Neutropenia among Cancer Patients: Current Status and Future Directions. <i>Current Oncology Reports</i> , 2017 , 19, 20	6.3	5
87	Implementing Clinical Prediction Models: Pushing the Needle Towards Precision Pharmacotherapy. <i>Clinical Pharmacology and Therapeutics</i> , 2018 , 103, 180-183	6.1	5
86	Psychometric properties and measurement equivalence of the Multidimensional Fatigue Syndrome Inventory- Short Form (MFSI-SF) amongst breast cancer and lymphoma patients in Singapore. <i>Health and Quality of Life Outcomes</i> , 2018 , 16, 20	3	5

85	Breast cancer screening behavior, attitude, barriers among middle-aged Chinese women in Macao, China. <i>Journal of Public Health</i> , 2018 , 40, e560-e570	3.5	5
84	Technological preferences of aging cancer patients for delivery services and devices to solve drug-related problems in oncology. <i>Supportive Care in Cancer</i> , 2014 , 22, 2733-40	3.9	5
83	Economic burden of adverse drug reactions and potential for pharmacogenomic testing in Singaporean adults. <i>Pharmacogenomics Journal</i> , 2019 , 19, 401-410	3.5	5
82	Chemotherapy-associated cognitive impairments in Korean cancer patients: Risk factors and functional outcome. <i>Psycho-Oncology</i> , 2018 , 27, 1995-2001	3.9	5
81	Cancer-related cognitive impairment is associated with perturbations in inflammatory pathways. <i>Cytokine</i> , 2021 , 148, 155653	4	5
80	The prognostic performance of adding patient-reported outcomes to the MASCC risk index to identify low-risk febrile neutropenia patients with solid tumors and lymphomas. <i>Supportive Care in Cancer</i> , 2017 , 25, 2815-2822	3.9	4
79	Carotid artery inflammation associated with gemcitabine-based therapy: a special report. <i>Future Oncology</i> , 2015 , 11, 2049-58	3.6	4
78	A survey of global biosimilar implementation practice conducted by the International Society of Oncology Pharmacy Practitioners. <i>Journal of Oncology Pharmacy Practice</i> , 2020 , 26, 22-32	1.7	4
77	Self-reported cognitive outcomes among adolescent and young adult patients with noncentral nervous system cancers. <i>Psycho-Oncology</i> , 2020 , 29, 1355-1362	3.9	4
76	Applicability of the National Comprehensive Cancer Network/Multinational Association of Supportive Care in Cancer Guidelines for Prevention and Management of Chemotherapy-Induced Nausea and Vomiting in Southeast Asia: A Consensus Statement. <i>Journal of Global Oncology</i> , 2017 ,	2.6	4
75	Acknowledging the relevance of cognitive changes in cancer patients: perspectives of oncology practitioners in Asia. <i>Journal of Cancer Survivorship</i> , 2013 , 7, 146-54	5.1	4
74	Antiemetic effectiveness and nausea and vomiting incidence during capecitabine and oxaliplatin chemotherapy. <i>Nursing Research</i> , 2012 , 61, 405-12	1.9	4
73	Reporting adherence, validity and physical activity measures of wearable activity trackers in medical research: A systematic review <i>International Journal of Medical Informatics</i> , 2022 , 160, 104696	5.3	4
72	Routine Primary Prophylaxis for Febrile Neutropenia with Biosimilar Granulocyte Colony-Stimulating Factor (Nivestim) or Pegfilgrastim Is Cost Effective in Non-Hodgkin Lymphoma Patients undergoing Curative-Intent R-CHOP Chemotherapy. <i>PLoS ONE</i> , 2016 , 11, e0148901	3.7	4
71	Management of hepatitis B reactivation in lymphoma patients on rituximab with past hepatitis B exposure: An observational study. <i>Journal of Oncology Pharmacy Practice</i> , 2019 , 25, 1042-1052	1.7	4
70	Prechemotherapy Levels of Plasma Dehydroepiandrosterone and Its Sulfated Form as Predictors of Cancer-Related Cognitive Impairment in Patients with Breast Cancer Receiving Chemotherapy. <i>Pharmacotherapy</i> , 2019 , 39, 553-563	5.8	3
69	Roles and recommendations from primary care physicians towards managing low-risk breast cancer survivors in a shared-care model with specialists in Singapore-a qualitative study. <i>Family Practice</i> , 2020 , 37, 547-553	1.9	3
68	Medication use by early-stage breast cancer survivors: a 1-year longitudinal study. <i>Supportive Care in Cancer</i> , 2016 , 24, 1639-47	3.9	3

(2020-2016)

67	Perceptions of pharmacy students and pharmacists on SOAP note education and utility in pharmacy practice. <i>Currents in Pharmacy Teaching and Learning</i> , 2016 , 8, 77-82	1.5	3
66	Optimizing Vancomycin Dosing in Chronic Kidney Disease by Deriving and Implementing a Web-Based Tool Using a Population Pharmacokinetics Analysis. <i>Frontiers in Pharmacology</i> , 2019 , 10, 641	5.6	3
65	Linguistic validation of Functional Assessment of Cancer Therapy-Cognitive Function (FACT-Cog): methodological concerns. <i>Supportive Care in Cancer</i> , 2013 , 21, 655-6	3.9	3
64	Dosing modifications of targeted cancer therapies in patients with special needs: evidence and controversies. <i>Critical Reviews in Oncology/Hematology</i> , 2012 , 81, 58-74	7	3
63	Development of a chemotherapy regimen interaction database for the mobile internet: detecting interactions with psychotropics through OncoRx-MI. <i>Informatics for Health and Social Care</i> , 2011 , 36, 132-46	2.7	3
62	Impact of a pharmacist-led education and follow-up service on anticoagulation control and safety outcomes at a tertiary hospital in China: a randomised controlled trial. <i>International Journal of Pharmacy Practice</i> , 2020 , 28, 97-106	1.7	3
61	Pharmacy students' perceptions toward peer assessment and its use in teaching patient presentation skills. <i>Currents in Pharmacy Teaching and Learning</i> , 2020 , 12, 228-236	1.5	3
60	HPLC-MS/MS coupled with equilibrium dialysis method for quantification of free drug concentration of pazopanib in plasma. <i>Heliyon</i> , 2020 , 6, e03813	3.6	3
59	Impact of Cryotherapy on Sensory, Motor, and Autonomic Neuropathy in Breast Cancer Patients Receiving Paclitaxel: A Randomized, Controlled Trial. <i>Frontiers in Neurology</i> , 2020 , 11, 604688	4.1	3
58	Psychometric Properties of the Functional Assessment of Cancer Therapy-Neutropenia in Asian Cancer Patients With Chemotherapy-Induced Neutropenia. <i>Journal of Pain and Symptom Management</i> , 2016 , 52, 428-36	4.8	3
57	Recommendations for Aligning PGY2 Pharmacy Residency Training and Pharmacy Specialist Board Certification. <i>Pharmacotherapy</i> , 2016 , 36, e34-9	5.8	3
56	Perception of electronic peer review of SOAP notes among pharmacy students enrolling in their first pharmacotherapeutics course. <i>Currents in Pharmacy Teaching and Learning</i> , 2019 , 11, 1259-1264	1.5	3
55	International Society of Oncology Pharmacy Practitioners global position on the use of biosimilars in cancer treatment and supportive care. <i>Journal of Oncology Pharmacy Practice</i> , 2020 , 26, 3-10	1.7	3
54	Relationship between cytokines and brain-derived neurotrophic factor (BDNF) in trajectories of cancer-related cognitive impairment. <i>Cytokine</i> , 2021 , 144, 155556	4	3
53	The use of patient-reported outcomes in routine cancer care: preliminary insights from a multinational scoping survey of oncology practitioners. <i>Supportive Care in Cancer</i> , 2021 , 1	3.9	3
52	Assessing biosimilar education needs among oncology pharmacy practitioners worldwide: An ISOPP membership survey. <i>Journal of Oncology Pharmacy Practice</i> , 2020 , 26, 11-21	1.7	2
51	Optimizing Survivorship Care Services for Asian Adolescent and Young Adult Cancer Survivors: A Qualitative Study. <i>Journal of Adolescent and Young Adult Oncology</i> , 2020 , 9, 384-393	2.2	2
50	Work- and insurance-related issues among Asian adolescent and young-adult cancer survivors: a qualitative study. <i>Supportive Care in Cancer</i> , 2020 , 28, 5901-5909	3.9	2

49	Long-term Clinical and Cost Outcomes of a Pharmacist-managed Risk Factor Management Clinic in Singapore: An Observational Study. <i>Clinical Therapeutics</i> , 2017 , 39, 2355-2365	3.5	2
48	Therapeutic Use of Filgrastim for Established Febrile Neutropenia Is Cost Effective Among Patients With Solid Tumors and Lymphomas. <i>Clinical Therapeutics</i> , 2017 , 39, 1161-1170	3.5	2
47	Survivorship Care Provision for Patients With Hematologic Malignancies: The Quest for Quality Evidence. <i>Cancer Nursing</i> , 2015 , 38, 414-5	2.6	2
46	Clinical impact of drug-drug interaction between aspirin and prednisolone at a cancer center. <i>Clinical Therapeutics</i> , 2012 , 34, 2259-67	3.5	2
45	Gut microbiome alterations in breast cancer survivors with cancer-related fatigue <i>Journal of Clinical Oncology</i> , 2018 , 36, e22178-e22178	2.2	2
44	Associations of plasma brain-derived neurotrophic factor (BDNF) and Val66Met polymorphism (rs6265) with long-term cancer-related cognitive impairment in survivors of breast cancer. <i>Breast Cancer Research and Treatment</i> , 2020 , 183, 683-696	4.4	2
43	Clinical and economic evaluation of a surveillance protocol to manage hepatitis B virus (HBV) reactivation among lymphoma patients with resolved HBV infection receiving rituximab. <i>Pharmacotherapy</i> , 2021 , 41, 332-341	5.8	2
42	Practitioners' perspectives on community-based breast cancer survivorship care in Singapore: A focus group study. <i>Health and Social Care in the Community</i> , 2018 , 26, 404-411	2.6	2
41	Chemotherapy drug concentrations in hair follicles: a potential biomarker to monitor the effectiveness of scalp cooling for chemotherapy-induced alopecia. <i>Supportive Care in Cancer</i> , 2018 , 26, 3669-3670	3.9	2
40	Investigating how cancer-related symptoms influence work outcomes among cancer survivors: a systematic review. <i>Journal of Cancer Survivorship</i> , 2021 , 1	5.1	2
39	Role of Procalcitonin in Differentiating between Infectious and Noninfectious Fevers among Patients with Lymphoma. <i>Pharmacotherapy</i> , 2017 , 37, 908-915	5.8	1
38	A response to the letter to the editor on "Management of hepatitis B reactivation in lymphoma patients on rituximab with past hepatitis B exposure: An observational study". <i>Journal of Oncology Pharmacy Practice</i> , 2018 , 24, 478-479	1.7	1
37	A Pilot Study to Evaluate the Role of Therapeutic Drug Monitoring of Pegfilgrastim in Lymphoma Patients Receiving Chemotherapy. <i>Proceedings of Singapore Healthcare</i> , 2014 , 23, 13-20	0.5	1
36	Experience with nesiritide at a community hospital. <i>American Journal of Health-System Pharmacy</i> , 2004 , 61, 1337-8	2.2	1
35	Mitochondrial DNA content in peripheral blood as a biomarker for cancer-related fatigue in early-stage breast cancer patients: A prospective cohort study <i>Journal of Clinical Oncology</i> , 2017 , 35, 10018-10018	2.2	1
34	A genome-wide association study (GWAS) meta-analysis of chemotherapy-associated cognitive impairment (CACI) in Asian early-stage breast cancer patients (ESBC) <i>Journal of Clinical Oncology</i> , 2017 , 35, 10096-10096	2.2	1
33	A web-based tool to predict chemotherapy-associated cognitive impairment during survivorship <i>Journal of Clinical Oncology</i> , 2017 , 35, e21609-e21609	2.2	1
32	Validation of pharmaceutical pictograms among older adults with limited English proficiency. <i>Patient Education and Counseling</i> , 2021 ,	3.1	1

Extracellular Vesicle Proteome of Breast Cancer Patients with and Without Cognitive Impairment 31 Following Anthracycline-based Chemotherapy: An Exploratory Study. Biomarker Insights, 2021, 16, 117727519211018204 Thalidomide for Delayed Chemotherapy-Induced Nausea and Vomiting: Where Is Its Place in 30 2.2 Therapy?. Journal of Clinical Oncology, 2018, 36, 827-828 Characteristics associated with inter-individual variability in financial distress in patients with breast 29 3.9 1 cancer prior to and for 12 months following surgery. Supportive Care in Cancer, 2021, 1 Incidence and Management of Toxicity Associated with LAsparaginase in the Treatment of ALL and 28 1 NK/TCell Lymphoma: an Observational Study. Asian Pacific Journal of Cancer Prevention, **2016**, 17, 3155-60Barriers and facilitators to exercise among adult cancer survivors in Singapore.. Supportive Care in 27 3.9 1 Cancer, 2022, 1 Dual contribution of the gut microbiome to immunotherapy efficacy and toxicity: supportive care 26 3.9 implications and recommendations.. Supportive Care in Cancer, 2022, 1 Pulmonary edema and possible pneumonitis associated with celecoxib. Annals of Pharmacotherapy, 25 2.9 O 2004, 38, 1086 Pharmacological Treatment of Established Chemotherapy-Induced Peripheral Neuropathy 2021, 155-181 24 Older adult and family caregiver experiences with prescription medication labels and their Ο 23 suggestions for label improvement.. Exploratory Research in Clinical and Social Pharmacy, 2021, 4, 100087 A study protocol for HEalth-Related quality of life-intervention in survivors of Breast and other cancers experiencing cancer-related fatigue using TraditionAL Chinese Medicine: the HERBAL trial. 2.8 Trials, 2020, 21, 909 Association of mitochondrial DNA content and displacement loop region sequence variations with 21 O cancer-related fatigue in breast cancer survivors receiving chemotherapy. Mitochondrion, 2020, 54, 65-7 199 Pharmacogenomics Implementation Training Improves Self-Efficacy and Competency to Drive 20 5.6 Adoption in Clinical Practice. *Frontiers in Pharmacology*, **2021**, 12, 684907 Distinct employment interference profiles in patients with breast cancer prior to and for 12 months 4.8 19 O following surgery. BMC Cancer, 2021, 21, 883 Current and recommended practices for evaluating adverse drug events using electronic health 18 1.4 records: A systematic review. JACCP Journal of the American College of Clinical Pharmacy, 2021, 4, 1457 Range, effectiveness, and implementation of decision aids supporting cancer survivors decisions over health services participation in the post-treatment phase: A systematic review.. Journal of 17 2.2 \circ Clinical Oncology, 2021, 39, 203-203 Health Disparities in Pharmacy Practice Within the Community: Let's Brainstorm for Solutions.. 16 6 Frontiers in Public Health, 2022, 10, 847696 Diet and exercise advice and referrals for cancer survivors: an integrative review of medical and 15 3.9 O nursing perspectives. Supportive Care in Cancer, Evaluation of Thiazolidinediones on Cardiovascular Outcomes in Patients with Type 2 Diabetes 0.6 14 Mellitus: A Systematic Review. Journal for Nurse Practitioners, 2009, 5, 176-184

13	Impact of erythropoiesis-stimulating agent prescribing at an Asian cancer center, after release of safety advisories. <i>Journal of Oncology Pharmacy Practice</i> , 2011 , 17, 350-9	1.7
12	Preventing oxaliplatin-induced sensory neurotoxicity: a methodology perspective. <i>Journal of Clinical Oncology</i> , 2011 , 29, e489; author reply e490-1	2.2
11	Feasibility, delivery, and acceptance of a multidisciplinary survivorship care model based in an Asian national ambulatory cancer center: A six-month review <i>Journal of Clinical Oncology</i> , 2020 , 38, 34-34	2.2
10	Impact of coronavirus of 2019 on the delivery of pharmacy services to patients with cancer: An international survey of oncology pharmacy practitioners. <i>Journal of Oncology Pharmacy Practice</i> , 2021 , 10781552211048892	1.7
9	AIDS-related lymphoma (ARL) in Asians in the era of HAART and rituximab <i>Journal of Clinical Oncology</i> , 2012 , 30, e18546-e18546	2.2
8	Association between clinical response and toxicities with drug exposure in an alternative dosing regimen of sunitinib <i>Journal of Clinical Oncology</i> , 2014 , 32, 439-439	2.2
7	ICES (International Carboplatin Emesis Survey) for the evaluation of the emetogenicity of continuous cycles of carboplatin-based chemotherapy with focus on nausea: A MASCC emesis study group, prospective, observational, real-world multi-centric study <i>Journal of Clinical Oncology</i> , 2021	2.2
6	, 39, e24086-e24086 Adverse lifestyle behaviors among childhood cancer survivors with cognitive impairment: The Project Forward Cohort <i>Journal of Clinical Oncology</i> , 2021 , 39, 138-138	2.2
5	Baseline characteristics of breast and gynecological cancer patients enrolled in the trial of a multidisciplinary survivorship care model in an Asian national ambulatory cancer center <i>Journal of Clinical Oncology</i> , 2021 , 39, 37-37	2.2
4	Adherence to Cancer Survivorship Care Guidelines and Health Care Utilization Patterns Among Nonmetastatic Breast Cancer Survivors in Singapore <i>JCO Global Oncology</i> , 2022 , 8, e2100246	3.7
3	Implementing a community-based shared care breast cancer survivorship model in Singapore: a qualitative study among primary care practitioners. 2022 , 23, 73	
2	International society of oncology pharmacy practitioners (ISOPP) position statement: The role of oncology pharmacy practitioners in immunotherapy treatment with immune checkpoint inhibitors for malignant conditions <i>Journal of Oncology Pharmacy Practice</i> , 2022 , 10781552221090199	1.7

24. An analysis of the National Institutes of Health All of Us Research Database: Sociodemographic Disparities Among Patients Who Received Vaccinations. *Open Forum Infectious Diseases*, **2021**, 8, S135-S136