

Ya-Qin Chai

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9284871/ya-qin-chai-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

365 papers	12,397 citations	59 h-index	82 g-index
379 ext. papers	14,709 ext. citations	7.4 avg, IF	7.12 L-index

#	Paper	IF	Citations
365	P3HT-PbS nanocomposites with mimicking enzyme as bi-enhancer for ultrasensitive photocathodic biosensor. <i>Biosensors and Bioelectronics</i> , 2022 , 197, 113806	11.8	1
364	Porous FeO@COF-Immobilized gold nanoparticles with excellent catalytic performance for sensitive electrochemical detection of ATP. <i>Biosensors and Bioelectronics</i> , 2022 , 197, 113758	11.8	10
363	A novel self-enhancement NCNDs-BPEI-Ru nanocomposite with highly efficient electrochemiluminescence as signal probe for ultrasensitive detection of MTB. <i>Sensors and Actuators B: Chemical</i> , 2022 , 354, 131252	8.5	0
362	Highly sensitive photoelectrochemical biosensor based on Au nanoparticles sensitized zinc selenide quantum dots for DNA detection. <i>Sensors and Actuators B: Chemical</i> , 2022 , 357, 131255	8.5	3
361	A Novel Ratiometric Electrochemical Biosensor Using Only One Signal Tag for Highly Reliable and Ultrasensitive Detection of miRNA-21.. <i>Analytical Chemistry</i> , 2022 , 94, 5167-5172	7.8	5
360	Mismatch-fueled catalytic hairpin assembly mediated ultrasensitive biosensor for rapid detection of MicroRNA.. <i>Analytica Chimica Acta</i> , 2022 , 1204, 339663	6.6	0
359	Enhanced cathodic photocurrent derived from N-type S doped-BiWO nanoparticles through an antenna-like strategy for photoelectrochemical biosensor.. <i>Biosensors and Bioelectronics</i> , 2022 , 207, 114176	11.8	1
358	A core-brush 3D DNA nanostructure: the next generation of DNA nanomachine for ultrasensitive sensing and imaging of intracellular microRNA with rapid kinetics.. <i>Chemical Science</i> , 2021 , 12, 15953-15959	9.4	3
357	Dual 3D DNA Nanomachine-Mediated Catalytic Hairpin Assembly for Ultrasensitive Detection of MicroRNA. <i>Analytical Chemistry</i> , 2021 , 93, 13952-13959	7.8	6
356	Double Hairpin DNAs Recognition Induced a Novel Cascade Amplification for Highly Specific and Ultrasensitive Electrochemiluminescence Detection of DNA. <i>Analytical Chemistry</i> , 2021 , 93, 7987-7992	7.8	6
355	Electrochemiluminescence from a biocatalysis accelerated N-(aminobutyl)-N-(ethylisoluminol)/dissolved O system for microRNA detection. <i>Mikrochimica Acta</i> , 2021 , 188, 205	5.8	1
354	Engineering a high-efficient DNA amplifier for biosensing application based on perylene decorated Ag microflowers as novel electrochemiluminescence indicators. <i>Biosensors and Bioelectronics</i> , 2021 , 182, 113178	11.8	9
353	A sensitive label-free photoelectrochemical aptasensor based on a novel PTB7-Th/HO system with unexpected photoelectric performance for C-reactive protein analysis. <i>Biosensors and Bioelectronics</i> , 2021 , 181, 113162	11.8	3
352	DNA Structure-Stabilized Liquid-Liquid Self-Assembled Ordered Au Nanoparticle Interface for Sensitive Detection of MiRNA 155. <i>Analytical Chemistry</i> , 2021 , 93, 11019-11024	7.8	6
351	Ag/TiO2 nanocomposites as a novel SERS substrate for construction of sensitive biosensor. <i>Sensors and Actuators B: Chemical</i> , 2021 , 339, 129843	8.5	17
350	Engineering a Rolling-Circle Strand Displacement Amplification Mediated Label-Free Ultrasensitive Electrochemical Biosensing Platform. <i>Analytical Chemistry</i> , 2021 , 93, 9568-9574	7.8	5
349	High-Efficient Electrochemiluminescence of Au Nanoclusters Induced by the Electrosensitizer CuO: The Mechanism Insights from the Electrogenenerated Process. <i>Analytical Chemistry</i> , 2021 , 93, 10212-10219	7.8	6

348	Kill Three Birds with One Stone: Poly(3,4-ethylenedioxythiophene)-Hosted Ag Nanoclusters with Boosted Cathodic Electrochemiluminescence for Biosensing Application. <i>Analytical Chemistry</i> , 2021 , 93, 1120-1125	7.8	9
347	Two kinds of DNA enzyme-powered bidirectional one-dimensional DNA walking nanomachine for payload release and biosensing. <i>Biosensors and Bioelectronics</i> , 2021 , 175, 112848	11.8	3
346	Defect engineering of In ₂ S ₃ nanoflowers through tungsten doping for ultrasensitive visible-light-excited photoelectrochemical sensors. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 7384-7391	7.1	5
345	Co-catalytic Fc/HGQs/FeO nanocomposite mediated enzyme-free electrochemical biosensor for ultrasensitive detection of MicroRNA. <i>Chemical Communications</i> , 2021 , 57, 5179-5182	5.8	4
344	Self-Assembly of Gold Nanoclusters into a Metal-Organic Framework with Efficient Electrochemiluminescence and Their Application for Sensitive Detection of Rutin. <i>Analytical Chemistry</i> , 2021 , 93, 3445-3451	7.8	13
343	Crystallization-Induced Enhanced Electrochemiluminescence from Tetraphenyl Alkene Nanocrystals for Ultrasensitive Sensing. <i>Analytical Chemistry</i> , 2021 , 93, 10890-10897	7.8	6
342	Cu-doped In ₂ S ₃ based DNA nanocluster for ultrasensitive photoelectrochemical detection of VEGF165. <i>Sensors and Actuators B: Chemical</i> , 2021 , 340, 129942	8.5	4
341	Programming a ""-like DNA Nanomachine as a Super Signal Amplifier for Ultrasensitive Electrochemical Assay of Hg. <i>Analytical Chemistry</i> , 2021 , 93, 12075-12080	7.8	2
340	Photoelectrochemical Assay Based on SnO/BiOBr p-n Heterojunction for Ultrasensitive DNA Detection. <i>Analytical Chemistry</i> , 2021 , 93, 12995-13000	7.8	3
339	Versatile Luminol/Dissolved Oxygen/Fe@FeO Nanowire Ternary Electrochemiluminescence System Combined with Highly Efficient Strand Displacement Amplification for Ultrasensitive microRNA Detection. <i>Analytical Chemistry</i> , 2021 , 93, 13334-13341	7.8	11
338	A SERS biosensor constructed by calcined ZnO substrate with high-efficiency charge transfer for sensitive detection of Pb ²⁺ . <i>Sensors and Actuators B: Chemical</i> , 2021 , 343, 130142	8.5	9
337	DNA Three-Way Junction with Multiple Recognition Regions Mediated an Unconfined DNA Walker for Electrochemical Ultrasensitive Detection of miRNA-182-5p. <i>Analytical Chemistry</i> , 2021 , 93, 12981-12986	7.8	8
336	Modular engineering of gold-silver nanocluster supermolecular structure endow strong electrochemiluminescence for ultrasensitive bioanalysis. <i>Biosensors and Bioelectronics</i> , 2021 , 190, 113449	11.8	4
335	Dual catalytic hairpin assembly and enzyme cascade catalysis amplification based sensitive dual-mode biosensor with significantly enhanced opposite signal readout. <i>Sensors and Actuators B: Chemical</i> , 2021 , 348, 130676	8.5	1
334	Programmable High-Speed and Hyper-Efficiency DNA Signal Magnifier.. <i>Advanced Science</i> , 2021 , e2104084	8.6	3
333	In Situ Formation of Multifunctional DNA Nanospheres for a Sensitive and Accurate Dual-Mode Biosensor for Photoelectrochemical and Electrochemical Assay. <i>Analytical Chemistry</i> , 2020 , 92, 8364-8370	7.8	30
332	A near-infrared light-controlled, ultrasensitive one-step photoelectrochemical detection of dual cell apoptosis indicators in living cancer cells. <i>Chemical Communications</i> , 2020 , 56, 8488-8491	5.8	4
331	Tetrakis(4-aminophenyl) ethene-doped perylene microcrystals with strong electrochemiluminescence for biosensing applications. <i>Analyst</i> , 2020 , 145, 5260-5265	5	

330	High-Efficiency CNNS@NH-MIL(Fe) Electrochemiluminescence Emitters Coupled with TiC Nanosheets as a Matrix for a Highly Sensitive Cardiac Troponin I Assay. <i>Analytical Chemistry</i> , 2020 , 92, 8992-9000	7.8	28
329	An orbitron-like 3D DNA clip-based nanomachine and its application for sensitive fluorescent bioassay of MicroRNA. <i>Analytica Chimica Acta</i> , 2020 , 1126, 24-30	6.6	
328	Intense electrochemiluminescence from an organic microcrystal accelerated HO-free luminol system for microRNA detection. <i>Chemical Communications</i> , 2020 , 56, 9000-9003	5.8	8
327	Aggregation-Induced Synergism by Hydrophobic-Driven Self-Assembly of Amphiphilic Oligonucleotides. <i>Chemistry - A European Journal</i> , 2020 , 26, 8767-8773	4.8	2
326	DNA Structure Transition-Induced Affinity Switch for Biosensing Based on the Strong Electrochemiluminescence Platform from Organic Microcrystals. <i>Analytical Chemistry</i> , 2020 , 92, 3940-3948	7.8	10
325	Electrochemical biomolecule detection based on the regeneration of high-efficiency cascade catalysis for bifunctional nanozymes. <i>Chemical Communications</i> , 2020 , 56, 2276-2279	5.8	8
324	Covalent organic frameworks as micro-reactors: confinement-enhanced electrochemiluminescence. <i>Chemical Science</i> , 2020 , 11, 5410-5414	9.4	22
323	Highly Sensitive Photoelectrochemical Biosensor Based on Quantum Dots Sensitizing BiTe Nanosheets and DNA-Amplifying Strategies. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 22624-22629	9.5	31
322	One DNA circle capture probe with multiple target recognition domains for simultaneous electrochemical detection of miRNA-21 and miRNA-155. <i>Biosensors and Bioelectronics</i> , 2020 , 149, 111848	11.8	46
321	3D Matrix-Arranged AuAg Nanoclusters As Electrochemiluminescence Emitters for Click Chemistry-Driven Signal Switch Bioanalysis. <i>Analytical Chemistry</i> , 2020 , 92, 2566-2572	7.8	14
320	A well-directional three-dimensional DNA walking nanomachine that runs in an orderly manner. <i>Chemical Science</i> , 2020 , 11, 2193-2199	9.4	10
319	MnO MFs as a coreaction accelerator for the construction of a novel ternary electrochemiluminescence system: ultrasensitive detection of microRNA. <i>Chemical Communications</i> , 2020 , 56, 976-979	5.8	4
318	Programmable mismatch-fueled high-efficiency DNA signal converter. <i>Chemical Science</i> , 2020 , 11, 148-153	9.4	19
317	Pore Confinement-Enhanced Electrochemiluminescence on SnO Nanocrystal Xerogel with NO As Co-Reactant and Its Application in Facile and Sensitive Bioanalysis. <i>Analytical Chemistry</i> , 2020 , 92, 2839-2846	7.8	15
316	Organic Dots Embedded in Mesostructured Silica Xerogel as High-Performance ECL Emitters: Preparation and Application for MicroRNA-126 Detection. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 3945-3952	9.5	13
315	Lattice-Like DNA Tetrahedron Nanostructure as Scaffold to Locate GOx and HRP Enzymes for Highly Efficient Enzyme Cascade Reaction. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 2871-2877	9.5	13
314	The combination of ternary electrochemiluminescence system of g-CN nanosheet/TEA/Cu@CuO and G-quadruplex-driven regeneration strategy for ultrasensitive bioanalysis. <i>Biosensors and Bioelectronics</i> , 2020 , 152, 112006	11.8	18
313	Efficient electrochemiluminescence of perylene nanocrystal entrapped in hierarchical porous Au nanoparticle-graphene oxide film for bioanalysis based on one-pot DNA amplification. <i>Electrochimica Acta</i> , 2020 , 332, 135389	6.7	4

312	Sensitive immunosensor based on high effective resonance energy transfer of lucigenin to the cathodic electrochemiluminescence of tris(bipyridine) Ru(II) complex. <i>Biosensors and Bioelectronics</i> , 2020 , 150, 111915	11.8	2
311	Anodic Electrochemiluminescence of Carbon Dots Promoted by Nitrogen Doping and Application to Rapid Cancer Cell Detection. <i>Analytical Chemistry</i> , 2020 , 92, 1379-1385	7.8	39
310	Novel Single-Enzyme-Assisted Dual Recycle Amplification Strategy for Sensitive Photoelectrochemical MicroRNA Assay. <i>Analytical Chemistry</i> , 2020 , 92, 14550-14557	7.8	19
309	High-Efficient Electrochemiluminescence of BCNO Quantum Dot-Equipped Boron Active Sites with Unexpected Catalysis for Ultrasensitive Detection of MicroRNA. <i>Analytical Chemistry</i> , 2020 , 92, 14723-14729	7.8	12
308	Ultrasensitive Photoelectrochemical Assay for DNA Detection Based on a Novel SnS/CoO Sensitized Structure. <i>Analytical Chemistry</i> , 2020 , 92, 14769-14774	7.8	29
307	Rapid self-disassembly of DNA diblock copolymer micelles via target induced hydrophilic-hydrophobic regulation for sensitive MiRNA detection. <i>Chemical Communications</i> , 2020 , 56, 10215-10218	5.8	5
306	An Affinity-Enhanced DNA Intercalator with Intense ECL Embedded in DNA Hydrogel for Biosensing Applications. <i>Analytical Chemistry</i> , 2020 , 92, 11044-11052	7.8	20
305	A Janus 3D DNA nanomachine for simultaneous and sensitive fluorescence detection and imaging of dual microRNAs in cancer cells. <i>Chemical Science</i> , 2020 , 11, 8482-8488	9.4	32
304	Enhancing photoelectrochemical performance of ZnInS by phosphorus doping for sensitive detection of miRNA-155. <i>Chemical Communications</i> , 2020 , 56, 14275-14278	5.8	8
303	Simple and Regulable DNA Dimer Nanodevice to Arrange Cascade Enzymes for Sensitive Electrochemical Biosensing. <i>Analytical Chemistry</i> , 2020 , 92, 14197-14202	7.8	4
302	In Situ Controllable Generation of Copper Nanoclusters Confined in a Poly-L-Cysteine Porous Film with Enhanced Electrochemiluminescence for Alkaline Phosphatase Detection. <i>Analytical Chemistry</i> , 2020 , 92, 13581-13587	7.8	28
301	Fullerenol as a photoelectrochemical nanoprobe for discrimination and ultrasensitive detection of amplification-free single-stranded DNA. <i>Biosensors and Bioelectronics</i> , 2020 , 173, 112802	11.8	9
300	A synergistic promotion strategy remarkably accelerated electrochemiluminescence of SnO QDs for MicroRNA detection using 3D DNA walker amplification. <i>Biosensors and Bioelectronics</i> , 2020 , 173, 112820	11.8	15
299	A DNA nanopillar as a scaffold to regulate the ratio and distance of mimic enzymes for an efficient cascade catalytic platform. <i>Chemical Science</i> , 2020 , 12, 407-411	9.4	8
298	Novel D-A-D-Type Supramolecular Aggregates with High Photoelectric Activity for Construction of Ultrasensitive Photoelectrochemical Biosensor. <i>Analytical Chemistry</i> , 2019 , 91, 12468-12475	7.8	16
297	Construction of a Z-scheme g-CN/Ag/AgI heterojunction for highly selective photoelectrochemical detection of hydrogen sulfide. <i>Chemical Communications</i> , 2019 , 55, 11940-11943	5.8	27
296	Wavelength distinguishable signal quenching and enhancing toward photoactive material 3,4,9,10-perylenetetracarboxylic dianhydride for simultaneous assay of dual metal ions. <i>Biosensors and Bioelectronics</i> , 2019 , 145, 111702	11.8	7
295	A Dynamic DNA Machine via Free Walker Movement on Lipid Bilayer for Ultrasensitive Electrochemiluminescent Bioassay. <i>Analytical Chemistry</i> , 2019 , 91, 14125-14132	7.8	21

294	Ultrasensitive Photoelectrochemical Detection of Multiple Metal Ions Based on Wavelength-Resolved Dual-Signal Output Triggered by Click Reaction. <i>Analytical Chemistry</i> , 2019 , 91, 2861-2868	7.8	33
293	Reversible and Distance-Controllable DNA Scissor: A Regenerated Electrochemiluminescence Biosensing Platform for Ultrasensitive Detection of MicroRNA. <i>Analytical Chemistry</i> , 2019 , 91, 3239-3245	7.8	29
292	Versatile and Ultrasensitive Electrochemiluminescence Biosensor for Biomarker Detection Based on Nonenzymatic Amplification and Aptamer-Triggered Emitter Release. <i>Analytical Chemistry</i> , 2019 , 91, 3452-3458	7.8	59
291	[Ru(dcbpy) dppz] /Fullerene Cosensitized PTB7-Th for Ultrasensitive Photoelectrochemical MicroRNA Assay. <i>Chemistry - A European Journal</i> , 2019 , 25, 4087-4092	4.8	8
290	Novel Ru(bpy)(cpaphen)/TPrA/TiO Ternary ECL System: An Efficient Platform for the Detection of Glutathione with Mn as Substitute Target. <i>Analytical Chemistry</i> , 2019 , 91, 3681-3686	7.8	36
289	Electrocatalytic Efficiency Regulation between Target-Induced HRP-Mimicking DNAzyme and GOx with Low Background for Ultrasensitive Detection of Thrombin. <i>Analytical Chemistry</i> , 2019 , 91, 10289-10294	7.8	20
288	p-n-Sensitized Heterostructure CoO/Fullerene with Highly Efficient Photoelectrochemical Performance for Ultrasensitive DNA Detection. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 23765-23772	9.5	38
287	Simply Constructed and Highly Efficient Classified Cargo-Discharge DNA Robot: A DNA Walking Nanomachine Platform for Ultrasensitive Multiplexed Sensing. <i>Analytical Chemistry</i> , 2019 , 91, 8123-8128	7.8	26
286	Three-Dimensional Cadmium Telluride Quantum Dots-DNA Nanoreticulation as a Highly Efficient Electrochemiluminescent Emitter for Ultrasensitive Detection of MicroRNA from Cancer Cells. <i>Analytical Chemistry</i> , 2019 , 91, 7765-7773	7.8	33
285	A highly sensitive photoelectrochemical VEGF biosensor with a dual signal amplification strategy by using AgVO as a photoactive material. <i>Chemical Communications</i> , 2019 , 55, 8076-8078	5.8	16
284	Highly sensitive biosensor based on target induced dual signal amplification to electrochemiluminescent nanoneedles of Ru(II) complex. <i>Biosensors and Bioelectronics</i> , 2019 , 140, 111344	11.8	9
283	A novel fluorescent assay for the ultrasensitive detection of miRNA-21 with the use of G-quadruplex structures as an immobilization material for a signal indicator. <i>Chemical Communications</i> , 2019 , 55, 6453-6456	5.8	20
282	Ultrasensitive Electrochemiluminescence Biosensor for Speedy Detection of microRNA Based on a DNA Rolling Machine and Target Recycling. <i>Analytical Chemistry</i> , 2019 , 91, 4883-4888	7.8	35
281	CdTe QD-CeO Complex as a Strong Photoelectrochemical Signal Indicator for the Ultrasensitive microRNA Assay. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 11834-11840	9.5	28
280	Near-infrared aggregation-induced enhanced electrochemiluminescence from tetraphenylethylene nanocrystals: a new generation of ECL emitters. <i>Chemical Science</i> , 2019 , 10, 4497-4501	9.4	85
279	FeS ₂ @AuNPs Nanocomposite as Mimicking Enzyme for Constructing Signal-off Sandwich-type Electrochemical Immunosensor Based on Electroactive Nickel Hexacyanoferrate as Matrix. <i>Electroanalysis</i> , 2019 , 31, 1019-1025	3	7
278	Photoelectrochemical aptamer-based sensing of the vascular endothelial growth factor by adjusting the light harvesting efficiency of g-CN via porous carbon spheres. <i>Mikrochimica Acta</i> , 2019 , 186, 275	5.8	11
277	Programming a Target-Initiated Bifunctional DNAzyme Nanodevice for Sensitive Ratiometric Electrochemical Biosensing. <i>Analytical Chemistry</i> , 2019 , 91, 6127-6133	7.8	31

276	An ultrasensitive electrochemiluminescence biosensor for MicroRNA detection based on luminol-functionalized Au NPs@ZnO nanomaterials as signal probe and dissolved O as coreactant. <i>Biosensors and Bioelectronics</i> , 2019 , 135, 8-13	11.8	38
275	Highly-efficient luminol immobilization approach and exponential strand displacement reaction based electrochemiluminescent strategy for monitoring microRNA expression in cell. <i>Biosensors and Bioelectronics</i> , 2019 , 132, 62-67	11.8	14
274	Electrochemiluminescence Enhanced by Restriction of Intramolecular Motions (RIM): Tetraphenylethylene Microcrystals as a Novel Emitter for Mucin 1 Detection. <i>Analytical Chemistry</i> , 2019 , 91, 3710-3716	7.8	40
273	A photoelectrochemical biosensor based on fullerene with methylene blue as a sensitizer for ultrasensitive DNA detection. <i>Biosensors and Bioelectronics</i> , 2019 , 142, 111579	11.8	31
272	A zirconium-based metal-organic framework sensitized by thioflavin-T for sensitive photoelectrochemical detection of C-reactive protein. <i>Chemical Communications</i> , 2019 , 55, 10772-10775	5.8	17
271	Novel ABEI/Dissolved O/AgBiO Nanocrystals ECL Ternary System with High Luminous Efficiency for Ultrasensitive Determination of MicroRNA. <i>Analytical Chemistry</i> , 2019 , 91, 11447-11454	7.8	12
270	BSA stabilized tetraphenylethylene nanocrystals as aggregation-induced enhanced electrochemiluminescence emitters for ultrasensitive microRNA assay. <i>Chemical Communications</i> , 2019 , 55, 9959-9962	5.8	19
269	High-sensitive electrochemiluminescent analysis based on co-reactive high-molecular polymer and dual catalysis to generate oxygen in situ. <i>Analytica Chimica Acta</i> , 2019 , 1081, 65-71	6.6	6
268	DNA Cascade Reaction with High-Efficiency Target Conversion for Ultrasensitive Electrochemiluminescence microRNA Detection. <i>Analytical Chemistry</i> , 2019 , 91, 10258-10265	7.8	12
267	A novel "signal on" photoelectrochemical strategy based on dual functional hemin for microRNA assay. <i>Chemical Communications</i> , 2019 , 55, 9721-9724	5.8	7
266	Highly Efficient Dual-Polar Electrochemiluminescence from Au Nanoclusters: The Next Generation of Multibiomarker Detection in a Single Step. <i>Analytical Chemistry</i> , 2019 , 91, 14618-14623	7.8	20
265	Target-Induced 3D DNA Network Structure as a Novel Signal Amplifier for Ultrasensitive Electrochemiluminescence Detection of MicroRNAs. <i>Analytical Chemistry</i> , 2019 , 91, 14368-14374	7.8	30
264	Biomimetic 3D DNA Nanomachine via Free DNA Walker Movement on Lipid Bilayers Supported by Hard SiO@CdTe Nanoparticles for Ultrasensitive MicroRNA Detection. <i>Analytical Chemistry</i> , 2019 , 91, 14920-14926	7.8	26
263	Precise Regulation of Enzyme Cascade Catalytic Efficiency with DNA Tetrahedron as Scaffold for Ultrasensitive Electrochemical Detection of DNA. <i>Analytical Chemistry</i> , 2019 , 91, 3561-3566	7.8	31
262	TiC/BiVO Schottky junction as a signal indicator for ultrasensitive photoelectrochemical detection of VEGF. <i>Chemical Communications</i> , 2019 , 55, 13729-13732	5.8	30
261	Bipedal DNA walker mediated enzyme-free exponential isothermal signal amplification for rapid detection of microRNA. <i>Chemical Communications</i> , 2019 , 55, 13932-13935	5.8	13
260	A dynamic 3D DNA nanostructure based on silicon-supported lipid bilayers: a highly efficient DNA nanomachine for rapid and sensitive sensing. <i>Chemical Communications</i> , 2019 , 55, 13414-13417	5.8	14
259	Perylene Derivative/Luminol Nanocomposite as a Strong Electrochemiluminescence Emitter for Construction of an Ultrasensitive MicroRNA Biosensor. <i>Analytical Chemistry</i> , 2019 , 91, 1516-1523	7.8	43

258	Strong Electrochemiluminescence from MOF Accelerator Enriched Quantum Dots for Enhanced Sensing of Trace cTnI. <i>Analytical Chemistry</i> , 2018 , 90, 3995-4002	7.8	110
257	A robust, magnetic, and self-accelerated electrochemiluminescent nanosensor for ultrasensitive detection of copper ion. <i>Biosensors and Bioelectronics</i> , 2018 , 109, 109-115	11.8	25
256	A Highly Sensitive Photoelectrochemical Assay with Donor-Acceptor-Type Material as Photoactive Material and Polyaniline as Signal Enhancer. <i>Analytical Chemistry</i> , 2018 , 90, 6096-6101	7.8	42
255	Polyacrylamide Gel-Contained Zinc Finger Peptide as the "Lock" and Zinc Ions as the "Key" for Construction of Ultrasensitive Prostate-Specific Antigen SERS Immunosensor. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 15200-15206	9.5	14
254	Enzyme-free Target Recycling and Double-Output Amplification System for Electrochemiluminescent Assay of Mucin 1 with MoS Nanoflowers as Co-reaction Accelerator. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 14483-14490	9.5	46
253	Silver Ions as Novel Coreaction Accelerator for Remarkably Enhanced Electrochemiluminescence in a PTCA-SO System and Its Application in an Ultrasensitive Assay for Mercury Ions. <i>Analytical Chemistry</i> , 2018 , 90, 6851-6858	7.8	60
252	Programmable Modulation of Copper Nanoclusters Electrochemiluminescence via DNA Nanocranes for Ultrasensitive Detection of microRNA. <i>Analytical Chemistry</i> , 2018 , 90, 3543-3549	7.8	40
251	Highly sensitive electrochemical assay for Nosema bombycis gene DNA PTP1 via conformational switch of DNA nanostructures regulated by H from LAMP. <i>Biosensors and Bioelectronics</i> , 2018 , 106, 186-192	11.8	16
250	Self-enhanced PEI-Ru(II) complex with polyamino acid as booster to construct ultrasensitive electrochemiluminescence immunosensor for carcinoembryonic antigen detection. <i>Analytica Chimica Acta</i> , 2018 , 1001, 112-118	6.6	11
249	Electrochemical synthesis of silver nanoclusters on electrochemiluminescent resonance energy transfer amplification platform for Apo-A1 detection. <i>Talanta</i> , 2018 , 181, 32-37	6.2	30
248	Electrochemiluminescence Peptide-Based Biosensor with Hetero-Nanostructures as Coreaction Accelerator for the Ultrasensitive Determination of Tryptase. <i>Analytical Chemistry</i> , 2018 , 90, 2263-2270	7.8	63
247	Preparation of porous MoP-C microspheres without a hydrothermal process as a high capacity anode for lithium ion batteries. <i>Inorganic Chemistry Frontiers</i> , 2018 , 5, 1432-1437	6.8	14
246	An Electrochemical Assay Based on Acid-Induced Dissolution of Nanoparticles to Trigger Enzyme-Free Cleavage for Target Detection. <i>Journal of the Electrochemical Society</i> , 2018 , 165, B223-B226	3.9	7
245	Self-accelerated electrochemiluminescence emitters of Ag@SnO ₂ nanoflowers for sensitive detection of cardiac troponin T. <i>Electrochimica Acta</i> , 2018 , 271, 464-471	6.7	25
244	Stimuli-Responsive DNA Microcapsules for SERS Sensing of Trace MicroRNA. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 12491-12496	9.5	34
243	Morphology-Controlled 9,10-Diphenylanthracene Nanoblocks as Electrochemiluminescence Emitters for MicroRNA Detection with One-Step DNA Walker Amplification. <i>Analytical Chemistry</i> , 2018 , 90, 5298-5305	7.8	73
242	Sensitive electrochemiluminescent immunosensor for diabetic nephropathy analysis based on tris(bipyridine) ruthenium(II) derivative with binary intramolecular self-catalyzed property. <i>Biosensors and Bioelectronics</i> , 2018 , 100, 35-40	11.8	30
241	Hemin as electrochemically regenerable co-reaction accelerator for construction of an ultrasensitive PTCA-based electrochemiluminescent aptasensor. <i>Biosensors and Bioelectronics</i> , 2018 , 100, 490-496	11.8	44

240	A highly sensitive VEGF photoelectrochemical biosensor fabricated by assembly of aptamer bridged DNA networks. <i>Biosensors and Bioelectronics</i> , 2018 , 101, 213-218	11.8	59
239	Ternary Electrochemiluminescence Nanostructure of Au Nanoclusters as a Highly Efficient Signal Label for Ultrasensitive Detection of Cancer Biomarkers. <i>Analytical Chemistry</i> , 2018 , 90, 10024-10030	7.8	59
238	Novel 2D-DNA-Nanoprobe-Mediated Enzyme-Free-Target-Recycling Amplification for the Ultrasensitive Electrochemical Detection of MicroRNA. <i>Analytical Chemistry</i> , 2018 , 90, 9538-9544	7.8	60
237	Highly Efficient Target Recycling-Based Netlike Y-DNA for Regulation of Electrocatalysis toward Methylene Blue for Sensitive DNA Detection. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 25213-25218	9.5	29
236	Highly Ordered and Field-Free 3D DNA Nanostructure: The Next Generation of DNA Nanomachine for Rapid Single-Step Sensing. <i>Journal of the American Chemical Society</i> , 2018 , 140, 9361-9364	16.4	142
235	A biosensor based on a 3D-DNA walking machine network and distance-controlled electrochemiluminescence energy transfer for ultrasensitive detection of tenascin C and lead ions. <i>Chemical Communications</i> , 2018 , 54, 8741-8744	5.8	17
234	An ultrasensitive electrochemiluminescence biosensor for detection of MicroRNA by in-situ electrochemically generated copper nanoclusters as luminophore and TiO as coreaction accelerator. <i>Biosensors and Bioelectronics</i> , 2018 , 114, 10-14	11.8	44
233	An ultrasensitive photoelectrochemical biosensor based on [Ru(dcbpy)dppz]/Rose Bengal dyes co-sensitized fullerene for DNA detection. <i>Biosensors and Bioelectronics</i> , 2018 , 120, 71-76	11.8	28
232	An ultrasensitive electrochemiluminescence biosensor for multiple detection of microRNAs based on a novel dual circuit catalyzed hairpin assembly. <i>Chemical Communications</i> , 2018 , 54, 10148-10151	5.8	19
231	Dynamical Regulation of Enzyme Cascade Amplification by a Regenerated DNA Nanotweezer for Ultrasensitive Electrochemical DNA Detection. <i>Analytical Chemistry</i> , 2018 , 90, 10701-10706	7.8	46
230	Electrochemiluminescent carbon dot-based determination of microRNA-21 by using a hemin/G-wire supramolecular nanostructure as co-reaction accelerator. <i>Mikrochimica Acta</i> , 2018 , 185, 432	5.8	11
229	An enzyme-free electrochemical biosensor combining target recycling with FeO/CeO@Au nanocatalysts for microRNA-21 detection. <i>Biosensors and Bioelectronics</i> , 2018 , 119, 170-175	11.8	39
228	Homogeneous Entropy Catalytic-Driven DNA Hydrogel as Strong Signal Blocker for Highly Sensitive Electrochemical Detection of Platelet-Derived Growth Factor. <i>Analytical Chemistry</i> , 2018 , 90, 8241-8247	7.8	31
227	Ultrasensitive Photoelectrochemical Biosensor Based on DNA Tetrahedron as Nanocarrier for Efficient Immobilization of CdTe QDs-Methylene Blue as Signal Probe with Near-Zero Background Noise. <i>Analytical Chemistry</i> , 2018 , 90, 8211-8216	7.8	75
226	Ion exchange for synthesis of porous Cu ₂ O/SnO ₂ /ZnSnO ₃ microboxes as a high-performance lithium-ion battery anode. <i>New Journal of Chemistry</i> , 2018 , 42, 12008-12012	3.6	8
225	Functional Three-Dimensional Porous Conductive Polymer Hydrogels for Sensitive Electrochemiluminescence in Situ Detection of HO Released from Live Cells. <i>Analytical Chemistry</i> , 2018 , 90, 8462-8469	7.8	75
224	Ultrasensitive Photoelectrochemical Assay with PTB7-Th/CdTe Quantum Dots Sensitized Structure as Signal Tag and Benzo-4-chlorohexadienone Precipitate as Efficient Quencher. <i>Analytical Chemistry</i> , 2018 , 90, 14521-14526	7.8	19
223	New Signal Probe Integrated with ABEI as ECL Luminophore and Ag Nanoparticles Decorated CoS Nanoflowers as Bis-Co-Reaction Accelerator to Develop a Ultrasensitive cTnT Immunosensor. <i>Journal of the Electrochemical Society</i> , 2018 , 165, B686-B693	3.9	9

222	Application of Antibody-Powered Triplex-DNA Nanomachine to Electrochemiluminescence Biosensor for the Detection of Anti-Digoxigenin with Improved Sensitivity Versus Cycling Strand Displacement Reaction. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 38648-38655	9.5	20
221	Combining Porous Magnetic Ni@C Nanospheres and CaCO Microcapsule as Surface-Enhanced Raman Spectroscopy Sensing Platform for Hypersensitive C-Reactive Protein Detection. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 33707-33712	9.5	8
220	SnS Quantum Dots as New Emitters with Strong Electrochemiluminescence for Ultrasensitive Antibody Detection. <i>Analytical Chemistry</i> , 2018 , 90, 12270-12277	7.8	54
219	N-(aminobutyl)-N-(ethylisoluminol) functionalized Fe-based metal-organic frameworks with intrinsic mimic peroxidase activity for sensitive electrochemiluminescence mucin1 determination. <i>Biosensors and Bioelectronics</i> , 2018 , 121, 250-256	11.8	32
218	An ATP-fueled nucleic acid signal amplification strategy for highly sensitive microRNA detection. <i>Chemical Communications</i> , 2018 , 54, 10897-10900	5.8	6
217	Ultrasensitive Fluorescent Assay Based on a Rolling-Circle-Amplification-Assisted Multisite-Strand-Displacement-Reaction Signal-Amplification Strategy. <i>Analytical Chemistry</i> , 2018 , 90, 7474-7479	7.8	30
216	Highly sensitive electrochemiluminescence immunosensor based on ABEI/HO system with PFO dots as enhancer for detection of kidney injury molecule-1. <i>Biosensors and Bioelectronics</i> , 2018 , 116, 16-22	11.8	17
215	Electrochemiluminescence biosensing based on different modes of switching signals. <i>Analyst, The</i> , 2018 , 143, 3230-3248	5	26
214	An Electrochemical Biosensor for Detection of DNA Species Related to Oral Cancer Based on a Particular Host-Guest Recognition-Assisted Strategy for Signal Tag In Situ. <i>Journal of the Electrochemical Society</i> , 2018 , 165, B289-B295	3.9	4
213	Efficient Electrochemical Self-Catalytic Platform Based on l-Cys-hemin/G-quadruplex and Its Application for Bioassay. <i>Analytical Chemistry</i> , 2018 , 90, 9109-9116	7.8	19
212	Dual triggers induced disassembly of DNA polymer decorated silver nanoparticle for ultrasensitive electrochemical Pb detection. <i>Analytica Chimica Acta</i> , 2018 , 1034, 56-62	6.6	20
211	Amplified impedimetric aptasensor combining target-induced DNA hydrogel formation with pH-stimulated signal amplification for the heparanase assay. <i>Nanoscale</i> , 2017 , 9, 2556-2562	7.7	23
210	DNA nanomachine-based regenerated sensing platform: a novel electrochemiluminescence resonance energy transfer strategy for ultra-high sensitive detection of microRNA from cancer cells. <i>Nanoscale</i> , 2017 , 9, 2310-2316	7.7	65
209	"Off" to "On" Surface-Enhanced Raman Spectroscopy Platform with Padlock Probe-Based Exponential Rolling Circle Amplification for Ultrasensitive Detection of MicroRNA 155. <i>Analytical Chemistry</i> , 2017 , 89, 2866-2872	7.8	89
208	Highly Efficient Electrochemiluminescent Silver Nanoclusters/Titanium Oxide Nanomaterials as a Signal Probe for Ferrocene-Driven Light Switch Bioanalysis. <i>Analytical Chemistry</i> , 2017 , 89, 3732-3738	7.8	73
207	Ultrasensitive Assay for Telomerase Activity via Self-Enhanced Electrochemiluminescent Ruthenium Complex Doped Metal-Organic Frameworks with High Emission Efficiency. <i>Analytical Chemistry</i> , 2017 , 89, 3222-3227	7.8	74
206	Electrochemiluminescence Biosensor Based on 3-D DNA Nanomachine Signal Probe Powered by Protein-Aptamer Binding Complex for Ultrasensitive Mucin 1 Detection. <i>Analytical Chemistry</i> , 2017 , 89, 4280-4286	7.8	97
205	K-junction structure mediated exponential signal amplification strategy for microRNA detection in electrochemiluminescence biosensor. <i>Analyst, The</i> , 2017 , 142, 2185-2190	5	5

204	Highly Efficient Electrochemiluminescence Resonance Energy Transfer System in One Nanostructure: Its Application for Ultrasensitive Detection of MicroRNA in Cancer Cells. <i>Analytical Chemistry</i> , 2017 , 89, 6029-6035	7.8	60
203	In Situ Electrodeposited Synthesis of Electrochemiluminescent Ag Nanoclusters as Signal Probe for Ultrasensitive Detection of Cyclin-D1 from Cancer Cells. <i>Analytical Chemistry</i> , 2017 , 89, 6787-6793	7.8	52
202	An efficient target-intermediate recycling amplification strategy for ultrasensitive fluorescence assay of intracellular lead ions. <i>Chemical Communications</i> , 2017 , 53, 7525-7528	5.8	32
201	Thrombin aptasensor enabled by Pt nanoparticles-functionalized Co-based metal organic frameworks assisted electrochemical signal amplification. <i>Talanta</i> , 2017 , 169, 44-49	6.2	36
200	A sensitive immunosensor via in situ enzymatically generating efficient quencher for electrochemiluminescence of iridium complexes doped SiO nanoparticles. <i>Biosensors and Bioelectronics</i> , 2017 , 94, 568-574	11.8	13
199	Bi-directional DNA Walking Machine and Its Application in an Enzyme-Free Electrochemiluminescence Biosensor for Sensitive Detection of MicroRNAs. <i>Analytical Chemistry</i> , 2017 , 89, 5036-5042	7.8	91
198	Highly Efficient Intramolecular Electrochemiluminescence Energy Transfer for Ultrasensitive Bioanalysis of Aflatoxin M1. <i>Chemistry - A European Journal</i> , 2017 , 23, 1853-1859	4.8	35
197	Dual microRNAs-Fueled DNA Nanogears: A Case of Regenerated Strategy for Multiple Electrochemiluminescence Detection of microRNAs with Single Luminophore. <i>Analytical Chemistry</i> , 2017 , 89, 1338-1345	7.8	52
196	High-Sensitive Electrochemiluminescence C-Peptide Biosensor via the Double Quenching of Dopamine to the Novel Ru(II)-Organic Complex with Dual Intramolecular Self-Catalysis. <i>Analytical Chemistry</i> , 2017 , 89, 11076-11082	7.8	25
195	Intramolecular Self-Enhanced Nanochains Functionalized by an Electrochemiluminescence Reagent and Its Immunosensing Application for the Detection of Urinary β -Microglobulin. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 36239-36246	9.5	18
194	A Sensitive Electrochemical Aptasensor for Thrombin Detection Based on Electroactive Co-Based Metal-Organic Frameworks with Target-Triggering NESA Strategy. <i>Analytical Chemistry</i> , 2017 , 89, 11636-11640	7.8	59
193	Electrochemiluminescent Pb-Driven Circular Etching Sensor Coupled to a DNA Micronet-Carrier. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 39812-39820	9.5	17
192	Host-Guest Recognition-Assisted Electrochemical Release: Its Reusable Sensing Application Based on DNA Cross Configuration-Fueled Target Cycling and Strand Displacement Reaction Amplification. <i>Analytical Chemistry</i> , 2017 , 89, 8266-8272	7.8	22
191	PtNPs as Scaffolds to Regulate Interenzyme Distance for Construction of Efficient Enzyme Cascade Amplification for Ultrasensitive Electrochemical Detection of MMP-2. <i>Analytical Chemistry</i> , 2017 , 89, 9383-9387	7.8	50
190	Universal Ratiometric Photoelectrochemical Bioassay with Target-Nucleotide Transduction-Amplification and Electron-Transfer Tunneling Distance Regulation Strategies for Ultrasensitive Determination of microRNA in Cells. <i>Analytical Chemistry</i> , 2017 , 89, 9445-9451	7.8	60
189	Switchable Target-Responsive 3D DNA Hydrogels As a Signal Amplification Strategy Combining with SERS Technique for Ultrasensitive Detection of miRNA 155. <i>Analytical Chemistry</i> , 2017 , 89, 8538-8544	7.8	80
188	Ternary Electrochemiluminescence System Based on Rubrene Microrods as Luminophore and Pt Nanomaterials as Coreaction Accelerator for Ultrasensitive Detection of MicroRNA from Cancer Cells. <i>Analytical Chemistry</i> , 2017 , 89, 9108-9115	7.8	69
187	A Peptide Cleavage-Based Ultrasensitive Electrochemical Biosensor with an Ingenious Two-Stage DNA Template for Highly Efficient DNA Exponential Amplification. <i>Analytical Chemistry</i> , 2017 , 89, 8951-8956	7.8	18

186	Hollow Porous Polymeric Nanospheres of a Self-Enhanced Ruthenium Complex with Improved Electrochemiluminescent Efficiency for Ultrasensitive Aptasensor Construction. <i>Analytical Chemistry</i> , 2017 , 89, 9232-9238	7.8	52
185	In situ generation of electrochemiluminescent DNA nanoflowers as a signal tag for mucin 1 detection based on a strategy of target and mimic target synchronous cycling amplification. <i>Chemical Communications</i> , 2017 , 53, 9624-9627	5.8	28
184	Cu/Mn Double-Doped CeO Nanocomposites as Signal Tags and Signal Amplifiers for Sensitive Electrochemical Detection of Procalcitonin. <i>Analytical Chemistry</i> , 2017 , 89, 13349-13356	7.8	61
183	Using p-type PbS Quantum Dots to Quench Photocurrent of Fullerene-Au NP@MoS Composite Structure for Ultrasensitive Photoelectrochemical Detection of ATP. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 42111-42120	9.5	65
182	Ultrasensitive Electrochemiluminescence Biosensing Platform for Detection of Multiple Types of Biomarkers toward Identical Cancer on a Single Interface. <i>Analytical Chemistry</i> , 2017 , 89, 12821-12827	7.8	39
181	An efficient electrochemiluminescence amplification strategy via bis-co-reaction accelerator for sensitive detection of laminin to monitor overnutrition associated liver damage. <i>Biosensors and Bioelectronics</i> , 2017 , 98, 317-324	11.8	13
180	Highly effective molecule converting strategy based on enzyme-free dual recycling amplification for ultrasensitive electrochemical detection of ATP. <i>Chemical Communications</i> , 2017 , 53, 8368-8371	5.8	36
179	Ultrasensitive Electrochemiluminescence Biosensor for MicroRNA Detection by 3D DNA Walking Machine Based Target Conversion and Distance-Controllable Signal Quenching and Enhancing. <i>Analytical Chemistry</i> , 2017 , 89, 8282-8287	7.8	90
178	MoS Quantum Dots as New Electrochemiluminescence Emitters for Ultrasensitive Bioanalysis of Lipopolysaccharide. <i>Analytical Chemistry</i> , 2017 , 89, 8335-8342	7.8	75
177	A label-free electrochemical biosensor for microRNA detection based on catalytic hairpin assembly and in situ formation of molybdophosphate. <i>Talanta</i> , 2017 , 163, 65-71	6.2	32
176	An ultrasensitive electrochemiluminescence immunosensor for NT-proBNP based on self-catalyzed luminescence emitter coupled with PdCu@carbon nanohorn hybrid. <i>Biosensors and Bioelectronics</i> , 2017 , 87, 779-785	11.8	43
175	Coupling hybridization chain reaction with catalytic hairpin assembly enables non-enzymatic and sensitive fluorescent detection of microRNA cancer biomarkers. <i>Biosensors and Bioelectronics</i> , 2016 , 77, 416-20	11.8	56
174	Target-catalyzed hairpin assembly and intramolecular/intermolecular co-reaction for signal amplified electrochemiluminescent detection of microRNA. <i>Biosensors and Bioelectronics</i> , 2016 , 77, 442-50	11.8	49
173	L-cysteine induced manganese porphyrin electrocatalytic amplification with 3D DNA-Au@Pt nanoparticles as nanocarriers for sensitive electrochemical aptasensor. <i>Biosensors and Bioelectronics</i> , 2016 , 79, 86-91	11.8	19
172	Cyclovoltammetric acetylcholinesterase activity assay after inhibition and subsequent reactivation by using a glassy carbon electrode modified with palladium nanorods composited with functionalized C60 fullerene. <i>Mikrochimica Acta</i> , 2016 , 183, 2403-2409	5.8	11
171	Signal-Switchable Electrochemiluminescence System Coupled with Target Recycling Amplification Strategy for Sensitive Mercury Ion and Mucin 1 Assay. <i>Analytical Chemistry</i> , 2016 , 88, 9243-50	7.8	78
170	Novel electrochemiluminescence of perylene derivative and its application to mercury ion detection based on a dual amplification strategy. <i>Biosensors and Bioelectronics</i> , 2016 , 86, 720-727	11.8	37
169	DNA Enzyme-Decorated DNA Nanoladders as Enhancer for Peptide Cleavage-Based Electrochemical Biosensor. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 22869-74	9.5	33

168	Enzyme-assisted cycling amplification and DNA-templated in-situ deposition of silver nanoparticles for the sensitive electrochemical detection of Hg(2.). <i>Biosensors and Bioelectronics</i> , 2016 , 86, 630-635	11.8	33
167	Cu Nanoclusters: Novel Electrochemiluminescence Emitters for Bioanalysis. <i>Analytical Chemistry</i> , 2016 , 88, 11527-11532	7.8	74
166	An ultrasensitive "on-off-on" photoelectrochemical aptasensor based on signal amplification of a fullerene/CdTe quantum dots sensitized structure and efficient quenching by manganese porphyrin. <i>Chemical Communications</i> , 2016 , 52, 8138-41	5.8	56
165	Self-Enhanced Electrochemiluminescence Nanorods of Tris(bipyridine) Ruthenium(II) Derivative and Its Sensing Application for Detection of N-Acetyl- β -d-glucosaminidase. <i>Analytical Chemistry</i> , 2016 , 88, 2258-65	7.8	73
164	Highly sensitive electrochemiluminescence assay of acetylcholinesterase activity based on dual biomarkers using Pd-Au nanowires as immobilization platform. <i>Biosensors and Bioelectronics</i> , 2016 , 79, 34-40	11.8	53
163	A sensitive electrochemiluminescence immunosensor based on luminophore capped Pd@Au core-shell nanoparticles as signal tracers and ferrocenyl compounds as signal enhancers. <i>Biosensors and Bioelectronics</i> , 2016 , 81, 334-340	11.8	39
162	In situ electro-polymerization of nitrogen doped carbon dots and their application in an electrochemiluminescence biosensor for the detection of intracellular lead ions. <i>Chemical Communications</i> , 2016 , 52, 5589-92	5.8	62
161	An amplified electrochemical proximity immunoassay for the total protein of <i>Nosema bombycis</i> based on the catalytic activity of Fe ₃ O ₄ NPs towards methylene blue. <i>Biosensors and Bioelectronics</i> , 2016 , 81, 382-387	11.8	22
160	A target responsive aptamer machine for label-free and sensitive non-enzymatic recycling amplification detection of ATP. <i>Chemical Communications</i> , 2016 , 52, 3673-6	5.8	85
159	In Situ Electrochemical Generation of Electrochemiluminescent Silver Nanoclusters on Target-Cycling Synchronized Rolling Circle Amplification Platform for MicroRNA Detection. <i>Analytical Chemistry</i> , 2016 , 88, 3203-10	7.8	136
158	Self-enhanced N-(aminobutyl)-N-(ethylisoluminol) derivative-based electrochemiluminescence immunosensor for sensitive laminin detection using PdIr cubes as a mimic peroxidase. <i>Nanoscale</i> , 2016 , 8, 8017-23	7.7	32
157	Metal Organic Frameworks Combining CoFe ₂ O ₄ Magnetic Nanoparticles as Highly Efficient SERS Sensing Platform for Ultrasensitive Detection of N-Terminal Pro-Brain Natriuretic Peptide. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 7683-90	9.5	83
156	A highly sensitive electrochemiluminescence biosensor for the detection of organophosphate pesticides based on cyclodextrin functionalized graphitic carbon nitride and enzyme inhibition. <i>Chemical Communications</i> , 2016 , 52, 5049-52	5.8	53
155	A nanohybrid of platinum nanoparticles-porous ZnO-hemin with electrocatalytic activity to construct an amplified immunosensor for detection of influenza. <i>Biosensors and Bioelectronics</i> , 2016 , 78, 321-327	11.8	24
154	The Ru complex and hollow gold nanoparticles branched-hydrogel as signal probe for construction of electrochemiluminescent aptasensor. <i>Biosensors and Bioelectronics</i> , 2016 , 77, 7-12	11.8	19
153	Electrochemiluminescence of Supramolecular Nanorods and Their Application in the "On-Off-On" Detection of Copper Ions. <i>Chemistry - A European Journal</i> , 2016 , 22, 8207-14	4.8	40
152	Electrochemical Biosensor for Organophosphate Pesticides and Huperzine-A Detection Based on Pd Wormlike Nanochains/Graphitic Carbon Nitride Nanocomposites and Acetylcholinesterase. <i>Electroanalysis</i> , 2016 , 28, 304-311	3	18
151	Sensitive Electrochemiluminescence Immunosensor for Detection of N-Acetyl- β -d-glucosaminidase Based on a "Light-Switch" Molecule Combined with DNA Dendrimer. <i>Analytical Chemistry</i> , 2016 , 88, 5797-803	7.8	41

- 150 Ce-based metal-organic frameworks and DNAzyme-assisted recycling as dual signal amplifiers for sensitive electrochemical detection of lipopolysaccharide. *Biosensors and Bioelectronics*, **2016**, 83, 287-92^{11.8} 55
- 149 Multiparameter Analysis-Based Electrochemiluminescent Assay for Simultaneous Detection of Multiple Biomarker Proteins on a Single Interface. *Analytical Chemistry*, **2016**, 88, 4940-8 7.8 30
- 148 In situ formation of flower-like CuCo2S4 nanosheets/graphene composites with enhanced lithium storage properties. *RSC Advances*, **2016**, 6, 38321-38327 3.7 48
- 147 Wavelength-resolved simultaneous photoelectrochemical bifunctional sensor on single interface: A newly in vitro approach for multiplexed DNA monitoring in cancer cells. *Biosensors and Bioelectronics*, **2016**, 81, 423-430 11.8 37
- 146 Ultrasensitive Lipopolysaccharides Detection Based on Doxorubicin Conjugated N-(Aminobutyl)-N-(ethylisoluminol) as Electrochemiluminescence Indicator and Self-Assembled Tetrahedron DNA Dendrimers as Nanocarriers. *Analytical Chemistry*, **2016**, 88, 5218-24 7.8 79
- 145 A sensitive electrochemiluminescent aptasensor based on perylene derivatives as a novel co-reaction accelerator for signal amplification. *Biosensors and Bioelectronics*, **2016**, 85, 8-15 11.8 41
- 144 Ceria Doped Zinc Oxide Nanoflowers Enhanced Luminol-Based Electrochemiluminescence Immunosensor for Amyloid- β Detection. *ACS Applied Materials & Interfaces*, **2016**, 8, 12968-75 9.5 109
- 143 Highly Effective Protein Converting Strategy for Ultrasensitive Electrochemical Assay of Cystatin C. *Analytical Chemistry*, **2016**, 88, 5189-96 7.8 36
- 142 Competitive method-based electrochemiluminescent assay with protein-nucleotide conversion for ratio detection to efficiently monitor the drug resistance of cancer cells. *Chemical Science*, **2016**, 7, 7094-7100^{9.4} 23
- 141 Self-Enhanced Ultrasensitive Photoelectrochemical Biosensor Based on Nanocapsule Packaging Both Donor-Acceptor-Type Photoactive Material and Its Sensitizer. *Analytical Chemistry*, **2016**, 88, 8698-705^{7.8} 52
- 140 Simultaneous determination of dopamine, ascorbic acid and uric acid using a multi-walled carbon nanotube and reduced graphene oxide hybrid functionalized by PAMAM and Au nanoparticles. *Analytical Methods*, **2015**, 7, 1471-1477 3.2 44
- 139 An amplified electrochemiluminescent aptasensor using Au nanoparticles capped by 3,4,9,10-perylene tetracarboxylic acid-thiosemicarbazide functionalized C60 nanocomposites as a signal enhancement tag. *Nanoscale*, **2015**, 7, 2085-92 7.7 27
- 138 Electrochemical Peptide Biosensor Based on in Situ Silver Deposition for Detection of Prostate Specific Antigen. *ACS Applied Materials & Interfaces*, **2015**, 7, 13360-6 9.5 80
- 137 DNA-fueled molecular machine enables enzyme-free target recycling amplification for electronic detection of microRNA from cancer cells with highly minimized background noise. *Analytical Chemistry*, **2015**, 87, 8578-83 7.8 92
- 136 Electrochemiluminescence Resonance Energy Transfer System: Mechanism and Application in Ratiometric Aptasensor for Lead Ion. *Analytical Chemistry*, **2015**, 87, 7787-94 7.8 120
- 135 An electrochemiluminescence biosensor for dopamine based on the recognition of fullerene-derivative and the quenching of cuprous oxide nanocrystals. *RSC Advances*, **2015**, 5, 58019-58023^{3.7} 11
- 134 Sensing glucose based on its affinity for concanavalin A on a glassy carbon electrode modified with a C60 fullerene nanocomposite. *Mikrochimica Acta*, **2015**, 182, 2215-2221 5.8 19
- 133 Triple Quenching of a Novel Self-Enhanced Ru(II) Complex by Hemin/G-Quadruplex DNAzymes and Its Potential Application to Quantitative Protein Detection. *Analytical Chemistry*, **2015**, 87, 7602-9 7.8 26

132	Click chemistry-mediated catalytic hairpin self-assembly for amplified and sensitive fluorescence detection of Cu(2+) in human serum. <i>Chemical Communications</i> , 2015 , 51, 12637-40	5.8	17
131	Label-free and homogeneous aptamer proximity binding assay for fluorescent detection of protein biomarkers in human serum. <i>Talanta</i> , 2015 , 141, 230-4	6.2	12
130	A novel ECL biosensor for β -lactamase detection: Using RU(II) linked-ampicillin complex as the recognition element. <i>Biosensors and Bioelectronics</i> , 2015 , 70, 221-5	11.8	16
129	Porous carbon-coated CuCo ₂ O ₄ concave polyhedrons derived from metal-organic frameworks as anodes for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 12038-12043	13	90
128	An electrochemiluminescence immunosensor for thyroid stimulating hormone based on polyamidoamine-norfloxacin functionalized Pd-Au core-shell hexoctahedrons as signal enhancers. <i>Biosensors and Bioelectronics</i> , 2015 , 71, 164-170	11.8	41
127	RNA-regulated molecular tweezers for sensitive fluorescent detection of microRNA from cancer cells. <i>Biosensors and Bioelectronics</i> , 2015 , 71, 98-102	11.8	13
126	Signal-off Electrochemiluminescence Biosensor Based on Phi29 DNA Polymerase Mediated Strand Displacement Amplification for MicroRNA Detection. <i>Analytical Chemistry</i> , 2015 , 87, 6328-34	7.8	127
125	Electrochemiluminescence immunosensor based on multifunctional luminol-capped AuNPs@Fe ₃ O ₄ nanocomposite for the detection of mucin-1. <i>Biosensors and Bioelectronics</i> , 2015 , 71, 407-413	11.8	39
124	Sandwiched Electrochemiluminescent Peptide Biosensor for the Detection of Prognostic Indicator in Early-Stage Cancer Based on Hollow, Magnetic, and Self-Enhanced Nanosheets. <i>Small</i> , 2015 , 11, 3703-9	11	36
123	Au nanoparticles decorated C ₆₀ nanoparticle-based label-free electrochemiluminescence aptasensor via a novel "on-off-on" switch system. <i>Biomaterials</i> , 2015 , 52, 476-83	15.6	58
122	Tracing Phosphate Ions Generated during Loop-Mediated Isothermal Amplification for Electrochemical Detection of <i>Nosema bombycis</i> Genomic DNA PTP1. <i>Analytical Chemistry</i> , 2015 , 87, 10268-74	7.8	49
121	Electrochemiluminescent Graphene Quantum Dots as a Sensing Platform: A Dual Amplification for MicroRNA Assay. <i>Analytical Chemistry</i> , 2015 , 87, 10385-91	7.8	98
120	New Signal Amplification Strategy Using Semicarbazide as Co-reaction Accelerator for Highly Sensitive Electrochemiluminescent Aptasensor Construction. <i>Analytical Chemistry</i> , 2015 , 87, 11389-97	7.8	88
119	A multifunctional hemin@metal-organic framework and its application to construct an electrochemical aptasensor for thrombin detection. <i>Nanoscale</i> , 2015 , 7, 18232-8	7.7	140
118	Cu-Based Metal-Organic Frameworks as a Catalyst To Construct a Ratiometric Electrochemical Aptasensor for Sensitive Lipopolysaccharide Detection. <i>Analytical Chemistry</i> , 2015 , 87, 11345-52	7.8	131
117	Intercalation of quantum dots as the new signal acquisition and amplification platform for sensitive electrochemiluminescent detection of microRNA. <i>Analytica Chimica Acta</i> , 2015 , 891, 130-5	6.6	14
116	RNA responsive and catalytic self-assembly of DNA nanostructures for highly sensitive fluorescence detection of microRNA from cancer cells. <i>Chemical Communications</i> , 2015 , 51, 16494-7	5.8	10
115	A self-enhanced electrochemiluminescence immunosensor based on L-Lys-Ru(dcbpy) ₃ (2+) functionalized porous six arm star column nanorods for detection of CA15-3. <i>Biosensors and Bioelectronics</i> , 2015 , 74, 924-30	11.8	37

114	An amperometric immunosensor for detection of Streptococcus suis serotype 2 using a nickel-gold nanocomposite as a tracer matrix. <i>RSC Advances</i> , 2015 , 5, 79323-79328	3.7	3
113	Ultrasensitive Cytosensor Based on Self-Enhanced Electrochemiluminescent Ruthenium-Silica Composite Nanoparticles for Efficient Drug Screening with Cell Apoptosis Monitoring. <i>Analytical Chemistry</i> , 2015 , 87, 12363-71	7.8	48
112	Terminal protection of small molecule-linked ssDNA for label-free and highly sensitive colorimetric detection of folate receptor biomarkers. <i>RSC Advances</i> , 2015 , 5, 6100-6105	3.7	7
111	Self-enhanced electrochemiluminescence immunosensor based on nanowires obtained by a green approach. <i>Biosensors and Bioelectronics</i> , 2015 , 68, 72-77	11.8	31
110	A label-free electrochemical aptasensor based on the catalysis of manganese porphyrins for detection of thrombin. <i>Biosensors and Bioelectronics</i> , 2015 , 66, 585-9	11.8	37
109	Ultrasensitive electrochemical immunosensor for carbohydrate antigen 19-9 using Au/porous graphene nanocomposites as platform and Au@Pd core/shell bimetallic functionalized graphene nanocomposites as signal enhancers. <i>Biosensors and Bioelectronics</i> , 2015 , 66, 356-62	11.8	74
108	A restriction enzyme-powered autonomous DNA walking machine: its application for a highly sensitive electrochemiluminescence assay of DNA. <i>Nanoscale</i> , 2015 , 7, 981-6	7.7	36
107	L-cysteine induced hemin/G-quadruplex concatemers electrocatalytic amplification with Pt-Pd supported on fullerene as a nanocarrier for sensing the spore wall protein of <i>Nosema bombycis</i> . <i>Chemical Communications</i> , 2015 , 51, 1255-8	5.8	24
106	A sensitive electrochemical aptasensor based on palladium nanoparticles decorated graphene-molybdenum disulfide flower-like nanocomposites and enzymatic signal amplification. <i>Analytica Chimica Acta</i> , 2015 , 853, 234-241	6.6	56
105	A novel solid-state Ru(bpy) ₃ (2+) electrochemiluminescence immunosensor based on poly(ethylenimine) and polyamidoamine dendrimers as co-reactants. <i>Talanta</i> , 2015 , 131, 192-7	6.2	35
104	Sensitive electrochemiluminescence detection for CA15-3 based on immobilizing luminol on dendrimer functionalized ZnO nanorods. <i>Biosensors and Bioelectronics</i> , 2015 , 63, 33-38	11.8	86
103	Highly efficient electrogenerated chemiluminescence quenching of PEI enhanced Ru(bpy) ₃ ³⁺ nanocomposite by hemin and Au@CeO ₂ nanoparticles. <i>Biosensors and Bioelectronics</i> , 2015 , 63, 392-398	11.8	29
102	An electrochemical aptasensor for thrombin using synergetic catalysis of enzyme and porous Au@Pd core-shell nanostructures for signal amplification. <i>Biosensors and Bioelectronics</i> , 2015 , 64, 423-8	11.8	43
101	Toehold strand displacement-driven assembly of G-quadruplex DNA for enzyme-free and non-label sensitive fluorescent detection of thrombin. <i>Biosensors and Bioelectronics</i> , 2015 , 64, 306-10	11.8	52
100	Simultaneous Determination of Ascorbic Acid, Dopamine and Uric Acid Based on Gold Nanoparticles-PTCA-Cys Composites Modified Electrodes. <i>Journal of the Chinese Chemical Society</i> , 2015 , 62, 739-746	1.5	3
99	Luminescence-Functionalized Metal-Organic Frameworks Based on a Ruthenium(II) Complex: A Signal Amplification Strategy for Electrogenerated Chemiluminescence Immunosensors. <i>Chemistry - A European Journal</i> , 2015 , 21, 9825-32	4.8	61
98	Amplified thrombin aptasensor based on alkaline phosphatase and hemin/G-quadruplex-catalyzed oxidation of 1-naphthol. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 10308-15	9.5	39
97	A microRNA-activated molecular machine for non-enzymatic target recycling amplification detection of microRNA from cancer cells. <i>Chemical Communications</i> , 2015 , 51, 11084-7	5.8	48

96	Ultrasensitive simultaneous detection of four biomarkers based on hybridization chain reaction and biotin-streptavidin signal amplification strategy. <i>Biosensors and Bioelectronics</i> , 2015 , 68, 42-48	11.8	99
95	In situ DNA-templated synthesis of silver nanoclusters for ultrasensitive and label-free electrochemical detection of microRNA. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 1188-93	9.5	117
94	An "off-on" electrochemiluminescent biosensor based on DNAzyme-assisted target recycling and rolling circle amplifications for ultrasensitive detection of microRNA. <i>Analytical Chemistry</i> , 2015 , 87, 3202-7	7.8	161
93	An amplified electrochemical immunosensor based on in situ-produced 1-naphthol as electroactive substance and graphene oxide and Pt nanoparticles functionalized CeO ₂ nanocomposites as signal enhancer. <i>Biosensors and Bioelectronics</i> , 2015 , 69, 321-7	11.8	72
92	High throughput immunosensor based on multi-label strategy and a novel array electrode. <i>Scientific Reports</i> , 2014 , 4, 4747	4.9	21
91	Highly enhanced electrochemiluminescent strategy for tumor biomarkers detection with in situ generation of L-homocysteine for signal amplification. <i>Analytica Chimica Acta</i> , 2014 , 815, 16-21	6.6	6
90	Electrochemiluminescence recovery-based aptasensor for sensitive Ochratoxin A detection via exonuclease-catalyzed target recycling amplification. <i>Talanta</i> , 2014 , 125, 45-50	6.2	46
89	Horseradish peroxidase-loaded nanospheres attached to hollow gold nanoparticles as signal enhancers in an ultrasensitive immunoassay for alpha-fetoprotein. <i>Mikrochimica Acta</i> , 2014 , 181, 679-685	5.8	18
88	Amplified electrochemiluminescent aptasensor using mimicking bi-enzyme nanocomplexes as signal enhancement. <i>Analytica Chimica Acta</i> , 2014 , 809, 47-53	6.6	24
87	A nitrite and hydrogen peroxide sensor based on Hb adsorbed on Au nanorods and graphene oxide coated by polydopamine. <i>Analytical Methods</i> , 2014 , 6, 758-765	3.2	15
86	Highly sensitive impedimetric immunosensor based on single-walled carbon nanohorns as labels and bienzyme biocatalyzed precipitation as enhancer for cancer biomarker detection. <i>Biosensors and Bioelectronics</i> , 2014 , 55, 360-5	11.8	87
85	A pseudo triple-enzyme electrochemical aptasensor based on the amplification of Pt-Pd nanowires and hemin/G-quadruplex. <i>Analytica Chimica Acta</i> , 2014 , 834, 45-50	6.6	20
84	A novel strategy for synthesis of hollow gold nanosphere and its application in electrogenerated chemiluminescence glucose biosensor. <i>Talanta</i> , 2014 , 128, 9-14	6.2	30
83	A pseudo triple-enzyme cascade amplified aptasensor for thrombin detection based on hemin/G-quadruplex as signal label. <i>Biosensors and Bioelectronics</i> , 2014 , 54, 415-20	11.8	30
82	Highly enhanced electrochemiluminescence based on pseudo triple-enzyme cascade catalysis and in situ generation of co-reactant for thrombin detection. <i>Analyst, The</i> , 2014 , 139, 1030-6	5	13
81	Dual amplified and ultrasensitive electrochemical detection of mutant DNA Biomarkers based on nuclease-assisted target recycling and rolling circle amplifications. <i>Biosensors and Bioelectronics</i> , 2014 , 55, 266-71	11.8	51
80	Quadratic recycling amplification for label-free and sensitive visual detection of HIV DNA. <i>Biosensors and Bioelectronics</i> , 2014 , 55, 220-4	11.8	43
79	A signal-on electrochemiluminescence aptasensor based on the quenching effect of manganese dioxide for sensitive detection of carcinoembryonic antigen. <i>RSC Advances</i> , 2014 , 4, 56756-56761	3.7	16

78	Multiplexed and amplified electronic sensor for the detection of microRNAs from cancer cells. <i>Analytical Chemistry</i> , 2014 , 86, 11913-8	7.8	104
77	A signal-on electrochemical aptasensor for ultrasensitive detection of endotoxin using three-way DNA junction-aided enzymatic recycling and graphene nanohybrid for amplification. <i>Nanoscale</i> , 2014 , 6, 2902-8	7.7	87
76	Graphene nanosensor for highly sensitive fluorescence turn-on detection of Hg ²⁺ based on target recycling amplification. <i>RSC Advances</i> , 2014 , 4, 39082	3.7	6
75	Ultrasensitive apurinic/apyrimidinic endonuclease 1 immunosensing based on self-enhanced electrochemiluminescence of a Ru(II) complex. <i>Analytical Chemistry</i> , 2014 , 86, 1053-60	7.8	100
74	Electrochemiluminescence of luminol enhanced by the synergetic catalysis of hemin and silver nanoparticles for sensitive protein detection. <i>Biosensors and Bioelectronics</i> , 2014 , 54, 20-6	11.8	81
73	A novel electrochemiluminescence aptasensor based on in situ generated proline and matrix polyamidoamine dendrimers as coreactants for signal amplification. <i>Biosensors and Bioelectronics</i> , 2014 , 55, 313-7	11.8	17
72	Ultrasensitive electrochemiluminescent aptasensor for ochratoxin A detection with the loop-mediated isothermal amplification. <i>Analytica Chimica Acta</i> , 2014 , 811, 70-5	6.6	46
71	A novel electrochemical aptasensor for highly sensitive detection of thrombin based on the autonomous assembly of hemin/G-quadruplex horseradish peroxidase-mimicking DNAzyme nanowires. <i>Analytica Chimica Acta</i> , 2014 , 832, 51-7	6.6	23
70	Terminal protection of small molecule-linked ssDNA for label-free and sensitive fluorescent detection of folate receptor. <i>Talanta</i> , 2014 , 128, 237-41	6.2	10
69	Amplified amperometric aptasensor for selective detection of protein using catalase-functional DNA-PtNPs dendrimer as a synergetic signal amplification label. <i>Biosensors and Bioelectronics</i> , 2014 , 60, 224-30	11.8	43
68	Sensitive pseudobienzyme electrocatalytic DNA biosensor for mercury(II) ion by using the autonomously assembled hemin/G-quadruplex DNAzyme nanowires for signal amplification. <i>Analytica Chimica Acta</i> , 2014 , 811, 23-8	6.6	34
67	Electrochemical immunosensor for detecting the spore wall protein of <i>Nosema bombycis</i> based on the amplification of hemin/G-quadruplex DNAzyme concatamers functionalized Pt@Pd nanowires. <i>Biosensors and Bioelectronics</i> , 2014 , 60, 118-23	11.8	43
66	Ultrasensitive electrochemiluminescent detection of cardiac troponin I based on a self-enhanced Ru(II) complex. <i>Talanta</i> , 2014 , 129, 219-26	6.2	26
65	Development of an electrochemical method for Ochratoxin A detection based on aptamer and loop-mediated isothermal amplification. <i>Biosensors and Bioelectronics</i> , 2014 , 55, 324-9	11.8	75
64	Target recycling amplification for label-free and sensitive colorimetric detection of adenosine triphosphate based on un-modified aptamers and DNAzymes. <i>Analytica Chimica Acta</i> , 2014 , 828, 80-4	6.6	26
63	A noncovalent Ru(phen) ₃ ²⁺ @CNTs nanocomposite and its application as a solid-state electrochemiluminescence signal probe. <i>RSC Advances</i> , 2014 , 4, 1955-1960	3.7	8
62	Electrochemical sensing of hydrogen peroxide using metal nanoparticles: a review. <i>Mikrochimica Acta</i> , 2013 , 180, 15-32	5.8	382
61	Ultrasensitive electrochemical immunosensors for clinical immunoassay using gold nanoparticle coated multi-walled carbon nanotubes as labels and horseradish peroxidase as an enhancer. <i>Analytical Methods</i> , 2013 , 5, 5279	3.2	18

60	Deposited gold nanocrystals enhanced porous PtCAu layer for simultaneous detection of ascorbic acid, dopamine and uric acid. <i>Sensors and Actuators B: Chemical</i> , 2013 , 183, 157-162	8.5	24
59	Gold nanoparticle-graphene nanohybrid bridged 3-amino-5-mercapto-1,2,4-triazole-functionalized multiwall carbon nanotubes for the simultaneous determination of hydroquinone, catechol, resorcinol and nitrite. <i>Analytical Methods</i> , 2013 , 5, 666-672	3.2	44
58	A new hybrid signal amplification strategy for ultrasensitive electrochemical detection of DNA based on enzyme-assisted target recycling and DNA supersandwich assemblies. <i>Chemical Communications</i> , 2013 , 49, 2052-4	5.8	41
57	Hemin Functionalized Multiwalled Carbon Nanotubes as a Matrix for Sensitive Electrogenerated Chemiluminescence Cholesterol Biosensor. <i>Electroanalysis</i> , 2013 , 25, 2700-2706	3	4
56	Amperometric biosensor for nitrite and hydrogen peroxide based on hemoglobin immobilized on gold nanoparticles/polythionine/platinum nanoparticles modified glassy carbon electrode. <i>Journal of Chemical Technology and Biotechnology</i> , 2012 , 87, 570-574	3.5	18
55	Non-enzymatic hydrogen peroxide amperometric sensor based on a glassy carbon electrode modified with an MWCNT/polyaniline composite film and platinum nanoparticles. <i>Mikrochimica Acta</i> , 2012 , 176, 389-395	5.8	49
54	Functionalized graphene oxide-based carbon paste electrode for potentiometric detection of copper ion(II). <i>Analytical Methods</i> , 2012 , 4, 3332	3.2	21
53	Simultaneous determination of hydroquinone, catechol, resorcinol and nitrite using gold nanoparticles loaded on poly-3-amino-5-mercapto-1,2,4-triazole-MWNTs film modified electrode. <i>Analytical Methods</i> , 2012 , 4, 1626	3.2	41
52	3,4,9,10-perylenetetracarboxylic acid/hemin nanocomposites act as redox probes and electrocatalysts for constructing a pseudobienzyme-channeling amplified electrochemical aptasensor. <i>Chemistry - A European Journal</i> , 2012 , 18, 14186-91	4.8	21
51	In situ hybridization chain reaction amplification for universal and highly sensitive electrochemiluminescent detection of DNA. <i>Analytical Chemistry</i> , 2012 , 84, 7750-5	7.8	257
50	Nanostructured multi-walled carbon nanotubes derivate based on carbon paste electrode for potentiometric detection of Ag ⁺ ions. <i>Analytical Methods</i> , 2012 , 4, 454	3.2	10
49	A cathodic electrogenerated chemiluminescence biosensor based on luminol and hemin-graphene nanosheets for cholesterol detection. <i>RSC Advances</i> , 2012 , 2, 4639	3.7	34
48	Amperometric sensor for nitrite using a glassy carbon electrode modified with thionine functionalized MWCNTs/Au nanorods/SDS nanohybrids. <i>Surface and Interface Analysis</i> , 2012 , 44, 1233-1237	1.5	5
47	Facile Synthesis of Amino Shell-Magnetic Core Nanoparticles and Application for Direct Electrochemistry. <i>Analytical Letters</i> , 2012 , 45, 2697-2706	2.2	
46	Nonenzymatic glucose sensor based on a glassy carbon electrode modified with chains of platinum hollow nanoparticles and porous gold nanoparticles in a chitosan membrane. <i>Mikrochimica Acta</i> , 2011 , 172, 163-169	5.8	36
45	Double layer enzyme modified carbon nanotubes as label for sandwich-type immunoassay of tumor markers. <i>Mikrochimica Acta</i> , 2011 , 172, 373-378	5.8	7
44	Simple construction of an enzymatic glucose biosensor based on a nanocomposite film prepared in one step from iron oxide, gold nanoparticles, and chitosan. <i>Mikrochimica Acta</i> , 2011 , 173, 369-374	5.8	15
43	Electrochemical sensor based on Prussian blue nanorods and gold nanochains for the determination of H ₂ O ₂ . <i>European Food Research and Technology</i> , 2011 , 232, 87-95	3.4	12

42	Glucose oxidase as a blocking agent-based signal amplification strategy for the fabrication of label-free amperometric immunosensors. <i>Science China Chemistry</i> , 2011 , 54, 536-544	7.9	2
41	Aptamer-based competitive electrochemical assay of small biomolecules. <i>Science China Chemistry</i> , 2011 , 54, 822-826	7.9	2
40	Gold nanolabels and enzymatic recycling dual amplification-based electrochemical immunosensor for the highly sensitive detection of carcinoembryonic antigen. <i>Science China Chemistry</i> , 2011 , 54, 1770-1776	7.9	10
39	A Solid-State Electrochemiluminescence Immunosensor Based on MWCNTs-Nafion and Ru(bpy) ₃ ²⁺ /Nano-Pt Nanocomposites for Detection of α -Fetoprotein. <i>Electroanalysis</i> , 2011 , 23, 1418-1426	7.8	20
38	Direct electrocatalytic reduction of hydrogen peroxide at a glassy carbon electrode modified with polypyrrole nanowires and platinum hollow nanospheres. <i>Mikrochimica Acta</i> , 2010 , 171, 125-131	5.8	37
37	A novel immunosensor for carcinoembryonic antigen based on poly(diallyldimethylammonium chloride) protected prussian blue nanoparticles and double-layer nanometer-sized gold particles. <i>Mikrochimica Acta</i> , 2010 , 171, 297-304	5.8	18
36	Salicylate-selective Potential Response of an Electrode Based on a Copper(II)-phthalocyanine Derivative as an Ionophore. <i>Chinese Journal of Chemistry</i> , 2009 , 27, 99-104	4.9	3
35	An Amperometric Immunosensor Based on Layer-by-Layer Assembly of L-Cysteine and Nanosized Prussian Blue on Gold Electrode for Determination of Human Chorionic Gonadotrophin. <i>Electroanalysis</i> , 2009 , 21, 707-714	3	9
34	Electrochemiluminescence Sensor Based on Multiwalled Carbon Nanotubes Doped Polyvinyl Butyral Film Containing Ru(bpy) ₃ ²⁺ as Chemiluminescence Reagent. <i>Electroanalysis</i> , 2009 , 21, 1636-1640	3	12
33	Study on an immunosensor based on gold nanoparticles and a nano-calcium carbonate/Prussian blue modified glassy carbon electrode. <i>Mikrochimica Acta</i> , 2009 , 165, 53-58	5.8	23
32	Hydrogen peroxide sensor based on horseradish peroxidase immobilized on an electrode modified with DNA-L-cysteine-gold-platinum nanoparticles in polypyrrole film. <i>Mikrochimica Acta</i> , 2009 , 167, 159-165	5.8	35
31	Ultrasensitive amperometric immunosensor for the determination of carcinoembryonic antigen based on a porous chitosan and gold nanoparticles functionalized interface. <i>Mikrochimica Acta</i> , 2009 , 167, 217-224	5.8	18
30	New Ni(II) Ion-Selective Electrode Based on the N-S Schiff Base Ligand as Neutral Carrier in PVC Matrix. <i>Analytical Letters</i> , 2009 , 42, 2411-2429	2.2	4
29	Potentiometric Membrane Electrode for Cr(III) Ion Based on a New Aryl Amide Bifunctional Bridging Ligand as a Neutral Carrier. <i>Journal of the Chinese Chemical Society</i> , 2009 , 56, 676-682	1.5	5
28	A Novel Nonenzymatic Hydrogen Peroxide Sensor Based on a Polypyrrole Nanowire-Copper Nanocomposite Modified Gold Electrode. <i>Sensors</i> , 2008 , 8, 5141-5152	3.8	52
27	Two (3,10)-Connected 2D Networks Based on Pentanuclear Metal Clusters as Building Blocks. <i>European Journal of Inorganic Chemistry</i> , 2008 , 2008, 2610-2615	2.3	36
26	A New Enzyme Immobilization Technique Based on Thionine-Bovine Serum Albumin Conjugate and Gold Colloidal Nanoparticles for Reagentless Amperometric Biosensor Applications. <i>Electroanalysis</i> , 2008 , 20, 418-425	3	13
25	Biomolecule-Doped Organic/Inorganic Hybrid Nanocomposite Film for Label-Free Electrochemical Immunoassay of α -Fetoprotein. <i>Electroanalysis</i> , 2008 , 20, 989-995	3	11

24	Potentiometric Iodide Selectivity of Polymer-Membrane Sensors Based on Co(II) Triazole Derivative. <i>Electroanalysis</i> , 2008 , 20, 1434-1439	3	12
23	Dendritic Silver/Silicon Dioxide Nanocomposite Modified Electrodes for Electrochemical Sensing of Hydrogen Peroxide. <i>Electroanalysis</i> , 2008 , 20, 1839-1844	3	36
22	Multilayer Assembly of Hemoglobin and Colloidal Gold Nanoparticles on Multiwall Carbon Nanotubes/Chitosan Composite for Detecting Hydrogen Peroxide. <i>Electroanalysis</i> , 2008 , 20, 2141-2147	3	15
21	Amperometric Immunosensor for the Determination of α -Fetoprotein Based on Core-Shell-Shell Prussian Blue-BSA-Nanogold Functionalized Interface. <i>Electroanalysis</i> , 2008 , 20, 2185-2191	3	18
20	Synthesis and application of a new copper(II) complex containing oflx and leof. <i>Russian Journal of Inorganic Chemistry</i> , 2008 , 53, 704-706	1.5	20
19	Dual-Amplification of Antigen-Antibody Interactions via Backfilling Gold Nanoparticles on (3-Mercaptopropyl) Trimethoxysilane Sol-Gel Functionalized Interface. <i>Electroanalysis</i> , 2007 , 19, 479-486	3	14
18	On-Off PVC Membrane Based Potentiometric Immunosensor for Label-Free Detection of Alpha-Fetoprotein. <i>Electroanalysis</i> , 2007 , 19, 1131-1138	3	13
17	A Reagentless Amperometric Immunosensor for Alpha-Fetoprotein Based on Gold Nanoparticles/TiO ₂ Colloids/Prussian Blue Modified Platinum Electrode. <i>Electroanalysis</i> , 2007 , 19, 1402-1410	3	35
16	Determination of carcinoembryonic antigen using a novel amperometric enzyme-electrode based on layer-by-layer assembly of gold nanoparticles and thionine. <i>Science in China Series B: Chemistry</i> , 2007 , 50, 97-104		19
15	A capacitive sensor based on molecularly imprinted polymers and poly(p-aminobenzene sulfonic acid) film for detection of pazufloxacin mesilate. <i>Science in China Series B: Chemistry</i> , 2007 , 50, 547-553		10
14	Direct electrochemistry and enzymatic activity of hemoglobin in positively charged colloid Au nanoparticles and hemoglobin layer-by-layer self-assembly films. <i>Science in China Series B: Chemistry</i> , 2007 , 50, 620-628		2
13	Amperometric Hydrogen Peroxide Biosensor Based on the Immobilization of Horseradish Peroxidase (HRP) on the Layer-by-Layer Assembly Films of Gold Colloidal Nanoparticles and Toluidine Blue. <i>Electroanalysis</i> , 2006 , 18, 471-477	3	60
12	Electrochemical Immunoanalysis for Carcinoembryonic Antigen Based on Multilayer Architectures of Gold Nanoparticles and Polycation Biomimetic Interface on Glassy Carbon Electrode. <i>Electroanalysis</i> , 2006 , 18, 2451-2457	3	15
11	Reagentless Immunosensing Assay via Electrochemical Impedance for Hepatitis B Surface Antigen Monitoring Based on Polypyrrole and Gold Nanoparticles as Matrices. <i>Chinese Journal of Chemistry</i> , 2006 , 24, 59-64	4.9	13
10	A Novel Amperometric Biosensor for Determination of Hydrogen Peroxide Based on Nafion and Polythionine as Well as Gold Nanoparticles and Gelatin as Matrixes. <i>Analytical Letters</i> , 2006 , 39, 483-494	2.2	6
9	Electrochemical Immunosensing Strategies Based on Immobilization of Anti-IgC on Mixed Self-Assembly Monolayers Carrying Surface Amide or Carboxyl Groups. <i>Analytical Letters</i> , 2006 , 39, 1809-1821	2.2	4
8	Coupling of a Reagentless Electrochemical DNA Biosensor with Conducting Polymer Film and Nanocomposite as Matrices for the Detection of the HIV DNA Sequences. <i>Analytical Letters</i> , 2006 , 39, 467-482	2.2	32
7	Electron-Transfer Mediator Microbiosensor Fabrication Based on Immobilizing HRP-Labeled Au Colloids on Gold Electrode Surface by 11-Mercaptoundecanoic Acid Monolayer. <i>Electroanalysis</i> , 2006 , 18, 259-266	3	35

6	Potentiometric Immunosensor Based on Immobilization of Hepatitis B Surface Antibody on Platinum Electrode Modified Silver Colloids and Polyvinyl Butyral as Matrixes. <i>Electroanalysis</i> , 2005 , 17, 155-161	3	16
5	Novel Membrane Potentiometric Thiocyanate Sensor Based on Tribenzyltin(IV) Dithiocarbamate. <i>Electroanalysis</i> , 2005 , 17, 1003-1007	3	7
4	Highly Thiocyanate-Selective PVC Membrane Electrode Based on Lipophilic Ferrocene Derivative. <i>Electroanalysis</i> , 2005 , 17, 1865-1869	3	5
3	Highly sensitive potentiometric immunosensor for hepatitis B surface antigen diagnosis. <i>Science in China Series B: Chemistry</i> , 2005 , 48, 49-57		4
2	An Amperometric Biosensor for Glucose Based on Self-Assembling Nanoparticles and Electrosynthesis of Poly-o-Diaminobenzene on the Prussian Blue-Modified Gold Electrode. <i>Analytical Letters</i> , 2005 , 38, 1085-1097	2.2	9
1	A Highly Selective Salicylate Electrode Based on Schiff Base Complexes of Cobalt(III). <i>Analytical Letters</i> , 2003 , 36, 2379-2392	2.2	11