

# Erwan Salaun

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9285216/publications.pdf>

Version: 2024-02-01

13  
papers

309  
citations

1478505

6  
h-index

1372567

10  
g-index

13  
all docs

13  
docs citations

13  
times ranked

400  
citing authors

#	ARTICLE	IF	CITATIONS
1	Post-release shift with Watchman FLX devices during left atrial appendage closure: the &ldquo;popcorn effect&rdquo;. EuroIntervention, 2022, 18, e181-e182.	3.2	0
2	Impact of sex on the management and outcome of aortic stenosis patients. European Heart Journal, 2021, 42, 2683-2691.	2.2	44
3	Billowing Motion of the Polyester Fabric Cover With WATCHMAN FLX Device. JACC: Cardiovascular Interventions, 2021, 14, e201-e204.	2.9	1
4	Durability of bioprosthetic surgical aortic valve replacement: valve reintervention is only the tip of the iceberg. European Journal of Cardio-thoracic Surgery, 2021, , .	1.4	0
5	Structural Deterioration of Transcatheter Versus Surgical Aortic Valve Bioprostheses in the PARTNER-2 Trial. Journal of the American College of Cardiology, 2020, 76, 1830-1843.	2.8	119
6	Transcatheter Aortic Valve Implantation After Mitral Valve Replacement: Insights From the OPTIMAL Registry. Canadian Journal of Cardiology, 2019, 35, 805-808.	1.7	2
7	Biomarkers of aortic bioprosthetic valve structural degeneration. Current Opinion in Cardiology, 2019, 34, 132-139.	1.8	8
8	Impact of Metabolic Syndrome and/or Diabetes Mellitus on Left Ventricular Mass and Remodeling in Patients With Aortic Stenosis Before and After Aortic Valve Replacement. American Journal of Cardiology, 2019, 123, 123-131.	1.6	5
9	Rate, Timing, Correlates, and Outcomes of Hemodynamic Valve Deterioration After Bioprosthetic Surgical Aortic Valve Replacement. Circulation, 2018, 138, 971-985.	1.6	77
10	Intracranial haemorrhage in infective endocarditis. Archives of Cardiovascular Diseases, 2018, 111, 712-721.	1.6	33
11	An Oscillating Mass Attached toÂPacemaker Lead. JACC: Clinical Electrophysiology, 2017, 3, 915-916.	3.2	5
12	Evaluation of empirical treatment for blood culture-negative endocarditis. Journal of Antimicrobial Chemotherapy, 2017, 72, 290-298.	3.0	14
13	Watchman 2.5<sup>TM</sup> versus Watchman FLX<sup>TM</sup> device in atypical left atrial anatomies: old fashion never dies. Acta Cardiologica, 0, , 1-5.	0.9	1