

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9286878/ajay-kaushal-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

25 papers	800 citations	15 h-index	28 g-index
28 ext. papers	922 ext. citations	4 avg, IF	4.05 L-index

#	Paper	IF	Citations
25	Mn-doped ZnO nanocrystalline thin films prepared by ultrasonic spray pyrolysis. <i>Journal of Alloys and Compounds</i> , 2009 , 471, 11-15	5.7	124
24	In situ high temperature XRD studies of ZnO nanopowder prepared via cost effective ultrasonic mist chemical vapour deposition. <i>Bulletin of Materials Science</i> , 2008 , 31, 573-577	1.7	97
23	Effect of Mg content on structural, electrical and optical properties of Zn _{1-x} Mg _x O nanocomposite thin films. <i>Solar Energy Materials and Solar Cells</i> , 2009 , 93, 193-198	6.4	95
22	Er doped ZnO nanoplates: Synthesis, optical and dielectric properties. <i>Ceramics International</i> , 2014 , 40, 1635-1639	5.1	71
21	Impedance analysis of 0.5Ba(Zr _{0.2} Ti _{0.8})O ₃ -0.5(Ba _{0.7} Ca _{0.3})TiO ₃ ceramics consolidated from micro-granules. <i>Ceramics International</i> , 2014 , 40, 10593-10600	5.1	65
20	Dielectrical Properties of CeO ₂ Nanoparticles at Different Temperatures. <i>PLoS ONE</i> , 2015 , 10, e0122989	3.7	55
19	Far-infrared optical constants of ZnO and ZnO/Ag nanostructures. <i>RSC Advances</i> , 2014 , 4, 20902-20908	3.7	48
18	Pulsed laser deposition of transparent ZnO/MgO multilayers. <i>Journal of Alloys and Compounds</i> , 2011 , 509, 200-205	5.7	37
17	Effect of oxygen partial pressure and VO ₂ content on hexagonal WO ₃ thin films synthesized by pulsed laser deposition technique. <i>Journal of Nanoparticle Research</i> , 2011 , 13, 2485-2496	2.3	22
16	Structural, electrical and optical properties of transparent Zn _{1-x} Mg _x O nanocomposite thin films. <i>Thin Solid Films</i> , 2009 , 518, 1394-1398	2.2	22
15	Structural, optical, thermal, mechanical and dielectric studies of Sulfamic acid single crystals: An influence of dysprosium (Dy ³⁺) doping. <i>Journal of Molecular Structure</i> , 2016 , 1119, 365-372	3.4	18
14	Fabrication of Barium Strontium Titanate (Ba _{0.6} Sr _{0.4} TiO ₃) 3D Microcomponents from Aqueous Suspensions. <i>Journal of the American Ceramic Society</i> , 2014 , 97, 725-732	3.8	17
13	Lead-free 0.5Ba(Zr _{0.2} Ti _{0.8})O ₃ -0.5(Ba _{0.7} Ca _{0.3})TiO ₃ powder surface treated against hydrolysis is key for a successful aqueous processing. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 4846	7.1	17
12	Successful aqueous processing of a lead free 0.5Ba(Zr _{0.2} Ti _{0.8})O ₃ -0.5(Ba _{0.7} Ca _{0.3})TiO ₃ piezoelectric material composition. <i>RSC Advances</i> , 2014 , 4, 26993-27002	3.7	15
11	Is the ubiquitous presence of barium carbonate responsible for the poor aqueous processing ability of barium titanate?. <i>Journal of the European Ceramic Society</i> , 2013 , 33, 2509-2517	6	15
10	Structural, mechanical and dielectric properties of Ba _{0.6} Sr _{0.4} TiO ₃ —the benefits of a colloidal processing approach. <i>Materials Research Bulletin</i> , 2014 , 50, 329-336	5.1	13
9	VO ₂ /WO ₃ nanocomposite thin films synthesized by pulsed laser deposition technique. <i>Applied Surface Science</i> , 2011 , 257, 8937-8944	6.7	13

8	Effect of Ni doping on structural and optical properties of Zn _{1-x} Ni _x O nanopowder synthesized via low cost sono-chemical method. <i>Materials Research Bulletin</i> , 2015 , 70, 430-435	5.1	11
7	Fostering the properties of Zr _{0.8} Sn _{0.2} TiO ₄ (ZST) ceramics via freeze granulation without sintering additives. <i>RSC Advances</i> , 2014 , 4, 48734-48740	3.7	11
6	CRYSTALLINE AgInSe ₂ FILMS ON GLASS BY LASER ABLATION. <i>International Journal of Modern Physics B</i> , 2010 , 24, 5379-5385	1.1	9
5	Room-temperature ferromagnetism in Sn _{1-x} Mn _x O ₂ nanocrystalline thin films prepared by ultrasonic spray pyrolysis. <i>Physica B: Condensed Matter</i> , 2009 , 404, 3732-3738	2.8	7
4	Flux growth and effect of cobalt doping on dielectric, conductivity and relaxation behaviour of 0.91Pb[Zn _{1/3} Nb _{2/3}]O ₃ -0.09PbTiO ₃ crystals. <i>CrystEngComm</i> , 2014 , 16, 9135-9142	3.3	4
3	Preventing hydrolysis of BaTiO ₃ powders during aqueous processing and of bulk ceramics after sintering. <i>Journal of the European Ceramic Society</i> , 2015 , 35, 2471-2478	6	2
2	Enhanced local piezoelectric response in the erbium-doped ZnO nanostructures prepared by wet chemical synthesisPeer review under responsibility of The Ceramic Society of Japan and the Korean Ceramic Society.View all notes. <i>Journal of Asian Ceramic Societies</i> , 2017 , 5, 1-6	2.4	1
1	Effect of Substrate Temperature on Structural, Electrical and Optical Properties of Wurtzite and Cubic Zn _{1-x} Mg _x O Thin Films Grown by Ultrasonic Spray Pyrolysis 2009 ,		1