

Abramova Liliya

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9287210/publications.pdf>

Version: 2024-02-01

44
papers

3,597
citations

535685

17
h-index

274796

44
g-index

56
all docs

56
docs citations

56
times ranked

6709
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical-Neurophysiological Correlations in Patients with Depression-Delusional Conditions. Neuroscience and Behavioral Physiology, 2022, 52, 8-14.	0.2	0
2	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. Nature Genetics, 2021, 53, 817-829.	9.4	629
3	Relationship between DNA Methylation within the YJEFN3 Gene and Cognitive Deficit in Schizophrenia Spectrum Disorders. Russian Journal of Genetics, 2021, 57, 1092-1099.	0.2	0
4	Models for the Quantitative Prediction of Therapeutic Responses Based on the Baseline EEG Parameters in Depressive Patients. Human Physiology, 2019, 45, 614-620.	0.1	3
5	Differentiated approach and indications for optimization of agomelatine therapy for endogenous depression. Nevrologiya, Neiropsikhiatriya, Psikhosomatika, 2019, 11, 71-77.	0.2	1
6	The serotonin transporter gene 5-HTTLPR polymorphism is associated with affective psychoses but not with schizophrenia: A large-scale study in the Russian population. Journal of Affective Disorders, 2017, 208, 604-609.	2.0	14
7	Treatment of Endogenous Depression with Venlafaxine: Clinical Action, Tolerance, and Personalized Indications for Prescription. Neuroscience and Behavioral Physiology, 2016, 46, 665-672.	0.2	2
8	Polymorphism C366G of gene GRIN2B and verbal episodic memory: No association with schizophrenia. Russian Journal of Genetics, 2016, 52, 622-625.	0.2	1
9	Effects of the 5-HTTLPR Polymorphism of the Serotonin Transporter Gene on the Recognition of Mimicked Emotional Expressions in Schizophrenia. Neuroscience and Behavioral Physiology, 2015, 45, 605-611.	0.2	2
10	Arginine vasopressin 1a receptor RS3 promoter microsatellites in schizophrenia: A study of the effect of the "risk" allele on clinical symptoms and facial affect recognition. Psychiatry Research, 2015, 225, 739-740.	1.7	17
11	Association of the COMT and DRD2 Genes with the Ability of Schizophrenia Patients to Understand the Mental State of Other People. Neuroscience and Behavioral Physiology, 2015, 45, 12-18.	0.2	4
12	Association between serotonin receptor 2C gene Cys23Ser polymorphism and social behavior in schizophrenia patients and healthy individuals. Russian Journal of Genetics, 2015, 51, 198-203.	0.2	3
13	Genome-wide analysis implicates microRNAs and their target genes in the development of bipolar disorder. Translational Psychiatry, 2015, 5, e678-e678.	2.4	67
14	Event-related evoked potentials in the course of treatment of affective-delusional conditions. Human Physiology, 2014, 40, 649-659.	0.1	0
15	Common variant at 16p11.2 conferring risk of psychosis. Molecular Psychiatry, 2014, 19, 108-114.	4.1	85
16	Genome-wide association study reveals two new risk loci for bipolar disorder. Nature Communications, 2014, 5, 3339.	5.8	294
17	Association of kynurenine-3-monooxygenase gene with schizophrenia. Russian Journal of Genetics, 2014, 50, 634-637.	0.2	4
18	Association between Polymorphism of the Neuregulin Gene (NRG1) and Cognitive Functions in Schizophrenia Patients and Healthy Subjects. Neuroscience and Behavioral Physiology, 2013, 43, 70-75.	0.2	0

#	ARTICLE	IF	CITATIONS
19	Replication Study and Meta-Analysis in European Samples Supports Association of the 3p21.1 Locus with Bipolar Disorder. <i>Biological Psychiatry</i> , 2012, 72, 645-650.	0.7	15
20	Common variants at VRK2 and TCF4 conferring risk of schizophrenia. <i>Human Molecular Genetics</i> , 2011, 20, 4076-4081.	1.4	193
21	Expanding the range of ZNF804A variants conferring risk of psychosis. <i>Molecular Psychiatry</i> , 2011, 16, 59-66.	4.1	140
22	Genome-wide Association Study Identifies Genetic Variation in Neurocan as a Susceptibility Factor for Bipolar Disorder. <i>American Journal of Human Genetics</i> , 2011, 88, 396.	2.6	6
23	The Cys allele (the Ser311Cys polymorphism) of the dopamine d2 receptor is associated with schizophrenia and impairments to selective attention in patients. <i>Neuroscience and Behavioral Physiology</i> , 2011, 41, 22-25.	0.2	2
24	Association between a Synaptosomal Protein (SNAP-25) Gene Polymorphism and Verbal Memory and Attention in Patients with Endogenous Psychoses and Mentally Healthy Subjects. <i>Neuroscience and Behavioral Physiology</i> , 2010, 40, 461-465.	0.2	15
25	Polymorphism of Serotonin Receptor Genes (5-HTR2A) and Dysbindin (DTNBP1) and Individual Components of Short-Term Verbal Memory Processes in Schizophrenia. <i>Neuroscience and Behavioral Physiology</i> , 2010, 40, 934-940.	0.2	22
26	Common variants conferring risk of schizophrenia. <i>Nature</i> , 2009, 460, 744-747.	13.7	1,572
27	Influence of genetic variants modulating dopamine activity on the brain processing of auditory information (the P300 paradigm). <i>Human Physiology</i> , 2009, 35, 21-24.	0.1	1
28	The 844ins68 polymorphism of the cystathionine beta-synthase gene is associated with schizophrenia. <i>Psychiatry Research</i> , 2009, 170, 168-171.	1.7	16
29	The modulatory influence of polymorphism of the serotonin transporter gene on characteristics of mental maladaptation in relatives of patients with endogenous psychoses. <i>Neuroscience and Behavioral Physiology</i> , 2008, 38, 253-258.	0.2	5
30	Association of the Val66Met polymorphism of the brain-derived neurotrophic factor gene with schizophrenia in Russians. <i>Molecular Biology</i> , 2008, 42, 531-535.	0.4	11
31	Association study of three polymorphisms in the dopamine D2 receptor gene and schizophrenia in the Russian population. <i>Schizophrenia Research</i> , 2008, 100, 302-307.	1.1	65
32	Brain-specific tryptophan hydroxylase 2 (TPH2): a functional Pro206Ser substitution and variation in the 5'-region are associated with bipolar affective disorder. <i>Human Molecular Genetics</i> , 2007, 17, 87-97.	1.4	109
33	Supportive evidence for the association between the T102C 5-HTR2A gene polymorphism and schizophrenia: A large-scale case-control and family-based study. <i>European Psychiatry</i> , 2007, 22, 167-170.	0.1	20
34	MicroRNA in schizophrenia: Genetic and expression analysis of miR-130b (22q11). <i>Biochemistry (Moscow)</i> , 2007, 72, 578-582.	0.7	96
35	Interaction of dopamine system genes and cognitive functions in patients with schizophrenia and their relatives and in healthy subjects from the general population. <i>Neuroscience and Behavioral Physiology</i> , 2007, 37, 643-650.	0.2	10
36	Polymorphism in the 5â€²-promoter region of serine racemase gene in schizophrenia. <i>Molecular Psychiatry</i> , 2006, 11, 325-326.	4.1	49

#	ARTICLE	IF	CITATIONS
37	Association study of COMT gene Val158Met polymorphism with auditory P300 and performance on neurocognitive tests in patients with schizophrenia and their relatives. World Journal of Biological Psychiatry, 2006, 7, 238-245.	1.3	34
38	Serotonin transporter polymorphism and depressive-related symptoms in schizophrenia. American Journal of Medical Genetics Part A, 2004, 126B, 1-7.	2.4	19
39	Serotonin Transporter Gene Polymorphism and Schizoid Personality Traits in Patients with Psychosis and Psychiatrically Well Subjects. World Journal of Biological Psychiatry, 2003, 4, 25-29.	1.3	20
40	5HTR2A gene polymorphism and personality traits in patients with major psychoses. European Psychiatry, 2002, 17, 24-28.	0.1	21
41	Title is missing!. Russian Journal of Genetics, 2001, 37, 436-439.	0.2	1
42	Title is missing!. Molecular Biology, 2001, 35, 336-338.	0.4	0
43	TaqIB allele polymorphism of the dopamine receptor D2 gene in patients with endogenous psychoses. Molecular Biology, 2000, 34, 328-330.	0.4	0
44	Delusions of self-justification, innocence, pardon, and acquittal in schizophrenia. Neuroscience and Behavioral Physiology, 1978, 9, 49-54.	0.2	0