

Basil Schneider

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9289085/publications.pdf>

Version: 2024-02-01

195
papers

10,493
citations

23567

58
h-index

42399

92
g-index

204
all docs

204
docs citations

204
times ranked

7865
citing authors

#	ARTICLE	IF	CITATIONS
1	Improved luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	3.9	362
2	Luminosity determination in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	3.9	279
3	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7$ and 8 TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	3.9	274
4	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	3.9	268
5	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	3.9	238
6	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.	3.9	213
7	Jet energy resolution in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ recorded in 2010 with the ATLAS detector. European Physical Journal C, 2013, 73, 2306.	3.9	209
8	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 2941.	3.9	204
9	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	3.9	198
10	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	175
11	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	3.9	172
12	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	145
13	Measurement of the $\sigma(\text{t}\bar{\text{t}}\text{e})$ production cross-section using $\text{e}^{\pm} \text{e}^{\pm} \text{e}^{\pm} \text{e}^{\pm}$ events with $\text{b}\bar{\text{b}}$ -tagged jets in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	3.9	143
14	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138
15	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	137
16	Measurement of the $Z/\bar{\nu}^* \text{ boson}$ transverse momentum distribution in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	131
17	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $\sqrt{s} = 8 \text{ TeV}$ proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	4.7	128
18	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $\bar{\text{b}}\text{b}$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	3.9	123

#	ARTICLE	IF	CITATIONS
19	Precision luminosity measurement in proton–proton collisions at $\sqrt{s} = 13, 13.6$ TeV in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	3.9	123
20	Search for a light charged Higgs boson in the decay channel $H^{\pm} \rightarrow c\bar{s}$ in $t\bar{t}$ events using pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 2465.	3.9	119
21	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	116

22

#	ARTICLE	IF	CITATIONS
37	Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.	3.9	77
38	Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	3.9	77
39	Search for resonant diboson production in the $\ell\ell\gamma q$, $\ell\ell\gamma\bar{q}$, $q\bar{q}\ell\ell$ final state in pp collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	3.9	74
40	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
41	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s}=8\text{ TeV}$ proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	71
42	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s}=8\text{ TeV}$. European Physical Journal C, 2015, 75, 303.	3.9	70
43	Search for charged Higgs bosons decaying via $H\rightarrow\tau^+\tau^-$, $H\rightarrow\tau^+\tau^-\nu$ in fully hadronic final states using pp collision data at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	69
44	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	3.9	68
45	Measurement of the $t\bar{t}$ production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. European Physical Journal C, 2019, 79, 368.	3.9	68
46	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s}=8\text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	66
47	Measurement of isolated-photon pair production in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	64
48	Observation and measurements of the production of prompt and non-prompt Υ mesons in association with a Z boson in pp collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	3.9	64
49	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	63
50	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s}=8\text{ TeV}$. European Physical Journal C, 2015, 75, 120.	3.9	62
51	Measurement of the inelastic proton-proton cross section at $\sqrt{s}=13\text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	62
52	Measurement of ZZ production in pp collisions at $\sqrt{s}=7\text{ TeV}$ and limits on anomalous ZZZ and ZZ $\tilde{\chi}^0$ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	61
53	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s}=7\text{ TeV}$. European Physical Journal C, 2013, 73, 1.	3.9	61
54	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s}=8\text{ TeV}$ pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60

#	ARTICLE	IF	CITATIONS
55	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton–lead collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	3.9	60
56	Measurement of $W \pm Z$ production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	59
57	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	59
58	Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
59	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
60	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton–proton collisions at $\sqrt{s} = 7$ TeV in 2010. European Physical Journal C, 2014, 74, 3034.	3.9	58
61	Measurement of the W boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	57
62	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	57
63	Search for direct top squark pair production in events with a Z boson, b -jets and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	3.9	55
64	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54
65	Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	54
66	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	53
67	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
68	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	52
69	Measurement of the top quark mass in the $t \rightarrow \text{lepton} + \text{jets}$ and $t \rightarrow \text{dilepton}$ channels using $\sqrt{s} = 7$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	3.9	52
70	Measurements of the $\text{pp} \rightarrow Z\text{pp}$ production cross section and the $Z \rightarrow 4\ell$ branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	3.9	52
71	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s} = 7$ TeV pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	48
72	Search for contact interactions and large extra dimensions in the dilepton channel using proton–proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	3.9	48

#	ARTICLE	IF	CITATIONS
73	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	47
74	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	3.9	46
75	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 1.	3.9	45
76	Measurement of the $t\bar{t}$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	3.9	45
77	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $\sqrt{s} = 8$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
78	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
79	Search for supersymmetry at $\sqrt{s} = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
80	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
81	Search for the Standard Model Higgs boson in the $H \rightarrow \gamma\gamma$, $H \rightarrow Z\gamma$, $H \rightarrow b\bar{b}$ decay mode in $\sqrt{s} = 7$ TeV pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	4.7	43
82	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	42
83	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	42
84	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	3.9	42
85	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	41
86	Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	3.9	41
87	A search for $t\bar{t}$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	40
88	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	3.9	40
89	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	40
90	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $\sqrt{s} = 7$ TeV in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	40

#	ARTICLE	IF	CITATIONS
91	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\sqrt{s} = 13, \text{ext } \{\text{TeV}\}$. European Physical Journal C, 2021, 81, 378.	3.9	40
92	Measurement of differential cross sections for Z boson production in association with jets in proton-proton collisions at $\sqrt{s} = 13, \text{ext } \{\text{TeV}\}$ $s = 13$ TeV. European Physical Journal C, 2018, 78, 965.	3.9	39
93	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s = 8 \sqrt{s} = 8$ TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	38
94	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\sqrt{s} = 13$ $s = 13$ $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 636.	3.9	38
95	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying l , leptons at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
96	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	36
97	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	36
98	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s = 8 \sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	35
99	Measurement of the production cross section of prompt J/ψ mesons in association with a W^{\pm} boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	35
100	Search for $W' \rightarrow t\bar{b} \rightarrow q\bar{q}b\bar{b}$ $W \rightarrow \tau^+ \tau^- t\bar{b} \rightarrow q\bar{q}b\bar{b}$ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	3.9	35
101	Measurement of the inclusive jet cross-section in proton-proton collisions at $s = 7 \sqrt{s} = 7$ TeV using 4.5 fb^{-1} of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	35
102	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at $\sqrt{s} = 13, \text{ext } \{\text{TeV}\}$. European Physical Journal C, 2021, 81, 488.	3.9	35
103	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
104	Multi-channel search for squarks and gluinos in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	3.9	34
105	Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2676.	3.9	33
106	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s = 8 \sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
107	Search for dark matter produced in association with a leptonically decaying Z boson in proton-proton collisions at $\sqrt{s} = 13, \text{ext } \{\text{TeV}\}$. European Physical Journal C, 2021, 81, 13.	3.9	33
108	Search for top squark pair production using dilepton final states in $p\bar{p}$ collision data collected at $\sqrt{s} = 13, \text{ext } \{\text{TeV}\}$. European Physical Journal C, 2021, 81, 3.	3.9	33

#	ARTICLE	IF	CITATIONS
109	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	32
110	Measurement of c_1 and c_2 production with $\sqrt{s}=7$ TeV pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	32
111	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s}=7$ TeV proton-proton collisions. European Physical Journal C, 2012, 72, 1.	3.9	31
112	Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s}=7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	4.7	31
113	Search for top squark pair production in pp collisions at $\sqrt{s}=13$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
114	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	3.9	30
115	Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30
116	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2019, 79, 280.	3.9	29
117	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	28
118	Search for $t\bar{t}H$ production in the $H\rightarrow b\bar{b}$ decay channel with leptonic $t\bar{t}$ decays in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
119	Measurements of differential Z boson production cross sections in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
120	Measurement of the $WW+WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
121	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 291.	3.9	27
122	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of Instrumentation, 2020, 15, P02027-P02027.	1.2	27
123	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
124	A search for χ_{c0} resonances with the ATLAS detector in 2.05 fb^{-1} of proton-proton collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2012, 72, 2083.	3.9	25
125	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	25
126	Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s}=7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	25

#	ARTICLE	IF	CITATIONS
127	Search for high-mass resonances in final states with a lepton and missing transverse momentum at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	25
128	Measurements of $\sigma(\mathrm{p}\mathrm{p} \rightarrow \mathrm{Z}\mathrm{Z})$ production cross sections and constraints on anomalous triple gauge couplings at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 200.	3.9	24
129	A measurement of the ratio of the production cross sections for W and Z bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	3.9	23
130	Measurement of the underlying event in jet events from $7\sqrt{s} = 7$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	3.9	23
131	Measurement of three-jet production cross-sections in pp collisions at $\sqrt{s} = 7$ TeV centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	3.9	23
132	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 1.	3.9	22
133	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	3.9	22
134	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	22
135	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
136	Measurement of the production cross-section of $\tilde{t}(2S) \rightarrow J/\psi(\psi' + \psi) + \tilde{t} \rightarrow \tilde{t} + \tilde{t}'$ in pp collisions at $\sqrt{s} = 7$ TeV at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	21
137	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e\mu u$ $WW \rightarrow \tau\tau$ $e\tau$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	3.9	21
138	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	21
139	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10.	2.9	21
140	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	4.7	21
141	Search for new phenomena in events with three or more charged leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
142	Search for $t\bar{t}H$ production in the all-jet final state in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
143	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
144	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	20

#	ARTICLE	IF	CITATIONS
145	Search for charged Higgs bosons through the violation of lepton universality in $\sqrt{s}=7$ TeV events using pp collision data at $\sqrt{s}=7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	4.7	19
146	Measurement of k_T splitting scales in $W\ell^+\ell^-$ events at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	3.9	19
147	Addendum to “Measurement of the $t\bar{t} \rightarrow e^+e^-$ production cross-section using b -tagged jets in pp collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS detector”. European Physical Journal C, 2016, 76, 1.	3.9	19
148	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2021, 81, 723.	3.9	19
149	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
150	MUSIC: a model-unspecific search for new physics in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2021, 81, 629.	3.9	18
151	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2021, 81, 970.	3.9	18
152	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2022, 82, 290.	3.9	18
153	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	17
154	Measurement of the top quark charge in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	17
155	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	17
156	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s}=7$ TeV. European Physical Journal C, 2015, 75, 158.	3.9	17
157	Search for $Z\ell^+\ell^-$ resonances using leptonic and hadronic final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
158	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 697.	3.9	17
159	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	17
160	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	16
161	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7$ TeV with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
162	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	15

#	ARTICLE	IF	CITATIONS
163	Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 1.	3.9	15
164	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.	2.9	15
165	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	14
166	Measurements of the pp \rightarrow WZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
167	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in $\sqrt{s_{NN}}=2.76$ and 5.02 TeV PbPb collisions at $\sqrt{s_{NN}}=2.76$ and 5.02 TeV. European Physical Journal C, 2020, 80, 534.	3.9	14
168	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
169	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	4.7	13
170	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	13
171	The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s}=7$ TeV pp collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.	3.9	13
172	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
173	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
174	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	13
175	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb $^{-1}$ of $\sqrt{s}=8$ TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	12
176	Search for dark matter produced in association with a Higgs boson decaying to $\tilde{\chi}_1^0$ or $\tilde{\chi}_1^\pm$, \tilde{a}^0 at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
177	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	12
178	Development and validation of HERWIG tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	3.9	12
179	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
180	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	10

#	ARTICLE	IF	CITATIONS
181	Search for a heavy resonance decaying into a Z boson and a vector boson in the $\overline{u}\overline{q}$ final state. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
182	Search for a heavy vector resonance decaying to a $Z\gamma$ boson and a Higgs boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 688.	3.9	9
183	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2q$ final states at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	8
184	Search for the pair production of light top squarks in the e^+e^- final state in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
185	Measurement of single-diffractive dijet production in proton-proton collisions at $\sqrt{s} = 8$ TeV with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.	3.9	5
186	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
187	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s}=7$ TeV using 4.5 fb $^{-1}$ of data with the ATLAS detector. , 2015, 2015, 1.		3
188	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.		3
189	Measurements of the $pp \rightarrow Zp$ production cross section and the $Z \rightarrow 4\ell$ branching fraction, and constraints on anomalous triple gauge couplings at $\sqrt{s} = 13$ TeV. , 2018, 78, 1.		3
190	Measurements of angular distance and momentum ratio distributions in three-jet and Z + two-jet final states in pp collisions. European Physical Journal C, 2021, 81, 852.	3.9	2
191	Measurement of the $t\overline{t}$ production cross-section using $(\mu\mu)$ events with (b)-tagged jets in (pp) collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS detector. , 2014, 74, 1.		2
192	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. , 2015, 75, 1.		2
193	Measurement of the inclusive $t\overline{t}$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
194	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. , 2015, 75, 1.		1
195	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	1