

MarÃ-a JosÃ© LÃ³pez Medina

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9289270/publications.pdf>

Version: 2024-02-01

83
papers

1,870
citations

236612

25
h-index

329751

37
g-index

103
all docs

103
docs citations

103
times ranked

1938
citing authors

#	ARTICLE	IF	CITATIONS
1	Non-smokers™ and smokers™ support for smoke-free legislation in 14 indoor and outdoor settings across 12 European countries. <i>Environmental Research</i> , 2022, 204, 112224.	3.7	6
2	Geographical inequalities in energy poverty in a Mediterranean city: Using small-area Bayesian spatial models. <i>Energy Reports</i> , 2022, 8, 1249-1259.	2.5	8
3	Qualitative evaluation of an intervention to reduce energy poverty: Effects perceived by participants according to typologies of social vulnerability. <i>Energy Policy</i> , 2022, 167, 113006.	4.2	9
4	Effectiveness of an Energy-Counseling Intervention in Reducing Energy Poverty: Evidence from a Quasi-Experimental Study in a Southern European City. <i>Journal of Urban Health</i> , 2022, 99, 549-561.	1.8	3
5	Burden of disease from exposure to secondhand smoke in children in Europe. <i>Pediatric Research</i> , 2021, 90, 216-222.	1.1	10
6	Energy poverty and health: Trends in the European Union before and during the economic crisis, 2007–2016. <i>Health and Place</i> , 2021, 67, 102294.	1.5	73
7	Secondhand smoke exposure in outdoor children™s playgrounds in 11 European countries. <i>Environment International</i> , 2021, 149, 105775.	4.8	16
8	Three-Year Follow-Up of the POIBA Intervention on Childhood Obesity: A Quasi-Experimental Study. <i>Nutrients</i> , 2021, 13, 453.	1.7	8
9	How widespread is electronic cigarette use in outdoor settings? A field check from the TackSHS project in 11 European countries. <i>Environmental Research</i> , 2021, 193, 110571.	3.7	1
10	Tobacco control policies in the 21st century: achievements and open challenges. <i>Molecular Oncology</i> , 2021, 15, 744-752.	2.1	39
11	Environmental and individual exposure to secondhand aerosol of electronic cigarettes in confined spaces: Results from the TackSHS Project. <i>Indoor Air</i> , 2021, 31, 1601-1613.	2.0	4
12	Secondhand smoke presence in outdoor areas in 12 European countries. <i>Environmental Research</i> , 2021, 195, 110806.	3.7	12
13	Burden of disease from second-hand tobacco smoke exposure at home among adults from European Union countries in 2017: an analysis using a review of recent meta-analyses. <i>Preventive Medicine</i> , 2021, 145, 106412.	1.6	15
14	The Association of Energy Poverty with Health and Wellbeing in Children in a Mediterranean City. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 5961.	1.2	16
15	Mortalidad atribuida al tabaquismo en España: ¿Quo vadis?. <i>Archivos De Bronconeumologia</i> , 2021, 57, 515-516.	0.4	0
16	Smoking-attributable mortality in Spain: Quo Vadis?. <i>Archivos De Bronconeumologia</i> , 2021, 57, 515-516.	0.4	0
17	Secondhand smoke exposure assessment in outdoor hospitality venues across 11 European countries. <i>Environmental Research</i> , 2021, 200, 111355.	3.7	5
18	Assessment of compliance with the smoking ban in children™s playgrounds in Portugal: a case study. <i>Pulmonology</i> , 2021, 27, 373-375.	1.0	0

#	ARTICLE	IF	CITATIONS
19	Prevalence and associated factors with sexual violence victimisation youth before, during and after the COVID-19 lockdown: a cross-sectional study in Spain. <i>BMJ Open</i> , 2021, 11, e055227.	0.8	5
20	Factors related to caregivers' risk perception of secondhand smoke exposure on children's health. <i>Tobacco Induced Diseases</i> , 2021, 19, 1-5.	0.3	0
21	Tackling second-hand exposure to tobacco smoke and aerosols of electronic cigarettes: the TackSHS project protocol. <i>Gaceta Sanitaria</i> , 2020, 34, 77-82.	0.6	30
22	The association of energy poverty with health, health care utilisation and medication use in southern Europe. <i>SSM - Population Health</i> , 2020, 12, 100665.	1.3	32
23	Exposure to second-hand tobacco smoke in waterpipe cafés in Barcelona, Spain: An assessment of airborne nicotine and PM2.5. <i>Environmental Research</i> , 2020, 184, 109347.	3.7	9
24	Secondhand smoke exposure and other signs of tobacco consumption at outdoor entrances of primary schools in 11 European countries. <i>Science of the Total Environment</i> , 2020, 743, 140743.	3.9	9
25	Qualitative evaluation of a community-based intervention to reduce social isolation among older people in disadvantaged urban areas of Barcelona. <i>Health and Social Care in the Community</i> , 2020, 28, 1488-1503.	0.7	13
26	Study Protocol for the Evaluation of the Health Effects of Superblocks in Barcelona: The 'Salut Als Carrers' (Health in the Streets) Project. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2956.	1.2	12
27	Burden of disease attributable to second-hand smoke exposure: A systematic review. <i>Preventive Medicine</i> , 2019, 129, 105833.	1.6	84
28	Response regarding the methodological approach used to calculate the burden of respiratory disease attributable to secondhand smoke exposure in children in Spain for the year 2015. <i>Preventive Medicine</i> , 2019, 129, 105723.	1.6	0
29	Sociodemographic factors associated with secondhand smoke exposure and smoking rules in homes with children. <i>European Journal of Public Health</i> , 2019, 29, 843-849.	0.1	10
30	Burden of respiratory disease attributable to secondhand smoke exposure at home in children in Spain (2015). <i>Preventive Medicine</i> , 2019, 123, 34-40.	1.6	12
31	Community intervention to reduce social isolation in older adults in disadvantaged urban areas: study protocol for a mixed methods multi-approach evaluation. <i>BMC Geriatrics</i> , 2019, 19, 44.	1.1	10
32	The Incidence of Obesity, Assessed as Adiposity, Is Reduced After 1 Year in Primary Schoolchildren by the POIBA Intervention. <i>Journal of Nutrition</i> , 2019, 149, 258-269.	1.3	11
33	Qualitative evaluation of an intervention to reduce energy poverty. <i>Revista De Saude Publica</i> , 2019, 53, 62.	0.7	11
34	Validity of self-reported indicators to assess secondhand smoke exposure in the home. <i>Environmental Research</i> , 2018, 164, 340-345.	3.7	16
35	Second-hand smoke exposure in homes with children: assessment of airborne nicotine in the living room and children's bedroom. <i>Tobacco Control</i> , 2018, 27, 399-406.	1.8	23
36	Social inequalities in secondhand smoke exposure in children in Spain. <i>Tobacco Induced Diseases</i> , 2018, 16, 14.	0.3	16

#	ARTICLE	IF	CITATIONS
37	Tobacco Smoke Exposure in Indoor and Outdoor Locations in Airports Across Europe and the United States: A Cross-Sectional Study. <i>Nicotine and Tobacco Research</i> , 2017, 19, ntw238.	1.4	5
38	Changes in Secondhand Smoke Exposure After Smoke-Free Legislation (Spain, 2006–2011). <i>Nicotine and Tobacco Research</i> , 2017, 19, 1390-1394.	1.4	25
39	Smokefree legislation effects on respiratory and sensory disorders: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2017, 12, e0181035.	1.1	20
40	A Cross-Sectional Study of Tobacco Advertising, Promotion, and Sponsorship in Airports across Europe and the United States. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 959.	1.2	0
41	Adoption of Preventive Measures and Attitudes Toward the H1N1 Influenza Pandemic in Schools. <i>Journal of School Health</i> , 2016, 86, 534-542.	0.8	4
42	Food consumption frequency and excess body weight in adolescents in the context of financial crisis in Barcelona (Spain). <i>Gaceta Sanitaria</i> , 2016, 30, 457-463.	0.6	5
43	Second-hand smoke exposure in indoor and outdoor areas of cafés and restaurants: Need for extending smoking regulation outdoors?. <i>Environmental Research</i> , 2016, 148, 421-428.	3.7	35
44	Mortality Attributable to Secondhand Smoke Exposure in Spain (2011). <i>Nicotine and Tobacco Research</i> , 2016, 18, 1307-1310.	1.4	14
45	Second-hand smoke exposure in 4-year-old children in Spain: Sources, associated factors and urinary cotinine. <i>Environmental Research</i> , 2016, 145, 116-125.	3.7	29
46	Efficacy of memory training in healthy community-dwelling older people: study protocol for a randomized controlled trial. <i>BMC Geriatrics</i> , 2015, 15, 113.	1.1	3
47	Changes in the Prevalence of Tobacco Consumption and the Profile of Spanish Smokers after a Comprehensive Smoke-Free Policy. <i>PLoS ONE</i> , 2015, 10, e0128305.	1.1	19
48	Economic Impact of Smoke-Free Legislation: Did the Spanish Tobacco Control Law Affect the Economic Activity of Bars and Restaurants?: Table 1.. <i>Nicotine and Tobacco Research</i> , 2015, 17, 1397-1400.	1.4	5
49	Secondhand smoke in outdoor settings: smokers' consumption, non-smokers' perceptions, and attitudes towards smoke-free legislation in Spain. <i>BMJ Open</i> , 2015, 5, e007554-e007554.	0.8	31
50	Factors associated with second-hand smoke exposure in non-smoking pregnant women in Spain: Self-reported exposure and urinary cotinine levels. <i>Science of the Total Environment</i> , 2014, 470-471, 1189-1196.	3.9	34
51	Secondhand smoke exposure at home: Assessment by biomarkers and airborne markers. <i>Environmental Research</i> , 2014, 133, 111-116.	3.7	32
52	Validity of self-reported exposure to second-hand smoke in hospitality venues. <i>Environmental Research</i> , 2014, 133, 1-3.	3.7	10
53	Impact of the Spanish Smoke-Free Legislation on Adult, Non-Smoker Exposure to Secondhand Smoke: Cross-Sectional Surveys before (2004) and after (2012) Legislation. <i>PLoS ONE</i> , 2014, 9, e89430.	1.1	41
54	Variability in the correlation between nicotine and PM2.5 as airborne markers of second-hand smoke exposure. <i>Environmental Research</i> , 2013, 127, 49-55.	3.7	17

#	ARTICLE	IF	CITATIONS
55	Impact of a multi-level intervention to prevent secondhand smoke exposure in schoolchildren: A randomized cluster community trial. <i>Preventive Medicine</i> , 2013, 57, 585-590.	1.6	10
56	Questionnaire-based second-hand smoke assessment in adults. <i>European Journal of Public Health</i> , 2013, 23, 763-767.	0.1	36
57	Long-term effect of the influenza A/H1N1 pandemic: attitudes and preventive behaviours one year after the pandemic. <i>European Journal of Public Health</i> , 2013, 23, 679-681.	0.1	8
58	Secondhand Tobacco Smoke Exposure in Open and Semi-Open Settings: A Systematic Review. <i>Environmental Health Perspectives</i> , 2013, 121, 766-773.	2.8	95
59	Impact of the 2011 Spanish Smoking Ban in Hospitality Venues: Indoor Secondhand Smoke Exposure and Influence of Outdoor Smoking. <i>Nicotine and Tobacco Research</i> , 2013, 15, 992-996.	1.4	39
60	Two-year impact of the Spanish smoking law on exposure to secondhand smoke: evidence of the failure of the "Spanish model". <i>Tobacco Control</i> , 2012, 21, 407-411.	1.8	42
61	Secondhand smoke levels in public building main entrances: outdoor and indoor PM _{2.5} assessment. <i>Tobacco Control</i> , 2012, 21, 543-548.	1.8	61
62	Exposure to Secondhand Smoke in Terraces and Other Outdoor Areas of Hospitality Venues in Eight European Countries. <i>PLoS ONE</i> , 2012, 7, e42130.	1.1	49
63	Qualidade do ar interior em estabelecimentos da restauração após a entrada em vigor da lei portuguesa de controlo do tabagismo. <i>Revista Portuguesa De Saude Publica</i> , 2011, 29, 22-26.	0.3	2
64	Secondhand smoke assessment in the first African country adopting a comprehensive smoke-free law (Mauritius). <i>Environmental Research</i> , 2011, 111, 1024-1026.	3.7	3
65	Mass Calibration and Relative Humidity Compensation Requirements for Optical Portable Particulate Matter Monitors: The IMPASHS (Impact of Smoke-free Policies in Eu Member States) Wp2 Preliminary Results. <i>Epidemiology</i> , 2011, 22, S206.	1.2	11
66	Adoption of preventive measures during and after the 2009 influenza A (H1N1) virus pandemic peak in Spain. <i>Preventive Medicine</i> , 2011, 53, 203-206.	1.6	46
67	Medición del nivel de partículas finas respirables (PM _{2.5}) como marcador del humo ambiental del tabaco en locales de hostelería de Zaragoza. <i>Archivos De Bronconeumología</i> , 2011, 47, 190-194.	0.4	3
68	The Spanish smoking law: a model to be followed?. <i>International Journal of Public Health</i> , 2010, 55, 231-232.	2.7	6
69	Can smoking cessation be successfully promoted among hospitality workers? Results of a pilot intervention. <i>Occupational and Environmental Medicine</i> , 2010, 67, 503-504.	1.3	2
70	Second-hand smoke in hospitals in Catalonia (2009): A cross-sectional study measuring PM _{2.5} and vapor-phase nicotine. <i>Environmental Research</i> , 2010, 110, 750-755.	3.7	22
71	Impact of the Spanish Smoking Law on Exposure to Secondhand Smoke in Offices and Hospitality Venues: Before-and-After Study. <i>Environmental Health Perspectives</i> , 2009, 117, 344-347.	2.8	75
72	Impact of the Spanish smoking law in smoker hospitality workers. <i>Nicotine and Tobacco Research</i> , 2009, 11, 1099-1106.	1.4	22

#	ARTICLE	IF	CITATIONS
73	Second-hand smoke exposure in a sample of European hospitals. <i>European Respiratory Journal</i> , 2009, 34, 111-116.	3.1	18
74	A COMPARISON OF THE FAGERSTRÅ–M TEST FOR NICOTINE DEPENDENCE AND SMOKING PREVALENCE ACROSS COUNTRIES: UPDATED DATA FROM SPAIN. <i>Addiction</i> , 2009, 104, 326-327.	1.7	9
75	Exposure to second-hand smoke in primary health care centres in Catalonia, Spain (2006). <i>Environmental Research</i> , 2009, 109, 775-778.	3.7	5
76	Comparing salivary cotinine concentration in non-smokers from the general population and hospitality workers in Spain. <i>European Journal of Public Health</i> , 2009, 19, 662-664.	0.1	1
77	Impact of the Spanish Smoking Law on Exposure to Second-Hand Smoke and Respiratory Health in Hospitality Workers: A Cohort Study. <i>PLoS ONE</i> , 2009, 4, e4244.	1.1	102
78	Secondhand smoke in hospitals of Catalonia (Spain) before and after a comprehensive ban on smoking at the national level. <i>Preventive Medicine</i> , 2008, 47, 624-628.	1.6	29
79	Prevalence of Second-Hand Smoke Exposure After Introduction of the Italian Smoking Ban: The Florence and Belluno Survey. <i>Tumori</i> , 2008, 94, 798-802.	0.6	17
80	Secondhand Smoke Exposure in Hospitality Venues in Europe. <i>Environmental Health Perspectives</i> , 2008, 116, 1469-1472.	2.8	36
81	Prevalence of second-hand smoke exposure after introduction of the Italian smoking ban: the Florence and Belluno survey. <i>Tumori</i> , 2008, 94, 798-802.	0.6	7
82	Mortality attributable to passive smoking in Spain, 2002. <i>Tobacco Control</i> , 2007, 16, 373-377.	1.8	43
83	Environmental Tobacco Smoke (ETS) Exposure in Florence Hospitality Venues Before and After the Smoking Ban in Italy. <i>Journal of Occupational and Environmental Medicine</i> , 2005, 47, 1208-1210.	0.9	20