

Fabrizio Santoro

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9289292/fabrizio-santoro-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

153
papers

6,508
citations

42
h-index

76
g-index

162
ext. papers

7,179
ext. citations

5
avg. IF

6.12
L-index

#	Paper	IF	Citations
153	Effective method for the computation of optical spectra of large molecules at finite temperature including the Duschinsky and Herzberg-Teller effect: the Qx band of porphyrin as a case study. <i>Journal of Chemical Physics</i> , 2008 , 128, 224311	3.9	418
152	Effective method to compute Franck-Condon integrals for optical spectra of large molecules in solution. <i>Journal of Chemical Physics</i> , 2007 , 126, 084509	3.9	398
151	Fully Integrated Approach to Compute Vibrationally Resolved Optical Spectra: From Small Molecules to Macrosystems. <i>Journal of Chemical Theory and Computation</i> , 2009 , 5, 540-54	6.4	353
150	Quantum Mechanical Studies on the Photophysics and the Photochemistry of Nucleic Acids and Nucleobases. <i>Chemical Reviews</i> , 2016 , 116, 3540-93	68.1	291
149	Effective method to compute vibrationally resolved optical spectra of large molecules at finite temperature in the gas phase and in solution. <i>Journal of Chemical Physics</i> , 2007 , 126, 184102	3.9	271
148	Tracking the excited-state time evolution of the visual pigment with multiconfigurational quantum chemistry. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 7764-9	11.5	239
147	General Approach to Compute Vibrationally Resolved One-Photon Electronic Spectra. <i>Journal of Chemical Theory and Computation</i> , 2010 , 6, 1256-1274	6.4	225
146	Insights for an Accurate Comparison of Computational Data to Experimental Absorption and Emission Spectra: Beyond the Vertical Transition Approximation. <i>Journal of Chemical Theory and Computation</i> , 2013 , 9, 2072-82	6.4	166
145	Ab initio calculations of absorption spectra of large molecules in solution: coumarin C153. <i>Angewandte Chemie - International Edition</i> , 2007 , 46, 405-8	16.4	157
144	Solvent effect on the singlet excited-state lifetimes of nucleic acid bases: A computational study of 5-fluorouracil and uracil in acetonitrile and water. <i>Journal of the American Chemical Society</i> , 2006 , 128, 16312-22	16.4	142
143	Going beyond the vertical approximation with time-dependent density functional theory. <i>Wiley Interdisciplinary Reviews: Computational Molecular Science</i> , 2016 , 6, 460-486	7.9	137
142	Comparison of vertical and adiabatic harmonic approaches for the calculation of the vibrational structure of electronic spectra. <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 13549-63	3.6	137
141	Influence of base stacking on excited-state behavior of polyadenine in water, based on time-dependent density functional calculations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 9931-6	11.5	119
140	Excited states decay of the A-T DNA: A PCM/TD-DFT study in aqueous solution of the (9-methyl-adenine)(2).(1-methyl-thymine)(2) stacked tetramer. <i>Journal of the American Chemical Society</i> , 2009 , 131, 15232-45	16.4	99
139	Excited-state behavior of trans and cis isomers of stilbene and stiff stilbene: a TD-DFT study. <i>Journal of Physical Chemistry A</i> , 2005 , 109, 10058-67	2.8	88
138	Computing the inhomogeneous broadening of electronic transitions in solution: a first-principle quantum mechanical approach. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 17007-12	3.6	81
137	An artificial molecular switch that mimics the visual pigment and completes its photocycle in picoseconds. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 17642-7	11.5	78

136	First-principle computation of absorption and fluorescence spectra in solution accounting for vibronic structure, temperature effects and solvent inhomogenous broadening. <i>Computational and Theoretical Chemistry</i> , 2014 , 1040-1041, 328-337	2	77
135	Vibronically resolved electronic circular dichroism spectra of (R)-(+)-3-methylcyclopentanone: a theoretical study. <i>Journal of Physical Chemistry A</i> , 2008 , 112, 12401-11	2.8	73
134	Effective Time-Independent Calculations of Vibrational Resonance Raman Spectra of Isolated and Solvated Molecules Including Duschinsky and Herzberg-Teller Effects. <i>Journal of Chemical Theory and Computation</i> , 2011 , 7, 1824-39	6.4	69
133	Vibronic coupling in electronic transitions with significant Duschinsky effect. <i>International Journal of Quantum Chemistry</i> , 1997 , 63, 233-244	2.1	68
132	Amplification of chirality in monodisperse, enantiopure alleno-acetylenic oligomers. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 2247-50	16.4	65
131	Integrated computational approaches for spectroscopic studies of molecular systems in the gas phase and in solution: pyrimidine as a test case. <i>Theoretical Chemistry Accounts</i> , 2012 , 131, 1	1.9	63
130	Computational approach to the study of the lineshape of absorption and electronic circular dichroism spectra. <i>International Journal of Quantum Chemistry</i> , 2010 , 110, 476-486	2.1	62
129	The decay from the dark $n\pi^*$ excited state in uracil: an integrated CASPT2/CASSCF and PCM/TD-DFT study in the gas phase and in water. <i>Journal of Physical Chemistry B</i> , 2008 , 112, 10769-72	3.4	61
128	Two-photon absorption circular dichroism: a new twist in nonlinear spectroscopy. <i>Chemistry - A European Journal</i> , 2010 , 16, 3504-9	4.8	59
127	Vibrationally Resolved Absorption and Emission Spectra of Dithiophene in the Gas Phase and in Solution by First-Principle Quantum Mechanical Calculations. <i>Journal of Chemical Theory and Computation</i> , 2012 , 8, 4483-93	6.4	58
126	Quantum dynamics of the ultrafast $\pi\pi^*/n\pi^*$ population transfer in uracil and 5-fluoro-uracil in water and acetonitrile. <i>Journal of Physical Chemistry B</i> , 2009 , 113, 14491-503	3.4	58
125	Can TD-DFT calculations accurately describe the excited states behavior of stacked nucleobases? The cytosine dimer as a test case. <i>Journal of Computational Chemistry</i> , 2008 , 29, 957-64	3.5	56
124	Time-Independent Approaches to Simulate Electronic Spectra Lineshapes: From Small Molecules to Macrosystems 2011 , 361-443		55
123	Modeling Solvent Broadening on the Vibronic Spectra of a Series of Coumarin Dyes. From Implicit to Explicit Solvent Models. <i>Journal of Chemical Theory and Computation</i> , 2015 , 11, 5810-25	6.4	54
122	Vibronic model for the quantum dynamical study of the competition between bright and charge-transfer excited states in single-strand polynucleotides: the adenine dimer case. <i>Journal of Physical Chemistry A</i> , 2009 , 113, 15346-54	2.8	54
121	Accurate steady-state and zero-time fluorescence spectra of large molecules in solution by a first-principle computational method. <i>Journal of Physical Chemistry B</i> , 2007 , 111, 14080-2	3.4	53
120	Duschinsky, Herzberg-Teller, and Multiple Electronic Resonance Interferential Effects in Resonance Raman Spectra and Excitation Profiles. The Case of Pyrene. <i>Journal of Chemical Theory and Computation</i> , 2013 , 9, 3597-611	6.4	51
119	Enantiomerically pure alleno-acetylenic macrocycles: synthesis, solid-state structures, chiroptical properties, and electron localization function analysis. <i>Chemistry - A European Journal</i> , 2010 , 16, 9796-807	4.8	48

118	A tiny excited-state barrier can induce a multiexponential decay of the retinal chromophore: a quantum dynamics investigation. <i>Angewandte Chemie - International Edition</i> , 2005 , 44, 5118-21	16.4	48
117	Harmonic Models in Cartesian and Internal Coordinates to Simulate the Absorption Spectra of Carotenoids at Finite Temperatures. <i>Journal of Chemical Theory and Computation</i> , 2013 , 9, 4947-58	6.4	47
116	Theory for vibrationally resolved two-photon circular dichroism spectra. Application to (R)-(+)-3-methylcyclopentanone. <i>Journal of Physical Chemistry A</i> , 2009 , 113, 4198-207	2.8	47
115	Absorption and emission spectral shapes of a prototype dye in water by combining classical/dynamical and quantum/static approaches. <i>Journal of Physical Chemistry A</i> , 2015 , 119, 5426-38	2.8	45
114	Vibronically-induced change in the chiral response of molecules revealed by electronic circular dichroism spectroscopy. <i>Chemical Physics Letters</i> , 2008 , 464, 144-149	2.5	45
113	The excited electronic states of adenine-guanine stacked dimers in aqueous solution: a PCM/TD-DFT study. <i>Physical Chemistry Chemical Physics</i> , 2010 , 12, 4934-48	3.6	43
112	Trajectory-Surface-Hopping Study of the Renner-Teller Effect in the N(2D) + H ₂ Reaction <i>Journal of Physical Chemistry A</i> , 2002 , 106, 8276-8284	2.8	40
111	Nonadiabatic wave packet dynamics of NO ₂ on the X ² A ₁ / ² A ₁ conical intersection. <i>Journal of Chemical Physics</i> , 1999 , 110, 4419-4427	3.9	40
110	Vibronic Coupling Explains the Different Shape of Electronic Circular Dichroism and of Circularly Polarized Luminescence Spectra of Hexahelicenes. <i>Journal of Chemical Theory and Computation</i> , 2016 , 12, 2799-819	6.4	40
109	The interplay between π/π^* excited states in gas-phase thymine: a quantum dynamical study. <i>ChemPhysChem</i> , 2011 , 12, 1957-68	3.2	39
108	Time dependent DFT investigation on the two lowest 1Bu states of the trans isomer of stilbene and stiff-stilbenes. <i>Chemical Physics Letters</i> , 2004 , 387, 509-516	2.5	39
107	Quantum-classical effective-modes dynamics of the $\pi/\pi^* \rightarrow \pi/\pi^*$ decay in 9H-adenine. A quadratic vibronic coupling model. <i>Faraday Discussions</i> , 2013 , 163, 223-42; discussion 243-75	3.6	38
106	Hierarchical transformation of Hamiltonians with linear and quadratic couplings for nonadiabatic quantum dynamics: application to the π/π^* internal conversion in thymine. <i>Journal of Chemical Physics</i> , 2012 , 136, 244104	3.9	38
105	Chemical selectivity through control of excited-state dynamics. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 6322-5	16.4	38
104	A Theoretical Study on the Factors Influencing Cyanine Photoisomerization: The Case of Thiocyanine in Gas Phase and in Methanol. <i>Journal of Chemical Theory and Computation</i> , 2005 , 1, 215-29	6.4	38
103	Absorption spectrum of A-T DNA unraveled by quantum mechanical calculations in solution on the (dA) ₂ x (dT) ₂ tetramer. <i>ChemPhysChem</i> , 2008 , 9, 2531-7	3.2	36
102	Relative Stability of the La and Lb Excited States in Adenine and Guanine: Direct Evidence from TD-DFT Calculations of MCD Spectra. <i>Journal of Physical Chemistry Letters</i> , 2014 , 5, 1806-11	6.4	34
101	Vibronic coupling dominates the electronic circular dichroism of the benzene chromophore $\pi(\text{b})$ band. <i>Journal of Organic Chemistry</i> , 2013 , 78, 7398-405	4.2	34

100	Chirality Amplified: Long, Discrete Helicene Nanoribbons. <i>Journal of the American Chemical Society</i> , 2021 , 143, 983-991	16.4	33
99	Ab initio prediction of the emission color in phosphorescent iridium(III) complexes for OLEDs. <i>Journal of Physical Chemistry B</i> , 2008 , 112, 13181-3	3.4	32
98	Amplifikation der Chiralität in monodispersen, enantiomerenreinen Allen-Acetylen-Oligomeren. <i>Angewandte Chemie</i> , 2010 , 122, 2296-2300	3.6	30
97	Barrierless photoisomerisation of the "simplest cyanine": joining computational and femtosecond optical spectroscopies to trace the full reaction path. <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 13350-64	3.6	28
96	Computational challenges in simulating and analyzing experimental linear and nonlinear circular dichroism spectra. R-(+)-1,1-bis(2-naphthol) as a prototype case. <i>Journal of Physical Chemistry B</i> , 2011 , 115, 811-24	3.4	28
95	Femtosecond photoelectron spectroscopy of trans-stilbene above the reaction barrier. <i>Chemical Physics</i> , 2005 , 310, 201-211	2.3	27
94	Femtosecond study on the isomerization dynamics of NK88. II. Excited-state dynamics. <i>Journal of Chemical Physics</i> , 2006 , 125, 44513	3.9	26
93	Revisiting Vertical Models To Simulate the Line Shape of Electronic Spectra Adopting Cartesian and Internal Coordinates. <i>Journal of Chemical Theory and Computation</i> , 2016 , 12, 4970-4985	6.4	26
92	Disentangling vibronic and solvent broadening effects in the absorption spectra of coumarin derivatives for dye sensitized solar cells. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 11401-11	3.6	25
91	On the controversial nature of the 1 1B(u) and 2 1B(u) states of trans-stilbene: the n-electron valence state perturbation theory approach. <i>Journal of Chemical Physics</i> , 2009 , 130, 174307	3.9	25
90	Femtosecond study on the isomerization dynamics of NK88. I. Ground-state dynamics after photoexcitation. <i>Journal of Chemical Physics</i> , 2006 , 125, 44512	3.9	25
89	The excited state behavior of cytosine in the gas phase: A TD-DFT study. <i>Computational and Theoretical Chemistry</i> , 2014 , 1040-1041, 186-194	2	24
88	Time-Dependent Approaches to Calculation of Steady-State Vibronic Spectra: From Fully Quantum to Classical Approaches 2011 , 475-516		24
87	A simple dimeric model accounts for the vibronic ECD spectra of chiral polythiophenes in their aggregated states. <i>RSC Advances</i> , 2016 , 6, 37938-37943	3.7	24
86	Adiabatic-Molecular Dynamics Generalized Vertical Hessian Approach: A Mixed Quantum Classical Method To Compute Electronic Spectra of Flexible Molecules in the Condensed Phase. <i>Journal of Chemical Theory and Computation</i> , 2020 , 16, 1215-1231	6.4	23
85	Optical Properties of Diarylethenes with TD-DFT: 0-0 Energies, Fluorescence, Stokes Shifts, and Vibronic Shapes. <i>Journal of Chemical Theory and Computation</i> , 2014 , 10, 3944-57	6.4	22
84	Quantum-classical calculation of the absorption and emission spectral shapes of oligothiophenes at low and room temperature by first-principle calculations. <i>ChemPhysChem</i> , 2014 , 15, 3320-33	3.2	22
83	Electronic circular dichroism in exciton-coupled dimers: vibronic spectra from a general all-coordinates quantum-dynamical approach. <i>Journal of Physical Chemistry A</i> , 2013 , 117, 3355-68	2.8	20

82	Mixed Quantum/Classical Method for Nonadiabatic Quantum Dynamics in Explicit Solvent Models: The S_1/S_0 Decay of Thymine in Water as a Test Case. <i>Journal of Chemical Theory and Computation</i> , 2018 , 14, 820-832	6.4	20
81	The lineshape of the electronic spectrum of the green fluorescent protein chromophore, part II: solution phase. <i>ChemPhysChem</i> , 2014 , 15, 3246-57	3.2	19
80	Differences in two-photon and one-photon absorption profiles induced by vibronic coupling: the case of dioxaborine heterocyclic dye. <i>ChemPhysChem</i> , 2011 , 12, 3392-403	3.2	19
79	Two-photon absorption circular-linear dichroism on axial enantiomers. <i>Chirality</i> , 2010 , 22 Suppl 1, E202-101	3.2	19
78	Ab Initio Calculations of Absorption Spectra of Large Molecules in Solution: Coumarin C153. <i>Angewandte Chemie</i> , 2007 , 119, 409-412	3.6	19
77	Predicting fluorescence quantum yields for molecules in solution: A critical assessment of the harmonic approximation and the choice of the lineshape function. <i>Journal of Chemical Physics</i> , 2020 , 152, 054107	3.9	18
76	Coupled cluster study of the x-ray absorption spectra of formaldehyde derivatives at the oxygen, carbon, and fluorine K-edges. <i>Journal of Chemical Physics</i> , 2019 , 151, 064107	3.9	18
75	Intermolecular exciton coupling and vibronic effects in solid-state circular dichroism: a case study. <i>Physical Chemistry Chemical Physics</i> , 2013 , 15, 795-802	3.6	18
74	TD-DFT investigation of the magnetic circular dichroism spectra of some purine and pyrimidine bases of nucleic acids. <i>Journal of Physical Chemistry A</i> , 2015 , 119, 5476-89	2.8	18
73	Comparing classical approaches with empirical or quantum-mechanically derived force fields for the simulation electronic lineshapes: application to coumarin dyes. <i>Theoretical Chemistry Accounts</i> , 2016 , 135, 1	1.9	18
72	Vibrationally resolved electronic spectra including vibrational pre-excitation: Theory and application to VIPER spectroscopy. <i>Journal of Chemical Physics</i> , 2017 , 147, 164116	3.9	17
71	Ab initio study of NO ₂ . VII. $\pi^* \leftarrow \pi$ nonadiabatic Franck-Condon absorption spectrum. <i>Chemical Physics</i> , 1997 , 225, 55-62	2.3	17
70	Ultrafast Dynamics of the Two Lowest Bright Excited States of Cytosine and 1-Methylcytosine: A Quantum Dynamical Study. <i>Journal of Chemical Theory and Computation</i> , 2020 , 16, 5792-5808	6.4	17
69	The interplay between neutral exciton and charge transfer states in single-strand polyadenine: a quantum dynamical investigation. <i>Photochemical and Photobiological Sciences</i> , 2013 , 12, 1527-43	4.2	16
68	Three-dimensional diabatic models for the $S_1 \rightarrow S_0$ excited-state decay of uracil derivatives in solution. <i>Theoretical Chemistry Accounts</i> , 2009 , 123, 273-286	1.9	16
67	Statistical analysis of the computed X $2A_1/\pi^* \leftarrow \pi$ spectrum of NO ₂ : Some insights into the causes of its irregularity. <i>Journal of Chemical Physics</i> , 1998 , 109, 1824-1832	3.9	16
66	UV Absorption and Magnetic Circular Dichroism Spectra of Purine, Adenine, and Guanine: A Coupled Cluster Study in Vacuo and in Aqueous Solution. <i>Journal of Chemical Theory and Computation</i> , 2019 , 15, 1242-1254	6.4	16
65	Quantum-Classical Calculation of Vibronic Spectra along a Reaction Path: The Case of the ECD of Easily Interconvertible Conformers with Opposite Chiral Responses. <i>Journal of Physical Chemistry Letters</i> , 2016 , 7, 4891-4897	6.4	15

64	Multistate coupled quantum dynamics of photoexcited cytosine in gas-phase: Nonadiabatic absorption spectrum and ultrafast internal conversions. <i>Chemical Physics</i> , 2018 , 515, 452-463	2.3	15
63	Combination of transient 2D-IR experiments and ab initio computations sheds light on the formation of the charge-transfer state in photoexcited carbonyl carotenoids. <i>Journal of Physical Chemistry B</i> , 2014 , 118, 9613-30	3.4	15
62	Combined use of three forms of chiroptical spectroscopies in the study of the absolute configuration and conformational properties of 3-phenylcyclopentanone, 3-phenylcyclohexanone, and 3-phenylcycloheptanone. <i>Tetrahedron</i> , 2013 , 69, 10752-10762	2.4	15
61	Time- and frequency-resolved spontaneous emission: Theory and application to the NO ₂ X ² A ₁ / ² A ₂ conical intersection. <i>Journal of Chemical Physics</i> , 2000 , 113, 4073-4082	3.9	15
60	Unveiling Excited-State Chirality of Binaphthols by Femtosecond Circular Dichroism and Quantum Chemical Calculations. <i>Journal of Physical Chemistry Letters</i> , 2019 , 10, 4089-4094	6.4	14
59	First Principles Studies of the Vibrationally Resolved Magnetic Circular Dichroism Spectra of Biphenylene. <i>Journal of Chemical Theory and Computation</i> , 2013 , 9, 1557-67	6.4	14
58	Complex excited dynamics around a plateau on a retinal-like potential surface: chaos, multi-exponential decays and quantum/classical differences. <i>Theoretical Chemistry Accounts</i> , 2007 , 117, 1061-1072	1.9	14
57	Theoretical investigation of the broad one-photon absorption line-shape of a flexible symmetric carbazole derivative. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 22889-905	3.6	13
56	The lineshape of the electronic spectrum of the green fluorescent protein chromophore, part I: gas phase. <i>ChemPhysChem</i> , 2014 , 15, 3236-45	3.2	13
55	A Combined Experimental-Computational Investigation to Uncover the Puzzling (Chiro-)optical Response of Pyridocyclophanes: One- and Two-Photon Spectra. <i>Chemistry - A European Journal</i> , 2015 , 21, 12136-47	4.8	13
54	Time-dependent and time-independent approaches for the computation of absorption spectra of Uracil derivatives in solution. <i>International Journal of Quantum Chemistry</i> , 2010 , 110, 624-636	2.1	12
53	Vibronic Spectra of π -Conjugated Systems with a Multitude of Coupled States: A Protocol Based on Linear Vibronic Coupling Models and Quantum Dynamics Tested on Hexahelicene. <i>Journal of Chemical Theory and Computation</i> , 2021 , 17, 1691-1700	6.4	12
52	Quantum and semiclassical dynamics of the Franck-Condon wave packet on the coupled potential surfaces of the X ² A ₁ / ² A ₂ conical intersection. <i>Chemical Physics</i> , 2000 , 259, 193-200	2.3	11
51	Nonadiabatic radiative lifetimes and fluorescence spectra of NO ₂ . <i>Journal of Chemical Physics</i> , 1999 , 111, 9651-9657	3.9	11
50	Comparison of the results of a mean-field mixed quantum/classical method with full quantum predictions for nonadiabatic dynamics: application to the (π π [*] / n π [*]) decay of thymine. <i>Theoretical Chemistry Accounts</i> , 2018 , 137, 1	1.9	10
49	Optical absorption and magnetic circular dichroism spectra of thiouracils: a quantum mechanical study in solution. <i>Photochemical and Photobiological Sciences</i> , 2017 , 16, 1415-1423	4.2	10
48	Vibrationally resolved circular dichroism spectra of a molecule with isotopically engendered chirality. <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 3669-80	3.6	10
47	Excitation Dynamics in Hetero-bichromophoric Calixarene Systems. <i>ChemPhysChem</i> , 2016 , 17, 1686-706	3.2	10

46	A computational study of the vibrationally-resolved electronic circular dichroism spectra of single-chain transoid and cisoid oligothiophenes in chiral conformations. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 21864-21880	3.6	9
45	Excited state properties of sizable molecules in solution: from structure to reactivity. <i>Theoretical Chemistry Accounts</i> , 2007 , 117, 1073-1084	1.9	9
44	Excitonic Model for Strongly Coupled Multichromophoric Systems: The Electronic Circular Dichroism Spectra of Guanine Quadruplexes as Test Cases. <i>Journal of Chemical Theory and Computation</i> , 2021 , 17, 405-415	6.4	9
43	Ultrafast resonance energy transfer in the umbelliferone-alizarin bichromophore. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 10059-74	3.6	8
42	In vivo absorption spectra of the two stable states of the Euglena photoreceptor photocycle. <i>Photochemistry and Photobiology</i> , 2009 , 85, 304-12	3.6	8
41	Chemische Selektivität durch Kontrolle der Dynamik angeregter Zustände. <i>Angewandte Chemie</i> , 2008 , 120, 6420-6424	3.6	8
40	Distinct Helical Molecular Orbitals through Conformational Lock*. <i>Chemistry - A European Journal</i> , 2020 , 26, 17342-17349	4.8	8
39	Nonadiabatic Absorption Spectra and Ultrafast Dynamics of DNA and RNA Photoexcited Nucleobases. <i>Molecules</i> , 2021 , 26,	4.8	8
38	Fragment Diabatization Linear Vibronic Coupling Model for Quantum Dynamics of Multichromophoric Systems: Population of the Charge-Transfer State in the Photoexcited Guanine-Cytosine Pair. <i>Journal of Chemical Theory and Computation</i> , 2021 , 17, 4660-4674	6.4	8
37	High-Resolution Absorption and Electronic Circular Dichroism Spectra of (R)-(+)-1-Phenylethanol. Confident Interpretation Based on the Synergy between Experiments and Computations. <i>ChemPhysChem</i> , 2018 , 19, 715-723	3.2	8
36	Toward a general mixed quantum/classical method for the calculation of the vibronic ECD of a flexible dye molecule with different stable conformers: Revisiting the case of 2,2,2-trifluoro-anthrylethanol. <i>Chirality</i> , 2018 , 30, 730-743	2.1	7
35	Electronic spectroscopy of a solvatochromic dye in water: comparison of static cluster/implicit and dynamical/explicit solvent models on structures and energies. <i>Theoretical Chemistry Accounts</i> , 2016 , 135, 1	1.9	7
34	A Fermi Golden Rule, Liouville-space approach to the study of intramolecular electron transfer rate in solution. <i>Journal of Chemical Physics</i> , 1997 , 106, 94-108	3.9	7
33	On the energy dependence of the hyperfine interaction in excited states of NO ₂ . <i>Journal of Chemical Physics</i> , 2001 , 115, 8868-8875	3.9	7
32	Accounting for Vibronic Features through a Mixed Quantum-Classical Scheme: Structure, Dynamics, and Absorption Spectra of a Perylene Diimide Dye in Solution. <i>Journal of Chemical Theory and Computation</i> , 2020 , 16, 7061-7077	6.4	7
31	Origin of Chiroptic Amplification in Perylene-Diimide Helicenes. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 2554-2564	3.8	7
30	Quantum and semiclassical dynamical studies of nonadiabatic processes in solution: achievements and perspectives. <i>Physical Chemistry Chemical Physics</i> , 2021 , 23, 8181-8199	3.6	7
29	The Absorption Spectrum of Guanine Based Radicals: a Comparative Computational Analysis. <i>ChemPhotoChem</i> , 2019 , 3, 846-855	3.3	6

28	The shape of the electronic circular dichroism spectrum of (2,6-dimethylphenyl)(phenyl)methanol: interplay between conformational equilibria and vibronic effects. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 32349-32360	3.6	6
27	Analysis of the electronic circular dichroism spectrum of (-)-[9](2,5)Pyridinophane. <i>Chirality</i> , 2012 , 24, 994-1004	2.1	6
26	UV-vis spectra of p-benzoquinone anion radical in solution by a TD-DFT/PCM approach. <i>Theoretical Chemistry Accounts</i> , 2007 , 118, 143-148	1.9	6
25	Parameterization of a linear vibronic coupling model with multiconfigurational electronic structure methods to study the quantum dynamics of photoexcited pyrene. <i>Journal of Chemical Physics</i> , 2021 , 154, 104106	3.9	6
24	Excited-State Absorption of Uracil in the Gas Phase: Mapping the Main Decay Paths by Different Electronic Structure Methods. <i>Journal of Chemical Theory and Computation</i> , 2021 , 17, 1638-1652	6.4	6
23	Controlling Photochemistry via Isotopomers and IR Pre-excitation. <i>Journal of the American Chemical Society</i> , 2018 , 140, 926-931	16.4	6
22	The Intriguing Case of the One-Photon and Two-Photon Absorption of a Prototypical Symmetric Squaraine: Comparison of TDDFT and Wave-Function Methods. <i>ChemPhotoChem</i> , 2019 , 3, 778-793	3.3	5
21	The absorption and emission spectra in solution of oligothiophene-based pushpull biomarkers: a PCM/TD-DFT vibronic study. <i>Theoretical Chemistry Accounts</i> , 2016 , 135, 1	1.9	5
20	The role of intramolecular charge transfer and symmetry breaking in the photophysics of pyrrolo[3,2-b]pyrrole-dione. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 22260-22271	3.6	5
19	A computational study of the vibronic effects on the electronic spectra and the photophysics of aza[7]helicene. <i>Physical Chemistry Chemical Physics</i> , 2021 , 23, 16551-16563	3.6	5
18	Effective time-independent studies on resonance Raman spectroscopy of trans-stilbene including the Duschinsky effect. <i>Molecular Physics</i> , 2013 , 111, 1511-1525	1.7	4
17	Weak-field laser control of systems experiencing dissipation and decoherence. An application to the enhancement of the coherent fluorescence of the B850 ring in light harvesting complexes. <i>Chemical Physics Letters</i> , 2004 , 384, 86-93	2.5	4
16	Stable laser control of complex multilevel systems using a weak-intensity multicolor gaussian pulse. <i>Chemical Physics</i> , 2002 , 277, 297-312	2.3	4
15	Robust control by a multicolor weak laser pulse of the fluorescence of NO ₂ from the X ² A ₂ /A ² A ₂ conical intersection. <i>Chemical Physics</i> , 2003 , 287, 237-251	2.3	4
14	Quantum dynamics of the π/π^* decay of the epigenetic nucleobase 1,5-dimethyl-cytosine in the gas phase. <i>Physical Chemistry Chemical Physics</i> , 2020 , 22, 26525-26535	3.6	4
13	On the geometry of 3-amino-sydnones. <i>Computational and Theoretical Chemistry</i> , 1998 , 433, 291-299		3
12	Lanczos calculation of the X ² A ₁ /A ² B ₂ nonadiabatic Franck-Condon absorption spectrum of NO ₂ . <i>Advances in Quantum Chemistry</i> , 2000 , 36, 323-340	1.4	3
11	Vibronic approach to the calculation of the decay rate of the photoexcited charge-transfer state of Guanine-Cytosine stacked dimer in water solution. <i>Theoretical Chemistry Accounts</i> , 2016 , 135, 1	1.9	2

10	Solvent effect on the energetics of proton coupled electron transfer in guanine-cytosine pair in chloroform by mixed explicit and implicit solvation models. <i>Chemical Physics</i> , 2018 , 515, 493-501	2.3	2
9	Towards the Understanding of the Excited State Dynamics of Nucleic Acids: Solvent and Stacking Effect on the Photophysical Behavior of Nucleobases. <i>AIP Conference Proceedings</i> , 2007 ,	0	2
8	Chemisorption of silyl radicals onto Pd(100) surface: A computational DFT study. <i>Surface Science</i> , 2007 , 601, 255-261	1.8	1
7	Excited state absorption of DNA bases in the gas phase and in chloroform solution: a comparative quantum mechanical study.. <i>Physical Chemistry Chemical Physics</i> , 2022 ,	3.6	1
6	The Ultrafast Quantum Dynamics of Photoexcited Adenine-Thymine Basepair Investigated with a Fragment-based Diabatization and a Linear Vibronic Coupling Model. <i>Journal of Physical Chemistry A</i> , 2021 , 125, 8912-8924	2.8	1
5	ON/OFF Spiroconjugation through Peripheral Functionalization: Impact on the Reactivity and Chiroptical Properties of Spirobifluorenes.. <i>ChemPlusChem</i> , 2022 , e202100554	2.8	0
4	The role of chlorine position in the electronic circular dichroism of chlorophenyl-ethanol investigated by vibronic calculations. <i>Chirality</i> , 2020 , 32, 932-948	2.1	
3	Infrared pre-excitation grants isotopomer-specific photochemistry. <i>EPJ Web of Conferences</i> , 2019 , 205, 03001	0.3	
2	X π A π / π π A π conical intersection effects on the fluorescence of NO ₂ . <i>Theoretical Chemistry Accounts</i> , 2000 , 104, 203-206	1.9	
1	Integrated computational approaches for spectroscopic studies of molecular systems in the gas phase and in solution: pyrimidine as a test case. <i>Highlights in Theoretical Chemistry</i> , 2013 , 319-337		