

Paul L Greenhaff

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9289681/paul-l-greenhaff-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

193
papers

8,610
citations

54
h-index

87
g-index

204
ext. papers

9,751
ext. citations

4.7
avg, IF

5.9
L-index

#	Paper	IF	Citations
193	The effects of elective abdominal surgery on protein turnover: A meta-analysis of stable isotope techniques to investigate postoperative catabolism.. <i>Clinical Nutrition</i> , 2022 , 41, 709-722	5.9	0
192	Metabolomics as an Important Tool for Determining the Mechanisms of Human Skeletal Muscle Deconditioning.. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
191	Immobilisation induces sizeable and sustained reductions in forearm glucose uptake in just 24h but does not change lipid uptake in healthy men. <i>Journal of Physiology</i> , 2021 , 599, 2197-2210	3.9	3
190	Age-related changes in muscle architecture and metabolism in humans: The likely contribution of physical inactivity to age-related functional decline. <i>Ageing Research Reviews</i> , 2021 , 68, 101344	12	10
189	Impact of sedentarism due to the COVID-19 home confinement on neuromuscular, cardiovascular and metabolic health: Physiological and pathophysiological implications and recommendations for physical and nutritional countermeasures. <i>European Journal of Sport Science</i> , 2021 , 21, 614-635	3.9	161
188	The clinical usefulness of muscle mass and strength measures in older people: a systematic review. <i>Age and Ageing</i> , 2021 , 50, 88-95	3	11
187	Major elective abdominal surgery acutely impairs lower limb muscle pyruvate dehydrogenase complex activity and mitochondrial function. <i>Clinical Nutrition</i> , 2021 , 40, 1046-1051	5.9	0
186	Submaximal Eccentric Cycling in People With COPD: Acute Whole-Body Cardiopulmonary and Muscle Metabolic Responses. <i>Chest</i> , 2021 , 159, 564-574	5.3	3
185	Review article: The aetiology of fatigue in inflammatory bowel disease and potential therapeutic management strategies. <i>Alimentary Pharmacology and Therapeutics</i> , 2021 , 54, 368-387	6.1	5
184	The Regulatory Roles of PPARs in Skeletal Muscle Fuel Metabolism and Inflammation: Impact of PPAR Agonism on Muscle in Chronic Disease, Contraction and Sepsis. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	3
183	Increasing skeletal muscle carnitine content in older individuals increases whole-body fat oxidation during moderate-intensity exercise. <i>Aging Cell</i> , 2021 , 20, e13303	9.9	6
182	Antecubital vein cannula position impacts on forearm glucose uptake during an oral glucose challenge in healthy volunteers. <i>Clinical Nutrition ESPEN</i> , 2020 , 40, 435	1.3	
181	Investigating musculoskeletal health and wellbeing; a cohort study protocol. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 182	2.8	5
180	Skeletal muscle dysregulation in rheumatoid arthritis: Metabolic and molecular markers in a rodent model and patients. <i>PLoS ONE</i> , 2020 , 15, e0235702	3.7	1
179	Untargeted metabolomics for uncovering biological markers of human skeletal muscle ageing. <i>Aging</i> , 2020 , 12, 12517-12533	5.6	5
178	The Role of Muscle Protein and Energy Metabolism in Statin-Associated Muscle Symptoms. <i>Contemporary Cardiology</i> , 2020 , 113-120	0.1	
177	Associations between Plasma Branched Chain Amino Acids and Health Biomarkers in Response to Resistance Exercise Training Across Age. <i>Nutrients</i> , 2020 , 12,	6.7	1

176	Longitudinal hypertrophic and transcriptional responses to high-load eccentric-concentric vs concentric training in males. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020 , 30, 2101-2115	4.6	6
175	East Midlands knee pain multiple randomised controlled trial cohort study: cohort establishment and feasibility study protocol. <i>BMJ Open</i> , 2020 , 10, e037760	3	2
174	PPAR α and FOXO1 Mediate Palmitate-Induced Inhibition of Muscle Pyruvate Dehydrogenase Complex and CHO Oxidation, Events Reversed by Electrical Pulse Stimulation. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	3
173	Mitochondrial DNA copy number associates with insulin sensitivity and aerobic capacity, and differs between sedentary, overweight middle-aged males with and without type 2 diabetes. <i>International Journal of Obesity</i> , 2020 , 44, 929-936	5.5	6
172	Perioperative nutrition: Recommendations from the ESPEN expert group. <i>Clinical Nutrition</i> , 2020 , 39, 3211-3227	5.9	54
171	Regulation of musculoskeletal tissues in ageing and health: the human perspective - Celebrating the research of Professor Mike Rennie. <i>Journal of Physiology</i> , 2019 , 597, 1233	3.9	
170	The impact of immobilisation and inflammation on the regulation of muscle mass and insulin resistance: different routes to similar end-points. <i>Journal of Physiology</i> , 2019 , 597, 1259-1270	3.9	28
169	Impact of transcutaneous neuromuscular electrical stimulation or resistance exercise on skeletal muscle mRNA expression in COPD. <i>International Journal of COPD</i> , 2019 , 14, 1355-1364	3	2
168	Testosterone therapy induces molecular programming augmenting physiological adaptations to resistance exercise in older men. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019 , 10, 1276-1294	10.3	34
167	Evaluating the efficacy of Internet-Based Exercise programme Aimed at Treating knee Osteoarthritis (iBEAT-OA) in the community: a study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e030564	3	4
166	Maximal-intensity exercise does not fully restore muscle pyruvate dehydrogenase complex activation after 3 days of high-fat dietary intake. <i>Clinical Nutrition</i> , 2019 , 38, 948-953	5.9	3
165	Increasing cardiac pyruvate dehydrogenase flux during chronic hypoxia improves acute hypoxic tolerance. <i>Journal of Physiology</i> , 2018 , 596, 3357-3369	3.9	9
164	Inflammation-mediated muscle metabolic dysregulation local and remote to the site of major abdominal surgery. <i>Clinical Nutrition</i> , 2018 , 37, 2178-2185	5.9	9
163	Changing to a vegetarian diet reduces the body creatine pool in omnivorous women, but appears not to affect carnitine and carnosine homeostasis: a randomised trial. <i>British Journal of Nutrition</i> , 2018 , 119, 759-770	3.6	27
162	Increasing skeletal muscle carnitine availability does not alter the adaptations to high-intensity interval training. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018 , 28, 107-115	4.6	9
161	Effects of leucine-enriched essential amino acid and whey protein bolus dosing upon skeletal muscle protein synthesis at rest and after exercise in older women. <i>Clinical Nutrition</i> , 2018 , 37, 2011-2021	5.9	54
160	Metabolic phenotype of skeletal muscle in early critical illness. <i>Thorax</i> , 2018 , 73, 926-935	7.3	77
159	Greater loss of mitochondrial function with ageing is associated with earlier onset of sarcopenia in. <i>Aging</i> , 2018 , 10, 3382-3396	5.6	18

158	Response to the letter to editor by Dankel et al. 2017 "Changes in muscle size via MRI and ultrasound: Are they equivalent?". <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018 , 28, 1469-476	4.6	1
157	Muscle and Tendon Contributions to Reduced Rate of Torque Development in Healthy Older Males. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018 , 73, 539-545	6.4	27
156	Muscle thickness correlates to muscle cross-sectional area in the assessment of strength training-induced hypertrophy. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018 , 28, 846-853	4.6	117
155	Peroxisome proliferator-activated receptor β agonism attenuates endotoxaemia-induced muscle protein loss and lactate accumulation in rats. <i>Clinical Science</i> , 2017 , 131, 1437-1447	6.5	11
154	Michael John Rennie, MSc, PhD, FRSE, FHEA, 1946-2017: an appreciation of his work on protein metabolism in human muscle. <i>American Journal of Clinical Nutrition</i> , 2017 , 106, 1-9	7	3
153	Muscle carnitine availability plays a central role in regulating fuel metabolism in the rodent. <i>Journal of Physiology</i> , 2017 , 595, 5765-5780	3.9	17
152	Human skeletal muscle is refractory to the anabolic effects of leucine during the postprandial muscle-full period in older men. <i>Clinical Science</i> , 2017 , 131, 2643-2653	6.5	22
151	Physiological adaptations to resistance exercise as a function of age. <i>JCI Insight</i> , 2017 , 2,	9.9	35
150	Control of skeletal muscle atrophy in response to disuse: clinical/preclinical contentions and fallacies of evidence. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2016 , 311, E594-604	6	83
149	Relative Contribution of Intramyocellular Lipid to Whole-Body Fat Oxidation Is Reduced With Age but Subsarcolemmal Lipid Accumulation and Insulin Resistance Are Only Associated With Overweight Individuals. <i>Diabetes</i> , 2016 , 65, 840-50	0.9	41
148	Protein ingestion acutely inhibits insulin-stimulated muscle carnitine uptake in healthy young men. <i>American Journal of Clinical Nutrition</i> , 2016 , 103, 276-82	7	12
147	Human Skeletal Muscle Disuse Atrophy: Effects on Muscle Protein Synthesis, Breakdown, and Insulin Resistance-A Qualitative Review. <i>Frontiers in Physiology</i> , 2016 , 7, 361	4.6	80
146	The effect of age and unilateral leg immobilization for 2 weeks on substrate utilization during moderate-intensity exercise in human skeletal muscle. <i>Journal of Physiology</i> , 2016 , 594, 2339-58	3.9	16
145	Creatine ingestion augments dietary carbohydrate mediated muscle glycogen supercompensation during the initial 24h of recovery following prolonged exhaustive exercise in humans. <i>Amino Acids</i> , 2016 , 48, 1831-42	3.5	26
144	Synchronous deficits in cumulative muscle protein synthesis and ribosomal biogenesis underlie age-related anabolic resistance to exercise in humans. <i>Journal of Physiology</i> , 2016 , 594, 7399-7417	3.9	102
143	Degenerin channel activation causes caspase-mediated protein degradation and mitochondrial dysfunction in adult <i>C. elegans</i> muscle. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2016 , 7, 181-92	10.3	10
142	Application of deuterium oxide (D2O) to metabolic research: just D2O it? Depends just how you D2O it!. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015 , 308, E847	6	6
141	Skeletal muscle hypertrophy adaptations predominate in the early stages of resistance exercise training, matching deuterium oxide-derived measures of muscle protein synthesis and mechanistic target of rapamycin complex 1 signaling. <i>FASEB Journal</i> , 2015 , 29, 4485-96	0.9	129

140	Perpetual muscle PDH activation in PDH kinase knockout mice protects against high-fat feeding-induced muscle insulin resistance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, E824	11.5	7
139	Intake of low-dose leucine-rich essential amino acids stimulates muscle anabolism equivalently to bolus whey protein in older women at rest and after exercise. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015 , 308, E1056-65	6	88
138	Statin myalgia is not associated with reduced muscle strength, mass or protein turnover in older male volunteers, but is allied with a slowing of time to peak power output, insulin resistance and differential muscle mRNA expression. <i>Journal of Physiology</i> , 2015 , 593, 1239-57	3.9	29
137	Age is just a number! Or is it?. <i>Journal of Physiology</i> , 2015 , 593, 491-2	3.9	
136	The integrin-adhesome is required to maintain muscle structure, mitochondrial ATP production, and movement forces in <i>Caenorhabditis elegans</i> . <i>FASEB Journal</i> , 2015 , 29, 1235-46	0.9	22
135	Obesity Appears to Be Associated With Altered Muscle Protein Synthetic and Breakdown Responses to Increased Nutrient Delivery in Older Men, but Not Reduced Muscle Mass or Contractile Function. <i>Diabetes</i> , 2015 , 64, 3160-71	0.9	64
134	The skeletal muscle satellite cell response to a single bout of resistance-type exercise is delayed with aging in men. <i>Age</i> , 2014 , 36, 9699		72
133	A validation of the application of D(2)O stable isotope tracer techniques for monitoring day-to-day changes in muscle protein subfraction synthesis in humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014 , 306, E571-9	6	121
132	Pre-Operative nutrition In Neck of femur Trial (POINT)--carbohydrate loading in patients with fragility hip fracture: study protocol for a randomised controlled trial. <i>Trials</i> , 2014 , 15, 475	2.8	5
131	Acute dietary protein intake restriction is associated with changes in myostatin expression after a single bout of resistance exercise in healthy young men. <i>Journal of Nutrition</i> , 2014 , 144, 137-45	4.1	20
130	Transient transcriptional events in human skeletal muscle at the outset of concentric resistance exercise training. <i>Journal of Applied Physiology</i> , 2014 , 116, 113-25	3.7	37
129	Protein ingestion impairs insulin-stimulated net muscle carnitine uptake in healthy young men (LB812). <i>FASEB Journal</i> , 2014 , 28, LB812	0.9	1
128	Effect of whey protein- and carbohydrate-enriched diet on glycogen resynthesis during the first 48 h after a soccer game. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2013 , 23, 508-15	4.6	25
127	Resistance to aerobic exercise training causes metabolic dysfunction and reveals novel exercise-regulated signaling networks. <i>Diabetes</i> , 2013 , 62, 2717-27	0.9	56
126	Resistance exercise and the mechanisms of muscle mass regulation in humans: acute effects on muscle protein turnover and the gaps in our understanding of chronic resistance exercise training adaptation. <i>International Journal of Biochemistry and Cell Biology</i> , 2013 , 45, 2209-14	5.6	22
125	Reduced fat oxidation during high intensity, submaximal exercise: is the availability of carnitine important?. <i>European Journal of Sport Science</i> , 2013 , 13, 191-199	3.9	2
124	Creatine 2013 , 301-312		
123	Skeletal muscle molecular responses to resistance training and dietary supplementation in COPD. <i>Thorax</i> , 2013 , 68, 625-33	7.3	45

122	Skeletal muscle carnitine loading increases energy expenditure, modulates fuel metabolism gene networks and prevents body fat accumulation in humans. <i>Journal of Physiology</i> , 2013 , 591, 4655-66	3.9	48
121	Muscle metabolism and fatigue--in memory of Eric Hultman (10 October 1925-9 March 2011). <i>Journal of Physiology</i> , 2013 , 591, 4403	3.9	
120	Pharmacological activation of the pyruvate dehydrogenase complex reduces statin-mediated upregulation of FOXO gene targets and protects against statin myopathy in rodents. <i>Journal of Physiology</i> , 2012 , 590, 6389-402	3.9	28
119	The role of FOXO and PPAR transcription factors in diet-mediated inhibition of PDC activation and carbohydrate oxidation during exercise in humans and the role of pharmacological activation of PDC in overriding these changes. <i>Diabetes</i> , 2012 , 61, 1017-24	0.9	44
118	Acute pantothenic acid and cysteine supplementation does not affect muscle coenzyme A content, fuel selection, or exercise performance in healthy humans. <i>Journal of Applied Physiology</i> , 2012 , 112, 272-87	3.7	4
117	Commentaries on viewpoint: the curious case of anabolic resistance: old wives' tales or new fables?. <i>Journal of Applied Physiology</i> , 2012 , 112, 1236	3.7	2
116	Resistance exercise training improves age-related declines in leg vascular conductance and rejuvenates acute leg blood flow responses to feeding and exercise. <i>Journal of Applied Physiology</i> , 2012 , 112, 347-53	3.7	41
115	Increasing muscle carnitine content alters muscle fuel metabolism and improves exercise performance in humans. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2011 , 60, 85-85	0.1	1
114	Mechanisms regulating muscle mass during disuse atrophy and rehabilitation in humans. <i>Journal of Applied Physiology</i> , 2011 , 110, 555-60	3.7	82
113	Chronic oral ingestion of L-carnitine and carbohydrate increases muscle carnitine content and alters muscle fuel metabolism during exercise in humans. <i>Journal of Physiology</i> , 2011 , 589, 963-73	3.9	121
112	Systems biology in human exercise physiology: is it something different from integrative physiology?. <i>Journal of Physiology</i> , 2011 , 589, 1031-6	3.9	19
111	Novel events in the molecular regulation of muscle mass in critically ill patients. <i>Journal of Physiology</i> , 2011 , 589, 3883-95	3.9	76
110	Gastrointestinal surgery mediated increases in gut permeability and expression of IL6 and PDK4 mRNAs in quadriceps muscle may underpin the post-operative increase in whole-body insulin resistance in humans. <i>Journal of the American College of Surgeons</i> , 2011 , 213, S53	4.4	4
109	Rates of skeletal muscle mitochondrial ATP production are reduced during elective abdominal surgery in humans. <i>Journal of the American College of Surgeons</i> , 2011 , 213, S59	4.4	3
108	Maximal voluntary contraction force, SR function and glycogen resynthesis during the first 72 h after a high-level competitive soccer game. <i>European Journal of Applied Physiology</i> , 2011 , 111, 2987-95	3.4	90
107	Vegetarians have a reduced skeletal muscle carnitine transport capacity. <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 938-44	7	15
106	Applications of multi-nuclear magnetic resonance spectroscopy at 7T. <i>World Journal of Radiology</i> , 2011 , 3, 105-13	2.9	44
105	Low-dose dexamethasone prevents endotoxaemia-induced muscle protein loss and impairment of carbohydrate oxidation in rat skeletal muscle. <i>Journal of Physiology</i> , 2010 , 588, 1333-47	3.9	36

104	Regulation of human metabolism by hypoxia-inducible factor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 12722-7	11.5	122
103	Using molecular classification to predict gains in maximal aerobic capacity following endurance exercise training in humans. <i>Journal of Applied Physiology</i> , 2010 , 108, 1487-96	3.7	252
102	Optimization of insulin-mediated creatine retention during creatine feeding in humans. <i>Journal of Sports Sciences</i> , 2010 , 28, 67-74	3.6	8
101	Physiological control of muscle mass in humans during resistance exercise, disuse and rehabilitation. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2010 , 13, 249-54	3.8	22
100	Effects of endotoxaemia on protein metabolism in rat fast-twitch skeletal muscle and myocardium. <i>PLoS ONE</i> , 2009 , 4, e6945	3.7	9
99	BJSM reviews: A-Z of nutritional supplements: dietary supplements, sports nutrition foods and ergogenic aids for health and performance Part 4. <i>British Journal of Sports Medicine</i> , 2009 , 43, 1088-90	10.3	9
98	PPARdelta agonism inhibits skeletal muscle PDC activity, mitochondrial ATP production and force generation during prolonged contraction. <i>Journal of Physiology</i> , 2009 , 587, 231-9	3.9	22
97	Blunted Akt/FOXO signalling and activation of genes controlling atrophy and fuel use in statin myopathy. <i>Journal of Physiology</i> , 2009 , 587, 219-30	3.9	86
96	Systematic analysis of adaptations in aerobic capacity and submaximal energy metabolism provides a unique insight into determinants of human aerobic performance. <i>Journal of Applied Physiology</i> , 2009 , 106, 1479-86	3.7	129
95	Muscle atrophy in immobilization and senescence in humans. <i>Current Opinion in Neurology</i> , 2009 , 22, 500-5	7.1	14
94	Temporal changes in the involvement of pyruvate dehydrogenase complex in muscle lactate accumulation during lipopolysaccharide infusion in rats. <i>Journal of Physiology</i> , 2008 , 586, 1767-75	3.9	43
93	A potential role for Akt/FOXO signalling in both protein loss and the impairment of muscle carbohydrate oxidation during sepsis in rodent skeletal muscle. <i>Journal of Physiology</i> , 2008 , 586, 5589-600	3.9	127
92	The involvement of the ubiquitin proteasome system in human skeletal muscle remodelling and atrophy. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2008 , 1782, 730-43	6.9	183
91	Randomized controlled trial of dietary creatine as an adjunct therapy to physical training in chronic obstructive pulmonary disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2008 , 178, 233-9	10.2	63
90	The plasma ammonia response to cycle exercise in COPD. <i>European Respiratory Journal</i> , 2008 , 31, 751-8	13.6	18
89	Disassociation between the effects of amino acids and insulin on signaling, ubiquitin ligases, and protein turnover in human muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2008 , 295, E595-604	6	358
88	Dichloroacetate enhances performance and reduces blood lactate during maximal cycle exercise in chronic obstructive pulmonary disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2008 , 177, 1090-4	10.2	28
87	Post-exercise ingestion of a unique, high molecular weight glucose polymer solution improves performance during a subsequent bout of cycling exercise. <i>Journal of Sports Sciences</i> , 2008 , 26, 149-54	3.6	24

86	Creatine supplementation does not affect human skeletal muscle glycogen content in the absence of prior exercise. <i>Journal of Applied Physiology</i> , 2008 , 104, 508-12	3.7	16
85	Carbohydrate ingestion augments L-carnitine retention in humans. <i>Journal of Applied Physiology</i> , 2007 , 102, 1065-70	3.7	38
84	New insights concerning the role of carnitine in the regulation of fuel metabolism in skeletal muscle. <i>Journal of Physiology</i> , 2007 , 581, 431-44	3.9	249
83	PPARdelta agonism induces a change in fuel metabolism and activation of an atrophy programme, but does not impair mitochondrial function in rat skeletal muscle. <i>Journal of Physiology</i> , 2007 , 583, 381-90 ⁹	3.9	51
82	A threshold exists for the stimulatory effect of insulin on plasma L-carnitine clearance in humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007 , 292, E637-41	6	16
81	Tricarboxylic acid cycle intermediate pool size: functional importance for oxidative metabolism in exercising human skeletal muscle. <i>Sports Medicine</i> , 2007 , 37, 1071-88	10.6	46
80	The molecular physiology of human limb immobilization and rehabilitation. <i>Exercise and Sport Sciences Reviews</i> , 2006 , 34, 159-63	6.7	10
79	Chronic treatment with the beta(2)-adrenoceptor agonist prodrug BRL-47672 impairs rat skeletal muscle function by inducing a comprehensive shift to a faster muscle phenotype. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006 , 319, 439-46	4.7	19
78	The experimental type 2 diabetes therapy glycogen phosphorylase inhibition can impair aerobic muscle function during prolonged contraction. <i>Diabetes</i> , 2006 , 55, 1855-61	0.9	22
77	Glycogen phosphorylase inhibition as a therapeutic target: a review of the recent patent literature. <i>Expert Opinion on Therapeutic Patents</i> , 2006 , 16, 459-466	6.8	43
76	Insulin stimulates L-carnitine accumulation in human skeletal muscle. <i>FASEB Journal</i> , 2006 , 20, 377-9	0.9	72
75	Dietary supplements for football. <i>Journal of Sports Sciences</i> , 2006 , 24, 749-61	3.6	52
74	An acute increase in skeletal muscle carnitine content alters fuel metabolism in resting human skeletal muscle. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 5013-8	5.6	69
73	Branched-chain amino acids as fuels and anabolic signals in human muscle. <i>Journal of Nutrition</i> , 2006 , 136, 264S-8S	4.1	113
72	Lipopolysaccharide-induced transcriptional upregulation of interleukin-6 and tumor necrosis factor- α precedes muscle specific expression of the ubiquitin ligases, MAFbx and MuRF1 in the rat extensor digitorum longus muscle. <i>FASEB Journal</i> , 2006 , 20, A390	0.9	
71	An acute decrease in TCA cycle intermediates does not affect aerobic energy delivery in contracting rat skeletal muscle. <i>Journal of Physiology</i> , 2005 , 565, 637-43	3.9	19
70	Modulation of extracellular matrix genes reflects the magnitude of physiological adaptation to aerobic exercise training in humans. <i>BMC Biology</i> , 2005 , 3, 19	7.3	97
69	Acetyl-CoA provision and the acetyl group deficit at the onset of contraction in ischemic canine skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005 , 288, E327-34	6	14

68	Adenine nucleotide loss in the skeletal muscles during exercise in chronic obstructive pulmonary disease. <i>Thorax</i> , 2005 , 60, 932-6	7.3	28
67	Human muscle gene expression responses to endurance training provide a novel perspective on Duchenne muscular dystrophy. <i>FASEB Journal</i> , 2005 , 19, 750-60	0.9	121
66	Inhibition of adipose tissue lipolysis increases intramuscular lipid and glycogen use in vivo in humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005 , 289, E482-93	6	60
65	Glycogen phosphorylase inhibition in type 2 diabetes therapy: a systematic evaluation of metabolic and functional effects in rat skeletal muscle. <i>Diabetes</i> , 2005 , 54, 2453-9	0.9	60
64	Disuse atrophy and exercise rehabilitation in humans profoundly affects the expression of genes associated with the regulation of skeletal muscle mass. <i>FASEB Journal</i> , 2004 , 18, 1025-7	0.9	280
63	The effect of the beta2-adrenoceptor agonist prodrug BRL-47672 on cardiovascular function, skeletal muscle myosin heavy chain, and MyoD expression in the rat. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004 , 311, 1225-31	4.7	13
62	Acetyl group availability influences phosphocreatine degradation even during intense muscle contraction. <i>Journal of Physiology</i> , 2004 , 561, 851-9	3.9	13
61	Muscle pyruvate availability can limit the flux, but not activation, of the pyruvate dehydrogenase complex during submaximal exercise in humans. <i>Journal of Physiology</i> , 2004 , 561, 647-55	3.9	19
60	Metabolic inertia in contracting skeletal muscle: a novel approach for pharmacological intervention in peripheral vascular disease. <i>British Journal of Clinical Pharmacology</i> , 2004 , 57, 237-43	3.8	22
59	L-arginine ingestion after rest and exercise: effects on glucose disposal. <i>Medicine and Science in Sports and Exercise</i> , 2003 , 35, 1309-15	1.2	14
58	G protein-coupled receptor kinases 2 and 5 are differentially expressed in rat skeletal muscle and remain unchanged following beta2-agonist administration. <i>Experimental Physiology</i> , 2003 , 88, 277-84	2.4	6
57	Milestones in human physiology: Muscle energy metabolism and blood flow during contraction. <i>Journal of Physiology</i> , 2003 , 551, 397-9	3.9	1
56	Increased uncoupling protein 3 content does not affect mitochondrial function in human skeletal muscle in vivo. <i>Journal of Clinical Investigation</i> , 2003 , 111, 479-86	15.9	40
55	Exercise with low muscle glycogen augments TCA cycle anaplerosis but impairs oxidative energy provision in humans. <i>Journal of Physiology</i> , 2002 , 540, 1079-86	3.9	19
54	Oxygen uptake on-kinetics in dog gastrocnemius in situ following activation of pyruvate dehydrogenase by dichloroacetate. <i>Journal of Physiology</i> , 2002 , 538, 195-207	3.9	99
53	Low intensity exercise in humans accelerates mitochondrial ATP production and pulmonary oxygen kinetics during subsequent more intense exercise. <i>Journal of Physiology</i> , 2002 , 538, 931-9	3.9	39
52	The temporal relationship between glycogen phosphorylase and activation of the pyruvate dehydrogenase complex during adrenaline infusion in resting canine skeletal muscle. <i>Journal of Physiology</i> , 2002 , 545, 297-304	3.9	2
51	The acetyl group deficit at the onset of contraction in ischaemic canine skeletal muscle. <i>Journal of Physiology</i> , 2002 , 544, 591-602	3.9	25

50	Bicarbonate-induced alkalosis augments cellular acetyl group availability and isometric force during the rest-to-work transition in canine skeletal muscle. <i>Experimental Physiology</i> , 2002 , 87, 489-98	2.4	4
49	An acetyl group deficit limits mitochondrial ATP production at the onset of exercise. <i>Biochemical Society Transactions</i> , 2002 , 30, 275-280	5.1	38
48	Gender and age differences in plasma carnitine, muscle strength, and exercise tolerance in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2002 , 17, 1808-13	4.3	16
47	The effects of increasing exercise intensity on muscle fuel utilisation in humans. <i>Journal of Physiology</i> , 2001 , 536, 295-304	3.9	517
46	Phosphocreatine degradation in type I and type II muscle fibres during submaximal exercise in man: effect of carbohydrate ingestion. <i>Journal of Physiology</i> , 2001 , 537, 305-11	3.9	25
45	Oral creatine supplementation facilitates the rehabilitation of disuse atrophy and alters the expression of muscle myogenic factors in humans. <i>Journal of Physiology</i> , 2001 , 536, 625-33	3.9	217
44	Effect of oral creatine supplementation on human muscle GLUT4 protein content after immobilization. <i>Diabetes</i> , 2001 , 50, 18-23	0.9	111
43	Glutamine supplementation promotes anaplerosis but not oxidative energy delivery in human skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2001 , 280, E669-75	6	24
42	Look before you leap. <i>Journal of Applied Physiology</i> , 2001 , 91, 1011-3	3.7	2
41	Does dietary creatine supplementation play a role in skeletal muscle metabolism and performance?. <i>American Journal of Clinical Nutrition</i> , 2000 , 72, 607S-17S	7	95
40	Effect of carbohydrate ingestion on glycogen resynthesis in human liver and skeletal muscle, measured by (13)C MRS. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2000 , 278, E65-75	6	95
39	Contraction-induced muscle fiber damage is increased in soleus muscle of streptozotocin-diabetic rats and is associated with elevated expression of brain-derived neurotrophic factor mRNA in muscle fibers and activated satellite cells. <i>Experimental Neurology</i> , 2000 , 161, 597-608	5.7	24
38	Dietary creatine supplementation does not affect some haematological indices, or indices of muscle damage and hepatic and renal function. <i>British Journal of Sports Medicine</i> , 2000 , 34, 284-8	10.3	65
37	Factors Modifying Creatine Accumulation in Human Skeletal Muscle. <i>Medical Science Symposia Series</i> , 2000 , 75-82		
36	The importance of pyruvate availability to PDC activation and anaplerosis in human skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1999 , 276, E472-8	6	23
35	Role of submaximal exercise in promoting creatine and glycogen accumulation in human skeletal muscle. <i>Journal of Applied Physiology</i> , 1999 , 87, 598-604	3.7	123
34	The tricarboxylic acid cycle in human skeletal muscle: is there a role for nutritional intervention?. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 1999 , 2, 527-31	3.8	4
33	Carnosine and taurine contents in individual fibres of human vastus lateralis muscle. <i>Journal of Sports Sciences</i> , 1998 , 16, 639-643	3.6	73

32	Dual effects of dichloroacetate on cardiac ischaemic preconditioning in the rat isolated perfused heart. <i>British Journal of Pharmacology</i> , 1998 , 124, 245-51	8.6	3
31	1 Interaction Between Aerobic and Anaerobic Metabolism During Intense Muscle Contraction. <i>Exercise and Sport Sciences Reviews</i> , 1998 , 26, 177-80	6.7	29
30	The effect of dietary creatine supplementation on skeletal muscle metabolism in congestive heart failure. <i>European Heart Journal</i> , 1998 , 19, 617-22	9.5	61
29	Physiological responses to moderate cold stress in man and the influence of prior prolonged exhaustive exercise. <i>Experimental Physiology</i> , 1998 , 83, 679-95	2.4	12
28	Regulation of skeletal muscle carbohydrate oxidation during steady-state contraction. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1998 , 274, R1384-9	3.2	8
27	Muscle acetyl group availability is a major determinant of oxygen deficit in humans during submaximal exercise. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1998 , 274, E377-80 ⁶		74
26	Substrate availability limits human skeletal muscle oxidative ATP regeneration at the onset of ischemic exercise. <i>Journal of Clinical Investigation</i> , 1998 , 101, 79-85	15.9	66
25	Pyruvate dehydrogenase complex activation status and acetyl group availability as a site of interchange between anaerobic and oxidative metabolism during intense exercise. <i>Advances in Experimental Medicine and Biology</i> , 1998 , 441, 287-98	3.6	7
24	Anaerobic energy production in human skeletal muscle in intense contraction: a comparison of ³¹ P magnetic resonance spectroscopy and biochemical techniques. <i>Experimental Physiology</i> , 1997 , 82, 593-601 ⁴		15
23	Diet composition and the performance of high-intensity exercise. <i>Journal of Sports Sciences</i> , 1997 , 15, 265-75	3.6	56
22	The nutritional biochemistry of creatine. <i>Journal of Nutritional Biochemistry</i> , 1997 , 8, 610-618	6.3	59
21	Free and esterified carnitine in continuous ambulatory peritoneal dialysis patients. <i>Kidney International</i> , 1996 , 49, 158-62	9.9	16
20	Increased acetyl group availability enhances contractile function of canine skeletal muscle during ischemia. <i>Journal of Clinical Investigation</i> , 1996 , 97, 879-83	15.9	66
19	Attenuation by creatine of myocardial metabolic stress in Brattleboro rats caused by chronic inhibition of nitric oxide synthase. <i>British Journal of Pharmacology</i> , 1995 , 116, 3288-92	8.6	14
18	Creatine and its application as an ergogenic aid. <i>International Journal of Sport Nutrition</i> , 1995 , 5 Suppl, S100-10		68
17	Nuclear magnetic resonance spectroscopy as a tool to study carbohydrate metabolism. <i>Proceedings of the Nutrition Society</i> , 1994 , 53, 335-43	2.9	4
16	Glycogen resynthesis in liver and muscle after exercise: measurement of the rate of resynthesis by ¹³ C magnetic resonance spectroscopy. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 1994 , 2, 429-432	2.8	6
15	Effect of oral creatine supplementation on respiratory gas exchange and blood lactate accumulation during steady-state incremental treadmill exercise and recovery in man. <i>Clinical Science</i> , 1994 , 87, 707-10	6.5	75

14	Effect of Glycogen Availability on Work Production during Repeated Bouts of Maximal Isokinetic Cycling Exercise in Man. <i>Clinical Science</i> , 1994 , 87, 34-35		3
13	An in vivo Technique for Modelling the Metabolic Responses of Skeletal Muscle to Ischaemic Work. <i>Clinical Science</i> , 1994 , 87, 55-56		
12	Effect of Repeated Muscle Biopsy Sampling on ATP and Glycogen Resynthesis following Prolonged Exercise in Man. <i>Clinical Science</i> , 1994 , 87, 70-71		
11	Influence of oral creatine supplementation of muscle torque during repeated bouts of maximal voluntary exercise in man. <i>Clinical Science</i> , 1993 , 84, 565-71	6.5	350
10	Energy metabolism in single human muscle fibres during intermittent contraction with occluded circulation. <i>Journal of Physiology</i> , 1993 , 460, 443-53	3.9	64
9	A comparison of the beta 1-selectivity of conventional metoprolol and metoprolol CR during exercise in healthy volunteers. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 1993 , 18, 259-66	2.2	5
8	Influence of sodium bicarbonate ingestion on plasma ammonia accumulation during incremental exercise in man. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1993 , 66, 49-54		10
7	Energy metabolism in type I and type II human muscle fibres during short term electrical stimulation at different frequencies. <i>Acta Physiologica Scandinavica</i> , 1992 , 144, 15-22		64
6	Energy metabolism and fatigue during intense muscle contraction. <i>Biochemical Society Transactions</i> , 1991 , 19, 347-53	5.1	61
5	Bicarbonate loading in the thoroughbred: dose, method of administration and acid-base changes. <i>Equine Veterinary Journal</i> , 1990 , 22, 83-5	2.4	2
4	Cardiovascular fitness and thermoregulation during prolonged exercise in man. <i>British Journal of Sports Medicine</i> , 1989 , 23, 109-14	10.3	22
3	Metabolic Limitations to Performance324-339		
2	Carbohydrate Metabolism in Exercise85-96		3
1	Creatine367-378		4