

Tore Julsrud Berg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9291162/publications.pdf>

Version: 2024-02-01

35
papers

304
citations

1039406

9
h-index

940134

16
g-index

35
all docs

35
docs citations

35
times ranked

385
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The total prevalence of diagnosed diabetes and the quality of diabetes care for the adult population in Salten, Norway. <i>Scandinavian Journal of Public Health</i> , 2022, 50, 161-171. | 1.2 | 4 |
| 2 | Effect of Liothyronine Treatment on Quality of Life in Female Hypothyroid Patients With Residual Symptoms on Levothyroxine Therapy: A Randomized Crossover Study. <i>Frontiers in Endocrinology</i> , 2022, 13, 816566. | 1.5 | 8 |
| 3 | Undiagnosed diabetes: Prevalence and cardiovascular risk profile in a population-based study of 52,856 individuals. The HUNT Study, Norway. <i>Diabetic Medicine</i> , 2022, 39, e14829. | 1.2 | 8 |
| 4 | Vascular Function in Norwegian Female Elite Runners: A Cross-Sectional, Controlled Study. <i>Sports</i> , 2022, 10, 37. | 0.7 | 5 |
| 5 | Thyroid Signaling Biomarkers in Female Symptomatic Hypothyroid Patients on Liothyronine versus Levothyroxine Monotherapy: A Randomized Crossover Trial. <i>Journal of Thyroid Research</i> , 2022, 2022, 1-10. | 0.5 | 0 |
| 6 | Cohort profile: Outcomes & Multi-morbidity In Type 2 diabetes (OMIT) – a national registry-based observational cohort with focus on care and treatment of key high-risk groups in Norway. <i>BMJ Open</i> , 2022, 12, e054840. | 0.8 | 2 |
| 7 | Reduced leukocyte telomere lengths and sirtuin1 gene expression in long-term survivors of type1 diabetes: A Dialong substudy. <i>Journal of Diabetes Investigation</i> , 2021, 12, 1183-1192. | 1.1 | 6 |
| 8 | Autoantibodies Against Methylglyoxal-Modified Apolipoprotein B100 and ApoB100 Peptide Are Associated With Less Coronary Artery Atherosclerosis and Retinopathy in Long-Term Type 1 Diabetes. <i>Diabetes Care</i> , 2021, 44, 1402-1409. | 4.3 | 1 |
| 9 | Factors associated with treatment in primary versus specialist care: A population-based study of people with type 2 and type 1 diabetes. <i>Diabetic Medicine</i> , 2021, 38, e14580. | 1.2 | 5 |
| 10 | High adherence to recommended diabetes follow-up procedures by general practitioners is associated with lower estimated cardiovascular risk. <i>Diabetic Medicine</i> , 2021, 38, e14586. | 1.2 | 6 |
| 11 | Variation between general practitioners in type 2 diabetes processes of care. <i>Primary Care Diabetes</i> , 2021, 15, 495-501. | 0.9 | 8 |
| 12 | Factors associated with potential over- and undertreatment of hyperglycaemia and annual measurement of HbA 1c in type 2 diabetes in norwegian general practice. <i>Diabetic Medicine</i> , 2021, 38, e14500. | 1.2 | 5 |
| 13 | Effect of Liothyronine Treatment on Dermal Temperature and Activation of Brown Adipose Tissue in Female Hypothyroid Patients: A Randomized Crossover Study. <i>Frontiers in Endocrinology</i> , 2021, 12, 785175. | 1.5 | 4 |
| 14 | NETosis in Long-Term Type 1 Diabetes Mellitus and Its Link to Coronary Artery Disease. <i>Frontiers in Immunology</i> , 2021, 12, 799539. | 2.2 | 4 |
| 15 | Shorter Leukocyte Telomere Lengths in Healthy Relatives of Patients with Coronary Heart Disease. <i>Rejuvenation Research</i> , 2020, 23, 324-332. | 0.9 | 9 |
| 16 | Liver nucleotide biosynthesis is linked to protection from vascular complications in individuals with long-term type 1 diabetes. <i>Scientific Reports</i> , 2020, 10, 11561. | 1.6 | 8 |
| 17 | Increased Plasma Soluble Interleukin-2 Receptor Alpha Levels in Patients With Long-Term Type 1 Diabetes With Vascular Complications Associated With IL2RA and PTPN2 Gene Polymorphisms. <i>Frontiers in Endocrinology</i> , 2020, 11, 575469. | 1.5 | 4 |
| 18 | Collagen methionine sulfoxide and glucuronidine/LW-1 are markers of coronary artery disease in long-term survivors with type 1 diabetes. The Dialong study. <i>PLoS ONE</i> , 2020, 15, e0233174. | 1.1 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Availability and analytical quality of hemoglobin A _{1c} point-of-care testing in general practitioners' offices are associated with better glycemic control in type 2 diabetes. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, 1349-1356. | 1.4 | 14 |
| 20 | Title is missing!. , 2020, 15, e0233174. | | 0 |
| 21 | Title is missing!. , 2020, 15, e0233174. | | 0 |
| 22 | Title is missing!. , 2020, 15, e0233174. | | 0 |
| 23 | Title is missing!. , 2020, 15, e0233174. | | 0 |
| 24 | Title is missing!. , 2020, 15, e0233174. | | 0 |
| 25 | Title is missing!. , 2020, 15, e0233174. | | 0 |
| 26 | Coronary plaque characteristics and epicardial fat tissue in long term survivors of type 1 diabetes identified by coronary computed tomography angiography. <i>Cardiovascular Diabetology</i> , 2019, 18, 58. | 2.7 | 18 |
| 27 | Undiagnosed coronary artery disease in long-term type 1 diabetes. The Dialong study. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 383-389. | 1.2 | 14 |
| 28 | Ethnic and gender differences in the management of type 2 diabetes: a cross-sectional study from Norwegian general practice. <i>BMC Health Services Research</i> , 2019, 19, 904. | 0.9 | 8 |
| 29 | Exploring the relationship between coronary heart disease and type 2 diabetes: a cross-sectional study of secondary prevention among diabetes patients. <i>BJGP Open</i> , 2019, 3, bjgpopen18X101636. | 0.9 | 13 |
| 30 | Radiological glenohumeral osteoarthritis in long-term type 1 diabetes. Prevalence and reliability of three classification systems. The Dialong shoulder study. <i>Skeletal Radiology</i> , 2018, 47, 1245-1251. | 1.2 | 7 |
| 31 | Are general practitioners characteristics associated with the quality of type 2 diabetes care in general practice? Results from the Norwegian ROSA4 study from 2014. <i>Scandinavian Journal of Primary Health Care</i> , 2018, 36, 170-179. | 0.6 | 13 |
| 32 | Very High Prevalence of Frozen Shoulder in Patients With Type 1 Diabetes of 45 Years' Duration: The Dialong Shoulder Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 1551-1559. | 0.5 | 29 |
| 33 | Type 2 diabetes in general practice in Norway 2005-2014: moderate improvements in risk factor control but still major gaps in complication screening. <i>BMJ Open Diabetes Research and Care</i> , 2017, 5, e000459. | 1.2 | 35 |
| 34 | Hand, shoulder and back stiffness in long-term type 1 diabetes; cross-sectional association with skin collagen advanced glycation end-products. The Dialong study. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 1408-1414. | 1.2 | 42 |
| 35 | Long term type 1 diabetes is associated with hand pain, disability and stiffness but not with structural hand osteoarthritis features - The Dialong hand study. <i>PLoS ONE</i> , 2017, 12, e0177118. | 1.1 | 16 |