## Yong-Lin An

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/929157/publications.pdf

Version: 2024-02-01

471509 477307 33 824 17 29 h-index citations g-index papers 33 33 33 766 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Mild solvothermal syntheses and characterizations of five Nb-containing quaternary sulfides. Inorganic Chemistry Communication, 2022, 136, 109177.	3.9	3
2	Solvothermal syntheses, characterizations and photocatalytic properties of two copper-rich thiostannates. Inorganic Chemistry Communication, 2022, 139, 109323.	3.9	1
3	Solvothermal syntheses, structures, and characterizations of four thioarsenates A7Cu4As3S13 (AÂ=ÂRb,) Tj ETÇ	q1 <sub>3</sub> 1 <sub>9</sub> 0.78	4314 rgBT /O
4	Silver-Rich Hybrid Framework lodide Based on [Ag <sub>8</sub> 1 <sub>6</sub> ] <sup>2+</sup> Clusters Displays Low-Temperature Dual Emission and Luminescence Thermochromism. Inorganic Chemistry, 2022, 61, 8662-8669.	4.0	2
5	Solvothermal syntheses, crystal structures, and photoelectric response properties of two quaternary mercury-thioarsenates(III). Inorganic Chemistry Communication, 2021, 123, 108303.	3.9	7
6	Temperature controlling valance changes of crystalline thioarsenates and thioantimonates. Journal of Alloys and Compounds, 2021, 872, 159591.	5.5	11
7	Solvothermal syntheses, characterizations and semiconducting properties of four quaternary thioargentates Ba2AgInS4, Ba3Ag2Sn2S8, BaAg2MS4 (MÂ= Sn, Ge). Journal of Alloys and Compounds, 2020, 815, 152413.	5.5	12
8	Mild solvothermal syntheses and characterizations of four quaternary layered sulfides AAgCdS2 (AÂ=ÂK, Rb, Cs) and Cs2Cu2Cd2S4. Journal of Alloys and Compounds, 2020, 847, 156450.	5.5	9
9	Syntheses, structures, and photocatalytic properties of open-framework Ag–Sn–S compounds. Dalton Transactions, 2020, 49, 11708-11714.	3.3	17
10	Mild solvothermal syntheses and characterizations of two layered sulfides Ba2Cu2Cd2S5 and Ba3Cu4Hg4S9. Journal of Alloys and Compounds, 2020, 829, 154586.	5.5	9
11	Cotemplating Assembly and Structural Variation of Three-Dimensional Open-Framework Sulfides. Inorganic Chemistry, 2019, 58, 14289-14293.	4.0	13
12	Solvothermal Syntheses and Characterizations of Four Quaternary Copper Sulfides BaCu <sub>3</sub> MS <sub>4</sub> (M = In, Ga) and BaCu <sub>2</sub> MS <sub>4</sub> (M = Sn, Ge). Inorganic Chemistry, 2019, 58, 15101-15109.	4.0	19
13	Dual Sites of CoO Nanoparticles and Co–N <sub><i>x</i></sub> Embedded within Coal-Based Support toward Advanced Triiodide Reduction. ACS Sustainable Chemistry and Engineering, 2019, 7, 10484-10492.	6.7	4
14	Unusual Flexibility of Microporous Sulfides during Ion Exchange. Inorganic Chemistry, 2018, 57, 13128-13136.	4.0	37
15	Coordination-Induced Syntheses of Two Hybrid Framework Iodides: A Thermochromic Luminescent Thermometer. Inorganic Chemistry, 2016, 55, 7556-7563.	4.0	46
16	Syntheses and Characterization of Chiral Zeolitic Silver Halides Based on 3-Rings. Inorganic Chemistry, 2016, 55, 11593-11599.	4.0	27
17	Mild Solvothermal Syntheses and Characterization of Layered Copper Thioantimonates(III) and Thioarsenate(III). Inorganic Chemistry, 2014, 53, 4856-4860.	4.0	36
18	Facile synthesis of highly graphitized porous carbon monoliths with a balance on crystallization and pore-structure. Journal of Materials Chemistry A, 2014, 2, 12785-12791.	10.3	43

#	ARTICLE	IF	CITATIONS
19	Bio-inspired high performance electrochemical supercapacitors based on conducting polymer modified coral-like monolithic carbon. Journal of Materials Chemistry A, 2013, 1, 8876.	10.3	51
20	Mild Solvothermal Syntheses of Thioargentates A–Ag–S (A = K, Rb, Cs) and A–Ag–Ge–S (A = Na, Rb): Crucial Role of Excess Sulfur. Inorganic Chemistry, 2013, 52, 12367-12371.	4.0	22
21	A reverse membrane emulsification process based on a hierarchically porous monolith for high efficiency water–oil separation. Journal of Materials Chemistry A, 2013, 1, 1701-1708.	10.3	64
22	Copperâ€Rich Framework Selenoarsenates Based on Icosahedral Cu <sub>8</sub> Se <sub>13</sub> Clusters. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2012, 638, 2503-2507.	1.2	13
23	Solvothermal Synthesis and Characterization of Oneâ€dimensional Indium Polyselenides with Transition Metal Complexes. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2012, 638, 683-687.	1.2	8
24	Copper-Rich Framework Sulfides: A <sub>4</sub> Cu <sub>8</sub> Ge <sub>3</sub> S <sub>12</sub> (A = K,) Tj E	ТQq0 0 0	rgBT /Overlo
25	(H2en)2Cu8Sn3S12: a trigonal CuS3-based open-framework sulfide with interesting ion-exchange properties. Chemical Communications, 2010, 46, 4550.	4.1	71
26	Syntheses and Characterization of a Series of Silverâ 'Thioantimonates(III) and Thioarsenates(III) Containing Two Types of Silverâ 'Sulfur Chains. Inorganic Chemistry, 2010, 49, 1186-1190.	4.0	48
27	A Novel Boron Oxide Organic Open-Framework Compound: B6O9(en)2@(H2en)Cl2. European Journal of Inorganic Chemistry, 2009, 2009, 4622-4624.	2.0	33
28	Hydrothermal Reduction Synthesis, Structure, and Photoluminescent Properties of Copper(I) Halide and Pseudohalide Complexes. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2009, 635, 2328-2332.	1.2	5
29	Solvothermal Syntheses of Two Novel Layered Quaternary Silverâ <sup>*</sup> Antimony(III) Sulfides with Different Strategies. Crystal Growth and Design, 2009, 9, 3821-3824.	3.0	42
30	A solvothermal synthesis and characterization of a new open-framework K4Ag2Ge3S9·H2O. Journal of Solid State Chemistry, 2004, 177, 2506-2510.	2.9	13
31	A solvothermal synthesis and structure of K2Ag2GeS4 with the simplest helical chains. Inorganic Chemistry Communication, 2004, 7, 114-116.	3.9	18
32	K2Ag6Sn3S10:Â A Quaternary Sulfide Composed of Silver Sulfide Layers Pillared by Zigzag Chains [SnS3]2 Inorganic Chemistry, 2004, 43, 3764-3765.	4.0	48
33	A Solvothermal Synthesis and the Structure of K4Ag2Sn3S9·2KOH. Inorganic Chemistry, 2003, 42, 4248-4249.	4.0	38